



11.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.7	-13	Pass	2986
30	809	0.1	Peak	793.1	-52.06	-13	Pass	7791
809	829	0.1	Peak	821.25	24.84	60	Pass	401
829	1000	0.1	Peak	830.1	-50.98	-13	Pass	1711
1000	3000	1	Peak	2768	-34.89	-13	Pass	2001
3000	10000	1	Peak	7748	-30	-13	Pass	7001




11.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.88	-13	Pass	2986
30	809	0.1	Peak	794	-51.3	-13	Pass	7791
809	829	0.1	Peak	814.35	24.74	60	Pass	401
829	1000	0.1	Peak	914.1	-51.58	-13	Pass	1711
1000	3000	1	Peak	2918	-34.64	-13	Pass	2001
3000	10000	1	Peak	7752	-29.79	-13	Pass	7001




11.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.46	-13	Pass	2986
30	809	0.1	Peak	806	-51.72	-13	Pass	7791
809	829	0.1	Peak	814.3	24.53	60	Pass	401
829	1000	0.1	Peak	903.8	-51.47	-13	Pass	1711
1000	3000	1	Peak	2774	-34.1	-13	Pass	2001
3000	10000	1	Peak	7749	-29.63	-13	Pass	7001




11.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.55	-13	Pass	2986
30	809	0.1	Peak	808.4	-50.13	-13	Pass	7791
809	829	0.1	Peak	816.9	25.13	60	Pass	401
829	1000	0.1	Peak	941.6	-51.52	-13	Pass	1711
1000	3000	1	Peak	2653	-33.07	-13	Pass	2001
3000	10000	1	Peak	7747	-29.66	-13	Pass	7001




11.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.86	-13	Pass	2986
30	809	0.1	Peak	808.3	-48.45	-13	Pass	7791
809	829	0.1	Peak	816.85	25.12	60	Pass	401
829	1000	0.1	Peak	840.6	-50.77	-13	Pass	1711
1000	3000	1	Peak	2737	-34.53	-13	Pass	2001
3000	10000	1	Peak	7691	-29.9	-13	Pass	7001




11.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-41.64	-13	Pass	2986
30	809	0.1	Peak	778.9	-52.48	-13	Pass	7791
809	829	0.1	Peak	819.4	24.33	60	Pass	401
829	1000	0.1	Peak	830.5	-50.39	-13	Pass	1711
1000	3000	1	Peak	2649	-34.48	-13	Pass	2001
3000	10000	1	Peak	7723	-29.65	-13	Pass	7001




11.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-43.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.23	-13	Pass	2986
30	809	0.1	Peak	808.4	-51.48	-13	Pass	7791
809	829	0.1	Peak	819.35	24.72	60	Pass	401
829	1000	0.1	Peak	845.3	-51.19	-13	Pass	1711
1000	3000	1	Peak	2998	-34.14	-13	Pass	2001
3000	10000	1	Peak	7687	-29.52	-13	Pass	7001




**11.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.11	-13	Pass	401
0.15	30	0.01	Peak	0.17	-43.19	-13	Pass	2986
30	809	0.1	Peak	809	-46.01	-13	Pass	7791
809	829	0.1	Peak	814.6	24.41	60	Pass	401
829	1000	0.1	Peak	832.2	-29.96	-13	Pass	1711
1000	3000	1	Peak	2650	-34.77	-13	Pass	2001
3000	10000	1	Peak	7776	-30.18	-13	Pass	7001



11.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.99	-13	Pass	2986
30	809	0.1	Peak	808.8	-46.47	-13	Pass	7791
809	829	0.1	Peak	814.6	24.77	60	Pass	401
829	1000	0.1	Peak	832.2	-29.45	-13	Pass	1711
1000	3000	1	Peak	2653	-34.56	-13	Pass	2001
3000	10000	1	Peak	7719	-29.67	-13	Pass	7001



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-25	Pass	2986
30	1000	0.1	RMS	934.7	-58.21	-25	Pass	9701
1000	2560	1	RMS	2559	-43.21	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.91	60	Pass	401
2630	3000	1	RMS	2654.05	-42.2	-25	Pass	401
3000	12000	1	RMS	5140	-49.75	-25	Pass	9001
12000	26500	1	RMS	25012	-41.1	-25	Pass	14501




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.64	-25	Pass	2986
30	1000	0.1	RMS	931	-58.24	-25	Pass	9701
1000	2560	1	RMS	2560	-43.22	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.04	60	Pass	401
2630	3000	1	RMS	2649.425	-42.16	-25	Pass	401
3000	12000	1	RMS	5141	-48.93	-25	Pass	9001
12000	26500	1	RMS	25011	-41.12	-25	Pass	14501




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-25	Pass	2986
30	1000	0.1	RMS	927.1	-58.25	-25	Pass	9701
1000	2560	1	RMS	2548	-43.31	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.67	60	Pass	401
2630	3000	1	RMS	2651.275	-42.22	-25	Pass	401
3000	12000	1	RMS	5185	-51.84	-25	Pass	9001
12000	26500	1	RMS	25012	-41.07	-25	Pass	14501




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.5	-25	Pass	2986
30	1000	0.1	RMS	930.5	-58.18	-25	Pass	9701
1000	2560	1	RMS	2552	-43.33	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.22	60	Pass	401
2630	3000	1	RMS	2650.35	-42.24	-25	Pass	401
3000	12000	1	RMS	5186	-50.28	-25	Pass	9001
12000	26500	1	RMS	25016	-41.14	-25	Pass	14501




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.11	-25	Pass	2986
30	1000	0.1	RMS	924.2	-58.23	-25	Pass	9701
1000	2560	1	RMS	2548	-43.29	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.97	60	Pass	401
2630	3000	1	RMS	2655.9	-42.21	-25	Pass	401
3000	12000	1	RMS	5231	-51.44	-25	Pass	9001
12000	26500	1	RMS	25015	-41.18	-25	Pass	14501




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-25	Pass	2986
30	1000	0.1	RMS	923.8	-58.2	-25	Pass	9701
1000	2560	1	RMS	2548	-43.32	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.13	60	Pass	401
2630	3000	1	RMS	2651.275	-42.25	-25	Pass	401
3000	12000	1	RMS	5231	-53.38	-25	Pass	9001
12000	26500	1	RMS	25014	-41.15	-25	Pass	14501




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.77	-25	Pass	2986
30	1000	0.1	RMS	928.8	-58.18	-25	Pass	9701
1000	2560	1	RMS	2553	-37.81	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.02	60	Pass	401
2630	3000	1	RMS	2658.675	-42.21	-25	Pass	401
3000	12000	1	RMS	5141	-47.71	-25	Pass	9001
12000	26500	1	RMS	25021	-41.2	-25	Pass	14501




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.19	-25	Pass	2986
30	1000	0.1	RMS	970.2	-58.19	-25	Pass	9701
1000	2560	1	RMS	2553	-37.06	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.2	60	Pass	401
2630	3000	1	RMS	2653.125	-42.22	-25	Pass	401
3000	12000	1	RMS	5142	-54.54	-25	Pass	9001
12000	26500	1	RMS	25012	-41.12	-25	Pass	14501



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-25	Pass	2986
30	1000	0.1	RMS	948.2	-58.34	-25	Pass	9701
1000	2560	1	RMS	2501	-43.28	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.99	60	Pass	401
2630	3000	1	RMS	2651.275	-42.2	-25	Pass	401
3000	12000	1	RMS	10362	-53.7	-25	Pass	9001
12000	26500	1	RMS	25012	-41.17	-25	Pass	14501



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.72	-25	Pass	2986
30	1000	0.1	RMS	934	-58.16	-25	Pass	9701
1000	2560	1	RMS	2536	-43.26	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.31	60	Pass	401
2630	3000	1	RMS	2649.425	-42.22	-25	Pass	401
3000	12000	1	RMS	5181	-49.27	-25	Pass	9001
12000	26500	1	RMS	25010	-41.16	-25	Pass	14501



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.63	-25	Pass	2986
30	1000	0.1	RMS	917.9	-58.32	-25	Pass	9701
1000	2560	1	RMS	2525	-43.34	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.64	60	Pass	401
2630	3000	1	RMS	2650.35	-42.22	-25	Pass	401
3000	12000	1	RMS	10443	-54.84	-25	Pass	9001
12000	26500	1	RMS	25012	-41.19	-25	Pass	14501



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.61	-25	Pass	2986
30	1000	0.1	RMS	916.6	-58.3	-25	Pass	9701
1000	2560	1	RMS	2535	-43.31	-25	Pass	1561
2560	2630	1	RMS	2610.575	21.71	60	Pass	401
2630	3000	1	RMS	2650.35	-42.19	-25	Pass	401
3000	12000	1	RMS	10442	-55.66	-25	Pass	9001
12000	26500	1	RMS	25010	-41.09	-25	Pass	14501



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.15	-25	Pass	2986
30	1000	0.1	RMS	941.3	-58.19	-25	Pass	9701
1000	2560	1	RMS	2558	-30.44	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.75	60	Pass	401
2630	3000	1	RMS	3000	-42.23	-25	Pass	401
3000	12000	1	RMS	5142	-46.63	-25	Pass	9001
12000	26500	1	RMS	25010	-41.13	-25	Pass	14501



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.04	-25	Pass	2986
30	1000	0.1	RMS	939.1	-58.3	-25	Pass	9701
1000	2560	1	RMS	2557	-30.08	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.49	60	Pass	401
2630	3000	1	RMS	2655.9	-42.2	-25	Pass	401
3000	12000	1	RMS	5142	-48.56	-25	Pass	9001
12000	26500	1	RMS	25013	-41.11	-25	Pass	14501



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-25	Pass	2986
30	1000	0.1	RMS	916.4	-58.22	-25	Pass	9701
1000	2560	1	RMS	2556	-43.17	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.56	60	Pass	401
2630	3000	1	RMS	2648.5	-42.22	-25	Pass	401
3000	12000	1	RMS	10353	-53.4	-25	Pass	9001
12000	26500	1	RMS	25011	-41.12	-25	Pass	14501



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.43	-25	Pass	2986
30	1000	0.1	RMS	935.5	-58.06	-25	Pass	9701
1000	2560	1	RMS	2560	-43.23	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.05	60	Pass	401
2630	3000	1	RMS	2650.35	-42.2	-25	Pass	401
3000	12000	1	RMS	5177	-53.13	-25	Pass	9001
12000	26500	1	RMS	25015	-41.06	-25	Pass	14501



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-25	Pass	2986
30	1000	0.1	RMS	927.5	-58.26	-25	Pass	9701
1000	2560	1	RMS	2519	-43.28	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.39	60	Pass	401
2630	3000	1	RMS	2632.775	-32.56	-25	Pass	401
3000	12000	1	RMS	5212	-51.32	-25	Pass	9001
12000	26500	1	RMS	25015	-41.2	-25	Pass	14501



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.97	-25	Pass	2986
30	1000	0.1	RMS	942.3	-58.29	-25	Pass	9701
1000	2560	1	RMS	2539	-43.31	-25	Pass	1561
2560	2630	1	RMS	2606.025	22.77	60	Pass	401
2630	3000	1	RMS	2632.775	-34.01	-25	Pass	401
3000	12000	1	RMS	10424	-55.23	-25	Pass	9001
12000	26500	1	RMS	25015	-41.2	-25	Pass	14501



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.74	-25	Pass	2986
30	1000	0.1	RMS	913	-58.24	-25	Pass	9701
1000	2560	1	RMS	2535	-32.27	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.82	60	Pass	401
2630	3000	1	RMS	2642.95	-42.14	-25	Pass	401
3000	12000	1	RMS	5142	-47.95	-25	Pass	9001
12000	26500	1	RMS	25020	-41.14	-25	Pass	14501



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.53	-25	Pass	2986
30	1000	0.1	RMS	888	-58.13	-25	Pass	9701
1000	2560	1	RMS	2553	-33.1	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.81	60	Pass	401
2630	3000	1	RMS	2654.975	-42.19	-25	Pass	401
3000	12000	1	RMS	10285	-56.32	-25	Pass	9001
12000	26500	1	RMS	25013	-41.1	-25	Pass	14501



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-25	Pass	2986
30	1000	0.1	RMS	918.5	-58.25	-25	Pass	9701
1000	2560	1	RMS	2551	-33.47	-25	Pass	1561
2560	2630	1	RMS	2586.25	23.86	60	Pass	401
2630	3000	1	RMS	2657.75	-42.07	-25	Pass	401
3000	12000	1	RMS	5173	-51.54	-25	Pass	9001
12000	26500	1	RMS	25016	-41.19	-25	Pass	14501



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.04	-25	Pass	2986
30	1000	0.1	RMS	929.2	-58.23	-25	Pass	9701
1000	2560	1	RMS	2551	-33.46	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.58	60	Pass	401
2630	3000	1	RMS	2656.825	-42.13	-25	Pass	401
3000	12000	1	RMS	10344	-54.55	-25	Pass	9001
12000	26500	1	RMS	25018	-41.18	-25	Pass	14501



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.23	-25	Pass	2986
30	1000	0.1	RMS	921	-58.26	-25	Pass	9701
1000	2560	1	RMS	2557	-42.86	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.04	60	Pass	401
2630	3000	1	RMS	2636.475	-35.03	-25	Pass	401
3000	12000	1	RMS	5202	-52.54	-25	Pass	9001
12000	26500	1	RMS	25010	-41.06	-25	Pass	14501



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.85	-25	Pass	2986
30	1000	0.1	RMS	966	-58.21	-25	Pass	9701
1000	2560	1	RMS	2540	-43.27	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.63	60	Pass	401
2630	3000	1	RMS	2636.475	-34.63	-25	Pass	401
3000	12000	1	RMS	10404	-56.65	-25	Pass	9001
12000	26500	1	RMS	25015	-41.13	-25	Pass	14501



13. LTE_Band41 full


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-25	Pass	2986
30	1000	0.1	RMS	927.4	-58.23	-25	Pass	9701
1000	2486	1	RMS	2486	-43.25	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.58	60	Pass	401
2700	3000	1	RMS	3000	-42.29	-25	Pass	401
3000	12000	1	RMS	4992	-47.48	-25	Pass	9001
12000	27000	1	RMS	25013	-36.51	-25	Pass	15001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.26	-25	Pass	9701
1000	2486	1	RMS	2485	-43.43	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.54	60	Pass	401
2700	3000	1	RMS	2998.5	-42.3	-25	Pass	401
3000	12000	1	RMS	4993	-49.24	-25	Pass	9001
12000	27000	1	RMS	25008	-36.45	-25	Pass	15001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.47	-25	Pass	2986
30	1000	0.1	RMS	936	-58.15	-25	Pass	9701
1000	2486	1	RMS	2483	-43.62	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.37	60	Pass	401
2700	3000	1	RMS	3000	-42.31	-25	Pass	401
3000	12000	1	RMS	5182	-49.08	-25	Pass	9001
12000	27000	1	RMS	25015	-36.53	-25	Pass	15001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-25	Pass	2986
30	1000	0.1	RMS	925.5	-58.2	-25	Pass	9701
1000	2486	1	RMS	2483	-43.68	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.08	60	Pass	401
2700	3000	1	RMS	3000	-42.25	-25	Pass	401
3000	12000	1	RMS	5182	-49.54	-25	Pass	9001
12000	27000	1	RMS	25017	-36.58	-25	Pass	15001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.07	-25	Pass	2986
30	1000	0.1	RMS	919.5	-58.2	-25	Pass	9701
1000	2486	1	RMS	2486	-43.67	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.54	60	Pass	401
2700	3000	1	RMS	2999.25	-42.29	-25	Pass	401
3000	12000	1	RMS	5371	-55.31	-25	Pass	9001
12000	27000	1	RMS	25013	-36.48	-25	Pass	15001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-25	Pass	2986
30	1000	0.1	RMS	924.3	-58.18	-25	Pass	9701
1000	2486	1	RMS	2479	-43.63	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.07	60	Pass	401
2700	3000	1	RMS	2999.25	-42.26	-25	Pass	401
3000	12000	1	RMS	5371	-54.6	-25	Pass	9001
12000	27000	1	RMS	25009	-36.48	-25	Pass	15001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.52	-25	Pass	2986
30	1000	0.1	RMS	937.8	-58.21	-25	Pass	9701
1000	2486	1	RMS	2478	-40.09	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.22	60	Pass	401
2700	3000	1	RMS	3000	-42.27	-25	Pass	401
3000	12000	1	RMS	4994	-51.91	-25	Pass	9001
12000	27000	1	RMS	25015	-36.5	-25	Pass	15001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.48	-25	Pass	2986
30	1000	0.1	RMS	917.6	-58.24	-25	Pass	9701
1000	2486	1	RMS	2479	-40.69	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.72	60	Pass	401
2700	3000	1	RMS	2998.5	-42.31	-25	Pass	401
3000	12000	1	RMS	4993	-45.67	-25	Pass	9001
12000	27000	1	RMS	25013	-36.43	-25	Pass	15001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.78	-25	Pass	2986
30	1000	0.1	RMS	953.5	-58.29	-25	Pass	9701
1000	2486	1	RMS	2484	-43.6	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.3	60	Pass	401
2700	3000	1	RMS	2997	-42.3	-25	Pass	401
3000	12000	1	RMS	5177	-48.19	-25	Pass	9001
12000	27000	1	RMS	25014	-36.51	-25	Pass	15001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-25	Pass	2986
30	1000	0.1	RMS	924.1	-58.17	-25	Pass	9701
1000	2486	1	RMS	2486	-43.69	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.63	60	Pass	401
2700	3000	1	RMS	2997.75	-42.32	-25	Pass	401
3000	12000	1	RMS	5177	-53.15	-25	Pass	9001
12000	27000	1	RMS	25010	-36.34	-25	Pass	15001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.03	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.33	-25	Pass	9701
1000	2486	1	RMS	2485	-43.66	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.74	60	Pass	401
2700	3000	1	RMS	2999.25	-42.31	-25	Pass	401
3000	12000	1	RMS	10722	-56.19	-25	Pass	9001
12000	27000	1	RMS	25014	-36.43	-25	Pass	15001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.09	-25	Pass	2986
30	1000	0.1	RMS	923.4	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.6	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.03	60	Pass	401
2700	3000	1	RMS	2998.5	-42.3	-25	Pass	401
3000	12000	1	RMS	10722	-56.49	-25	Pass	9001
12000	27000	1	RMS	25012	-36.55	-25	Pass	15001



13.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-25	Pass	2986
30	1000	0.1	RMS	943.7	-58.03	-25	Pass	9701
1000	2486	1	RMS	2484	-28.72	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.36	60	Pass	401
2700	3000	1	RMS	3000	-42.21	-25	Pass	401
3000	12000	1	RMS	4994	-47.94	-25	Pass	9001
12000	27000	1	RMS	25012	-36.41	-25	Pass	15001



13.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-25	Pass	2986
30	1000	0.1	RMS	922.2	-58.29	-25	Pass	9701
1000	2486	1	RMS	2484	-31.83	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.4	60	Pass	401
2700	3000	1	RMS	2997.75	-42.28	-25	Pass	401
3000	12000	1	RMS	4994	-47.25	-25	Pass	9001
12000	27000	1	RMS	25012	-36.57	-25	Pass	15001



13.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.47	-25	Pass	2986
30	1000	0.1	RMS	924.6	-58.18	-25	Pass	9701
1000	2486	1	RMS	2481	-43.63	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.41	60	Pass	401
2700	3000	1	RMS	3000	-42.26	-25	Pass	401
3000	12000	1	RMS	5173	-48.66	-25	Pass	9001
12000	27000	1	RMS	25011	-36.52	-25	Pass	15001



13.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.94	-25	Pass	2986
30	1000	0.1	RMS	920.7	-58.22	-25	Pass	9701
1000	2486	1	RMS	2480	-43.65	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.61	60	Pass	401
2700	3000	1	RMS	2999.25	-42.33	-25	Pass	401
3000	12000	1	RMS	5173	-50.37	-25	Pass	9001
12000	27000	1	RMS	25019	-36.55	-25	Pass	15001



13.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.62	-25	Pass	2986
30	1000	0.1	RMS	929.9	-58.38	-25	Pass	9701
1000	2486	1	RMS	2478	-43.68	-25	Pass	1487
2486	2700	1	RMS	2675.925	23	60	Pass	401
2700	3000	1	RMS	2702.25	-35.07	-25	Pass	401
3000	12000	1	RMS	10704	-56.54	-25	Pass	9001
12000	27000	1	RMS	25010	-36.52	-25	Pass	15001



13.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.54	-25	Pass	2986
30	1000	0.1	RMS	913.7	-58.24	-25	Pass	9701
1000	2486	1	RMS	2486	-43.53	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.6	60	Pass	401
2700	3000	1	RMS	2702.25	-35.61	-25	Pass	401
3000	12000	1	RMS	10704	-57.78	-25	Pass	9001
12000	27000	1	RMS	25012	-36.39	-25	Pass	15001



13.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.95	-25	Pass	2986
30	1000	0.1	RMS	914.4	-58.24	-25	Pass	9701
1000	2486	1	RMS	2479	-30.39	-25	Pass	1487
2486	2700	1	RMS	2497.235	23.24	60	Pass	401
2700	3000	1	RMS	2998.5	-42.27	-25	Pass	401
3000	12000	1	RMS	9988	-50.41	-25	Pass	9001
12000	27000	1	RMS	25019	-36.48	-25	Pass	15001



13.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.93	-25	Pass	2986
30	1000	0.1	RMS	929.6	-58.21	-25	Pass	9701
1000	2486	1	RMS	2479	-30.19	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.94	60	Pass	401
2700	3000	1	RMS	2999.25	-42.27	-25	Pass	401
3000	12000	1	RMS	4994	-51.85	-25	Pass	9001
12000	27000	1	RMS	25013	-36.64	-25	Pass	15001



13.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-25	Pass	2986
30	1000	0.1	RMS	912.9	-58.19	-25	Pass	9701
1000	2486	1	RMS	2486	-43.63	-25	Pass	1487
2486	2700	1	RMS	2584.44	21.89	60	Pass	401
2700	3000	1	RMS	2998.5	-42.28	-25	Pass	401
3000	12000	1	RMS	5168	-47.3	-25	Pass	9001
12000	27000	1	RMS	25010	-36.49	-25	Pass	15001



13.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.2	-25	Pass	2986
30	1000	0.1	RMS	951.9	-58.35	-25	Pass	9701
1000	2486	1	RMS	2486	-43.59	-25	Pass	1487
2486	2700	1	RMS	2583.905	21	60	Pass	401
2700	3000	1	RMS	3000	-42.33	-25	Pass	401
3000	12000	1	RMS	10336	-56.23	-25	Pass	9001
12000	27000	1	RMS	25011	-36.55	-25	Pass	15001



13.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.2	-25	Pass	9701
1000	2486	1	RMS	2486	-43.63	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.52	60	Pass	401
2700	3000	1	RMS	2706.75	-35.09	-25	Pass	401
3000	12000	1	RMS	11853	-59.15	-25	Pass	9001
12000	27000	1	RMS	25014	-36.58	-25	Pass	15001



13.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-25	Pass	2986
30	1000	0.1	RMS	912.1	-58.23	-25	Pass	9701
1000	2486	1	RMS	2485	-43.64	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.84	60	Pass	401
2700	3000	1	RMS	2706.75	-36.19	-25	Pass	401
3000	12000	1	RMS	5342	-58.55	-25	Pass	9001
12000	27000	1	RMS	25016	-36.59	-25	Pass	15001



14. LTE_Band66


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.62	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-50.83	-13	Pass	701
1700	1790	1	RMS	1710.35	22.07	60	Pass	401
1790	3000	1	RMS	2641	-46.14	-13	Pass	1211
3000	12000	1	RMS	11858	-39.82	-13	Pass	9001
12000	20000	1	RMS	19997	-27.38	-13	Pass	8001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1790	1	RMS	1710.35	21.19	60	Pass	401
1790	3000	1	RMS	2656	-46.15	-13	Pass	1211
3000	12000	1	RMS	11846	-39.73	-13	Pass	9001
12000	20000	1	RMS	20000	-27.36	-13	Pass	8001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.09	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.28	-13	Pass	9701
1000	1700	1	RMS	1699	-51.1	-13	Pass	701
1700	1790	1	RMS	1744.55	22.55	60	Pass	401
1790	3000	1	RMS	2656	-46.18	-13	Pass	1211
3000	12000	1	RMS	11951	-39.83	-13	Pass	9001
12000	20000	1	RMS	20000	-27.4	-13	Pass	8001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.85	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.16	-13	Pass	9701
1000	1700	1	RMS	1698	-51.15	-13	Pass	701
1700	1790	1	RMS	1744.55	21.44	60	Pass	401
1790	3000	1	RMS	2648	-46.19	-13	Pass	1211
3000	12000	1	RMS	11940	-39.76	-13	Pass	9001
12000	20000	1	RMS	19997	-27.41	-13	Pass	8001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.13	-13	Pass	701
1700	1790	1	RMS	1778.75	22.15	60	Pass	401
1790	3000	1	RMS	2654	-46.17	-13	Pass	1211
3000	12000	1	RMS	11950	-39.84	-13	Pass	9001
12000	20000	1	RMS	19999	-27.38	-13	Pass	8001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.42	-13	Pass	2986
30	1000	0.1	RMS	917.9	-62.19	-13	Pass	9701
1000	1700	1	RMS	1696	-51.14	-13	Pass	701
1700	1790	1	RMS	1778.75	21.24	60	Pass	401
1790	3000	1	RMS	2663	-46.19	-13	Pass	1211
3000	12000	1	RMS	11856	-39.77	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1710.35	21.64	60	Pass	401
1790	3000	1	RMS	2649	-46.21	-13	Pass	1211
3000	12000	1	RMS	11937	-39.84	-13	Pass	9001
12000	20000	1	RMS	19993	-27.35	-13	Pass	8001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.06	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.8	-13	Pass	701
1700	1790	1	RMS	1710.35	20.87	60	Pass	401
1790	3000	1	RMS	2652	-46.19	-13	Pass	1211
3000	12000	1	RMS	11851	-39.84	-13	Pass	9001
12000	20000	1	RMS	19995	-27.39	-13	Pass	8001



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2986
30	1000	0.1	RMS	950	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1790	1	RMS	1743.65	21.94	60	Pass	401
1790	3000	1	RMS	2652	-46.11	-13	Pass	1211
3000	12000	1	RMS	11981	-39.86	-13	Pass	9001
12000	20000	1	RMS	20000	-27.4	-13	Pass	8001



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.25	-13	Pass	2986
30	1000	0.1	RMS	988.1	-62.27	-13	Pass	9701
1000	1700	1	RMS	1696	-51.14	-13	Pass	701
1700	1790	1	RMS	1743.65	20.82	60	Pass	401
1790	3000	1	RMS	2650	-46.17	-13	Pass	1211
3000	12000	1	RMS	11848	-39.78	-13	Pass	9001
12000	20000	1	RMS	19999	-27.44	-13	Pass	8001



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	1000	0.1	RMS	916.8	-62.12	-13	Pass	9701
1000	1700	1	RMS	1688	-51.15	-13	Pass	701
1700	1790	1	RMS	1777.175	21.7	60	Pass	401
1790	3000	1	RMS	2652	-46.16	-13	Pass	1211
3000	12000	1	RMS	11927	-39.81	-13	Pass	9001
12000	20000	1	RMS	19996	-27.31	-13	Pass	8001



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.09	-13	Pass	2986
30	1000	0.1	RMS	917.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.16	-13	Pass	701
1700	1790	1	RMS	1777.175	20.79	60	Pass	401
1790	3000	1	RMS	2650	-46.22	-13	Pass	1211
3000	12000	1	RMS	11956	-39.81	-13	Pass	9001
12000	20000	1	RMS	19999	-27.44	-13	Pass	8001



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.39	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	Pass	701
1700	1790	1	RMS	1710.35	21.96	60	Pass	401
1790	3000	1	RMS	2655	-46.19	-13	Pass	1211
3000	12000	1	RMS	11950	-39.79	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.64	-13	Pass	2986
30	1000	0.1	RMS	998.1	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1790	1	RMS	1710.35	21.07	60	Pass	401
1790	3000	1	RMS	2647	-46.15	-13	Pass	1211
3000	12000	1	RMS	11952	-39.85	-13	Pass	9001
12000	20000	1	RMS	20000	-27.34	-13	Pass	8001



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.56	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.21	-13	Pass	9701
1000	1700	1	RMS	1694	-51.14	-13	Pass	701
1700	1790	1	RMS	1742.75	22.02	60	Pass	401
1790	3000	1	RMS	2649	-46.15	-13	Pass	1211
3000	12000	1	RMS	11918	-39.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.31	-13	Pass	8001



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.17	-13	Pass	701
1700	1790	1	RMS	1742.75	21	60	Pass	401
1790	3000	1	RMS	2999	-46.15	-13	Pass	1211
3000	12000	1	RMS	11947	-39.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.31	-13	Pass	8001



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	1000	0.1	RMS	940.7	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-51.12	-13	Pass	701
1700	1790	1	RMS	1775.375	21.85	60	Pass	401
1790	3000	1	RMS	2645	-46.19	-13	Pass	1211
3000	12000	1	RMS	11930	-39.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.39	-13	Pass	8001



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	1000	0.1	RMS	929.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1695	-51.18	-13	Pass	701
1700	1790	1	RMS	1775.375	21.02	60	Pass	401
1790	3000	1	RMS	2652	-46.2	-13	Pass	1211
3000	12000	1	RMS	11975	-39.83	-13	Pass	9001
12000	20000	1	RMS	19998	-27.39	-13	Pass	8001



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.78	-13	Pass	2986
30	1000	0.1	RMS	908.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-47.47	-13	Pass	701
1700	1790	1	RMS	1710.575	22.09	60	Pass	401
1790	3000	1	RMS	2649	-46.18	-13	Pass	1211
3000	12000	1	RMS	11950	-39.76	-13	Pass	9001
12000	20000	1	RMS	19999	-27.37	-13	Pass	8001



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	1000	0.1	RMS	895.3	-62.21	-13	Pass	9701
1000	1700	1	RMS	1693	-48.12	-13	Pass	701
1700	1790	1	RMS	1710.575	21.31	60	Pass	401
1790	3000	1	RMS	2656	-46.2	-13	Pass	1211
3000	12000	1	RMS	11960	-39.81	-13	Pass	9001
12000	20000	1	RMS	20000	-27.2	-13	Pass	8001



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	1000	0.1	RMS	890.6	-62.2	-13	Pass	9701
1000	1700	1	RMS	1697	-51.11	-13	Pass	701
1700	1790	1	RMS	1740.5	22.01	60	Pass	401
1790	3000	1	RMS	2647	-46.14	-13	Pass	1211
3000	12000	1	RMS	11940	-39.79	-13	Pass	9001
12000	20000	1	RMS	19999	-27.33	-13	Pass	8001



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	1000	0.1	RMS	872.4	-62.22	-13	Pass	9701
1000	1700	1	RMS	1692	-51.17	-13	Pass	701
1700	1790	1	RMS	1740.5	20.95	60	Pass	401
1790	3000	1	RMS	2664	-46.2	-13	Pass	1211
3000	12000	1	RMS	11936	-39.82	-13	Pass	9001
12000	20000	1	RMS	19996	-27.41	-13	Pass	8001



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-13	Pass	2986
30	1000	0.1	RMS	971.7	-62.16	-13	Pass	9701
1000	1700	1	RMS	1695	-51.11	-13	Pass	701
1700	1790	1	RMS	1770.65	21.88	60	Pass	401
1790	3000	1	RMS	2658	-46.15	-13	Pass	1211
3000	12000	1	RMS	11843	-39.81	-13	Pass	9001
12000	20000	1	RMS	20000	-27.35	-13	Pass	8001



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	1000	0.1	RMS	937.5	-62.12	-13	Pass	9701
1000	1700	1	RMS	1699	-51.15	-13	Pass	701
1700	1790	1	RMS	1770.65	20.92	60	Pass	401
1790	3000	1	RMS	2650	-46.19	-13	Pass	1211
3000	12000	1	RMS	11866	-39.83	-13	Pass	9001
12000	20000	1	RMS	19997	-27.42	-13	Pass	8001



14.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-36.32	-13	Pass	701
1700	1790	1	RMS	1710.8	22.82	60	Pass	401
1790	3000	1	RMS	2656	-46.16	-13	Pass	1211
3000	12000	1	RMS	11957	-39.83	-13	Pass	9001
12000	20000	1	RMS	19992	-27.41	-13	Pass	8001



14.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.89	-13	Pass	2986
30	1000	0.1	RMS	940.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1698	-36.96	-13	Pass	701
1700	1790	1	RMS	1710.8	21.95	60	Pass	401
1790	3000	1	RMS	2656	-46.17	-13	Pass	1211
3000	12000	1	RMS	11836	-39.76	-13	Pass	9001
12000	20000	1	RMS	19998	-27.38	-13	Pass	8001



14.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	1000	0.1	RMS	964.2	-62.24	-13	Pass	9701
1000	1700	1	RMS	1697	-51	-13	Pass	701
1700	1790	1	RMS	1738.25	22.61	60	Pass	401
1790	3000	1	RMS	2651	-46.13	-13	Pass	1211
3000	12000	1	RMS	11923	-39.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.41	-13	Pass	8001



14.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	1000	0.1	RMS	922.5	-62.26	-13	Pass	9701
1000	1700	1	RMS	1697	-51.09	-13	Pass	701
1700	1790	1	RMS	1738.25	21.66	60	Pass	401
1790	3000	1	RMS	2650	-46.15	-13	Pass	1211
3000	12000	1	RMS	11841	-39.84	-13	Pass	9001
12000	20000	1	RMS	19996	-27.35	-13	Pass	8001



14.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.19	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1790	1	RMS	1765.925	22.63	60	Pass	401
1790	3000	1	RMS	1792	-39.11	-13	Pass	1211
3000	12000	1	RMS	11966	-39.8	-13	Pass	9001
12000	20000	1	RMS	19997	-27.41	-13	Pass	8001



14.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-13	Pass	2986
30	1000	0.1	RMS	956.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1790	1	RMS	1765.925	21.79	60	Pass	401
1790	3000	1	RMS	1792	-40.21	-13	Pass	1211
3000	12000	1	RMS	11857	-39.8	-13	Pass	9001
12000	20000	1	RMS	20000	-27.32	-13	Pass	8001



14.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.01	-13	Pass	9701
1000	1700	1	RMS	1693	-36.42	-13	Pass	701
1700	1790	1	RMS	1711.025	22.59	60	Pass	401
1790	3000	1	RMS	2658	-46.18	-13	Pass	1211
3000	12000	1	RMS	11954	-39.78	-13	Pass	9001
12000	20000	1	RMS	20000	-27.44	-13	Pass	8001



14.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.09	-13	Pass	2986
30	1000	0.1	RMS	924.9	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-37.36	-13	Pass	701
1700	1790	1	RMS	1711.025	21.74	60	Pass	401
1790	3000	1	RMS	2655	-46.15	-13	Pass	1211
3000	12000	1	RMS	11848	-39.78	-13	Pass	9001
12000	20000	1	RMS	20000	-27.42	-13	Pass	8001



14.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.03	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-48.59	-13	Pass	701
1700	1790	1	RMS	1736	22.32	60	Pass	401
1790	3000	1	RMS	2650	-46.16	-13	Pass	1211
3000	12000	1	RMS	11933	-39.78	-13	Pass	9001
12000	20000	1	RMS	19996	-27.44	-13	Pass	8001



14.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-13	Pass	2986
30	1000	0.1	RMS	970.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-49.41	-13	Pass	701
1700	1790	1	RMS	1736	21.34	60	Pass	401
1790	3000	1	RMS	2657	-46.18	-13	Pass	1211
3000	12000	1	RMS	11845	-39.79	-13	Pass	9001
12000	20000	1	RMS	19998	-27.39	-13	Pass	8001



14.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.13	-13	Pass	2986
30	1000	0.1	RMS	917.7	-62.24	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1790	1	RMS	1761.2	22.55	60	Pass	401
1790	3000	1	RMS	1797	-37.51	-13	Pass	1211
3000	12000	1	RMS	11873	-39.79	-13	Pass	9001
12000	20000	1	RMS	19995	-27.37	-13	Pass	8001



14.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1790	1	RMS	1761.2	21.57	60	Pass	401
1790	3000	1	RMS	1797	-38.82	-13	Pass	1211
3000	12000	1	RMS	11848	-39.8	-13	Pass	9001
12000	20000	1	RMS	19994	-27.36	-13	Pass	8001



--BLANK BELOW--