



LTE Band 41_20MHz					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)		26dB Bandwidth (MHz)	
		QPSK	16QAM	QPSK	16QAM
39750	2506.0	17.952	17.953	20.03	22.68
40620	2593	17.976	17.949	19.85	20.01
41490	2680.0	17.937	17.948	19.71	21.89






APPENDIX C - CONDUCTED SPURIOUS EMISSIONS




WCDMA Band IV_WCDMA_CH1413 Spectrum Plot






LTE Band 4_1.4MHz_CH20175 Spectrum Plot




LTE Band 4_5MHz_CH20175 Spectrum Plot




LTE Band 4_20MHz_CH20175 Spectrum Plot




LTE Band 7_5MHz_CH21100 Spectrum Plot



Date: 24.Nov.2022 16:05:04




Date: 24.Nov.2022 16:07:35




Date: 24.Nov.2022 15:23:01


LTE Band 7_20MHz_CH21100 Spectrum Plot



Date: 24.Nov.2022 16:05:05




Date: 24.Nov.2022 16:08:19




Date: 24.Nov.2022 16:07:19


LTE Band 12_1.4MHz_CH23095 Spectrum Plot



Date: 24.Nov.2022 16:13:55




Date: 24.Nov.2022 16:12:54




Date: 24.Nov.2022 16:19:54


LTE Band 12_5MHz_CH23095 Spectrum Plot



Date: 24.Nov.2022 16:14:26




Date: 24.Nov.2022 16:12:50




Date: 24.Nov.2022 16:19:10


LTE Band 12_10MHz_CH23095 Spectrum Plot



Date: 24.Nov.2022 16:14:52




Date: 24.Nov.2022 16:15:03




Date: 24.Nov.2022 16:17:24


LTE Band 17_5MHz_CH23755 Spectrum Plot



Date: 24.Nov.2022 16:27:48




Date: 24.Nov.2022 16:27:50




Date: 24.Nov.2022 16:28:20


LTE Band 17_10MHz_CH23755 Spectrum Plot



Date: 24.Nov.2022 16:28:17






Date: 24.Nov.2022 16:28:24






Date: 24.Nov.2022 16:28:50

LTE Band 41_5MHz_CH40620 Spectrum Plot




LTE Band 41_20MHz_CH40620 Spectrum Plot



APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)


Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 90°



Test Mode : TX Mode


Ant 90°



APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	73.1650	-53.66	-13.36	-67.02	-13.00	-54.02	peak	
2	138.6400	-61.30	-13.04	-74.34	-13.00	-61.34	peak	
3	225.4550	-56.48	-14.90	-71.38	-13.00	-58.38	peak	
4	385.0200	-62.22	-9.41	-71.63	-13.00	-58.63	peak	
5	475.2300	-59.53	-7.18	-66.71	-13.00	-53.71	peak	
6 *	697.3600	-61.37	-3.51	-64.88	-13.00	-51.88	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	46.4900	-61.04	-11.84	-73.48	-13.00	-60.48	peak	
2	161.9200	-61.59	-12.03	-73.62	-13.00	-60.62	peak	
3	224.9700	-54.97	-14.94	-69.91	-13.00	-56.91	peak	
4	360.7700	-61.91	-10.06	-71.97	-13.00	-58.97	peak	
5	490.7500	-61.55	-6.85	-68.40	-13.00	-55.40	peak	
6 *	737.1300	-61.02	-2.46	-63.48	-13.00	-50.48	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	38.7300	-53.68	-12.49	-66.17	-13.00	-53.17	peak	
2	47.4600	-56.03	-11.82	-67.85	-13.00	-54.85	peak	
3	64.9200	-58.71	-12.21	-70.92	-13.00	-57.92	peak	
4	191.0200	-57.77	-14.02	-71.79	-13.00	-58.79	peak	
5	219.1500	-58.90	-15.27	-74.17	-13.00	-61.17	peak	
6	457.2850	-63.52	-7.54	-71.06	-13.00	-58.06	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	50.3700	-63.75	-11.82	-75.57	-13.00	-62.57	peak	
2 *	140.0950	-54.62	-12.93	-67.55	-13.00	-54.55	peak	
3	192.4750	-58.29	-14.18	-72.47	-13.00	-59.47	peak	
4	212.3600	-55.47	-15.39	-70.86	-13.00	-57.86	peak	
5	240.4900	-57.19	-13.50	-70.69	-13.00	-57.69	peak	
6	474.2600	-63.60	-7.19	-70.79	-13.00	-57.79	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	55.7050	-51.20	-11.86	-63.06	-13.00	-50.06	peak	
2	169.6800	-62.00	-12.18	-74.78	-13.00	-61.78	peak	
3	191.0200	-58.23	-14.02	-72.25	-13.00	-59.25	peak	
4	236.6100	-59.55	-13.89	-73.44	-13.00	-60.44	peak	
5	302.5700	-64.42	-11.21	-75.63	-13.00	-62.63	peak	
6	804.5450	-62.84	-1.40	-64.24	-13.00	-51.24	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	54.7350	-63.78	-11.85	-75.63	-13.00	-62.63	peak	
2	160.4650	-64.24	-12.00	-76.24	-13.00	-63.24	peak	
3	236.6100	-57.69	-13.89	-71.58	-13.00	-58.58	peak	
4	374.8350	-64.19	-9.67	-73.86	-13.00	-60.86	peak	
5	518.3950	-63.48	-6.44	-69.92	-13.00	-56.92	peak	
6 *	709.9700	-63.99	-3.22	-67.21	-13.00	-54.21	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	39.2150	-53.57	-12.41	-65.98	-13.00	-52.98	peak	
2	49.4000	-54.88	-11.81	-66.69	-13.00	-53.69	peak	
3	190.5350	-57.31	-13.96	-71.27	-13.00	-58.27	peak	
4	219.1500	-58.23	-15.27	-73.50	-13.00	-60.50	peak	
5	607.6350	-61.68	-4.73	-66.41	-13.00	-53.41	peak	
6 *	906.8800	-62.66	-0.42	-63.08	-13.00	-50.08	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	49.4000	-63.89	-11.81	-75.70	-13.00	-62.70	peak	
2	140.5800	-54.12	-12.90	-67.02	-13.00	-54.02	peak	
3	194.4150	-57.57	-14.41	-71.98	-13.00	-58.98	peak	
4	240.4900	-59.60	-13.50	-73.10	-13.00	-60.10	peak	
5	450.0100	-63.34	-7.70	-71.04	-13.00	-58.04	peak	
6 *	779.8100	-62.60	-1.68	-64.28	-13.00	-51.28	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	63.4650	-50.46	-12.11	-62.57	-25.00	-37.57	peak	
2	104.6900	-56.68	-15.59	-72.27	-25.00	-47.27	peak	
3	168.7100	-63.09	-12.16	-75.25	-25.00	-50.25	peak	
4	226.4250	-60.11	-14.84	-74.95	-25.00	-49.95	peak	
5	390.8400	-64.24	-9.28	-73.52	-25.00	-48.52	peak	
6	557.6800	-62.20	-5.88	-68.08	-25.00	-43.08	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	52.3100	-64.61	-11.84	-76.45	-25.00	-51.45	peak	
2	160.9500	-59.92	-12.01	-71.93	-25.00	-46.93	peak	
3	237.0950	-58.31	-13.84	-72.15	-25.00	-47.15	peak	
4	305.9650	-60.97	-11.14	-72.11	-25.00	-47.11	peak	
5	437.4000	-62.20	-8.05	-70.25	-25.00	-45.25	peak	
6 *	633.8250	-62.29	-4.18	-66.47	-25.00	-41.47	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	49.8850	-57.73	-11.82	-69.55	-25.00	-44.55	peak	
2	151.7350	-63.26	-12.23	-75.49	-25.00	-50.49	peak	
3	220.6050	-58.99	-15.22	-74.21	-25.00	-49.21	peak	
4	489.7800	-63.11	-6.87	-69.98	-25.00	-44.98	peak	
5	677.9600	-63.19	-3.65	-66.84	-25.00	-41.84	peak	
6 *	891.8450	-63.12	-0.69	-63.81	-25.00	-38.81	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	59.1000	-64.29	-11.87	-76.16	-25.00	-51.16	peak	
2	145.9150	-61.81	-12.55	-74.36	-25.00	-49.36	peak	
3	211.8750	-58.12	-15.40	-73.52	-25.00	-48.52	peak	
4	220.6050	-55.67	-15.22	-70.89	-25.00	-45.89	peak	
5	306.9350	-61.21	-11.13	-72.34	-25.00	-47.34	peak	
6 *	658.0750	-62.91	-3.78	-66.69	-25.00	-41.69	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	47.9450	-59.22	-11.81	-71.03	-13.00	-58.03	peak	
2	55.7050	-58.51	-11.86	-70.37	-13.00	-57.37	peak	
3	170.1650	-62.84	-12.20	-75.04	-13.00	-62.04	peak	
4	221.5750	-57.70	-15.17	-72.87	-13.00	-59.87	peak	
5	455.8300	-62.59	-7.57	-70.16	-13.00	-57.16	peak	
6 *	747.3150	-63.31	-2.17	-65.48	-13.00	-52.48	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	60.0700	-64.19	-11.89	-76.08	-13.00	-63.08	peak	
2	143.0050	-61.53	-12.75	-74.28	-13.00	-61.28	peak	
3	221.0900	-56.37	-15.19	-71.56	-13.00	-58.56	peak	
4	314.6950	-60.75	-10.95	-71.70	-13.00	-58.70	peak	
5	537.7950	-63.50	-6.20	-69.70	-13.00	-56.70	peak	
6 *	769.6250	-62.24	-1.83	-64.07	-13.00	-51.07	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	66.8600	-53.78	-12.44	-66.22	-13.00	-53.22	peak	
2	159.0100	-61.64	-12.02	-73.66	-13.00	-60.66	peak	
3	238.5500	-62.73	-13.68	-76.41	-13.00	-63.41	peak	
4	378.7150	-64.17	-9.57	-73.74	-13.00	-60.74	peak	
5	623.6400	-62.94	-4.40	-67.34	-13.00	-54.34	peak	
6 *	780.7800	-63.21	-1.67	-64.88	-13.00	-51.88	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	61.5250	-64.59	-11.99	-76.58	-13.00	-63.58	peak	
2	154.6450	-64.32	-12.14	-76.46	-13.00	-63.46	peak	
3 *	237.5800	-56.36	-13.78	-70.14	-13.00	-57.14	peak	
4	305.9650	-61.90	-11.14	-73.04	-13.00	-60.04	peak	
5	354.9500	-60.98	-10.22	-71.20	-13.00	-58.20	peak	
6	476.6850	-63.68	-7.15	-70.83	-13.00	-57.83	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	45.0350	-56.80	-11.89	-68.69	-13.00	-55.69	peak	
2	65.4050	-57.67	-12.27	-69.94	-13.00	-56.94	peak	
3	161.9200	-64.58	-12.03	-76.61	-13.00	-63.61	peak	
4	220.6050	-58.41	-15.22	-73.63	-13.00	-60.63	peak	
5	445.1600	-64.37	-7.83	-72.20	-13.00	-59.20	peak	
6	713.8500	-62.20	-3.11	-65.31	-13.00	-52.31	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	64.9200	-63.83	-12.21	-76.04	-13.00	-63.04	peak	
2	142.5200	-61.44	-12.78	-74.22	-13.00	-61.22	peak	
3	212.3800	-57.81	-15.39	-73.20	-13.00	-60.20	peak	
4	306.9350	-60.29	-11.13	-71.42	-13.00	-58.42	peak	
5	456.3150	-63.67	-7.56	-71.23	-13.00	-58.23	peak	
6	636.2500	-62.22	-4.12	-66.34	-13.00	-53.34	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	63.9500	-49.28	-12.14	-61.42	-13.00	-48.42	peak	
2	108.5700	-55.38	-14.96	-70.34	-13.00	-57.34	peak	
3	162.8900	-61.68	-12.05	-73.73	-13.00	-60.73	peak	
4	283.6550	-64.89	-11.67	-76.56	-13.00	-63.56	peak	
5	419.9400	-63.52	-8.53	-72.05	-13.00	-59.05	peak	
6	631.8850	-63.38	-4.22	-67.60	-13.00	-54.60	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	57.1600	-65.15	-11.86	-77.01	-13.00	-64.01	peak	
2	171.6200	-63.08	-12.31	-75.39	-13.00	-62.39	peak	
3	239.0350	-58.20	-13.62	-71.82	-13.00	-58.82	peak	
4	347.1900	-62.98	-10.37	-73.35	-13.00	-60.35	peak	
5	534.4000	-63.81	-6.24	-70.05	-13.00	-57.05	peak	
6	717.2450	-63.12	-3.01	-66.13	-13.00	-53.13	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Test Mode : LTE Band 17_TX CH23790_10MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	49.4000	-58.08	-11.81	-69.89	-13.00	-56.89	peak	
2	64.9200	-58.12	-12.21	-70.33	-13.00	-57.33	peak	
3	166.7700	-63.72	-12.13	-75.85	-13.00	-62.85	peak	
4	227.8800	-59.95	-14.74	-74.69	-13.00	-61.69	peak	
5	435.9450	-63.17	-8.10	-71.27	-13.00	-58.27	peak	
6 *	693.4800	-61.61	-3.55	-65.16	-13.00	-52.16	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	66.8600	-63.18	-12.44	-75.62	-13.00	-62.62	peak	
2	143.0050	-61.93	-12.75	-74.68	-13.00	-61.68	peak	
3	191.9900	-60.80	-14.12	-74.92	-13.00	-61.92	peak	
4	220.6050	-56.85	-15.22	-72.07	-13.00	-59.07	peak	
5	306.4500	-60.47	-11.13	-71.60	-13.00	-58.60	peak	
6 *	452.4350	-63.26	-7.65	-70.91	-13.00	-57.91	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz


Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	61.0400	-54.99	-11.95	-66.94	-25.00	-41.94	peak	
2	108.5700	-53.20	-14.96	-68.16	-25.00	-43.16	peak	
3	171.1350	-64.25	-12.27	-76.52	-25.00	-51.52	peak	
4	262.3150	-62.81	-12.67	-75.48	-25.00	-50.48	peak	
5	443.2200	-63.68	-7.88	-71.56	-25.00	-46.56	peak	
6	665.8350	-63.85	-3.72	-67.57	-25.00	-42.57	peak	

Horizontal




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1	58.1300	-63.86	-11.86	-75.72	-25.00	-50.72	peak	
2	158.5250	-63.16	-12.03	-75.19	-25.00	-50.19	peak	
3	237.5800	-56.75	-13.78	-70.53	-25.00	-45.53	peak	
4	329.2450	-63.42	-10.54	-73.96	-25.00	-48.96	peak	
5	530.0350	-64.72	-6.30	-71.02	-25.00	-46.02	peak	
6 *	602.7850	-63.74	-4.84	-68.58	-25.00	-43.58	peak	

Test Mode : LTE Band 41_TX CH40620_20M

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		47.4600	-58.45	-11.82	-70.27	-25.00	-45.27	peak	
2		65.8900	-57.48	-12.33	-69.81	-25.00	-44.81	peak	
3		144.9450	-62.73	-12.62	-75.35	-25.00	-50.35	peak	
4		179.3800	-62.97	-12.90	-75.87	-25.00	-50.87	peak	
5		221.0900	-58.60	-15.19	-73.79	-25.00	-48.79	peak	
6	*	467.4700	-62.03	-7.34	-69.37	-25.00	-44.37	peak	

Horizontal




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		52.3100	-64.97	-11.84	-76.81	-25.00	-51.81	peak	
2		142.5200	-61.77	-12.78	-74.55	-25.00	-49.55	peak	
3		220.6050	-56.20	-15.22	-71.42	-25.00	-46.42	peak	
4		299.1750	-61.55	-11.28	-72.83	-25.00	-47.83	peak	
5		474.7450	-62.94	-7.19	-70.13	-25.00	-45.13	peak	
6	*	774.9600	-63.07	-1.75	-64.82	-25.00	-39.82	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Test Mode : WCDMA Band IV_TX CH1413

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3422.500	-48.49	-2.22	-50.71	-13.00	-37.71	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3422.500	-45.77	-2.22	-47.99	-13.00	-34.99	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1	3460.750	-46.51	-2.15	-48.66	-13.00	-35.66	peak	
2 *	6928.750	-49.15	7.07	-42.08	-13.00	-29.08	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBm	dB	dBm	dBm	dB		
1 *	3460.750	-43.22	-2.15	-45.37	-13.00	-32.37	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3460.750	-51.46	-2.15	-53.61	-13.00	-40.61	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3460.750	-47.88	-2.15	-50.03	-13.00	-37.03	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		3448.000	-47.00	-2.17	-49.17	-13.00	-36.17	peak	
2	*	6890.500	-52.06	7.04	-45.02	-13.00	-32.02	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	3448.000	-44.23	-2.17	-46.40	-13.00	-33.40	peak	


Test Mode : LTE Band 7_TX CH21100_5MHz

Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical




Horizontal




Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz


Vertical




Horizontal




Test Mode : LTE Band 12_TX CH23095_1.4MHz




Test Mode : LTE Band 12_TX CH23095_1.4MHz



Test Mode : LTE Band 12_TX CH23095_5MHz




Test Mode : LTE Band 12_TX CH23095_5MHz



Test Mode : LTE Band 12_TX CH23095_10MHz


Test Mode : LTE Band 12_TX CH23095_10MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1408.000	-39.84	-6.63	-46.47	-13.00	-33.47	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1408.000	-38.37	-6.63	-45.00	-13.00	-32.00	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5037.500	-55.12	2.75	-52.37	-13.00	-39.37	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1416.500	-50.36	-6.63	-56.99	-13.00	-43.99	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	1408.000	-39.78	-6.63	-46.41	-13.00	-33.41	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	1408.000	-36.13	-6.63	-42.76	-13.00	-29.76	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	6885.000	-58.11	7.01	-51.10	-25.00	-26.10	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	6457.000	-57.55	6.48	-51.07	-25.00	-26.07	peak	

Test Mode : LTE Band 41_TX CH40620_20MHz


Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical



No. Mk	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	5182.000	-55.80	2.80	-53.00	-25.00	-28.00	peak	

Horizontal



No. Mk	Freq. MHz	Reading Level dBm	Correct Factor dB	Measurement dBm	Limit dBm	Margin dB	Detector	Comment
1 *	7056.250	-57.72	7.21	-50.51	-25.00	-25.51	peak	

APPENDIX G - BAND EDGE

