

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Adapter A>

Band Edges, 5.46GHz ~ 7.250GHz

U-NII 5


802.11a

CH01 (Horizontal) Peak

CH01 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Level Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5916.09	63.70	70.17	-6.47	88.20	-24.50	110	102 Peak	Horizontal	
2 *	5955.00	103.81	110.33	-6.52	88.20	15.61	110	102 Peak	Horizontal	
3	7207.04	62.42	67.85	-5.43	88.20	-25.78	110	102 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Read	Level	Level Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5845.03	62.67	69.34	-6.67	88.20	-25.53	291	79 Peak	Vertical	
2 *	5955.00	104.19	110.71	-6.52	88.20	15.99	291	79 Peak	Vertical	
3	7234.43	62.35	67.69	-5.34	88.20	-25.85	291	79 Peak	Vertical	

802.11a

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5925.04	51.27	57.76	-6.49	68.20	-16.93	110	102	RMS	Horizontal		
2 *	5955.00	95.03	102.35	-6.52	68.20	27.63	110	102	RMS	Horizontal		
3	7207.22	50.58	56.01	-5.43	68.20	-17.62	110	102	RMS	Horizontal		


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.55	50.51	57.30	-6.79	68.20	-17.69	291	79	RMS	Vertical		
2 *	5955.00	95.10	101.62	-6.52	68.20	26.00	291	79	RMS	Vertical		
3	7248.93	50.64	55.94	-5.30	68.20	-17.56	291	79	RMS	Vertical		

802.11a

CH45 (Horizontal) Peak



CH45 (Vertical) Peak




802.11a

CH45 (Horizontal) RMS


CH45 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5759.29	50.40	57.18	-6.78	68.20	-17.80	204	122	RMS	Horizontal	
2 *	6415.00	95.50	101.75	-6.17	68.20	27.38	204	122	RMS	Horizontal	
3	7183.95	50.48	55.93	-5.45	68.20	-17.72	204	122	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5763.23	50.49	57.27	-6.78	68.20	-17.71	104	305	RMS	Vertical	
2 *	6415.00	94.99	101.16	-6.17	68.20	26.79	104	305	RMS	Vertical	
3	7207.76	50.59	56.01	-5.42	68.20	-17.61	104	305	RMS	Vertical	

802.11ax HE20

CH01 (Horizontal) Peak

CH01 (Vertical) Peak




802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5925.04	51.61	58.18	-6.49	68.20	-16.59	103	105	RMS	Horizontal	
2	5955.00	94.33	100.85	-6.52	68.20	26.13	103	105	RMS	Horizontal	
3	7186.28	50.37	55.82	-5.45	68.20	-17.83	103	105	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.25	50.48	57.26	-6.78	68.20	-17.72	282	284	RMS	Vertical	
2	5955.00	94.49	101.01	-6.52	68.20	26.29	282	284	RMS	Vertical	
3	7237.47	50.62	55.96	-5.34	68.20	-17.58	282	284	RMS	Vertical	

802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak




802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5863.11	50.56	57.16	-6.68	68.20	-17.64	100	104 RMS	Horizontal		
2 *	6175.00	95.82	101.94	-6.12	68.20	27.62	100	104 RMS	Horizontal		
3	7239.08	50.42	55.75	-5.33	68.20	-17.78	100	104 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5752.67	50.52	57.31	-6.79	68.20	-17.68	100	293 RMS	Vertical		
2 *	6175.00	96.89	102.21	-6.12	68.20	27.89	100	293 RMS	Vertical		
3	7203.46	50.49	55.92	-5.43	68.20	-17.71	100	293 RMS	Vertical		

802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5761.44	50.49	57.27	-6.78	68.20	-17.71	100	105	RMS	Horizontal		
2 *	6415.00	93.67	99.84	-6.17	68.20	25.47	100	105	RMS	Horizontal		
3	7185.38	50.54	55.99	-5.45	68.20	-17.66	100	105	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5463.04	50.55	57.59	-7.04	68.20	-17.65	107	200	RMS	Vertical		
2 *	6415.00	94.37	100.34	-6.17	68.20	26.17	107	200	RMS	Vertical		
3	7183.41	50.48	55.94	-5.46	68.20	-17.72	107	200	RMS	Vertical		


802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.97	66.99	73.48	-6.49	88.20	-21.21	107	101	Peak	Horizontal		
2 *	5965.00	103.73	110.23	-6.50	88.20	15.53	107	101	Peak	Horizontal		
3	7218.14	62.84	68.23	-5.39	88.20	-25.36	107	101	Peak	Horizontal		



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5968.30	62.57	69.15	-6.58	88.20	-25.63	244	282	Peak	Vertical		
2 *	5965.00	103.95	110.45	-6.50	88.20	15.75	244	282	Peak	Vertical		
3	7249.28	62.24	67.54	-5.30	88.20	-25.96	244	282	Peak	Vertical		


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.68	54.33	68.82	-6.49	68.20	-13.87	187	101	RMS	Horizontal		
2 *	5965.00	94.32	100.82	-6.50	68.20	26.12	187	101	RMS	Horizontal		
3	7191.65	50.50	55.95	-5.45	68.20	-17.70	187	101	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.68	50.88	57.37	-6.49	68.20	-17.32	244	282	RMS	Vertical		
2 *	5965.00	94.38	100.88	-6.50	68.20	26.18	244	282	RMS	Vertical		
3	7247.67	50.67	55.97	-5.30	68.20	-17.53	244	282	RMS	Vertical		

802.11ax HE40

CH43 (Horizontal) Peak


CH43 (Vertical) Peak




802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5465.37	50.58	57.62	-7.04	68.20	-17.62	100	102	RMS	Horizontal		
2 *	6165.00	95.30	101.48	-6.18	68.20	27.18	100	102	RMS	Horizontal		
3	7238.90	50.53	55.86	-5.33	68.20	-17.67	100	102	RMS	Horizontal		



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5753.20	50.65	57.43	-6.78	68.20	-17.55	100	299	RMS	Vertical		
2 *	6165.00	94.44	100.54	-6.10	68.20	26.34	100	299	RMS	Vertical		
3	7195.23	50.53	55.98	-5.45	68.20	-17.67	100	299	RMS	Vertical		

	Freq	Level	Head Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5508.69	62.81	69.78	-6.97	88.20	-25.39	100	279 Peak	Vertical	
2	6405.00	103.68	109.79	-6.19	88.20	15.40	100	279 Peak	Vertical	
3	7203.10	62.07	67.50	-5.43	88.20	-26.13	100	279 Peak	Vertical	


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.09	50.46	57.25	-6.79	68.20	-17.74		298	120	RMS	Horizontal	
2 *	6485.00	95.47	101.66	-6.19	68.20	27.27		298	120	RMS	Horizontal	
3	7193.97	50.39	55.84	-5.45	68.20	-17.81		298	120	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.73	50.57	57.36	-6.79	68.20	-17.63		100	279	RMS	Vertical	
2 *	6485.00	94.03	100.22	-6.19	68.20	25.03		100	279	RMS	Vertical	
3	7190.75	50.50	55.95	-5.45	68.20	-17.70		100	279	RMS	Vertical	


802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5924.15	64.89	71.38	-6.49	88.20	-23.31	186	182	Peak	Horizontal		
2 *	5985.00	105.33	111.78	-6.45	88.20	17.13	186	182	Peak	Horizontal		
3	7284.18	61.59	67.02	-5.43	88.20	-26.61	186	182	Peak	Horizontal		



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.25	62.96	69.45	-6.49	88.20	-25.24	241	250	Peak	Vertical		
2 *	5985.00	104.27	110.72	-6.45	88.20	16.07	241	250	Peak	Vertical		
3	7191.11	61.70	67.15	-5.45	88.20	-26.50	241	250	Peak	Vertical		


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5923.07	53.65	60.14	-6.49	68.20	-14.55	106	102	RMS	Horizontal		
2 *	5985.00	95.09	101.58	-6.49	68.20	26.89	106	102	RMS	Horizontal		
3	7178.58	49.47	54.93	-5.46	68.20	-18.73	106	102	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5925.04	51.55	58.04	-6.49	68.20	-16.65	241	250	RMS	Vertical		
2 *	5985.00	93.26	99.77	-6.51	68.20	25.06	241	250	RMS	Vertical		
3	7186.99	49.30	54.75	-5.45	68.20	-18.90	241	250	RMS	Vertical		

802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5855.95	48.39	55.02	-6.63	68.20	-19.81	100	100	RMS	Horizontal		
2 *	6145.00	95.22	101.34	-6.12	68.20	27.02	100	100	RMS	Horizontal		
3	7191.11	49.01	54.46	-5.45	68.20	-19.19	100	100	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5919.31	48.16	54.64	-6.48	68.20	-20.04	161	289	RMS	Vertical		
2 *	6145.00	92.63	98.72	-6.09	68.20	24.43	161	289	RMS	Vertical		
3	7186.10	49.22	54.67	-5.45	68.20	-18.98	161	289	RMS	Vertical		

802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5843.60	60.71	67.38	-6.67	88.20	-27.49	233	108	Peak	Horizontal	
2 *	6385.00	107.54	113.71	-6.17	88.20	19.34	233	108	Peak	Horizontal	
3	7204.00	63.08	68.51	-5.43	88.20	-25.12	233	108	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.01	60.37	67.17	-6.80	88.20	-27.83	186	281	Peak	Vertical	
2 *	6385.00	104.99	111.16	-6.17	88.20	16.79	186	281	Peak	Vertical	
3	7183.77	61.68	67.13	-5.45	88.20	-26.52	186	281	Peak	Vertical	

802.11ax HE80


CH87 (Horizontal) RMS

CH87 (Vertical) RMS




802.11ax HE160

CH15 (Horizontal) Peak



CH15 (Vertical) Peak




802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5909.65	53.86	68.32	-6.46	68.20	-14.34	100	99	RMS	Horizontal		
2 *	5925.00	91.07	97.49	-6.42	68.20	22.87	100	99	RMS	Horizontal		
3	7177.33	48.91	54.36	-5.45	68.20	-19.29	100	99	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5917.35	50.71	57.19	-6.48	68.20	-17.49	100	72	RMS	Vertical		
2 *	6025.00	88.82	94.43	-6.43	68.20	19.82	100	72	RMS	Vertical		
3	7172.85	48.85	54.30	-5.45	68.20	-19.35	100	72	RMS	Vertical		

802.11ax HE160

CH47 (Horizontal) Peak



CH47 (Vertical) Peak



802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	5899.62	48.23	54.67	-6.44	68.20	-19.97	100	100	RMS	Horizontal		
2 *	6185.00	92.21	98.32	-6.11	68.20	24.01	100	100	RMS	Horizontal		
3	7181.26	48.88	54.34	-5.46	68.20	-19.32	100	100	RMS	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m		dBuV/m	dB	cm	deg			
1	5856.31	47.98	54.61	-6.63	68.20	-20.22	210	276	RMS	Vertical		
2 *	6185.00	89.59	95.75	-6.16	68.20	21.39	210	276	RMS	Vertical		
3	7247.85	48.72	54.02	-5.30	68.20	-19.48	210	276	RMS	Vertical		


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5859.53	61.10	67.72	-6.62	88.20	-27.10	100	103	Peak	Horizontal		
2 *	6345.00	102.94	109.05	-6.11	88.20	14.74	100	103	Peak	Horizontal		
3	7165.87	61.54	67.00	-5.46	88.20	-26.66	100	103	Peak	Horizontal		



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5893.10	60.87	67.35	-6.48	88.20	-27.33	100	282	Peak	Vertical		
2 *	6345.00	101.10	107.21	-6.11	88.20	12.90	100	282	Peak	Vertical		
3	7215.10	61.14	66.54	-5.40	88.20	-27.06	100	282	Peak	Vertical		


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5869.42	47.97	54.59	-6.62	68.20	-20.23	100	103 RMS		Horizontal		
2 *	6345.00	91.57	97.69	-6.12	68.20	23.37	100	103 RMS		Horizontal		
3	7183.23	48.72	54.18	-5.46	68.20	-19.48	100	103 RMS		Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.07	48.00	54.78	-6.78	68.20	-20.20	100	202 RMS		Vertical		
2 *	6345.00	90.55	96.70	-6.15	68.20	22.35	100	202 RMS		Vertical		
3	7176.25	48.72	54.17	-5.45	68.20	-19.48	100	202 RMS		Vertical		

U-NII 6

802.11a

CH97 (Horizontal) Peak

CH97 (Vertical) Peak



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5466.98	62.38	69.42	-7.04	88.20	-25.82	307	150 Peak	Horizontal
2 *	6435.00	104.26	110.38	-6.12	88.20	16.06	307	150 Peak	Horizontal
3	7183.23	62.90	68.36	-5.46	88.20	-25.30	307	150 Peak	Horizontal

Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5879.04	62.98	69.51	-6.53	88.20	-25.22	100	303 Peak	Vertical
2 *	6435.00	104.26	110.38	-6.12	88.20	16.06	100	303 Peak	Vertical
3	7217.06	61.86	67.26	-5.40	88.20	-26.34	100	303 Peak	Vertical


802.11a

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5752.31	50.57	57.36	-6.79	68.20	-17.63	307	150	RMS	Horizontal	
2 *	6435.00	95.17	101.29	-6.12	68.20	26.97	307	150	RMS	Horizontal	
3	7217.42	50.48	55.88	-5.40	68.20	-17.72	307	150	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5750.34	50.61	57.40	-6.79	68.20	-17.59	100	303	RMS	Vertical	
2 *	6435.00	94.92	101.04	-6.12	68.20	26.72	100	303	RMS	Vertical	
3	7196.48	50.47	55.91	-5.44	68.20	-17.73	100	303	RMS	Vertical	

802.11a

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




802.11a

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.77	50.29	57.08	-6.79	68.20	-17.91	316	152	RMS	Horizontal		
2 *	6475.00	95.33	101.31	-5.98	68.20	27.13	316	152	RMS	Horizontal		
3	7246.96	50.46	55.77	-5.31	68.20	-17.74	316	152	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5755.53	50.38	57.16	-6.78	68.20	-17.82	100	303	RMS	Vertical		
2 *	6475.00	95.52	101.50	-5.98	68.20	27.32	100	303	RMS	Vertical		
3	7198.63	50.58	56.02	-5.44	68.20	-17.62	100	303	RMS	Vertical		

802.11a

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




802.11a

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.96	50.36	57.14	-6.78	68.20	-17.84	301	149	RMS	Horizontal		
2 *	6515.00	95.00	101.77	-5.89	68.20	27.68	301	149	RMS	Horizontal		
3	7237.83	50.63	55.96	-5.33	68.20	-17.57	301	149	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5752.84	50.22	57.00	-6.78	68.20	-17.98	102	298	RMS	Vertical		
2 *	6515.00	96.05	101.94	-5.89	68.20	27.85	102	298	RMS	Vertical		
3	7178.40	50.36	55.81	-5.45	68.20	-17.84	102	298	RMS	Vertical		

802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5815.14	62.78	69.52	-6.74	88.20	-25.42	320	125	Peak	Horizontal		
2 *	6435.00	104.93	111.05	-6.12	88.20	16.73	320	125	Peak	Horizontal		
3	7184.49	62.55	68.00	-5.45	88.20	-25.65	320	125	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5862.93	62.72	69.32	-6.60	88.20	-25.48	192	200	Peak	Vertical		
2 *	6435.00	104.84	118.96	-6.12	88.20	16.64	192	200	Peak	Vertical		
3	7192.90	62.69	68.14	-5.45	88.20	-25.51	192	200	Peak	Vertical		


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.05	50.37	57.16	-6.79	68.20	-17.83	320	125	RMS	Horizontal		
2 *	6435.00	95.07	101.19	-6.12	68.20	26.87	320	125	RMS	Horizontal		
3	7234.25	50.50	55.84	-5.34	68.20	-17.70	320	125	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5471.46	50.49	57.51	-7.02	68.20	-17.71	192	200	RMS	Vertical		
2 *	6435.00	94.98	101.10	-6.12	68.20	26.78	192	200	RMS	Vertical		
3	7190.57	50.48	55.93	-5.45	68.20	-17.72	192	200	RMS	Vertical		

802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5463.94	50.45	57.49	-7.04	68.20	-17.75		303	149	RMS	Horizontal	
2 *	6475.00	95.91	101.89	-5.98	68.20	27.71		303	149	RMS	Horizontal	
3	7185.92	50.46	55.91	-5.45	68.20	-17.74		303	149	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.73	50.53	57.32	-6.79	68.20	-17.67		105	200	RMS	Vertical	
2 *	6475.00	95.02	101.00	-5.98	68.20	26.82		105	200	RMS	Vertical	
3	7247.85	50.46	55.76	-5.30	68.20	-17.74		105	200	RMS	Vertical	

802.11ax HE20

CH113 (Horizontal) Peak



CH113 (Vertical) Peak



802.11ax HE20

CH113 (Horizontal) RMS



CH113 (Vertical) RMS



802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5868.66	48.26	54.84	-6.58	68.20	-19.94	294	144	RMS	Horizontal	
2 *	6445.00	98.65	104.74	-6.09	68.20	30.45	294	144	RMS	Horizontal	
3	7166.59	49.40	54.86	-5.46	68.20	-18.80	294	144	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5918.42	48.31	54.79	-6.48	68.20	-19.89	108	200	RMS	Vertical	
2 *	6445.00	95.62	101.70	-6.08	68.20	27.42	108	200	RMS	Vertical	
3	7187.89	49.49	54.94	-5.45	68.20	-18.71	108	200	RMS	Vertical	

802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5911.00	48.24	54.78	-6.46	68.20	-19.96	301	147	RMS	Horizontal		
2 *	6485.00	99.27	105.16	-5.89	68.20	31.07	301	147	RMS	Horizontal		
3	7179.30	49.34	54.80	-5.46	68.20	-18.86	301	147	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5884.41	48.17	54.68	-6.51	68.20	-20.03	100	282	RMS	Vertical		
2 *	6485.00	95.90	101.86	-5.96	68.20	27.70	100	282	RMS	Vertical		
3	7168.91	49.33	54.79	-5.46	68.20	-18.87	100	282	RMS	Vertical		

802.11ax HE40

CH115 (Horizontal) Peak



CH115 (Vertical) Peak



802.11ax HE40

CH115 (Horizontal) RMS



CH115 (Vertical) RMS



802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5869.37	48.03	54.68	-6.57	68.20	-20.17		291	147	RMS	Horizontal	
2 *	6465.00	97.42	103.44	-6.02	68.20	29.22		291	147	RMS	Horizontal	
3	7187.17	48.72	54.17	-5.45	68.20	-19.48		291	147	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5535.18	61.97	68.97	-7.00	88.20	-26.23		309	149	Peak	Horizontal	
2 *	6535.00	100.59	115.50	-5.91	88.20	27.39		309	149	Peak	Horizontal	
3	7212.77	61.74	67.14	-5.40	88.20	-26.46		309	149	Peak	Horizontal	

802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5842.34	48.83	54.71	-6.68	68.20	-20.17	399	149	RMS	Horizontal		
2 *	6545.00	97.67	103.60	-5.93	68.20	29.47	399	149	RMS	Horizontal		
3	7185.20	48.91	54.36	-5.45	68.20	-19.29	399	149	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5849.33	48.10	54.76	-6.66	68.20	-20.10	100	279	RMS	Vertical		
2 *	6545.00	92.19	98.12	-5.93	68.20	23.99	100	279	RMS	Vertical		
3	7173.75	48.95	54.40	-5.45	68.20	-19.25	100	279	RMS	Vertical		

802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5753.74	48.15	54.93	-6.78	68.20	-20.05	315	126	RMS	Horizontal	
2 *	6505.00	94.25	100.13	-5.88	68.20	26.05	315	126	RMS	Horizontal	
3	7197.55	48.80	54.24	-5.44	68.20	-19.40	315	126	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5854.16	47.95	54.58	-6.63	68.20	-20.25	200	200	RMS	Vertical	
2 *	6505.00	89.75	95.63	-5.88	68.20	21.55	200	200	RMS	Vertical	
3	7165.69	48.71	54.17	-5.46	68.20	-19.49	200	200	RMS	Vertical	

U-NII 7

802.11a

CH117 (Horizontal) Peak



CH117 (Vertical) Peak



802.11a

CH117 (Horizontal) RMS



CH117 (Vertical) RMS



802.11a

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




802.11a

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5467.52	50.95	57.97	-7.02	68.20	-17.25	387	124	RMS	Horizontal		
2 *	6695.00	95.01	101.05	-6.04	68.20	26.81	387	124	RMS	Horizontal		
3	7233.00	51.11	56.46	-5.35	68.20	-17.09	387	124	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5472.71	51.38	58.39	-7.01	68.20	-16.82	386	124	RMS	Vertical		
2 *	6695.00	95.68	101.72	-6.04	68.20	27.48	386	124	RMS	Vertical		
3	7240.16	51.27	56.60	-5.33	68.20	-16.93	386	124	RMS	Vertical		

	Freq	Level	Head	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5917.17	62.79	69.27	-6.48	88.20	-25.41	298	75 Peak	Vertical	
2	6855.00	104.31	109.98	-5.67	88.20	16.11	298	75 Peak	Vertical	
3	7185.20	62.07	67.52	-5.45	88.20	-26.13	298	75 Peak	Vertical	


802.11a

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.18	50.92	57.70	-6.78	68.20	-17.28	100	204	RHS	Horizontal		
2 *	6855.00	95.72	101.39	-5.67	68.20	27.52	100	204	RHS	Horizontal		
3	7230.67	50.93	56.29	-5.36	68.20	-17.27	100	204	RHS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5871.34	50.93	57.50	-6.57	68.20	-17.27	298	75	RHS	Vertical		
2 *	6855.00	96.20	101.87	-5.67	68.20	28.00	298	75	RHS	Vertical		
3	7240.51	50.90	56.23	-5.33	68.20	-17.30	298	75	RHS	Vertical		

802.11a

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




802.11a

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.59	51.13	57.92	-6.79	68.20	-17.07	286	360	RMS	Horizontal		
2 *	6875.00	97.37	103.06	-5.69	68.20	29.17	286	360	RMS	Horizontal		
3	7205.79	51.05	56.48	-5.43	68.20	-17.15	286	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.44	51.20	57.99	-6.79	68.20	-17.00	266	302	RMS	Vertical		
2 *	6875.00	96.02	101.73	-5.71	68.20	27.82	266	302	RMS	Vertical		
3	7198.45	51.21	56.65	-5.44	68.20	-16.99	266	302	RMS	Vertical		

802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5847.54	63.88	69.74	-6.66	88.20	-25.12	278	120	Peak	Horizontal	
2 *	6535.00	105.97	111.89	-5.92	88.20	17.77	278	120	Peak	Horizontal	
3	7162.65	62.30	67.76	-5.46	88.20	-25.90	278	120	Peak	Horizontal	

Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5815.67	63.05	69.79	-6.74	88.20	-25.15	320	278	Peak	Vertical	
2 *	6535.00	104.28	110.20	-5.92	88.20	16.00	320	278	Peak	Vertical	
3	7236.40	62.65	67.99	-5.34	88.20	-25.55	320	278	Peak	Vertical	

802.11ax HE20

CH117 (Horizontal) RMS



CH117 (Vertical) RMS



802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.10	51.00	57.78	-6.78	68.20	-17.20		311	114 RMS	Horizontal		
2 *	6695.00	95.06	101.09	-6.03	68.20	27.66		311	114 RMS	Horizontal		
3	7202.92	51.04	56.47	-5.43	68.20	-17.16		311	114 RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5752.13	51.12	57.91	-6.79	68.20	-17.08		353	71 RMS	Vertical		
2 *	6695.00	95.16	101.19	-6.03	68.20	26.96		353	71 RMS	Vertical		
3	7227.98	50.98	56.34	-5.36	68.20	-17.22		353	71 RMS	Vertical		

802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5759.83	51.34	58.12	-6.78	68.20	-16.86		226	245	RMS	Horizontal	
2 *	6855.00	96.46	102.12	-5.66	68.20	28.20		226	245	RMS	Horizontal	
3	7245.88	50.97	56.29	-5.32	68.20	-17.23		226	245	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.73	50.80	57.59	-6.79	68.20	-17.40		346	288	RMS	Vertical	
2 *	6855.00	96.62	102.38	-5.68	68.20	28.42		346	288	RMS	Vertical	
3	7247.32	50.96	56.27	-5.31	68.20	-17.24		346	288	RMS	Vertical	

802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5475.57	50.82	57.83	-7.01	68.20	-17.38	165	208	RMS	Horizontal		
2 *	6875.00	96.22	101.93	-5.71	68.20	20.02	165	208	RMS	Horizontal		
3	7236.93	50.89	56.23	-5.34	68.20	-17.31	165	208	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5760.00	50.95	57.73	-6.78	68.20	-17.25	373	41	RMS	Vertical		
2 *	6875.00	95.57	101.25	-5.68	68.20	27.37	373	41	RMS	Vertical		
3	7217.96	50.80	56.19	-5.39	68.20	-17.40	373	41	RMS	Vertical		

802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





		Freq	Level	hd	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dBuV/m	dB	dB	cm	deg		
1		5919.67	48.17	54.65	-6.48	68.20	-20.03	294	147 RMS		Horizontal
2	*	6565.00	99.62	105.55	-5.93	68.20	31.42	294	147 RMS		Horizontal
3		7173.03	49.48	54.93	-5.45	68.20	-18.72	294	147 RMS		Horizontal

802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5889.96	48.36	54.85	-6.49	68.20	-19.84	188	234	RMS	Horizontal		
2 *	6725.00	98.25	104.24	-5.99	68.20	36.05	188	234	RMS	Horizontal		
3	7178.40	49.54	54.99	-5.45	68.20	-18.66	188	234	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5877.07	48.88	54.62	-6.54	68.20	-20.12	288	284	RMS	Vertical		
2 *	6725.00	94.82	100.76	-5.94	68.20	26.62	288	284	RMS	Vertical		
3	7170.35	49.19	54.65	-5.46	68.20	-19.01	288	284	RMS	Vertical		

802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5888.47	48.34	54.87	-6.53	68.20	-19.86	184	360	RMS	Horizontal		
2 *	6845.00	96.05	102.52	-5.67	68.20	28.65	184	360	RMS	Horizontal		
3	7166.94	49.38	54.84	-5.46	68.20	-18.82	184	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5868.30	48.18	54.76	-6.58	68.20	-20.02	300	279	RMS	Vertical		
2 *	6845.00	94.98	100.57	-5.67	68.20	26.79	300	279	RMS	Vertical		
3	7178.58	49.37	54.83	-5.46	68.20	-18.83	300	279	RMS	Vertical		

802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5769.00	48.70	55.48	-6.78	68.20	-19.50	183	232	RMS	Horizontal		
2 *	6885.00	98.04	103.75	-5.71	68.20	29.84	183	232	RMS	Horizontal		
3	7175.54	49.53	54.98	-5.45	68.20	-18.67	183	232	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5902.31	48.15	54.60	-6.45	68.20	-20.05	363	277	RMS	Vertical		
2 *	6885.00	98.45	102.16	-5.71	68.20	28.25	363	277	RMS	Vertical		
3	7186.46	49.31	54.76	-5.45	68.20	-18.89	363	277	RMS	Vertical		

802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5526.77	61.58	68.57	-6.99	88.20	-26.62	303	147	Peak	Horizontal		
2 *	6625.00	108.00	134.82	-5.94	88.20	20.68	303	147	Peak	Horizontal		
3	7163.72	61.01	66.47	-5.46	88.20	-27.19	303	147	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5826.95	60.61	67.33	-6.72	88.20	-27.59	370	298	Peak	Vertical		
2 *	6625.00	103.91	109.05	-5.94	88.20	15.71	370	298	Peak	Vertical		
3	7248.39	61.48	66.78	-5.30	88.20	-26.72	370	298	Peak	Vertical		


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5853.26	48.01	54.65	-6.64	68.20	-20.19	303	147	RMS	Horizontal		
2 *	6625.00	97.29	103.23	-5.94	68.20	29.09	303	147	RMS	Horizontal		
3	7212.41	48.79	54.20	-5.41	68.20	-19.41	303	147	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5754.63	48.07	54.05	-6.78	68.20	-20.13	370	298	RMS	Vertical		
2 *	6625.00	92.47	98.41	-5.94	68.20	24.27	370	298	RMS	Vertical		
3	7187.35	48.79	54.24	-5.45	68.20	-19.41	370	298	RMS	Vertical		

802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5846.64	48.07	54.74	-6.67	68.20	-20.13	287	124	RMS	Horizontal		
2 *	6705.00	96.55	102.58	-6.03	68.20	28.35	287	124	RMS	Horizontal		
3	7170.17	48.86	54.32	-5.46	68.20	-19.34	287	124	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5845.39	47.92	54.59	-6.67	68.20	-20.28	328	239	RMS	Vertical		
2 *	6705.00	92.72	98.75	-6.03	68.20	24.52	328	239	RMS	Vertical		
3	7188.07	48.70	54.15	-5.45	68.20	-19.50	328	239	RMS	Vertical		


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5538.22	61.24	68.26	-7.02	88.20	-26.96	230	109	Peak	Horizontal	
2 *	6785.00	106.60	112.33	-5.73	88.20	18.40	230	109	Peak	Horizontal	
3	7219.21	62.28	67.67	-5.39	88.20	-25.92	230	109	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5765.55	60.66	67.44	-6.78	88.20	-27.54	294	282	Peak	Vertical	
2 *	6785.00	105.28	111.01	-5.73	88.20	17.08	294	282	Peak	Vertical	
3	7143.32	61.17	66.65	-5.48	88.20	-27.03	294	282	Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.78	48.10	54.88	-6.78	68.20	-20.10	230	109	RMS	Horizontal		
2 *	6785.00	95.30	101.03	-5.73	68.20	27.10	230	109	RMS	Horizontal		
3	7188.60	49.09	54.54	-5.45	68.20	-19.11	230	109	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5764.84	47.98	54.75	-6.77	68.20	-20.22	294	282	RMS	Vertical		
2 *	6785.00	93.70	99.43	-5.73	68.20	25.50	294	282	RMS	Vertical		
3	7179.12	48.77	54.23	-5.46	68.20	-19.43	294	282	RMS	Vertical		

802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5756.25	48.10	54.88	-6.78	68.20	-20.10	182	100	RMS	Horizontal		
2 *	6865.00	93.33	99.81	-5.68	68.20	25.13	182	100	RMS	Horizontal		
3	7206.68	49.03	54.46	-5.43	68.20	-19.17	182	100	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5805.13	47.91	54.41	-6.50	68.20	-20.29	309	184	RMS	Vertical		
2 *	6865.00	90.04	95.72	-5.68	68.20	21.84	309	184	RMS	Vertical		
3	7175.00	48.76	54.21	-5.45	68.20	-19.44	309	184	RMS	Vertical		

802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5759.29	48.13	54.91	-6.78	68.20	-20.07	290	147	RMS	Horizontal		
2 *	6665.00	94.60	100.60	-6.00	68.20	26.40	290	147	RMS	Horizontal		
3	7187.71	48.94	54.39	-5.45	68.20	-19.26	290	147	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5755.17	48.15	54.93	-6.78	68.20	-20.05	289	284	RMS	Vertical		
2 *	6665.00	90.04	96.04	-6.00	68.20	21.84	289	284	RMS	Vertical		
3	7180.55	48.82	54.28	-5.46	68.20	-19.38	289	284	RMS	Vertical		


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5883.87	61.24	67.75	-6.51	88.20	-26.96	230	103	Peak	Horizontal		
2 *	6825.00	103.03	108.70	-5.67	88.20	14.83	230	103	Peak	Horizontal		
3	7184.31	61.21	66.66	-5.45	88.20	-26.99	230	103	Peak	Horizontal		



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5520.86	60.64	67.62	-6.98	88.20	-27.56	294	200	Peak	Vertical		
2 *	6825.00	101.91	107.58	-5.67	88.20	13.71	294	200	Peak	Vertical		
3	7191.11	61.79	67.24	-5.45	88.20	-26.41	294	200	Peak	Vertical		


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5847.54	48.25	54.91	-6.66	68.20	-19.95	230	103	RMS	Horizontal		
2 *	6825.00	91.50	97.25	-5.67	68.20	23.38	230	103	RMS	Horizontal		
3	7186.63	49.13	54.58	-5.45	68.20	-19.07	230	103	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5860.78	47.96	54.58	-6.62	68.20	-20.24	294	200	RMS	Vertical		
2 *	6825.00	90.46	96.15	-5.67	68.20	22.26	294	200	RMS	Vertical		
3	7177.15	48.79	54.24	-5.45	68.20	-19.41	294	200	RMS	Vertical		

U-NII 8

802.11a

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




802.11a

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5748.55	51.12	57.91	-6.79	68.20	-17.08		400	360	RMS	Horizontal	
2 *	6895.00	97.71	103.43	-5.72	68.20	29.51		400	360	RMS	Horizontal	
3	7235.86	51.05	56.39	-5.34	68.20	-17.15		400	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5466.00	51.06	58.10	-7.04	68.20	-17.14		329	164	RMS	Vertical	
2 *	6895.00	96.53	102.05	-5.72	68.20	28.13		329	164	RMS	Vertical	
3	7206.15	51.06	56.49	-5.43	68.20	-17.14		329	164	RMS	Vertical	

802.11a

CH209 (Horizontal) Peak

CH209 (Vertical) Peak



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5865.79	63.47	70.06	-6.59	88.20	-24.73	490	350	Peak	Horizontal		
2 *	6995.00	105.96	111.44	-5.48	88.20	17.76	490	350	Peak	Horizontal		
3	7211.52	61.62	67.03	-5.41	88.20	-26.58	490	350	Peak	Horizontal		

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5472.17	63.44	70.46	-7.02	88.20	-24.76	376	177	Peak	Vertical		
2 *	6995.00	104.98	110.46	-5.48	88.20	16.78	376	177	Peak	Vertical		
3	7149.22	63.40	68.87	-5.47	88.20	-24.80	376	177	Peak	Vertical		


802.11a

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5749.00	51.24	58.02	-6.78	68.20	-16.96	400	350 RMS	Horizontal	
2 *	6995.00	97.40	102.90	-5.50	68.20	29.20	400	350 RMS	Horizontal	
3	7200.78	51.03	56.47	-5.44	68.20	-17.17	400	350 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5756.96	51.16	57.94	-6.78	68.20	-17.04	376	177 RMS	Vertical	
2 *	6995.00	96.32	101.82	-5.50	68.20	28.12	376	177 RMS	Vertical	
3	7248.75	51.20	56.50	-5.30	68.20	-17.00	376	177 RMS	Vertical	


802.11a

CH233 (Horizontal) Peak

CH233 (Vertical) Peak



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5864.36	61.25	67.84	-6.59	88.20	-26.95	323	204 Peak	Horizontal	
2 *	7115.00	107.06	112.56	-5.50	88.20	18.86	323	204 Peak	Horizontal	
3	7125.00	78.96	84.45	-5.49	88.20	-9.24	323	204 Peak	Horizontal	





	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5861.68	61.34	67.95	-6.61	88.20	-26.86	328	268 Peak	Vertical	
2 *	7115.00	108.68	114.18	-5.50	88.20	28.40	328	268 Peak	Vertical	
3	7125.00	79.63	85.12	-5.49	88.20	-8.57	328	268 Peak	Vertical	

802.11a

CH233 (Horizontal) RMS



CH233 (Vertical) RMS



802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5749.44	50.80	57.59	-6.79	68.20	-17.40	100	207	RHS	Horizontal		
2 *	6895.00	96.00	102.57	-5.71	68.20	28.60	100	207	RHS	Horizontal		
3	7194.51	50.90	56.35	-5.45	68.20	-17.30	100	207	RHS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5746.04	50.79	57.61	-6.82	68.20	-17.41	319	276	RHS	Vertical		
2 *	6895.00	96.00	102.52	-5.72	68.20	28.60	319	276	RHS	Vertical		
3	7200.60	50.81	56.25	-5.44	68.20	-17.39	319	276	RHS	Vertical		

802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5828.74	62.24	68.95	-6.71	88.20	-25.96	251	349 Peak	Horizontal	
2 *	6995.00	105.06	111.34	-5.48	88.20	17.66	251	349 Peak	Horizontal	
3	7216.35	62.69	68.09	-5.40	88.20	-25.51	251	349 Peak	Horizontal	

	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level		Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5840.91	63.31	69.99	-6.68	88.20	-24.89	288	274 Peak	Vertical	
2 *	6995.00	105.15	118.63	-5.48	88.20	18.95	288	274 Peak	Vertical	
3	7213.48	62.54	67.94	-5.40	88.20	-25.66	288	274 Peak	Vertical	


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.95	51.02	57.81	-6.79	68.20	-17.18		251	349	RMS	Horizontal	
2 *	6995.00	98.09	103.60	-5.51	68.20	29.89		251	349	RMS	Horizontal	
3	7189.86	51.18	56.63	-5.45	68.20	-17.02		251	349	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5751.95	51.10	57.89	-6.79	68.20	-17.10		288	274	RMS	Vertical	
2 *	6995.00	95.97	101.48	-5.51	68.20	27.77		288	274	RMS	Vertical	
3	7248.75	50.93	56.23	-5.30	68.20	-17.27		288	274	RMS	Vertical	