

INDEX OF SUBMITTED MEASURED DATA

This exhibit contains the measured data for this equipment as follows:

EXHIBIT 6A - RF Power Output (Table)

EXHIBIT 6F - Conducted Spurious Emissions (3 Graphs)

6F-1 – 1 Watts, 150.000 MHz

6F-2 – 1 Watts, 170.000 MHz

6F-3 – 5 Watts, 150.000 MHz

6F-4 – 5 Watts, 170.000 MHz

EXHIBIT 6G - Radiated Spurious Emissions

6G-1 – 1 Watts (Graph), 160.000 MHz

6G-2 – 5 Watts (Graph), 160.000 MHz

EXHIBIT 6K - Transient Frequency Behavior (2 Graphs)

6K-1 – 25 kHz Key-Up Attack Time

6K-2 – 25 kHz De-Key Attack Time

HIGH-POWER SETTING, FREQUENCY 150.000 MHz

Measured RF Output Power:	5.60 Watts
Measured DC Voltage:	7.50 Volts
Measured DC Current:	2.05 Amperes
Measured DC Input Power:	15.38 Watts

HIGH-POWER SETTING, FREQUENCY 170.000 MHz


Measured RF Output Power:	5.56 Watts
Measured DC Voltage:	7.50 Volts
Measured DC Current:	1.91 Amperes
Measured DC Input Power:	14.33 Watt


LOW-POWER SETTING, FREQUENCY 150.000 MHz


Measured RF Output Power:	1.15 Watts
Measured DC Voltage:	7.50 Volts
Measured DC Current:	1.02 Amperes
Measured DC Input Power:	7.65 Watts


LOW-POWER SETTING, FREQUENCY 170.000 MHz


Measured RF Output Power:	1.13 Watts
Measured DC Voltage:	7.50 Volts
Measured DC Current:	1.02 Amperes
Measured DC Input Power:	7.65 Watt















Transient Frequency Behavior – 25 kHz Turn On Characteristic



Transient Frequency Behavior – 25 kHz Turn Off Characteristic