Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 1 of 29

TEST REPORT

Application No:	XEWM2309000451RG
Applicant:	Guangdong OPPO Mobile Telecommunications Corp., Ltd.
Address of Applicant:	NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China
Manufacturer:	Guangdong OPPO Mobile Telecommunications Corp., Ltd.
Address of Manufacturer:	NO.18 Haibin Road, Wusha Village, Chang'an Town, Dongguan City, Guangdong, China
EUT Description:	Mobile Phone
Model No.:	CPH2599
Trade Mark:	OPPO
FCC ID:	R9C-CPH2599
Standard(s):	FCC 47 CFR Part 15, Subpart B
Date of Receipt:	2023/09/08
Date of Test:	2023/09/19 to 2023/09/19
Date of Issue:	2023/10/20
Test Result:	Pass*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Pore Tom

Peter Tan Regulatory Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company such responsibility is to its Client and this document does not exonerate parties to a exceept in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification on the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com

17. fuhl D, Bulding , Kanglong Change Science Park, No. 137. Keyuan 3rd Read, Fengdong New Town, Xian, Shaami, China 710086 中国•西安•沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编:710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 2 of 29

Revision Record				
Version Chapter Date Modifier Remark				
01		2023/10/20		Original

Prepared By	Leah Chen (Leah Chen) / Test Engineer	
Checked By	Andy Yao (Andy Yao) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xian, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 3 of 29

Test Summary

Emission Part					
Item	Standard	Method	Requirement	Result	
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass	

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xian, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 4 of 29

Contents

1	Ger	neral Information	5
	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	7 7 7 7 7
2	Emi	ission Test Results	8
	2.1 2.1. 2.1. 2.2 2.2. 2.2. 2.2. 2.3 2.3 2.3. 2.3.	Conducted Emissions at Mains Terminals (150kHz-30MHz) 1 E.U.T. Operation 2 Test Setup Procedures 3 Measurement Data Radiated Emissions (30MHz-1GHz) 1 E.U.T. Operation 2 Test Setup Procedures 3 Measurement Data Radiated Emissions (above 1GHz) 1 E.U.T. Operation 2 Test Setup Procedures 3 Measurement Data 3 Measurement Data 3 Measurement Data 4 E.U.T. Operation 5 Measurement Data	8 9 9 14 14 16 21 21 23 23
3	Equ	lipment List	26
4	Меа	asurement Uncertainty	28
5	Pho	otographs	29
	5.1	Test Setup	29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xian, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 5 of 29

1 General Information

Product Name:	Mobile Phone		
Model No. (EUT):	CPH2599		
Trade Mark:	OPPO		
Hardware Version:	11		
Software Version:	ColosOS 14.0		
IMEI:	865055060029756		
	Band	Tx (MHz)	Rx (MHz)
	GSM850	824~849	869~894
	GSM1900	1850~1910	1930~1990
	WCDMA Band II	1850~1910	1930~1990
	WCDMA Band IV	1710~1755	2110~2155
	WCDMA Band V	824~849	869~894
	LTE Band 2	1850~1910	1930~1990
	LTE Band 4	1710~1755	2110~2155
	LTE Band 5	824~849	869~894
	LTE Band 7	2500~2570	2620~2690
	LTE Band 12	699~716	729~746
	LTE Band 13	777~787	746~756
Frequency Bands:	LTE Band 17	704~716	734~746
	LTE Band 26 (814 to 824 MHz)	814~824	859~869
	LTE Band 26 (824 to 849 MHz)	824~849	869~894
	LTE Band 38	2570~2620	2570~2620
	LTE Band 41	2496~2690	2496~2690
	LTE Band 66	1710~1780	2110~2180
	NR Band n5	824~849	869~894
	NR Band n7	2500~2570	2620~2690
	NR Band n38	2570~2620	2570~2620
	NR Band n41	2496~2690	2496~2690
	NR Band n66	1710~1780	2110~2180
	LTE CA:		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction lissues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 6 of 29

	LTE CA_7C; LTE CA_38C; LTE CA_41C				
	ENDC:				
	DC_7A_n5; DC_66A_n5;DC_2A_n7;DC_5A_n7; DC_66A_n7;DC_66A_n38;				
	DC_26A_n41;DC_66A_n41;DC_2A_n66;DC_5A_n66;DC_7A_n66;				
	DC_12A_n66				
	Wi-Fi 2.4G 2412~2462 2412~2462				
	Bluetooth 2402~2480 2402~2480				
	Wi-Fi 5G 5150~5850 5150~5850				
	NFC 13.56 13.56				
	GNSS(GPS L1 C/A; GPS L1 + GLONASS G1 + Beidou B1l;/1559~1610Beidou B1C+ Galileo E1+ SBAS L1)1559~1610				
Remark:	Remark:				

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Accessory:

Item No.	Mode No.	Manufacturer	Remark
Adapter 1	VCB7CAUH	Dongguan Yohoo Electronic Technology Co., Ltd.	/
Adapter 2	VCB7CAUH	Jiangsu Chenyang Electron Co., Ltd	/
Adapter 3	VCB7OAUH	Dongguan Aohai Technology Co.,Ltd	/
Adapter 4	VCB7OAUH	HUIZHOU GOLDEN LAKE INDUSTRIAL CO., LTD.	/
USB cable	DL129	1	/
Battery 1	BLPA15	Dongguan NVT Technology Co., Ltd	Sample 1
Battery 2	BLPA15	Chongqing Cosmx Battery Co.,LTD	Sample 2
Remark: Adapter 1,2,3 and 4 were selected to test.			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are testined for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 7 of 29

1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.
Router	NETGEAR	R6020	XAW03-47-01
Computer	Lenovo	L480	XAW03-48-01
Mouse	Targus	AMU76US	XAW03-49-01

1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China
Post code:	710086
Test engineer:	Jacky Xue

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC – Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-abcourent.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

1/F,UnitD,Building 1,Kanghong Orange Science Park, No.137, Keyuan 3nd Road, Fangdong New Town, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 8 of 29

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	150kHz to 30MHz			
Receiver Setup:	RBW = 9kHz, VBW = 30kHz			
	Frequency Range (MHz)	Limit(dBµV)		
		Quasi-peak	average	
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*	
Limit:	0.5M-5MHz	56	46	
	5M-30MHz 60 50		50	
	*Decreases with the logarithm of the frequency			
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz			

2.1.1 E.U.T. Operation

Operating Environment:

Temperature:	22~25°C
Humidity:	40~60%RH
Atmospheric Pressure:	96~98kPa
	a: adapter1+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	b: adapter1+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 2
	c: adapter2+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	d: adapter3+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
Pretest these modes to	e: adapter4+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	f: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+Camera(Rear)+ WCDMA Band V idle+Sample 1
	g: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP4+LTE Band 12 Idle+Sample 1
	h: adapter 3+USB Cable+BT+5GWLAN+GNSS RX+MP3+LTE Band 5 Idle+Sample 1
	i: Transfer data between PC and EUT+USB Cable+Sample 1
	j: Transfer data between EUT and PC+USB Cable+Sample 1
	k: Transfer data between PC and SD+USB Cable+Sample 1
	I: Transfer data between SD and PC+USB Cable+Sample 1
	m: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+NFC+LTE Band 13+Sample 1



Inless otherwise agreed in writing, this document is issued by the Company subject to	its Ger	neral Condition	ons of Service printed
ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Term	is-and-C	Conditions/Ter	ms-e-Document.aspx.
dvised that information contained hereon reflects the Company's findings at the time of i	its inter	vention only a	and within the limits of
Client's instructions, if any. The Company's sole responsibility is to its Client and this or ransaction from exercising all their rights and obligations under the transaction docume	docume	nt does not e is document	exonerate parties to a cannot be reproduced
xcept in full, without prior written approval of the Company. Any unauthorized alteration	n, forge	ry or falsifica	tion of the content or
esults shown in this test report refer only to the sample(s) tested and such sample(s) are references.	ained fo	r 30 days only	s otherwise stated the
Attention: To check the authenticity of testing /inspection report & certificate, please on a remail: CN Doccheck@sqs.com	contact	us at telepho	ne: (86-755) 8307 1443,
1/E Lint D. Bulding 1 Konstrong Omana Science Both No. 127 Kausen 2nd Band Ferendens New York Stronger China 740096	. (00 00)	0000 7005	

中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 9 of 29

	n: USB Cable+BT+2.4GWLAN+GNSS RX+OTG+n5+Sample 1 o: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 17 Idle+Sample 1
	p: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 26 Idle+Sample 1
The worst case for final	g: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP4+LTE Band 12 Idle+Sample 1
1651.	i: Transfer data between PC and EUT+USB Cable+Sample 1

2.1.2 Test Setup Procedures

1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.

- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.

8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 10 of 29



1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: <u>Orneck the authenticity of testing finspection report & certificate, please contact us at telephone</u>: (86-755) 8307 1443,

17. fuhl D, Bulding , Kanglong Change Science Park, No. 137. Keyuan 3rd Read, Fengdong New Town, Xian, Shaami, China 710086 中国•西安•沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编:710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 11 of 29



1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, and the service of the service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, and the service of th

17. fuhl D, Bulding , Karglong Change Science Park, No. 137. Keyuan 3rd Road, Fengdong New Town, Xran, Shazani, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编:710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 12 of 29



1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apulsis above in this test report entering and their rights and obligations under the transaction document of the 30 as ones otherwise stated the apulsis above in this test report entering inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: C. Doccheck the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: C. Doccheck the authenticity of testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Chief Company and the solution and company and testing linspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: Chief Company and the solution and

17. fuhl D, Bulding , Karglong Change Science Park, No. 137. Keyuan 3rd Road, Fengdong New Town, Xian, Shazani, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 13 of 29



1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).

3. Margin = Limit[dBµV] – Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/lerms-and-Conditions asy and, for electronic Documents as the intervention of the content of the comments, subject to terms and Conditions for Electronic Documents after the comment and the comment and the comment and the comment of the comment and the comment of the comment and the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: the authenticity of testing finspection report & certificate, please contact us at teleformer. (Beroteck and Such sample(s) are tassed to the sample(s) are tassed to a such sample(s) are tassed to the sample(s) are tassed to a such sample(s) aread tassed to a such sample(s) ar

1/F,Unit D,Balding 1, Karghong Change Science Park, No. 137, Keyuan 3rd Read, Fengdong New Town, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 14 of 29

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	30MHz to 1GHz			
Measurement Distance:	3m			
	Frequency Range (MHz)	Limit(dBµV/m)	Detector	
	30MHz -88MHz	40.0	Quasi-peak	
Limit:	88MHz-216MHz 43.5 Q		Quasi-peak	
	216MHz-960MHz	46.0	Quasi-peak	
	960MHz-1000MHz	54.0	Quasi-peak	
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz			

2.2.1 E.U.T. Operation

Temperature:	22~25°C
Humidity:	40~60%RH
Atmospheric Pressure:	96~98kPa
	a: adapter1+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	b: adapter1+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 2
	c: adapter2+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	d: adapter3+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	e: adapter4+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	f: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+Camera(Rear)+ WCDMA Band V idle+Sample 1
Pretest these modes to find the worst case:	g: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP4+LTE Band 12 Idle+Sample 1
	h: adapter 3+USB Cable+BT+5GWLAN+GNSS RX+MP3+LTE Band 5 Idle+Sample 1
	i: Transfer data between PC and EUT+USB Cable+Sample 1
	j: Transfer data between EUT and PC+USB Cable+Sample 1
	k: Transfer data between PC and SD+USB Cable+Sample 1
	I: Transfer data between SD and PC+USB Cable+Sample 1
	m: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+NFC+LTE Band 13+Sample 1
	n: USB Cable+BT+2.4GWLAN+GNSS RX+OTG+n5+Sample 1
	 o: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 17 Idle+Sample 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report referonity to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 15 of 29

	p: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 26 Idle+Sample 1
The worst case for final test:	e: adapter4+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	k: Transfer data between PC and SD+USB Cable+Sample 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 16 of 29

2.2.2 Test Setup Procedures

1. The EUT was placed in a semi Anechoic Chamber as show below

2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.

3. The table was rotated 360 degrees to determine the position of the highest radiation.

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 17 of 29



Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]

3. #7 30M-1G: is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, statement on the company subject to its General Conditions of Service printed documents, statement of the company subject to its General Conditions appx and, for electronic format documents, statement of the information of liebility, document of the company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the authenticity of the sample(s) tested and such sample(s) tested and such sample(s) are stated for 30 days only. Attention if on check the authenticity of testing //inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

17. Fuhl D, Bulding , Karglong Change Science Park, No. 137. Keyuan 3rd Read, Fengdong New Town, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 18 of 29



2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]

3. #7 30M-1G: is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. advised that information contained hereion reflects the Company of Enditory at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and Offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

17, Unit D, Building K, Kanghong Dange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xran, Shazmi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 19 of 29



AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspy and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspx. Attention is drawn to the limitation of liability, indexemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

1/F, Unit D, Building K, Kanghong Orange Solence Park, No. 157, Keyuan 3trd Road, Fengdong New Town, X/an, Shaznot, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 20 of 29



AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dBµV/m] –Value[dBµV/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions_aspy and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspx. Attention is drawn to the limitation of liability, indexemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

17. Fuhl D, Bulding K, Kanghong Grange Science Park, No. 157, Keyuan 3rd Road, Fengdong New Town, X/an, Shazand, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

Report No.: XEWM2309000451RG08 Rev.: 01 Page: 21 of 29

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpart B			
Test Method:	ANSI C63.4:2014			
Frequency Range:	Above 1GHz			
Measurement Distance:	3m			
	Frequency (MHz)	Limit (dBµV/m)	Detector	
Limit:	Above 1GHz	74	Peak	
		54	Average	
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.			

2.3.1 E.U.T. Operation

Temperature:	22~25°C
Humidity:	40~60%RH
Atmospheric Pressure:	96~98kPa
	a: adapter1+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	b: adapter1+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 2
	c: adapter2+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	d: adapter3+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	e: adapter4+USB Cable+BT+5GWLAN+GNSS RX+Camera(Front)+GSM 850 Idle+Sample 1
	f: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+Camera(Rear)+ WCDMA Band V idle+Sample 1
Pretest these modes to	g: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP4+LTE Band 12 Idle+Sample 1
find the worst case:	h: adapter 3+USB Cable+BT+5GWLAN+GNSS RX+MP3+LTE Band 5 Idle+Sample 1
	i: Transfer data between PC and EUT+USB Cable+Sample 1
	j: Transfer data between EUT and PC+USB Cable+Sample 1
	k: Transfer data between PC and SD+USB Cable+Sample 1
	I: Transfer data between SD and PC+USB Cable+Sample 1
	m: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+NFC+LTE Band 13+Sample 1
	n: USB Cable+BT+2.4GWLAN+GNSS RX+OTG+n5+Sample 1
	 o: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 17 Idle+Sample 1
	p: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 26 Idle+Sample 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service pri overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions, arg.com/en/Terms-and-Conditions Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limit Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reprod except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the contex results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755) 8307 int.aspx. ument is limits of ties to a roduced content or stated the ne: (86-755) 8307 1443, 1/F, Unit D, Building 1, Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaarwi, China 710086

中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086



 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 22 of 29

The worst case for final	p: adapter 3+USB Cable+BT+2.4GWLAN+GNSS RX+MP3+LTE Band 26
test:	Idle+Sample 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding K, Kanghong Drange Science Park, No. 157, Keyuan 3td Road, Fengdong New Town, Xian, Shaand, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 23 of 29

2.3.2 Test Setup Procedures

1. The EUT was placed in a full Anechoic Chamber as show below

2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.

3. The table was rotated 360 degrees to determine the position of the highest radiation

(Distance from antenna to EUT is 1m for measurements >18GHz).

4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.

5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.

6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.

7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.



 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 24 of 29



AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

 $Margin = Limit[dB\mu V/m] - Level[dB\mu V/m]$

3. #2 1G-18G: is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

1/F, LmLD, Building, Kanghong Dange Science Park, No. 157, Keyuan 3rd Road, Fengdong New Town, Xran, Shazmi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 25 of 29



AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

 $Margin = Limit[dB\mu V/m] - Level[dB\mu V/m]$

3. #2 1G-18G: is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditons</u>/Terms-and-Conditons, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or apuls above in this test report refer view of the single of the 30 and 10 and

17. fuhl D, Bulding , Kanglong Change Science Park, No. 137. Keyuan 3rd Read, Fengdong New Town, Xian, Shaami, China 710086 中国•西安•沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编:710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 26 of 29

3 Equipment List

CE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2023/06/30	2024/06/29
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/08/30	2024/08/29
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2023/06/30	2024/06/29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 27 of 29

RSE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15
Spectrum Analyzer	ROHDE& SCHWARZ	FSV3044	XAW01-13-05	2023/05/15	2024/05/14
Test receiver	ROHDE& SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27
Receiving antenna(1GHz~18GHz)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2023/05/15	2024/05/14
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2023/08/30	2024/08/29
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2023/08/30	2024/08/29
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2023/08/30	2024/08/29
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/09/04	2024/09/03
Wireless Test platform	StarPoint	SP9500	XAW01-45-01	2023/02/16	2024/02/15
Radio communication analyzer	ROHDE& SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indermification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 28 of 29

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)		
		± 4.9dB (30MHz to 1GHz)		
2	Padiated Emission	± 4.9dB (1GHz to 6GHz)		
2	Radiated Emission	± 4.7dB (6GHz to 18GHz)		
		± 5.26dB (Above 18GHz)		
Remark:				
The U_{lab} (lab Uncertainty) is less than $U_{cispr/ETSI}$ (CISPR/ETSI Uncertainty), so the test results				
 compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit; 				
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forger or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@ss.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

 Report No.:
 XEWM2309000451RG08

 Rev.:
 01

 Page:
 29 of 29

5 Photographs

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are rested for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM.Doccheck@sgs.com

17. fuhl D, Bulding I, Karghong Change Science Park, No. 17. Keyuan 3rd Road, Fengdong New Town, Xran, Shaanui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 www.sgsgroup.com.cn t (86–29) 6282 7885 sgs.china@sgs.com