



DELL INC.

One Dell Way Round Rock, Texas 78682 United States

Applicant: DELL INC.	
FCC ID: E2K-DWRFID2004	
RF Exposure Requirements (FCC KDB 680106 D01 V03)	
Requirements	Statements
(a) Power transfer frequency is less than 1 MHz	13.56MHz, refer FCC (Tracking Number 670317)
(b) Output power from each primary coil is less than 15 watts	1 watts
(c) The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils	Single coil
(d) Client device is inserted in or placed directly in contact with the transmitter	Client device is placed directly in contact with the transmitter
(e) Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).	NA
(f) The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.	This is portable device, SAR shall be used to evaluate exposure to RF from 100kHz to 6GHz and test distance is 0 cm.

Zenon Wang

Dell | GPC & EA (Global Product Compliance and Environmental Affairs),
RCE (Regulatory Compliance Engineer)

Dell EMC | GPCE & EA

Office+ 886 2 2376 6810

Mail: Zenon.Wang@dell.com