

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1484G	50.96	54.00	-3.04	3	Vertical	16	2.70	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.70	54.00	-1.30	3	Horizontal	360	1.80	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.93	54.00	-1.07	3	Horizontal	0	2.58	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.142G	53.27	54.00	-0.73	3	Horizontal	360	2.76	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.351G	53.36	54.00	-0.64	3	Vertical	26	2.61	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.32	54.00	-0.68	3	Horizontal	-0	2.45	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.90	54.00	-1.10	3	Horizontal	360	2.50	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.80	54.00	-1.20	3	Horizontal	355	2.78	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7284G	64.14	68.20	-4.06	3	Vertical	338	1.65	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4686G	67.03	68.20	-1.17	3	Vertical	33	1.86	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.464G	67.13	68.20	-1.07	3	Horizontal	326	1.76	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.8508G	67.45	68.20	-0.75	3	Vertical	329	1.87	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.48236G	64.75	68.20	-3.45	3	Horizontal	310	2.06	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	17.35404G	63.84	68.20	-4.36	3	Horizontal	95	1.51	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.9246G	64.64	68.50	-3.86	3	Vertical	338	1.54	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	67.59	68.20	-0.61	3	Vertical	335	1.71	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	48.16	54.00	-5.84	3	Vertical	16	2.85	-
5180MHz	Pass	AV	5.181G	108.46	Inf	-Inf	3	Vertical	16	2.85	-
5180MHz	Pass	PK	5.1484G	60.00	74.00	-14.00	3	Vertical	16	2.85	-
5180MHz	Pass	PK	5.1808G	118.53	Inf	-Inf	3	Vertical	16	2.85	-
5180MHz	Pass	AV	5.15G	48.93	54.00	-5.07	3	Horizontal	356	1.84	-
5180MHz	Pass	AV	5.1834G	106.69	Inf	-Inf	3	Horizontal	356	1.84	-
5180MHz	Pass	PK	5.1496G	60.87	74.00	-13.13	3	Horizontal	356	1.84	-
5180MHz	Pass	PK	5.1782G	116.47	Inf	-Inf	3	Horizontal	356	1.84	-
5180MHz	Pass	AV	15.53216G	47.48	54.00	-6.52	3	Vertical	295	2.35	-
5180MHz	Pass	PK	10.36119G	54.18	68.20	-14.02	3	Vertical	197	2.10	-
5180MHz	Pass	PK	15.54276G	61.10	74.00	-12.90	3	Vertical	295	2.35	-
5180MHz	Pass	AV	15.53144G	47.34	54.00	-6.66	3	Horizontal	191	1.51	-
5180MHz	Pass	PK	10.35992G	56.82	68.20	-11.38	3	Horizontal	215	2.11	-
5180MHz	Pass	PK	15.5412G	60.28	74.00	-13.72	3	Horizontal	191	1.51	-
5200MHz	Pass	AV	5.1484G	50.96	54.00	-3.04	3	Vertical	16	2.70	-
5200MHz	Pass	AV	5.2036G	112.93	Inf	-Inf	3	Vertical	16	2.70	-
5200MHz	Pass	PK	5.1476G	65.10	74.00	-8.90	3	Vertical	16	2.70	-
5200MHz	Pass	PK	5.1984G	123.30	Inf	-Inf	3	Vertical	16	2.70	-
5200MHz	Pass	AV	5.15G	50.35	54.00	-3.65	3	Horizontal	360	2.62	-
5200MHz	Pass	AV	5.2008G	110.33	Inf	-Inf	3	Horizontal	360	2.62	-
5200MHz	Pass	PK	5.15G	62.53	74.00	-11.47	3	Horizontal	360	2.62	-
5200MHz	Pass	PK	5.196G	120.26	Inf	-Inf	3	Horizontal	360	2.62	-
5200MHz	Pass	AV	15.59838G	46.05	54.00	-7.95	3	Vertical	215	3.00	-
5200MHz	Pass	PK	10.40009G	55.21	68.20	-12.99	3	Vertical	196	2.03	-
5200MHz	Pass	PK	15.59896G	59.25	74.00	-14.75	3	Vertical	215	3.00	-
5200MHz	Pass	AV	15.60022G	48.66	54.00	-5.34	3	Horizontal	176	1.79	-
5200MHz	Pass	PK	10.39995G	57.14	68.20	-11.06	3	Horizontal	211	1.96	-
5200MHz	Pass	PK	15.59969G	61.68	74.00	-12.32	3	Horizontal	176	1.79	-
5240MHz	Pass	AV	5.144G	45.20	54.00	-8.80	3	Vertical	25	2.68	-
5240MHz	Pass	AV	5.2412G	112.14	Inf	-Inf	3	Vertical	25	2.68	-
5240MHz	Pass	AV	5.3762G	44.78	54.00	-9.22	3	Vertical	25	2.68	-
5240MHz	Pass	PK	5.1332G	57.57	74.00	-16.43	3	Vertical	25	2.68	-
5240MHz	Pass	PK	5.2364G	122.76	Inf	-Inf	3	Vertical	25	2.68	-
5240MHz	Pass	PK	5.3756G	56.63	74.00	-17.37	3	Vertical	25	2.68	-
5240MHz	Pass	AV	5.144G	45.00	54.00	-9.00	3	Horizontal	0	2.58	-
5240MHz	Pass	AV	5.243G	110.49	Inf	-Inf	3	Horizontal	0	2.58	-
5240MHz	Pass	AV	5.3756G	44.71	54.00	-9.29	3	Horizontal	0	2.58	-
5240MHz	Pass	PK	5.1056G	57.00	74.00	-17.00	3	Horizontal	0	2.58	-
5240MHz	Pass	PK	5.243G	120.43	Inf	-Inf	3	Horizontal	0	2.58	-
5240MHz	Pass	PK	5.3852G	57.12	74.00	-16.88	3	Horizontal	0	2.58	-
5240MHz	Pass	AV	15.7196G	45.68	54.00	-8.32	3	Vertical	176	1.79	-
5240MHz	Pass	PK	10.48001G	55.94	68.20	-12.26	3	Vertical	228	3.00	-
5240MHz	Pass	PK	15.71941G	58.76	74.00	-15.24	3	Vertical	176	1.79	-
5240MHz	Pass	AV	15.7204G	47.88	54.00	-6.12	3	Horizontal	179	1.88	-
5240MHz	Pass	PK	10.48009G	56.83	68.20	-11.37	3	Horizontal	220	1.50	-
5240MHz	Pass	PK	15.72049G	61.52	74.00	-12.48	3	Horizontal	179	1.88	-
5260MHz	Pass	AV	5.1346G	45.42	54.00	-8.58	3	Vertical	14	2.65	-
5260MHz	Pass	AV	5.263G	112.01	Inf	-Inf	3	Vertical	14	2.65	-
5260MHz	Pass	AV	5.3596G	44.83	54.00	-9.17	3	Vertical	14	2.65	-
5260MHz	Pass	PK	5.143G	57.67	74.00	-16.33	3	Vertical	14	2.65	-
5260MHz	Pass	PK	5.263G	122.38	Inf	-Inf	3	Vertical	14	2.65	-
5260MHz	Pass	PK	5.3806G	56.62	74.00	-17.38	3	Vertical	14	2.65	-
5260MHz	Pass	AV	5.14G	44.89	54.00	-9.11	3	Horizontal	4	2.69	-
5260MHz	Pass	AV	5.2654G	110.15	Inf	-Inf	3	Horizontal	4	2.69	-
5260MHz	Pass	AV	5.3512G	44.95	54.00	-9.05	3	Horizontal	4	2.69	-
5260MHz	Pass	PK	5.1496G	56.42	74.00	-17.58	3	Horizontal	4	2.69	-
5260MHz	Pass	PK	5.2648G	120.26	Inf	-Inf	3	Horizontal	4	2.69	-
5260MHz	Pass	PK	5.4004G	56.90	74.00	-17.10	3	Horizontal	4	2.69	-
5260MHz	Pass	AV	15.78032G	45.93	54.00	-8.07	3	Vertical	173	1.60	-
5260MHz	Pass	PK	10.51984G	56.33	68.20	-11.87	3	Vertical	328	1.58	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	15.77906G	58.92	74.00	-15.08	3	Vertical	173	1.60	-
5260MHz	Pass	AV	15.78114G	47.92	54.00	-6.08	3	Horizontal	177	1.93	-
5260MHz	Pass	PK	10.51994G	58.68	68.20	-9.52	3	Horizontal	232	2.82	-
5260MHz	Pass	PK	15.78244G	61.19	74.00	-12.81	3	Horizontal	177	1.93	-
5300MHz	Pass	AV	5.3012G	111.41	Inf	-Inf	3	Vertical	27	2.63	-
5300MHz	Pass	AV	5.3516G	51.94	54.00	-2.06	3	Vertical	27	2.63	-
5300MHz	Pass	PK	5.2968G	122.02	Inf	-Inf	3	Vertical	27	2.63	-
5300MHz	Pass	PK	5.3516G	65.90	74.00	-8.10	3	Vertical	27	2.63	-
5300MHz	Pass	AV	5.3028G	110.04	Inf	-Inf	3	Horizontal	1	2.42	-
5300MHz	Pass	AV	5.3524G	52.13	54.00	-1.87	3	Horizontal	1	2.42	-
5300MHz	Pass	PK	5.3032G	120.23	Inf	-Inf	3	Horizontal	1	2.42	-
5300MHz	Pass	PK	5.3524G	66.27	74.00	-7.73	3	Horizontal	1	2.42	-
5300MHz	Pass	AV	10.60014G	43.25	54.00	-10.75	3	Vertical	326	1.57	-
5300MHz	Pass	AV	15.90249G	46.82	54.00	-7.18	3	Vertical	175	1.64	-
5300MHz	Pass	PK	10.60043G	56.33	74.00	-17.67	3	Vertical	326	1.57	-
5300MHz	Pass	PK	15.89816G	60.17	74.00	-13.83	3	Vertical	175	1.64	-
5300MHz	Pass	AV	10.60004G	51.53	54.00	-2.47	3	Horizontal	218	2.81	-
5300MHz	Pass	AV	15.89933G	49.73	54.00	-4.27	3	Horizontal	175	1.50	-
5300MHz	Pass	PK	10.60002G	58.84	74.00	-15.16	3	Horizontal	218	2.81	-
5300MHz	Pass	PK	15.89918G	63.19	74.00	-10.81	3	Horizontal	175	1.50	-
5320MHz	Pass	AV	5.3216G	108.91	Inf	-Inf	3	Vertical	26	2.61	-
5320MHz	Pass	AV	5.351G	53.36	54.00	-0.64	3	Vertical	26	2.61	-
5320MHz	Pass	PK	5.3168G	119.60	Inf	-Inf	3	Vertical	26	2.61	-
5320MHz	Pass	PK	5.3506G	67.66	74.00	-6.34	3	Vertical	26	2.61	-
5320MHz	Pass	AV	5.3226G	107.20	Inf	-Inf	3	Horizontal	357	2.53	-
5320MHz	Pass	AV	5.3522G	50.46	54.00	-3.54	3	Horizontal	357	2.53	-
5320MHz	Pass	PK	5.3176G	116.95	Inf	-Inf	3	Horizontal	357	2.53	-
5320MHz	Pass	PK	5.3516G	64.96	74.00	-9.04	3	Horizontal	357	2.53	-
5320MHz	Pass	AV	10.64G	43.90	54.00	-10.10	3	Vertical	323	1.65	-
5320MHz	Pass	AV	15.96892G	45.79	54.00	-8.21	3	Vertical	207	1.50	-
5320MHz	Pass	PK	10.64552G	56.90	74.00	-17.10	3	Vertical	323	1.65	-
5320MHz	Pass	PK	15.9534G	58.83	74.00	-15.17	3	Vertical	207	1.50	-
5320MHz	Pass	AV	10.64G	50.74	54.00	-3.26	3	Horizontal	214	2.85	-
5320MHz	Pass	AV	15.9678G	45.69	54.00	-8.31	3	Horizontal	185	1.50	-
5320MHz	Pass	PK	10.64008G	58.01	74.00	-15.99	3	Horizontal	214	2.85	-
5320MHz	Pass	PK	15.95748G	58.87	74.00	-15.13	3	Horizontal	185	1.50	-
5500MHz	Pass	AV	5.4596G	45.19	54.00	-8.81	3	Vertical	20	2.98	-
5500MHz	Pass	AV	5.5052G	103.65	Inf	-Inf	3	Vertical	20	2.98	-
5500MHz	Pass	PK	5.4684G	63.86	68.20	-4.34	3	Vertical	20	2.98	-
5500MHz	Pass	PK	5.496G	113.37	Inf	-Inf	3	Vertical	20	2.98	-
5500MHz	Pass	AV	5.4598G	45.64	54.00	-8.36	3	Horizontal	64	1.92	-
5500MHz	Pass	AV	5.4948G	104.14	Inf	-Inf	3	Horizontal	64	1.92	-
5500MHz	Pass	PK	5.4676G	63.39	68.20	-4.81	3	Horizontal	64	1.92	-
5500MHz	Pass	PK	5.4948G	113.51	Inf	-Inf	3	Horizontal	64	1.92	-
5500MHz	Pass	AV	10.99716G	42.43	54.00	-11.57	3	Vertical	3	2.34	-
5500MHz	Pass	PK	10.99796G	55.46	74.00	-18.54	3	Vertical	3	2.34	-
5500MHz	Pass	PK	16.50924G	61.87	68.20	-6.33	3	Vertical	82	1.50	-
5500MHz	Pass	AV	10.99752G	44.05	54.00	-9.95	3	Horizontal	50	2.45	-
5500MHz	Pass	PK	10.99016G	57.09	74.00	-16.91	3	Horizontal	50	2.45	-
5500MHz	Pass	PK	16.50288G	61.37	68.20	-6.83	3	Horizontal	165	1.44	-
5580MHz	Pass	AV	5.4456G	44.53	54.00	-9.47	3	Vertical	-0	2.91	-
5580MHz	Pass	AV	5.5836G	106.93	Inf	-Inf	3	Vertical	-0	2.91	-
5580MHz	Pass	PK	5.4666G	55.73	68.20	-12.47	3	Vertical	-0	2.91	-
5580MHz	Pass	PK	5.5842G	117.19	Inf	-Inf	3	Vertical	-0	2.91	-
5580MHz	Pass	PK	5.7264G	56.89	68.20	-11.31	3	Vertical	-0	2.91	-
5580MHz	Pass	AV	5.445G	44.90	54.00	-9.10	3	Horizontal	56	1.78	-
5580MHz	Pass	AV	5.5812G	105.87	Inf	-Inf	3	Horizontal	56	1.78	-
5580MHz	Pass	PK	5.4696G	56.49	68.20	-11.71	3	Horizontal	56	1.78	-
5580MHz	Pass	PK	5.5794G	116.34	Inf	-Inf	3	Horizontal	56	1.78	-
5580MHz	Pass	PK	5.73G	56.41	68.20	-11.79	3	Horizontal	56	1.78	-
5580MHz	Pass	AV	11.15828G	43.82	54.00	-10.18	3	Vertical	343	1.35	-
5580MHz	Pass	PK	11.1634G	56.50	74.00	-17.50	3	Vertical	343	1.35	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.73884G	62.22	68.20	-5.98	3	Vertical	358	1.45	-
5580MHz	Pass	AV	11.15824G	44.22	54.00	-9.78	3	Horizontal	56	2.68	-
5580MHz	Pass	PK	11.15328G	57.00	74.00	-17.00	3	Horizontal	56	2.68	-
5580MHz	Pass	PK	16.7444G	62.79	68.20	-5.41	3	Horizontal	142	1.50	-
5700MHz	Pass	AV	5.6992G	107.81	Inf	-Inf	3	Vertical	338	1.65	-
5700MHz	Pass	PK	5.6936G	118.04	Inf	-Inf	3	Vertical	338	1.65	-
5700MHz	Pass	PK	5.7284G	64.14	68.20	-4.06	3	Vertical	338	1.65	-
5700MHz	Pass	AV	5.7008G	105.28	Inf	-Inf	3	Horizontal	325	1.83	-
5700MHz	Pass	PK	5.6964G	115.82	Inf	-Inf	3	Horizontal	325	1.83	-
5700MHz	Pass	PK	5.7252G	63.06	68.20	-5.14	3	Horizontal	325	1.83	-
5700MHz	Pass	AV	11.40228G	42.38	54.00	-11.62	3	Vertical	340	1.24	-
5700MHz	Pass	PK	11.40744G	55.33	74.00	-18.67	3	Vertical	340	1.24	-
5700MHz	Pass	PK	17.09584G	63.02	68.20	-5.18	3	Vertical	360	1.28	-
5700MHz	Pass	AV	11.39788G	42.75	54.00	-11.25	3	Horizontal	47	1.89	-
5700MHz	Pass	PK	11.3964G	55.52	74.00	-18.48	3	Horizontal	47	1.89	-
5700MHz	Pass	PK	17.10496G	63.08	68.20	-5.12	3	Horizontal	272	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	44.38	54.00	-9.62	3	Vertical	331	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	110.62	Inf	-Inf	3	Vertical	331	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	56.63	68.20	-11.57	3	Vertical	331	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	120.52	Inf	-Inf	3	Vertical	331	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8892G	58.48	68.20	-9.72	3	Vertical	331	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	44.45	54.00	-9.55	3	Horizontal	325	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	108.38	Inf	-Inf	3	Horizontal	325	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.68	68.20	-12.52	3	Horizontal	325	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	119.05	Inf	-Inf	3	Horizontal	325	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	58.20	68.20	-10.00	3	Horizontal	325	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44052G	42.21	54.00	-11.79	3	Vertical	349	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4468G	55.15	74.00	-18.85	3	Vertical	349	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15132G	62.67	68.20	-5.53	3	Vertical	119	1.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44776G	42.69	54.00	-11.31	3	Horizontal	321	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43836G	55.75	74.00	-18.25	3	Horizontal	321	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15028G	63.02	68.20	-5.18	3	Horizontal	277	1.50	-
5745MHz	Pass	AV	5.7438G	109.60	Inf	-Inf	3	Vertical	339	1.50	-
5745MHz	Pass	PK	5.6478G	58.29	68.20	-9.91	3	Vertical	339	1.50	-
5745MHz	Pass	PK	5.739G	120.18	Inf	-Inf	3	Vertical	339	1.50	-
5745MHz	Pass	PK	5.925G	57.21	68.20	-10.99	3	Vertical	339	1.50	-
5745MHz	Pass	AV	5.7462G	108.36	Inf	-Inf	3	Horizontal	326	1.64	-
5745MHz	Pass	PK	5.6478G	58.05	68.20	-10.15	3	Horizontal	326	1.64	-
5745MHz	Pass	PK	5.7462G	118.72	Inf	-Inf	3	Horizontal	326	1.64	-
5745MHz	Pass	PK	6.033G	57.56	68.20	-10.64	3	Horizontal	326	1.64	-
5745MHz	Pass	AV	11.48876G	42.97	54.00	-11.03	3	Vertical	229	1.03	-
5745MHz	Pass	PK	11.49012G	55.75	74.00	-18.25	3	Vertical	229	1.03	-
5745MHz	Pass	PK	17.2356G	62.49	68.20	-5.71	3	Vertical	314.1	1.17	-
5745MHz	Pass	AV	11.49096G	43.05	54.00	-10.95	3	Horizontal	235	1.50	-
5745MHz	Pass	PK	11.4806G	56.36	74.00	-17.64	3	Horizontal	235	1.50	-
5745MHz	Pass	PK	17.23672G	63.46	68.20	-4.74	3	Horizontal	342	1.34	-
5785MHz	Pass	AV	5.7886G	109.59	Inf	-Inf	3	Vertical	335	1.87	-
5785MHz	Pass	PK	5.587G	58.10	68.20	-10.10	3	Vertical	335	1.87	-
5785MHz	Pass	PK	5.7886G	119.98	Inf	-Inf	3	Vertical	335	1.87	-
5785MHz	Pass	PK	5.9446G	57.47	68.20	-10.73	3	Vertical	335	1.87	-
5785MHz	Pass	AV	5.7802G	107.47	Inf	-Inf	3	Horizontal	321	1.50	-
5785MHz	Pass	PK	5.5954G	57.58	68.20	-10.62	3	Horizontal	321	1.50	-
5785MHz	Pass	PK	5.7802G	117.84	Inf	-Inf	3	Horizontal	321	1.50	-
5785MHz	Pass	PK	5.9902G	58.07	68.20	-10.13	3	Horizontal	321	1.50	-
5785MHz	Pass	AV	11.56356G	42.42	54.00	-11.58	3	Vertical	341	1.50	-
5785MHz	Pass	PK	11.56544G	55.45	74.00	-18.55	3	Vertical	341	1.50	-
5785MHz	Pass	PK	17.36304G	63.91	68.20	-4.29	3	Vertical	360	2.32	-
5785MHz	Pass	AV	11.57364G	42.91	54.00	-11.09	3	Horizontal	332	2.54	-
5785MHz	Pass	PK	11.5776G	55.24	74.00	-18.76	3	Horizontal	332	2.54	-
5785MHz	Pass	PK	17.35568G	63.56	68.20	-4.64	3	Horizontal	273	1.50	-
5825MHz	Pass	AV	5.8214G	109.46	Inf	-Inf	3	Vertical	341	1.50	-
5825MHz	Pass	PK	5.6294G	59.23	68.20	-8.97	3	Vertical	341	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8214G	119.15	Inf	-Inf	3	Vertical	341	1.50	-
5825MHz	Pass	PK	5.9258G	57.54	68.20	-10.66	3	Vertical	341	1.50	-
5825MHz	Pass	AV	5.8286G	107.64	Inf	-Inf	3	Horizontal	51	1.61	-
5825MHz	Pass	PK	5.6306G	57.81	68.20	-10.39	3	Horizontal	51	1.61	-
5825MHz	Pass	PK	5.8238G	117.64	Inf	-Inf	3	Horizontal	51	1.61	-
5825MHz	Pass	PK	5.9246G	58.14	68.50	-10.36	3	Horizontal	51	1.61	-
5825MHz	Pass	AV	11.64292G	42.41	54.00	-11.59	3	Vertical	336	1.42	-
5825MHz	Pass	PK	11.65852G	55.41	74.00	-18.59	3	Vertical	336	1.42	-
5825MHz	Pass	PK	17.4826G	64.08	68.20	-4.12	3	Vertical	256	1.50	-
5825MHz	Pass	AV	11.6482G	43.37	54.00	-10.63	3	Horizontal	144	1.54	-
5825MHz	Pass	PK	11.64384G	56.53	74.00	-17.47	3	Horizontal	144	1.54	-
5825MHz	Pass	PK	17.48236G	64.75	68.20	-3.45	3	Horizontal	310	2.06	-
802.11ax HEW20_Nss1,(MCS0)_2TX											
5180MHz	Pass	AV	5.1494G	50.31	54.00	-3.69	3	Vertical	22	3.00	-
5180MHz	Pass	AV	5.182G	107.18	Inf	-Inf	3	Vertical	22	3.00	-
5180MHz	Pass	PK	5.1494G	64.10	74.00	-9.90	3	Vertical	22	3.00	-
5180MHz	Pass	PK	5.182G	120.77	Inf	-Inf	3	Vertical	22	3.00	-
5180MHz	Pass	AV	5.15G	50.14	54.00	-3.86	3	Horizontal	-0	1.92	-
5180MHz	Pass	AV	5.1772G	105.75	Inf	-Inf	3	Horizontal	-0	1.92	-
5180MHz	Pass	PK	5.15G	64.29	74.00	-9.71	3	Horizontal	-0	1.92	-
5180MHz	Pass	PK	5.1776G	120.03	Inf	-Inf	3	Horizontal	-0	1.92	-
5180MHz	Pass	AV	15.53032G	47.06	54.00	-6.94	3	Vertical	247	1.50	-
5180MHz	Pass	PK	10.36006G	55.38	68.20	-12.82	3	Vertical	169	1.56	-
5180MHz	Pass	PK	15.54208G	60.18	74.00	-13.82	3	Vertical	247	1.50	-
5180MHz	Pass	AV	15.53016G	46.97	54.00	-7.03	3	Horizontal	298	1.50	-
5180MHz	Pass	PK	10.35992G	56.50	68.20	-11.70	3	Horizontal	223	1.94	-
5180MHz	Pass	PK	15.53452G	60.84	74.00	-13.16	3	Horizontal	298	1.50	-
5200MHz	Pass	AV	5.148G	51.94	54.00	-2.06	3	Vertical	13	2.35	-
5200MHz	Pass	AV	5.1964G	110.79	Inf	-Inf	3	Vertical	13	2.35	-
5200MHz	Pass	PK	5.1488G	65.83	74.00	-8.17	3	Vertical	13	2.35	-
5200MHz	Pass	PK	5.1984G	123.43	Inf	-Inf	3	Vertical	13	2.35	-
5200MHz	Pass	AV	5.15G	52.70	54.00	-1.30	3	Horizontal	360	1.80	-
5200MHz	Pass	AV	5.202G	109.45	Inf	-Inf	3	Horizontal	360	1.80	-
5200MHz	Pass	PK	5.15G	66.25	74.00	-7.75	3	Horizontal	360	1.80	-
5200MHz	Pass	PK	5.2028G	122.10	Inf	-Inf	3	Horizontal	360	1.80	-
5200MHz	Pass	AV	15.5758G	46.11	54.00	-7.89	3	Vertical	166	1.30	-
5200MHz	Pass	PK	10.39986G	56.73	68.20	-11.47	3	Vertical	169	2.15	-
5200MHz	Pass	PK	15.6005G	58.83	74.00	-15.17	3	Vertical	166	1.30	-
5200MHz	Pass	AV	15.60656G	47.94	54.00	-6.06	3	Horizontal	167	1.64	-
5200MHz	Pass	PK	10.40002G	57.59	68.20	-10.61	3	Horizontal	218	2.06	-
5200MHz	Pass	PK	15.60684G	62.07	74.00	-11.93	3	Horizontal	167	1.64	-
5240MHz	Pass	AV	5.1488G	44.80	54.00	-9.20	3	Vertical	28	2.56	-
5240MHz	Pass	AV	5.243G	109.60	Inf	-Inf	3	Vertical	28	2.56	-
5240MHz	Pass	AV	5.3762G	44.18	54.00	-9.82	3	Vertical	28	2.56	-
5240MHz	Pass	PK	5.1488G	57.15	74.00	-16.85	3	Vertical	28	2.56	-
5240MHz	Pass	PK	5.2346G	122.43	Inf	-Inf	3	Vertical	28	2.56	-
5240MHz	Pass	PK	5.384G	56.01	74.00	-17.99	3	Vertical	28	2.56	-
5240MHz	Pass	AV	5.15G	44.93	54.00	-9.07	3	Horizontal	-0	2.37	-
5240MHz	Pass	AV	5.2364G	109.02	Inf	-Inf	3	Horizontal	-0	2.37	-
5240MHz	Pass	AV	5.3762G	44.44	54.00	-9.56	3	Horizontal	-0	2.37	-
5240MHz	Pass	PK	5.1446G	58.02	74.00	-15.98	3	Horizontal	-0	2.37	-
5240MHz	Pass	PK	5.2454G	120.56	Inf	-Inf	3	Horizontal	-0	2.37	-
5240MHz	Pass	PK	5.3546G	56.85	74.00	-17.15	3	Horizontal	-0	2.37	-
5240MHz	Pass	AV	15.7158G	45.21	54.00	-8.79	3	Vertical	224	1.50	-
5240MHz	Pass	PK	10.47798G	55.25	68.20	-12.95	3	Vertical	172	1.58	-
5240MHz	Pass	PK	15.7124G	59.26	74.00	-14.74	3	Vertical	224	1.50	-
5240MHz	Pass	AV	15.71752G	47.07	54.00	-6.93	3	Horizontal	168	1.66	-
5240MHz	Pass	PK	10.48019G	57.62	68.20	-10.58	3	Horizontal	228	2.42	-
5240MHz	Pass	PK	15.71948G	61.15	74.00	-12.85	3	Horizontal	168	1.66	-
5260MHz	Pass	AV	5.1442G	44.64	54.00	-9.36	3	Vertical	26	2.78	-
5260MHz	Pass	AV	5.2618G	109.82	Inf	-Inf	3	Vertical	26	2.78	-
5260MHz	Pass	AV	5.3608G	44.30	54.00	-9.70	3	Vertical	26	2.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	5.1412G	57.28	74.00	-16.72	3	Vertical	26	2.78	-
5260MHz	Pass	PK	5.2522G	123.00	Inf	-Inf	3	Vertical	26	2.78	-
5260MHz	Pass	PK	5.3962G	57.14	74.00	-16.86	3	Vertical	26	2.78	-
5260MHz	Pass	AV	5.1394G	44.66	54.00	-9.34	3	Horizontal	2	2.47	-
5260MHz	Pass	AV	5.2564G	108.96	Inf	-Inf	3	Horizontal	2	2.47	-
5260MHz	Pass	AV	5.3764G	44.59	54.00	-9.41	3	Horizontal	2	2.47	-
5260MHz	Pass	PK	5.1322G	57.59	74.00	-16.41	3	Horizontal	2	2.47	-
5260MHz	Pass	PK	5.266G	122.56	Inf	-Inf	3	Horizontal	2	2.47	-
5260MHz	Pass	PK	5.362G	56.53	74.00	-17.47	3	Horizontal	2	2.47	-
5260MHz	Pass	AV	15.779G	45.30	54.00	-8.70	3	Vertical	208	1.50	-
5260MHz	Pass	PK	10.52011G	55.79	68.20	-12.41	3	Vertical	175	1.52	-
5260MHz	Pass	PK	15.7819G	58.26	74.00	-15.74	3	Vertical	208	1.50	-
5260MHz	Pass	AV	15.7829G	47.96	54.00	-6.04	3	Horizontal	166	1.60	-
5260MHz	Pass	PK	10.51987G	58.43	68.20	-9.77	3	Horizontal	221	2.84	-
5260MHz	Pass	PK	15.7825G	61.96	74.00	-12.04	3	Horizontal	166	1.60	-
5300MHz	Pass	AV	5.2968G	108.69	Inf	-Inf	3	Vertical	25	3.00	-
5300MHz	Pass	AV	5.35G	50.76	54.00	-3.24	3	Vertical	25	3.00	-
5300MHz	Pass	PK	5.2968G	121.55	Inf	-Inf	3	Vertical	25	3.00	-
5300MHz	Pass	PK	5.3528G	65.36	74.00	-8.64	3	Vertical	25	3.00	-
5300MHz	Pass	AV	5.3012G	107.58	Inf	-Inf	3	Horizontal	1	2.62	-
5300MHz	Pass	AV	5.35G	49.48	54.00	-4.52	3	Horizontal	1	2.62	-
5300MHz	Pass	PK	5.2992G	119.61	Inf	-Inf	3	Horizontal	1	2.62	-
5300MHz	Pass	PK	5.35G	61.62	74.00	-12.38	3	Horizontal	1	2.62	-
5300MHz	Pass	AV	10.60001G	46.51	54.00	-7.49	3	Vertical	182	2.89	-
5300MHz	Pass	AV	15.89732G	45.58	54.00	-8.42	3	Vertical	180	1.48	-
5300MHz	Pass	PK	10.60003G	57.50	74.00	-16.50	3	Vertical	182	2.89	-
5300MHz	Pass	PK	15.90196G	58.62	74.00	-15.38	3	Vertical	180	1.48	-
5300MHz	Pass	AV	10.60001G	50.85	54.00	-3.15	3	Horizontal	222	2.45	-
5300MHz	Pass	AV	15.89928G	46.68	54.00	-7.32	3	Horizontal	165	1.54	-
5300MHz	Pass	PK	10.60008G	58.56	74.00	-15.44	3	Horizontal	222	2.45	-
5300MHz	Pass	PK	15.90428G	60.21	74.00	-13.79	3	Horizontal	165	1.54	-
5320MHz	Pass	AV	5.3182G	106.54	Inf	-Inf	3	Vertical	34	2.88	-
5320MHz	Pass	AV	5.35G	52.06	54.00	-1.94	3	Vertical	34	2.88	-
5320MHz	Pass	PK	5.3176G	119.99	Inf	-Inf	3	Vertical	34	2.88	-
5320MHz	Pass	PK	5.3502G	66.24	74.00	-7.76	3	Vertical	34	2.88	-
5320MHz	Pass	AV	5.3212G	105.50	Inf	-Inf	3	Horizontal	-0	2.45	-
5320MHz	Pass	AV	5.35G	53.32	54.00	-0.68	3	Horizontal	-0	2.45	-
5320MHz	Pass	PK	5.3212G	119.50	Inf	-Inf	3	Horizontal	-0	2.45	-
5320MHz	Pass	PK	5.3516G	69.25	74.00	-4.75	3	Horizontal	-0	2.45	-
5320MHz	Pass	AV	10.64G	45.30	54.00	-8.70	3	Vertical	176	2.80	-
5320MHz	Pass	AV	15.95696G	45.38	54.00	-8.62	3	Vertical	343	3.00	-
5320MHz	Pass	PK	10.63996G	55.76	74.00	-18.24	3	Vertical	176	2.80	-
5320MHz	Pass	PK	15.96664G	58.89	74.00	-15.11	3	Vertical	343	3.00	-
5320MHz	Pass	AV	10.63993G	49.18	54.00	-4.82	3	Horizontal	137	2.61	-
5320MHz	Pass	AV	15.96118G	45.51	54.00	-8.49	3	Horizontal	183	1.50	-
5320MHz	Pass	PK	10.64G	57.50	74.00	-16.50	3	Horizontal	137	2.61	-
5320MHz	Pass	PK	15.9608G	59.96	74.00	-14.04	3	Horizontal	183	1.50	-
5500MHz	Pass	AV	5.458G	45.57	54.00	-8.43	3	Vertical	33	1.86	-
5500MHz	Pass	AV	5.4964G	105.34	Inf	-Inf	3	Vertical	33	1.86	-
5500MHz	Pass	PK	5.4686G	67.03	68.20	-1.17	3	Vertical	33	1.86	-
5500MHz	Pass	PK	5.4958G	119.33	Inf	-Inf	3	Vertical	33	1.86	-
5500MHz	Pass	AV	5.46G	45.93	54.00	-8.07	3	Horizontal	63	1.86	-
5500MHz	Pass	AV	5.5014G	105.43	Inf	-Inf	3	Horizontal	63	1.86	-
5500MHz	Pass	PK	5.4688G	66.84	68.20	-1.36	3	Horizontal	63	1.86	-
5500MHz	Pass	PK	5.5014G	119.47	Inf	-Inf	3	Horizontal	63	1.86	-
5500MHz	Pass	AV	10.99452G	42.13	54.00	-11.87	3	Vertical	45	2.82	-
5500MHz	Pass	PK	11.00468G	55.36	74.00	-18.64	3	Vertical	45	2.82	-
5500MHz	Pass	PK	16.49312G	61.75	68.20	-6.45	3	Vertical	342	2.06	-
5500MHz	Pass	AV	10.99992G	43.31	54.00	-10.69	3	Horizontal	234	2.31	-
5500MHz	Pass	PK	10.99972G	56.22	74.00	-17.78	3	Horizontal	234	2.31	-
5500MHz	Pass	PK	16.49512G	61.51	68.20	-6.69	3	Horizontal	34	1.50	-
5580MHz	Pass	AV	5.4318G	44.52	54.00	-9.48	3	Vertical	32	1.01	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	5.5788G	109.87	Inf	-Inf	3	Vertical	32	1.01	-
5580MHz	Pass	PK	5.4684G	56.61	68.20	-11.59	3	Vertical	32	1.01	-
5580MHz	Pass	PK	5.5788G	122.44	Inf	-Inf	3	Vertical	32	1.01	-
5580MHz	Pass	PK	5.7276G	56.18	68.20	-12.02	3	Vertical	32	1.01	-
5580MHz	Pass	AV	5.4528G	44.24	54.00	-9.76	3	Horizontal	325	1.64	-
5580MHz	Pass	AV	5.5836G	108.53	Inf	-Inf	3	Horizontal	325	1.64	-
5580MHz	Pass	PK	5.4624G	56.18	68.20	-12.02	3	Horizontal	325	1.64	-
5580MHz	Pass	PK	5.5824G	120.77	Inf	-Inf	3	Horizontal	325	1.64	-
5580MHz	Pass	PK	5.7288G	56.18	68.20	-12.02	3	Horizontal	325	1.64	-
5580MHz	Pass	AV	11.16556G	42.94	54.00	-11.06	3	Vertical	345	1.50	-
5580MHz	Pass	PK	11.1654G	56.15	74.00	-17.85	3	Vertical	345	1.50	-
5580MHz	Pass	PK	16.7324G	62.76	68.20	-5.44	3	Vertical	0	1.51	-
5580MHz	Pass	AV	11.16576G	43.32	54.00	-10.68	3	Horizontal	63	1.63	-
5580MHz	Pass	PK	11.16648G	56.97	74.00	-17.03	3	Horizontal	63	1.63	-
5580MHz	Pass	PK	16.7462G	63.04	68.20	-5.16	3	Horizontal	153	1.27	-
5700MHz	Pass	AV	5.7032G	106.20	Inf	-Inf	3	Vertical	340	1.68	-
5700MHz	Pass	PK	5.7032G	119.56	Inf	-Inf	3	Vertical	340	1.68	-
5700MHz	Pass	PK	5.7312G	64.35	68.20	-3.85	3	Vertical	340	1.68	-
5700MHz	Pass	AV	5.696G	103.97	Inf	-Inf	3	Horizontal	325	1.72	-
5700MHz	Pass	PK	5.6948G	116.80	Inf	-Inf	3	Horizontal	325	1.72	-
5700MHz	Pass	PK	5.7252G	64.50	68.20	-3.70	3	Horizontal	325	1.72	-
5700MHz	Pass	AV	11.3964G	42.38	54.00	-11.62	3	Vertical	334	1.05	-
5700MHz	Pass	PK	11.40056G	55.80	74.00	-18.20	3	Vertical	334	1.05	-
5700MHz	Pass	PK	17.093G	63.02	68.20	-5.18	3	Vertical	166	2.21	-
5700MHz	Pass	AV	11.39492G	42.18	54.00	-11.82	3	Horizontal	149	1.61	-
5700MHz	Pass	PK	11.39164G	55.96	74.00	-18.04	3	Horizontal	149	1.61	-
5700MHz	Pass	PK	17.10132G	63.20	68.20	-5.00	3	Horizontal	269	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	44.14	54.00	-9.86	3	Vertical	338	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	109.76	Inf	-Inf	3	Vertical	338	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.26	68.20	-11.94	3	Vertical	338	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	121.48	Inf	-Inf	3	Vertical	338	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8868G	57.98	68.20	-10.22	3	Vertical	338	1.75	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	44.16	54.00	-9.84	3	Horizontal	327	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.95	Inf	-Inf	3	Horizontal	327	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.86	68.20	-12.34	3	Horizontal	327	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	119.40	Inf	-Inf	3	Horizontal	327	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9444G	57.59	68.20	-10.61	3	Horizontal	327	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44492G	41.99	54.00	-12.01	3	Vertical	335	1.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.444G	55.67	74.00	-18.33	3	Vertical	335	1.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15744G	63.24	68.20	-4.96	3	Vertical	228	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43984G	42.27	54.00	-11.73	3	Horizontal	81	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.442G	55.60	74.00	-18.40	3	Horizontal	81	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16196G	63.27	68.20	-4.93	3	Horizontal	343	1.42	-
5745MHz	Pass	AV	5.7426G	109.48	Inf	-Inf	3	Vertical	334	1.81	-
5745MHz	Pass	PK	5.643G	59.19	68.20	-9.01	3	Vertical	334	1.81	-
5745MHz	Pass	PK	5.7426G	121.76	Inf	-Inf	3	Vertical	334	1.81	-
5745MHz	Pass	PK	5.9526G	58.12	68.20	-10.08	3	Vertical	334	1.81	-
5745MHz	Pass	AV	5.7414G	107.53	Inf	-Inf	3	Horizontal	323	1.71	-
5745MHz	Pass	PK	5.6478G	58.97	68.20	-9.23	3	Horizontal	323	1.71	-
5745MHz	Pass	PK	5.7426G	119.87	Inf	-Inf	3	Horizontal	323	1.71	-
5745MHz	Pass	PK	6.0018G	58.05	68.20	-10.15	3	Horizontal	323	1.71	-
5745MHz	Pass	AV	11.56144G	42.15	54.00	-11.85	3	Vertical	43	1.50	-
5745MHz	Pass	PK	11.56484G	55.65	74.00	-18.35	3	Vertical	43	1.50	-
5745MHz	Pass	PK	17.23292G	63.56	68.20	-4.64	3	Vertical	354	1.60	-
5745MHz	Pass	AV	11.4954G	42.44	54.00	-11.56	3	Horizontal	47	2.96	-
5745MHz	Pass	PK	11.48952G	55.80	74.00	-18.20	3	Horizontal	47	2.96	-
5745MHz	Pass	PK	17.22712G	63.55	68.20	-4.65	3	Horizontal	269	1.52	-
5785MHz	Pass	AV	5.7826G	108.58	Inf	-Inf	3	Vertical	339	1.65	-
5785MHz	Pass	PK	5.5222G	57.37	68.20	-10.83	3	Vertical	339	1.65	-
5785MHz	Pass	PK	5.7826G	119.78	Inf	-Inf	3	Vertical	339	1.65	-
5785MHz	Pass	PK	5.9566G	57.89	68.20	-10.31	3	Vertical	339	1.65	-
5785MHz	Pass	AV	5.7886G	106.97	Inf	-Inf	3	Horizontal	58	1.73	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.6326G	58.65	68.20	-9.55	3	Horizontal	58	1.73	-
5785MHz	Pass	PK	5.7874G	119.34	Inf	-Inf	3	Horizontal	58	1.73	-
5785MHz	Pass	PK	6.0058G	57.12	68.20	-11.08	3	Horizontal	58	1.73	-
5785MHz	Pass	AV	11.56148G	41.70	54.00	-12.30	3	Vertical	56	2.36	-
5785MHz	Pass	PK	11.57868G	55.31	74.00	-18.69	3	Vertical	56	2.36	-
5785MHz	Pass	PK	17.36416G	63.76	68.20	-4.44	3	Vertical	310	1.50	-
5785MHz	Pass	AV	11.56572G	42.55	54.00	-11.45	3	Horizontal	148	1.53	-
5785MHz	Pass	PK	11.56624G	56.23	74.00	-17.77	3	Horizontal	148	1.53	-
5785MHz	Pass	PK	17.35404G	63.84	68.20	-4.36	3	Horizontal	95	1.51	-
5825MHz	Pass	AV	5.8286G	108.19	Inf	-Inf	3	Vertical	340	1.50	-
5825MHz	Pass	PK	5.6414G	57.91	68.20	-10.29	3	Vertical	340	1.50	-
5825MHz	Pass	PK	5.8286G	119.76	Inf	-Inf	3	Vertical	340	1.50	-
5825MHz	Pass	PK	6.0494G	57.69	68.20	-10.51	3	Vertical	340	1.50	-
5825MHz	Pass	AV	5.8226G	107.01	Inf	-Inf	3	Horizontal	58	1.80	-
5825MHz	Pass	PK	5.6294G	57.28	68.20	-10.92	3	Horizontal	58	1.80	-
5825MHz	Pass	PK	5.8226G	120.00	Inf	-Inf	3	Horizontal	58	1.80	-
5825MHz	Pass	PK	6.0422G	57.63	68.20	-10.57	3	Horizontal	58	1.80	-
5825MHz	Pass	AV	11.64744G	42.17	54.00	-11.83	3	Vertical	174	2.09	-
5825MHz	Pass	PK	11.65372G	55.67	74.00	-18.33	3	Vertical	174	2.09	-
5825MHz	Pass	PK	17.4846G	62.92	68.20	-5.28	3	Vertical	246	1.47	-
5825MHz	Pass	AV	11.6462G	42.65	54.00	-11.35	3	Horizontal	143	1.47	-
5825MHz	Pass	PK	11.65536G	56.03	74.00	-17.97	3	Horizontal	143	1.47	-
5825MHz	Pass	PK	17.47188G	63.73	68.20	-4.47	3	Horizontal	308	2.10	-
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1468G	50.09	54.00	-3.91	3	Vertical	17	2.97	-
5190MHz	Pass	AV	5.1864G	103.34	Inf	-Inf	3	Vertical	17	2.97	-
5190MHz	Pass	PK	5.1444G	63.48	74.00	-10.52	3	Vertical	17	2.97	-
5190MHz	Pass	PK	5.1856G	115.29	Inf	-Inf	3	Vertical	17	2.97	-
5190MHz	Pass	AV	5.15G	52.93	54.00	-1.07	3	Horizontal	0	2.58	-
5190MHz	Pass	AV	5.1916G	102.33	Inf	-Inf	3	Horizontal	0	2.58	-
5190MHz	Pass	PK	5.1496G	65.90	74.00	-8.10	3	Horizontal	0	2.58	-
5190MHz	Pass	PK	5.1828G	116.16	Inf	-Inf	3	Horizontal	0	2.58	-
5190MHz	Pass	AV	15.56064G	46.36	54.00	-7.64	3	Vertical	53	1.50	-
5190MHz	Pass	PK	10.37984G	55.33	68.20	-12.87	3	Vertical	171	1.68	-
5190MHz	Pass	PK	15.56272G	60.55	74.00	-13.45	3	Vertical	53	1.50	-
5190MHz	Pass	AV	15.5602G	46.49	54.00	-7.51	3	Horizontal	360	1.51	-
5190MHz	Pass	PK	10.38003G	56.91	68.20	-11.29	3	Horizontal	219	2.00	-
5190MHz	Pass	PK	15.56156G	59.64	74.00	-14.36	3	Horizontal	360	1.51	-
5230MHz	Pass	AV	5.15G	50.17	54.00	-3.83	3	Vertical	26	2.70	-
5230MHz	Pass	AV	5.2328G	106.13	Inf	-Inf	3	Vertical	26	2.70	-
5230MHz	Pass	PK	5.15G	63.00	74.00	-11.00	3	Vertical	26	2.70	-
5230MHz	Pass	PK	5.2216G	118.07	Inf	-Inf	3	Vertical	26	2.70	-
5230MHz	Pass	AV	5.1492G	51.68	54.00	-2.32	3	Horizontal	360	2.66	-
5230MHz	Pass	AV	5.2264G	105.20	Inf	-Inf	3	Horizontal	360	2.66	-
5230MHz	Pass	PK	5.1492G	65.33	74.00	-8.67	3	Horizontal	360	2.66	-
5230MHz	Pass	PK	5.2268G	117.34	Inf	-Inf	3	Horizontal	360	2.66	-
5230MHz	Pass	AV	15.69175G	45.50	54.00	-8.50	3	Vertical	360	1.50	-
5230MHz	Pass	PK	10.45974G	56.02	68.20	-12.18	3	Vertical	174	2.32	-
5230MHz	Pass	PK	15.68919G	59.56	74.00	-14.44	3	Vertical	360	1.50	-
5230MHz	Pass	AV	15.68986G	45.48	54.00	-8.52	3	Horizontal	359	3.00	-
5230MHz	Pass	PK	10.46004G	57.92	68.20	-10.28	3	Horizontal	230	2.49	-
5230MHz	Pass	PK	15.69094G	58.96	74.00	-15.04	3	Horizontal	359	3.00	-
5270MHz	Pass	AV	5.2712G	104.73	Inf	-Inf	3	Vertical	0	2.48	-
5270MHz	Pass	AV	5.35G	52.74	54.00	-1.26	3	Vertical	0	2.48	-
5270MHz	Pass	PK	5.2712G	118.92	Inf	-Inf	3	Vertical	0	2.48	-
5270MHz	Pass	PK	5.3512G	66.03	74.00	-7.97	3	Vertical	0	2.48	-
5270MHz	Pass	AV	5.2708G	104.47	Inf	-Inf	3	Horizontal	360	2.50	-
5270MHz	Pass	AV	5.35G	52.90	54.00	-1.10	3	Horizontal	360	2.50	-
5270MHz	Pass	PK	5.2712G	116.62	Inf	-Inf	3	Horizontal	360	2.50	-
5270MHz	Pass	PK	5.3524G	66.35	74.00	-7.65	3	Horizontal	360	2.50	-
5270MHz	Pass	AV	15.8112G	44.79	54.00	-9.21	3	Vertical	125	1.51	-
5270MHz	Pass	PK	10.53984G	55.91	68.20	-12.29	3	Vertical	175	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.81142G	58.26	74.00	-15.74	3	Vertical	125	1.51	-
5270MHz	Pass	AV	15.81167G	45.44	54.00	-8.56	3	Horizontal	167	1.62	-
5270MHz	Pass	PK	10.53981G	56.32	68.20	-11.88	3	Horizontal	236	1.53	-
5270MHz	Pass	PK	15.80895G	58.69	74.00	-15.31	3	Horizontal	167	1.62	-
5310MHz	Pass	AV	5.302G	102.61	Inf	-Inf	3	Vertical	26	2.88	-
5310MHz	Pass	AV	5.352G	48.13	54.00	-5.87	3	Vertical	26	2.88	-
5310MHz	Pass	PK	5.3032G	115.85	Inf	-Inf	3	Vertical	26	2.88	-
5310MHz	Pass	PK	5.3512G	65.64	74.00	-8.36	3	Vertical	26	2.88	-
5310MHz	Pass	AV	5.3056G	101.41	Inf	-Inf	3	Horizontal	358	2.44	-
5310MHz	Pass	AV	5.3556G	47.17	54.00	-6.83	3	Horizontal	358	2.44	-
5310MHz	Pass	PK	5.3064G	113.36	Inf	-Inf	3	Horizontal	358	2.44	-
5310MHz	Pass	PK	5.3532G	62.59	74.00	-11.41	3	Horizontal	358	2.44	-
5310MHz	Pass	PK	10.61986G	56.63	74.00	-17.37	3	Vertical	186	2.88	-
5310MHz	Pass	AV	10.62003G	45.05	54.00	-8.95	3	Vertical	186	2.88	-
5310MHz	Pass	PK	15.92863G	58.78	74.00	-15.22	3	Vertical	0	1.50	-
5310MHz	Pass	AV	15.93039G	45.36	54.00	-8.64	3	Vertical	0	1.50	-
5310MHz	Pass	AV	10.61998G	49.97	54.00	-4.03	3	Horizontal	139	2.97	-
5310MHz	Pass	AV	15.93102G	45.31	54.00	-8.69	3	Horizontal	138	2.64	-
5310MHz	Pass	PK	10.62G	58.05	74.00	-15.95	3	Horizontal	139	2.97	-
5310MHz	Pass	PK	15.92952G	59.08	74.00	-14.92	3	Horizontal	138	2.64	-
5510MHz	Pass	AV	5.46G	47.14	54.00	-6.86	3	Vertical	33	1.50	-
5510MHz	Pass	AV	5.5124G	102.02	Inf	-Inf	3	Vertical	33	1.50	-
5510MHz	Pass	PK	5.47G	63.67	68.20	-4.53	3	Vertical	33	1.50	-
5510MHz	Pass	PK	5.5128G	114.20	Inf	-Inf	3	Vertical	33	1.50	-
5510MHz	Pass	AV	5.4572G	46.17	54.00	-7.83	3	Horizontal	57	1.53	-
5510MHz	Pass	AV	5.5168G	101.24	Inf	-Inf	3	Horizontal	57	1.53	-
5510MHz	Pass	PK	5.4676G	67.09	68.20	-1.11	3	Horizontal	57	1.53	-
5510MHz	Pass	PK	5.516G	113.20	Inf	-Inf	3	Horizontal	57	1.53	-
5510MHz	Pass	AV	11.02126G	41.86	54.00	-12.14	3	Vertical	240	1.50	-
5510MHz	Pass	PK	11.01984G	55.25	74.00	-18.75	3	Vertical	240	1.50	-
5510MHz	Pass	PK	16.52981G	62.48	68.20	-5.72	3	Vertical	245	1.51	-
5510MHz	Pass	AV	11.02008G	42.94	54.00	-11.06	3	Horizontal	241	1.00	-
5510MHz	Pass	PK	11.01973G	56.48	74.00	-17.52	3	Horizontal	241	1.00	-
5510MHz	Pass	PK	16.5285G	61.86	68.20	-6.34	3	Horizontal	156	1.51	-
5550MHz	Pass	AV	5.4576G	49.76	54.00	-4.24	3	Vertical	32	1.47	-
5550MHz	Pass	AV	5.5472G	106.34	Inf	-Inf	3	Vertical	32	1.47	-
5550MHz	Pass	PK	5.4688G	66.68	68.20	-1.52	3	Vertical	32	1.47	-
5550MHz	Pass	PK	5.5464G	118.79	Inf	-Inf	3	Vertical	32	1.47	-
5550MHz	Pass	AV	5.4544G	50.03	54.00	-3.97	3	Horizontal	326	1.76	-
5550MHz	Pass	AV	5.5528G	105.35	Inf	-Inf	3	Horizontal	326	1.76	-
5550MHz	Pass	PK	5.464G	67.13	68.20	-1.07	3	Horizontal	326	1.76	-
5550MHz	Pass	PK	5.5528G	117.88	Inf	-Inf	3	Horizontal	326	1.76	-
5550MHz	Pass	AV	11.10102G	42.01	54.00	-11.99	3	Vertical	69	2.37	-
5550MHz	Pass	PK	11.0862G	55.06	74.00	-18.94	3	Vertical	69	2.37	-
5550MHz	Pass	PK	16.64958G	61.25	68.20	-6.95	3	Vertical	0	1.50	-
5550MHz	Pass	AV	11.10468G	42.26	54.00	-11.74	3	Horizontal	70	1.44	-
5550MHz	Pass	PK	11.11434G	55.65	74.00	-18.35	3	Horizontal	70	1.44	-
5550MHz	Pass	PK	16.63758G	61.35	68.20	-6.85	3	Horizontal	157	1.42	-
5670MHz	Pass	AV	5.6728G	103.86	Inf	-Inf	3	Vertical	333	1.87	-
5670MHz	Pass	PK	5.6812G	116.35	Inf	-Inf	3	Vertical	333	1.87	-
5670MHz	Pass	PK	5.7256G	63.51	68.20	-4.69	3	Vertical	333	1.87	-
5670MHz	Pass	AV	5.6664G	101.62	Inf	-Inf	3	Horizontal	323	1.80	-
5670MHz	Pass	PK	5.6668G	114.13	Inf	-Inf	3	Horizontal	323	1.80	-
5670MHz	Pass	PK	5.7272G	61.88	68.20	-6.32	3	Horizontal	323	1.80	-
5670MHz	Pass	AV	11.3492G	42.34	54.00	-11.66	3	Vertical	308	2.30	-
5670MHz	Pass	PK	11.3438G	55.83	74.00	-18.17	3	Vertical	308	2.30	-
5670MHz	Pass	PK	17.0186G	63.43	68.20	-4.77	3	Vertical	87	1.44	-
5670MHz	Pass	AV	11.3442G	42.11	54.00	-11.89	3	Horizontal	318	1.98	-
5670MHz	Pass	PK	11.33112G	55.16	74.00	-18.84	3	Horizontal	318	1.98	-
5670MHz	Pass	PK	17.01222G	63.20	68.20	-5.00	3	Horizontal	210	2.22	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4484G	44.16	54.00	-9.84	3	Vertical	335	1.86	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	107.37	Inf	-Inf	3	Vertical	335	1.86	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	55.65	68.20	-12.55	3	Vertical	335	1.86	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	119.38	Inf	-Inf	3	Vertical	335	1.86	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	62.25	68.20	-5.95	3	Vertical	335	1.86	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	44.40	54.00	-9.60	3	Horizontal	326	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	105.27	Inf	-Inf	3	Horizontal	326	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	56.18	68.20	-12.02	3	Horizontal	326	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7244G	117.08	Inf	-Inf	3	Horizontal	326	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	61.78	68.20	-6.42	3	Horizontal	326	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41912G	42.33	54.00	-11.67	3	Vertical	314	2.52	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42223G	56.00	74.00	-18.00	3	Vertical	314	2.52	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13173G	63.29	68.20	-4.91	3	Vertical	356	1.68	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41736G	42.18	54.00	-11.82	3	Horizontal	160	2.36	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4126G	56.01	74.00	-17.99	3	Horizontal	160	2.36	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12184G	63.26	68.20	-4.94	3	Horizontal	23	2.10	-
5755MHz	Pass	AV	5.7586G	105.26	Inf	-Inf	3	Vertical	337	1.50	-
5755MHz	Pass	PK	5.6578G	67.87	73.97	-6.10	3	Vertical	337	1.50	-
5755MHz	Pass	PK	5.749G	116.90	Inf	-Inf	3	Vertical	337	1.50	-
5755MHz	Pass	PK	6.049G	57.55	68.20	-10.65	3	Vertical	337	1.50	-
5755MHz	Pass	AV	5.7514G	103.35	Inf	-Inf	3	Horizontal	324	1.74	-
5755MHz	Pass	PK	5.6506G	61.20	68.64	-7.44	3	Horizontal	324	1.74	-
5755MHz	Pass	PK	5.7502G	115.94	Inf	-Inf	3	Horizontal	324	1.74	-
5755MHz	Pass	PK	6.0394G	57.98	68.20	-10.22	3	Horizontal	324	1.74	-
5755MHz	Pass	AV	11.505G	42.63	54.00	-11.37	3	Vertical	91	1.60	-
5755MHz	Pass	PK	11.5058G	56.34	74.00	-17.66	3	Vertical	91	1.60	-
5755MHz	Pass	PK	17.266G	63.50	68.20	-4.70	3	Vertical	127	1.89	-
5755MHz	Pass	PK	11.51088G	55.65	74.00	-18.35	3	Horizontal	131	1.44	-
5755MHz	Pass	AV	11.51226G	42.21	54.00	-11.79	3	Horizontal	131	1.44	-
5755MHz	Pass	PK	17.2646G	64.24	68.20	-3.96	3	Horizontal	313	2.37	-
5795MHz	Pass	AV	5.7926G	106.40	Inf	-Inf	3	Vertical	338	1.54	-
5795MHz	Pass	PK	5.6522G	63.37	69.83	-6.46	3	Vertical	338	1.54	-
5795MHz	Pass	PK	5.7938G	117.48	Inf	-Inf	3	Vertical	338	1.54	-
5795MHz	Pass	PK	5.9246G	64.64	68.50	-3.86	3	Vertical	338	1.54	-
5795MHz	Pass	AV	5.7854G	104.24	Inf	-Inf	3	Horizontal	330	1.72	-
5795MHz	Pass	PK	5.6486G	59.79	68.20	-8.41	3	Horizontal	330	1.72	-
5795MHz	Pass	PK	5.7854G	116.62	Inf	-Inf	3	Horizontal	330	1.72	-
5795MHz	Pass	PK	5.9258G	61.35	68.20	-6.85	3	Horizontal	330	1.72	-
5795MHz	Pass	AV	11.59384G	41.85	54.00	-12.15	3	Vertical	314	1.50	-
5795MHz	Pass	PK	11.59024G	55.40	74.00	-18.60	3	Vertical	314	1.50	-
5795MHz	Pass	PK	17.3893G	63.78	68.20	-4.42	3	Vertical	69	1.47	-
5795MHz	Pass	AV	11.58694G	42.15	54.00	-11.85	3	Horizontal	62	1.72	-
5795MHz	Pass	PK	11.5871G	55.87	74.00	-18.13	3	Horizontal	62	1.72	-
5795MHz	Pass	PK	17.3866G	63.71	68.20	-4.49	3	Horizontal	246	1.50	-
802.11ax HEW80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	51.17	54.00	-2.83	3	Vertical	10	2.83	-
5210MHz	Pass	AV	5.206G	98.98	Inf	-Inf	3	Vertical	10	2.83	-
5210MHz	Pass	AV	5.357G	45.00	54.00	-9.00	3	Vertical	10	2.83	-
5210MHz	Pass	PK	5.147G	64.66	74.00	-9.34	3	Vertical	10	2.83	-
5210MHz	Pass	PK	5.207G	111.83	Inf	-Inf	3	Vertical	10	2.83	-
5210MHz	Pass	PK	5.353G	57.87	74.00	-16.13	3	Vertical	10	2.83	-
5210MHz	Pass	AV	5.142G	53.27	54.00	-0.73	3	Horizontal	360	2.76	-
5210MHz	Pass	AV	5.211G	97.99	Inf	-Inf	3	Horizontal	360	2.76	-
5210MHz	Pass	AV	5.351G	44.82	54.00	-9.18	3	Horizontal	360	2.76	-
5210MHz	Pass	PK	5.144G	66.96	74.00	-7.04	3	Horizontal	360	2.76	-
5210MHz	Pass	PK	5.211G	109.95	Inf	-Inf	3	Horizontal	360	2.76	-
5210MHz	Pass	PK	5.353G	56.97	74.00	-17.03	3	Horizontal	360	2.76	-
5210MHz	Pass	AV	15.61572G	45.61	54.00	-8.39	3	Vertical	190	2.70	-
5210MHz	Pass	PK	10.41544G	55.16	68.20	-13.04	3	Vertical	166	1.50	-
5210MHz	Pass	PK	15.63108G	59.61	74.00	-14.39	3	Vertical	190	2.70	-
5210MHz	Pass	AV	15.62466G	45.60	54.00	-8.40	3	Horizontal	200	2.33	-
5210MHz	Pass	PK	10.42002G	57.51	68.20	-10.69	3	Horizontal	213	2.09	-
5210MHz	Pass	PK	15.6159G	59.40	74.00	-14.60	3	Horizontal	200	2.33	-
5290MHz	Pass	AV	5.148G	46.72	54.00	-7.28	3	Vertical	22	2.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	5.288G	98.88	Inf	-Inf	3	Vertical	22	2.78	-
5290MHz	Pass	AV	5.359G	52.25	54.00	-1.75	3	Vertical	22	2.78	-
5290MHz	Pass	PK	5.15G	60.13	74.00	-13.87	3	Vertical	22	2.78	-
5290MHz	Pass	PK	5.257G	110.58	Inf	-Inf	3	Vertical	22	2.78	-
5290MHz	Pass	PK	5.35G	68.67	74.00	-5.33	3	Vertical	22	2.78	-
5290MHz	Pass	AV	5.15G	46.98	54.00	-7.02	3	Horizontal	355	2.78	-
5290MHz	Pass	AV	5.3G	98.26	Inf	-Inf	3	Horizontal	355	2.78	-
5290MHz	Pass	AV	5.35G	52.80	54.00	-1.20	3	Horizontal	355	2.78	-
5290MHz	Pass	PK	5.149G	60.77	74.00	-13.23	3	Horizontal	355	2.78	-
5290MHz	Pass	PK	5.299G	109.66	Inf	-Inf	3	Horizontal	355	2.78	-
5290MHz	Pass	PK	5.351G	71.22	74.00	-2.78	3	Horizontal	355	2.78	-
5290MHz	Pass	AV	15.87036G	45.28	54.00	-8.72	3	Vertical	56	2.03	-
5290MHz	Pass	PK	10.58012G	56.24	68.20	-11.96	3	Vertical	143	1.50	-
5290MHz	Pass	PK	15.86562G	59.17	74.00	-14.83	3	Vertical	56	2.03	-
5290MHz	Pass	AV	15.8775G	45.36	54.00	-8.64	3	Horizontal	60	2.50	-
5290MHz	Pass	PK	10.58G	58.27	68.20	-9.93	3	Horizontal	216	2.81	-
5290MHz	Pass	PK	15.85896G	58.98	74.00	-15.02	3	Horizontal	60	2.50	-
5530MHz	Pass	AV	5.46G	51.98	54.00	-2.02	3	Vertical	26	1.43	-
5530MHz	Pass	AV	5.522G	98.43	Inf	-Inf	3	Vertical	26	1.43	-
5530MHz	Pass	PK	5.46G	63.73	74.00	-10.27	3	Vertical	26	1.43	-
5530MHz	Pass	PK	5.461G	64.55	68.20	-3.65	3	Vertical	26	1.43	-
5530MHz	Pass	PK	5.513G	110.12	Inf	-Inf	3	Vertical	26	1.43	-
5530MHz	Pass	PK	5.731G	56.60	68.20	-11.60	3	Vertical	26	1.43	-
5530MHz	Pass	AV	5.456G	50.10	54.00	-3.90	3	Horizontal	53	1.86	-
5530MHz	Pass	AV	5.527G	97.80	Inf	-Inf	3	Horizontal	53	1.86	-
5530MHz	Pass	PK	5.466G	66.99	68.20	-1.21	3	Horizontal	53	1.86	-
5530MHz	Pass	PK	5.527G	110.32	Inf	-Inf	3	Horizontal	53	1.86	-
5530MHz	Pass	PK	5.769G	57.97	68.20	-10.23	3	Horizontal	53	1.86	-
5530MHz	Pass	AV	11.0477G	42.30	54.00	-11.70	3	Vertical	219	1.00	-
5530MHz	Pass	PK	11.06588G	55.88	74.00	-18.12	3	Vertical	219	1.00	-
5530MHz	Pass	PK	16.57746G	60.49	68.20	-7.71	3	Vertical	360	1.46	-
5530MHz	Pass	AV	11.0504G	42.18	54.00	-11.82	3	Horizontal	-0	1.49	-
5530MHz	Pass	PK	11.06192G	55.35	74.00	-18.65	3	Horizontal	-0	1.49	-
5530MHz	Pass	PK	16.59798G	61.03	68.20	-7.17	3	Horizontal	235	1.50	-
5610MHz	Pass	AV	5.454G	46.56	54.00	-7.44	3	Vertical	331	1.71	-
5610MHz	Pass	AV	5.613G	101.52	Inf	-Inf	3	Vertical	331	1.71	-
5610MHz	Pass	PK	5.464G	61.49	68.20	-6.71	3	Vertical	331	1.71	-
5610MHz	Pass	PK	5.592G	114.46	Inf	-Inf	3	Vertical	331	1.71	-
5610MHz	Pass	PK	5.741G	67.44	68.20	-0.76	3	Vertical	331	1.71	-
5610MHz	Pass	AV	5.598G	98.90	Inf	-Inf	3	Horizontal	322	1.79	-
5610MHz	Pass	PK	5.469G	61.81	68.20	-6.39	3	Horizontal	322	1.79	-
5610MHz	Pass	PK	5.598G	111.38	Inf	-Inf	3	Horizontal	322	1.79	-
5610MHz	Pass	PK	5.725G	66.41	68.20	-1.79	3	Horizontal	322	1.79	-
5610MHz	Pass	AV	11.22048G	42.02	54.00	-11.98	3	Vertical	242	1.50	-
5610MHz	Pass	PK	11.22032G	55.73	74.00	-18.27	3	Vertical	242	1.50	-
5610MHz	Pass	PK	16.81644G	61.95	68.20	-6.25	3	Vertical	273	1.48	-
5610MHz	Pass	AV	11.2071G	42.25	54.00	-11.75	3	Horizontal	47	1.85	-
5610MHz	Pass	PK	11.23236G	55.96	74.00	-18.04	3	Horizontal	47	1.85	-
5610MHz	Pass	PK	16.83744G	62.25	68.20	-5.95	3	Horizontal	146	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	44.86	54.00	-9.14	3	Vertical	329	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6828G	104.09	Inf	-Inf	3	Vertical	329	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.56	68.20	-10.64	3	Vertical	329	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	116.80	Inf	-Inf	3	Vertical	329	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	67.45	68.20	-0.75	3	Vertical	329	1.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	46.79	54.00	-7.21	3	Horizontal	49	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	100.99	Inf	-Inf	3	Horizontal	49	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.13	68.20	-9.07	3	Horizontal	49	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	113.15	Inf	-Inf	3	Horizontal	49	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	65.27	68.20	-2.93	3	Horizontal	49	1.76	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37382G	42.28	54.00	-11.72	3	Vertical	209	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36728G	55.68	74.00	-18.32	3	Vertical	209	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06658G	63.76	68.20	-4.44	3	Vertical	360	1.53	-




RSE TX above 1GHz

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37028G	42.00	54.00	-12.00	3	Horizontal	93	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38798G	55.39	74.00	-18.61	3	Horizontal	93	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08356G	63.98	68.20	-4.22	3	Horizontal	-0	1.48	-
5775MHz	Pass	AV	5.7774G	98.83	Inf	-Inf	3	Vertical	335	1.71	-
5775MHz	Pass	PK	5.6478G	67.59	68.20	-0.61	3	Vertical	335	1.71	-
5775MHz	Pass	PK	5.7774G	111.02	Inf	-Inf	3	Vertical	335	1.71	-
5775MHz	Pass	PK	5.9538G	59.01	68.20	-9.19	3	Vertical	335	1.71	-
5775MHz	Pass	AV	5.7726G	96.40	Inf	-Inf	3	Horizontal	48	1.78	-
5775MHz	Pass	PK	5.6526G	66.00	70.12	-4.12	3	Horizontal	48	1.78	-
5775MHz	Pass	PK	5.7618G	108.27	Inf	-Inf	3	Horizontal	48	1.78	-
5775MHz	Pass	PK	5.9334G	59.03	68.20	-9.17	3	Horizontal	48	1.78	-
5775MHz	Pass	AV	11.53524G	42.50	54.00	-11.50	3	Vertical	11.2	1.50	-
5775MHz	Pass	PK	11.56404G	56.12	74.00	-17.88	3	Vertical	11.2	1.50	-
5775MHz	Pass	PK	17.33502G	63.67	68.20	-4.53	3	Vertical	287	2.31	-
5775MHz	Pass	AV	11.54756G	41.93	54.00	-12.07	3	Horizontal	122	1.50	-
5775MHz	Pass	PK	11.54484G	55.56	74.00	-18.44	3	Horizontal	122	1.50	-
5775MHz	Pass	PK	17.32632G	63.75	68.20	-4.45	3	Horizontal	237	1.92	-

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.16	54.00	-5.84	5.99	3	Vertical	16	2.85	-	42.17	31.70	8.52	34.23
AV	5.181G	108.46	Inf	-Inf	5.90	3	Vertical	16	2.85	-	102.56	31.58	8.55	34.23
PK	5.1484G	60.00	74.00	-14.00	5.99	3	Vertical	16	2.85	-	54.01	31.70	8.52	34.23
PK	5.1808G	118.53	Inf	-Inf	5.90	3	Vertical	16	2.85	-	112.63	31.58	8.55	34.23

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.93	54.00	-5.07	5.99	3	Horizontal	356	1.84	-	42.94	31.70	8.52	34.23
AV	5.1834G	106.69	Inf	-Inf	5.89	3	Horizontal	356	1.84	-	100.80	31.57	8.55	34.23
PK	5.1496G	60.87	74.00	-13.13	5.99	3	Horizontal	356	1.84	-	54.88	31.70	8.52	34.23
PK	5.1782G	116.47	Inf	-Inf	5.91	3	Horizontal	356	1.84	-	110.56	31.59	8.55	34.23

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53216G	47.48	54.00	-6.52	18.51	3	Vertical	295	2.35	-	28.97	38.27	14.61	34.37
PK	10.36119G	54.18	68.20	-14.02	16.88	3	Vertical	197	2.10	-	37.30	39.38	12.18	34.68
PK	15.54276G	61.10	74.00	-12.90	18.43	3	Vertical	295	2.35	-	42.67	38.20	14.61	34.38

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53144G	47.34	54.00	-6.66	18.52	3	Horizontal	191	1.51	-	28.82	38.28	14.61	34.37
PK	10.35992G	56.82	68.20	-11.38	16.88	3	Horizontal	215	2.11	-	39.94	39.38	12.18	34.68
PK	15.5412G	60.28	74.00	-13.72	18.44	3	Horizontal	191	1.51	-	41.84	38.21	14.61	34.38

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.96	54.00	-3.04	5.99	3	Vertical	16	2.70	-	44.97	31.70	8.52	34.23
AV	5.2036G	112.93	Inf	-Inf	5.81	3	Vertical	16	2.70	-	107.12	31.48	8.57	34.24
PK	5.1476G	65.10	74.00	-8.90	5.99	3	Vertical	16	2.70	-	59.11	31.70	8.52	34.23
PK	5.1984G	123.30	Inf	-Inf	5.84	3	Vertical	16	2.70	-	117.46	31.51	8.57	34.24

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.35	54.00	-3.65	5.99	3	Horizontal	360	2.62	-	44.36	31.70	8.52	34.23
AV	5.2008G	110.33	Inf	-Inf	5.83	3	Horizontal	360	2.62	-	104.50	31.50	8.57	34.24
PK	5.15G	62.53	74.00	-11.47	5.99	3	Horizontal	360	2.62	-	56.54	31.70	8.52	34.23
PK	5.196G	120.26	Inf	-Inf	5.85	3	Horizontal	360	2.62	-	114.41	31.52	8.57	34.24

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.59838G	46.05	54.00	-7.95	18.00	3	Vertical	215	3.00	-	28.05	37.81	14.62	34.43
PK	10.40009G	55.21	68.20	-12.99	17.05	3	Vertical	196	2.03	-	38.16	39.50	12.20	34.65
PK	15.59896G	59.25	74.00	-14.75	18.00	3	Vertical	215	3.00	-	41.25	37.81	14.62	34.43

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.60022G	48.66	54.00	-5.34	17.99	3	Horizontal	176	1.79	-	30.67	37.80	14.62	34.43
PK	10.39995G	57.14	68.20	-11.06	17.05	3	Horizontal	211	1.96	-	40.09	39.50	12.20	34.65
PK	15.59969G	61.68	74.00	-12.32	17.99	3	Horizontal	176	1.79	-	43.69	37.80	14.62	34.43

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.20	54.00	-8.80	5.99	3	Vertical	25	2.68	-	39.21	31.70	8.52	34.23
AV	5.2412G	112.14	Inf	-Inf	5.59	3	Vertical	25	2.68	-	106.55	31.25	8.58	34.24
AV	5.3762G	44.78	54.00	-9.22	5.52	3	Vertical	25	2.68	-	39.26	31.16	8.61	34.25
PK	5.1332G	57.57	74.00	-16.43	5.98	3	Vertical	25	2.68	-	51.59	31.70	8.51	34.23
PK	5.2364G	122.76	Inf	-Inf	5.62	3	Vertical	25	2.68	-	117.14	31.28	8.58	34.24
PK	5.3756G	56.63	74.00	-17.37	5.51	3	Vertical	25	2.68	-	51.12	31.15	8.61	34.25

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.00	54.00	-9.00	5.99	3	Horizontal	0	2.58	-	39.01	31.70	8.52	34.23
AV	5.243G	110.49	Inf	-Inf	5.58	3	Horizontal	0	2.58	-	104.91	31.24	8.58	34.24
AV	5.3756G	44.71	54.00	-9.29	5.51	3	Horizontal	0	2.58	-	39.20	31.15	8.61	34.25
PK	5.1056G	57.00	74.00	-17.00	5.95	3	Horizontal	0	2.58	-	51.05	31.70	8.48	34.23
PK	5.243G	120.43	Inf	-Inf	5.58	3	Horizontal	0	2.58	-	114.85	31.24	8.58	34.24
PK	5.3852G	57.12	74.00	-16.88	5.57	3	Horizontal	0	2.58	-	51.55	31.21	8.61	34.25

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7196G	45.68	54.00	-8.32	18.03	3	Vertical	176	1.79	-	27.65	37.92	14.65	34.54
PK	10.48001G	55.94	68.20	-12.26	17.31	3	Vertical	228	3.00	-	38.63	39.66	12.24	34.59
PK	15.71941G	58.76	74.00	-15.24	18.03	3	Vertical	176	1.79	-	40.73	37.92	14.65	34.54

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7204G	47.88	54.00	-6.12	18.03	3	Horizontal	179	1.88	-	29.85	37.92	14.65	34.54
PK	10.48009G	56.83	68.20	-11.37	17.31	3	Horizontal	220	1.50	-	39.52	39.66	12.24	34.59
PK	15.72049G	61.52	74.00	-12.48	18.03	3	Horizontal	179	1.88	-	43.49	37.92	14.65	34.54

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1346G	45.42	54.00	-8.58	5.98	3	Vertical	14	2.65	-	39.44	31.70	8.51	34.23
AV	5.263G	112.01	Inf	-Inf	5.51	3	Vertical	14	2.65	-	106.50	31.17	8.58	34.24
AV	5.3596G	44.83	54.00	-9.17	5.41	3	Vertical	14	2.65	-	39.42	31.06	8.60	34.25
PK	5.143G	57.67	74.00	-16.33	5.99	3	Vertical	14	2.65	-	51.68	31.70	8.52	34.23
PK	5.263G	122.38	Inf	-Inf	5.51	3	Vertical	14	2.65	-	116.87	31.17	8.58	34.24
PK	5.3806G	56.62	74.00	-17.38	5.54	3	Vertical	14	2.65	-	51.08	31.18	8.61	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	44.89	54.00	-9.11	5.98	3	Horizontal	4	2.69	-	38.91	31.70	8.51	34.23
AV	5.2654G	110.15	Inf	-Inf	5.51	3	Horizontal	4	2.69	-	104.64	31.17	8.58	34.24
AV	5.3512G	44.95	54.00	-9.05	5.36	3	Horizontal	4	2.69	-	39.59	31.01	8.60	34.25
PK	5.1496G	56.42	74.00	-17.58	5.99	3	Horizontal	4	2.69	-	50.43	31.70	8.52	34.23
PK	5.2648G	120.26	Inf	-Inf	5.51	3	Horizontal	4	2.69	-	114.75	31.17	8.58	34.24
PK	5.4004G	56.90	74.00	-17.10	5.66	3	Horizontal	4	2.69	-	51.24	31.30	8.61	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78032G	45.93	54.00	-8.07	17.75	3	Vertical	173	1.60	-	28.18	37.68	14.67	34.60
PK	10.51984G	56.33	68.20	-11.87	17.43	3	Vertical	328	1.58	-	38.90	39.72	12.26	34.55
PK	15.77906G	58.92	74.00	-15.08	17.75	3	Vertical	173	1.60	-	41.17	37.68	14.67	34.60

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78114G	47.92	54.00	-6.08	17.75	3	Horizontal	177	1.93	-	30.17	37.68	14.67	34.60
PK	10.51994G	58.68	68.20	-9.52	17.43	3	Horizontal	232	2.82	-	41.25	39.72	12.26	34.55
PK	15.78244G	61.19	74.00	-12.81	17.74	3	Horizontal	177	1.93	-	43.45	37.67	14.67	34.60

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	111.41	Inf	-Inf	5.45	3	Vertical	27	2.63	-	105.96	31.10	8.59	34.24
AV	5.3516G	51.94	54.00	-2.06	5.36	3	Vertical	27	2.63	-	46.58	31.01	8.60	34.25
PK	5.2968G	122.02	Inf	-Inf	5.46	3	Vertical	27	2.63	-	116.56	31.11	8.59	34.24
PK	5.3516G	65.90	74.00	-8.10	5.36	3	Vertical	27	2.63	-	60.54	31.01	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	110.04	Inf	-Inf	5.44	3	Horizontal	1	2.42	-	104.60	31.09	8.59	34.24
AV	5.3524G	52.13	54.00	-1.87	5.36	3	Horizontal	1	2.42	-	46.77	31.01	8.60	34.25
PK	5.3032G	120.23	Inf	-Inf	5.44	3	Horizontal	1	2.42	-	114.79	31.09	8.59	34.24
PK	5.3524G	66.27	74.00	-7.73	5.36	3	Horizontal	1	2.42	-	60.91	31.01	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60014G	43.25	54.00	-10.75	17.61	3	Vertical	326	1.57	-	25.64	39.80	12.30	34.49
AV	15.90249G	46.82	54.00	-7.18	17.39	3	Vertical	175	1.64	-	29.43	37.40	14.70	34.71
PK	10.60043G	56.33	74.00	-17.67	17.61	3	Vertical	326	1.57	-	38.72	39.80	12.30	34.49
PK	15.89816G	60.17	74.00	-13.83	17.39	3	Vertical	175	1.64	-	42.78	37.40	14.70	34.71

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60004G	51.53	54.00	-2.47	17.61	3	Horizontal	218	2.81	-	33.92	39.80	12.30	34.49
AV	15.89933G	49.73	54.00	-4.27	17.39	3	Horizontal	175	1.50	-	32.34	37.40	14.70	34.71
PK	10.60002G	58.84	74.00	-15.16	17.61	3	Horizontal	218	2.81	-	41.23	39.80	12.30	34.49
PK	15.89918G	63.19	74.00	-10.81	17.39	3	Horizontal	175	1.50	-	45.80	37.40	14.70	34.71

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3216G	108.91	Inf	-Inf	5.40	3	Vertical	26	2.61	-	103.51	31.06	8.59	34.25
AV	5.351G	53.36	54.00	-0.64	5.36	3	Vertical	26	2.61	-	48.00	31.01	8.60	34.25
PK	5.3168G	119.60	Inf	-Inf	5.41	3	Vertical	26	2.61	-	114.19	31.07	8.59	34.25
PK	5.3506G	67.66	74.00	-6.34	5.35	3	Vertical	26	2.61	-	62.31	31.00	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3226G	107.20	Inf	-Inf	5.39	3	Horizontal	357	2.53	-	101.81	31.05	8.59	34.25
AV	5.3522G	50.46	54.00	-3.54	5.36	3	Horizontal	357	2.53	-	45.10	31.01	8.60	34.25
PK	5.3176G	116.95	Inf	-Inf	5.40	3	Horizontal	357	2.53	-	111.55	31.06	8.59	34.25
PK	5.3516G	64.96	74.00	-9.04	5.36	3	Horizontal	357	2.53	-	59.60	31.01	8.60	34.25

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	43.90	54.00	-10.10	17.70	3	Vertical	323	1.65	-	26.20	39.84	12.32	34.46
AV	15.96892G	45.79	54.00	-8.21	17.41	3	Vertical	207	1.50	-	28.38	37.47	14.71	34.77
PK	10.64552G	56.90	74.00	-17.10	17.72	3	Vertical	323	1.65	-	39.18	39.85	12.33	34.46
PK	15.9534G	58.83	74.00	-15.17	17.40	3	Vertical	207	1.50	-	41.43	37.45	14.71	34.76

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64G	50.74	54.00	-3.26	17.70	3	Horizontal	214	2.85	-	33.04	39.84	12.32	34.46
AV	15.9678G	45.69	54.00	-8.31	17.41	3	Horizontal	185	1.50	-	28.28	37.47	14.71	34.77
PK	10.64008G	58.01	74.00	-15.99	17.70	3	Horizontal	214	2.85	-	40.31	39.84	12.32	34.46
PK	15.95748G	58.87	74.00	-15.13	17.41	3	Horizontal	185	1.50	-	41.46	37.46	14.71	34.76

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.19	54.00	-8.81	6.06	3	Vertical	20	2.98	-	39.13	31.62	8.70	34.26
AV	5.5052G	103.65	Inf	-Inf	6.19	3	Vertical	20	2.98	-	97.46	31.69	8.76	34.26
PK	5.4684G	63.86	68.20	-4.34	6.09	3	Vertical	20	2.98	-	57.77	31.64	8.71	34.26
PK	5.496G	113.37	Inf	-Inf	6.18	3	Vertical	20	2.98	-	107.19	31.69	8.75	34.26

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.64	54.00	-8.36	6.06	3	Horizontal	64	1.92	-	39.58	31.62	8.70	34.26
AV	5.4948G	104.14	Inf	-Inf	6.18	3	Horizontal	64	1.92	-	97.96	31.69	8.75	34.26
PK	5.4676G	63.39	68.20	-4.81	6.09	3	Horizontal	64	1.92	-	57.30	31.64	8.71	34.26
PK	5.4948G	113.51	Inf	-Inf	6.18	3	Horizontal	64	1.92	-	107.33	31.69	8.75	34.26

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99716G	42.43	54.00	-11.57	18.51	3	Vertical	3	2.34	-	23.92	40.20	12.50	34.19
PK	10.99796G	55.46	74.00	-18.54	18.51	3	Vertical	3	2.34	-	36.95	40.20	12.50	34.19
PK	16.50924G	61.87	68.20	-6.33	19.37	3	Vertical	82	1.50	-	42.50	38.77	14.85	34.25

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99752G	44.05	54.00	-9.95	18.51	3	Horizontal	50	2.45	-	25.54	40.20	12.50	34.19
PK	10.99016G	57.09	74.00	-16.91	18.49	3	Horizontal	50	2.45	-	38.60	40.19	12.50	34.20
PK	16.50288G	61.37	68.20	-6.83	19.38	3	Horizontal	165	1.44	-	41.99	38.79	14.85	34.26

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4456G	44.53	54.00	-9.47	5.99	3	Vertical	-0	2.91	-	38.54	31.57	8.68	34.26
AV	5.5836G	106.93	Inf	-Inf	6.21	3	Vertical	-0	2.91	-	100.72	31.60	8.88	34.27
PK	5.4666G	55.73	68.20	-12.47	6.08	3	Vertical	-0	2.91	-	49.65	31.63	8.71	34.26
PK	5.5842G	117.19	Inf	-Inf	6.21	3	Vertical	-0	2.91	-	110.98	31.60	8.88	34.27
PK	5.7264G	56.89	68.20	-11.31	6.64	3	Vertical	-0	2.91	-	50.25	31.91	9.01	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	44.90	54.00	-9.10	5.99	3	Horizontal	56	1.78	-	38.91	31.57	8.68	34.26
AV	5.5812G	105.87	Inf	-Inf	6.20	3	Horizontal	56	1.78	-	99.67	31.60	8.87	34.27
PK	5.4696G	56.49	68.20	-11.71	6.09	3	Horizontal	56	1.78	-	50.40	31.64	8.71	34.26
PK	5.5794G	116.34	Inf	-Inf	6.20	3	Horizontal	56	1.78	-	110.14	31.60	8.87	34.27
PK	5.73G	56.41	68.20	-11.79	6.66	3	Horizontal	56	1.78	-	49.75	31.92	9.02	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15828G	43.82	54.00	-10.18	18.18	3	Vertical	343	1.35	-	25.64	39.78	12.58	34.18
PK	11.1634G	56.50	74.00	-17.50	18.18	3	Vertical	343	1.35	-	38.32	39.77	12.59	34.18
PK	16.73884G	62.22	68.20	-5.98	20.59	3	Vertical	358	1.45	-	41.63	39.52	14.91	33.84

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15824G	44.22	54.00	-9.78	18.18	3	Horizontal	56	2.68	-	26.04	39.78	12.58	34.18
PK	11.15328G	57.00	74.00	-17.00	18.19	3	Horizontal	56	2.68	-	38.81	39.79	12.58	34.18
PK	16.7444G	62.79	68.20	-5.41	20.61	3	Horizontal	142	1.50	-	42.18	39.53	14.91	33.83

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	107.81	Inf	-Inf	6.51	3	Vertical	338	1.65	-	101.30	31.80	8.99	34.28
PK	5.6936G	118.04	Inf	-Inf	6.49	3	Vertical	338	1.65	-	111.55	31.79	8.98	34.28
PK	5.7284G	64.14	68.20	-4.06	6.65	3	Vertical	338	1.65	-	57.49	31.91	9.02	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	105.28	Inf	-Inf	6.51	3	Horizontal	325	1.83	-	98.77	31.80	8.99	34.28
PK	5.6964G	115.82	Inf	-Inf	6.50	3	Horizontal	325	1.83	-	109.32	31.79	8.99	34.28
PK	5.7252G	63.06	68.20	-5.14	6.63	3	Horizontal	325	1.83	-	56.43	31.90	9.01	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40228G	42.38	54.00	-11.62	18.34	3	Vertical	340	1.24	-	24.04	39.80	12.71	34.17
PK	11.40744G	55.33	74.00	-18.67	18.35	3	Vertical	340	1.24	-	36.98	39.81	12.71	34.17
PK	17.09584G	63.02	68.20	-5.18	21.28	3	Vertical	360	1.28	-	41.74	39.61	15.00	33.33

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39788G	42.75	54.00	-11.25	18.34	3	Horizontal	47	1.89	-	24.41	39.80	12.71	34.17
PK	11.3964G	55.52	74.00	-18.48	18.34	3	Horizontal	47	1.89	-	37.18	39.80	12.71	34.17
PK	17.10496G	63.08	68.20	-5.12	21.28	3	Horizontal	272	1.50	-	41.80	39.60	15.00	33.32

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	44.38	54.00	-9.62	6.05	3	Vertical	331	1.65	-	38.33	31.62	8.69	34.26
AV	5.7188G	110.62	Inf	-Inf	6.61	3	Vertical	331	1.65	-	104.01	31.88	9.01	34.28
PK	5.4692G	56.63	68.20	-11.57	6.09	3	Vertical	331	1.65	-	50.54	31.64	8.71	34.26
PK	5.7248G	120.52	Inf	-Inf	6.63	3	Vertical	331	1.65	-	113.89	31.90	9.01	34.28
PK	5.8892G	58.48	68.20	-9.72	7.10	3	Vertical	331	1.65	-	51.38	32.28	9.12	34.30

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	44.45	54.00	-9.55	5.94	3	Horizontal	325	1.50	-	38.51	31.53	8.67	34.26
AV	5.7212G	108.38	Inf	-Inf	6.61	3	Horizontal	325	1.50	-	101.77	31.88	9.01	34.28
PK	5.4656G	55.68	68.20	-12.52	6.08	3	Horizontal	325	1.50	-	49.60	31.63	8.71	34.26
PK	5.7176G	119.05	Inf	-Inf	6.60	3	Horizontal	325	1.50	-	112.45	31.87	9.01	34.28
PK	5.8616G	58.20	68.20	-10.00	7.03	3	Horizontal	325	1.50	-	51.17	32.22	9.11	34.30

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44052G	42.21	54.00	-11.79	18.45	3	Vertical	349	1.50	-	23.76	39.88	12.73	34.16
PK	11.4468G	55.15	74.00	-18.85	18.46	3	Vertical	349	1.50	-	36.69	39.89	12.73	34.16
PK	17.15132G	62.67	68.20	-5.53	21.25	3	Vertical	119	1.91	-	41.42	39.55	15.01	33.31

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44776G	42.69	54.00	-11.31	18.47	3	Horizontal	321	2.97	-	24.22	39.90	12.73	34.16
PK	11.43836G	55.75	74.00	-18.25	18.45	3	Horizontal	321	2.97	-	37.30	39.88	12.73	34.16
PK	17.15028G	63.02	68.20	-5.18	21.25	3	Horizontal	277	1.50	-	41.77	39.55	15.01	33.31

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	109.60	Inf	-Inf	6.73	3	Vertical	339	1.50	-	102.87	31.98	9.03	34.28
PK	5.6478G	58.29	68.20	-9.91	6.37	3	Vertical	339	1.50	-	51.92	31.70	8.94	34.27
PK	5.739G	120.18	Inf	-Inf	6.71	3	Vertical	339	1.50	-	113.47	31.96	9.03	34.28
PK	5.925G	57.21	68.20	-10.99	7.14	3	Vertical	339	1.50	-	50.07	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	108.36	Inf	-Inf	6.73	3	Horizontal	326	1.64	-	101.63	31.98	9.03	34.28
PK	5.6478G	58.05	68.20	-10.15	6.37	3	Horizontal	326	1.64	-	51.68	31.70	8.94	34.27
PK	5.7462G	118.72	Inf	-Inf	6.73	3	Horizontal	326	1.64	-	111.99	31.98	9.03	34.28
PK	6.033G	57.56	68.20	-10.64	7.22	3	Horizontal	326	1.64	-	50.34	32.33	9.20	34.31

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48876G	42.97	54.00	-11.03	18.57	3	Vertical	229	1.03	-	24.40	39.98	12.75	34.16
PK	11.49012G	55.75	74.00	-18.25	18.57	3	Vertical	229	1.03	-	37.18	39.98	12.75	34.16
PK	17.2356G	62.49	68.20	-5.71	21.37	3	Vertical	314.1	1.17	-	41.12	39.61	15.04	33.28

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49096G	43.05	54.00	-10.95	18.57	3	Horizontal	235	1.50	-	24.48	39.98	12.75	34.16
PK	11.4806G	56.36	74.00	-17.64	18.55	3	Horizontal	235	1.50	-	37.81	39.96	12.75	34.16
PK	17.23672G	63.46	68.20	-4.74	21.37	3	Horizontal	342	1.34	-	42.09	39.61	15.04	33.28

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7886G	109.59	Inf	-Inf	6.78	3	Vertical	335	1.87	-	102.81	32.00	9.07	34.29
PK	5.587G	58.10	68.20	-10.10	6.21	3	Vertical	335	1.87	-	51.89	31.60	8.88	34.27
PK	5.7886G	119.98	Inf	-Inf	6.78	3	Vertical	335	1.87	-	113.20	32.00	9.07	34.29
PK	5.9446G	57.47	68.20	-10.73	7.15	3	Vertical	335	1.87	-	50.32	32.30	9.15	34.30

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	107.47	Inf	-Inf	6.77	3	Horizontal	321	1.50	-	100.70	32.00	9.06	34.29
PK	5.5954G	57.58	68.20	-10.62	6.22	3	Horizontal	321	1.50	-	51.36	31.60	8.89	34.27
PK	5.7802G	117.84	Inf	-Inf	6.77	3	Horizontal	321	1.50	-	111.07	32.00	9.06	34.29
PK	5.9902G	58.07	68.20	-10.13	7.24	3	Horizontal	321	1.50	-	50.83	32.38	9.17	34.31

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56356G	42.42	54.00	-11.58	18.54	3	Vertical	341	1.50	-	23.88	39.94	12.79	34.19
PK	11.56544G	55.45	74.00	-18.55	18.53	3	Vertical	341	1.50	-	36.92	39.93	12.79	34.19
PK	17.36304G	63.91	68.20	-4.29	22.13	3	Vertical	360	2.32	-	41.78	40.30	15.07	33.24

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57364G	42.91	54.00	-11.09	18.52	3	Horizontal	332	2.54	-	24.39	39.93	12.79	34.20
PK	11.5776G	55.24	74.00	-18.76	18.52	3	Horizontal	332	2.54	-	36.72	39.92	12.80	34.20
PK	17.35568G	63.56	68.20	-4.64	22.08	3	Horizontal	273	1.50	-	41.48	40.25	15.07	33.24

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	109.46	Inf	-Inf	6.89	3	Vertical	341	1.50	-	102.57	32.09	9.09	34.29
PK	5.6294G	59.23	68.20	-8.97	6.32	3	Vertical	341	1.50	-	52.91	31.66	8.93	34.27
PK	5.8214G	119.15	Inf	-Inf	6.89	3	Vertical	341	1.50	-	112.26	32.09	9.09	34.29
PK	5.9258G	57.54	68.20	-10.66	7.14	3	Vertical	341	1.50	-	50.40	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.64	Inf	-Inf	6.91	3	Horizontal	51	1.61	-	100.73	32.11	9.09	34.29
PK	5.6306G	57.81	68.20	-10.39	6.32	3	Horizontal	51	1.61	-	51.49	31.66	8.93	34.27
PK	5.8238G	117.64	Inf	-Inf	6.90	3	Horizontal	51	1.61	-	110.74	32.10	9.09	34.29
PK	5.9246G	58.14	68.50	-10.36	7.14	3	Horizontal	51	1.61	-	51.00	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64292G	42.41	54.00	-11.59	18.20	3	Vertical	336	1.42	-	24.21	39.60	12.83	34.23
PK	11.65852G	55.41	74.00	-18.59	18.09	3	Vertical	336	1.42	-	37.32	39.49	12.84	34.24
PK	17.4826G	64.08	68.20	-4.12	23.00	3	Vertical	256	1.50	-	41.08	41.10	15.10	33.20

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6482G	43.37	54.00	-10.63	18.16	3	Horizontal	144	1.54	-	25.21	39.56	12.83	34.23
PK	11.64384G	56.53	74.00	-17.47	18.19	3	Horizontal	144	1.54	-	38.34	39.59	12.83	34.23
PK	17.48236G	64.75	68.20	-3.45	22.99	3	Horizontal	310	2.06	-	41.76	41.09	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	50.31	54.00	-3.69	5.99	3	Vertical	22	3.00	-	44.32	31.70	8.52	34.23
AV	5.182G	107.18	Inf	-Inf	5.89	3	Vertical	22	3.00	-	101.29	31.57	8.55	34.23
PK	5.1494G	64.10	74.00	-9.90	5.99	3	Vertical	22	3.00	-	58.11	31.70	8.52	34.23
PK	5.182G	120.77	Inf	-Inf	5.89	3	Vertical	22	3.00	-	114.88	31.57	8.55	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.14	54.00	-3.86	5.99	3	Horizontal	-0	1.92	-	44.15	31.70	8.52	34.23
AV	5.1772G	105.75	Inf	-Inf	5.91	3	Horizontal	-0	1.92	-	99.84	31.59	8.55	34.23
PK	5.15G	64.29	74.00	-9.71	5.99	3	Horizontal	-0	1.92	-	58.30	31.70	8.52	34.23
PK	5.1776G	120.03	Inf	-Inf	5.91	3	Horizontal	-0	1.92	-	114.12	31.59	8.55	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53032G	47.06	54.00	-6.94	18.52	3	Vertical	247	1.50	-	28.54	38.29	14.60	34.37
PK	10.36006G	55.38	68.20	-12.82	16.88	3	Vertical	169	1.56	-	38.50	39.38	12.18	34.68
PK	15.54208G	60.18	74.00	-13.82	18.44	3	Vertical	247	1.50	-	41.74	38.21	14.61	34.38

802.11ax HEW20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.53016G	46.97	54.00	-7.03	18.52	3	Horizontal	298	1.50	-	28.45	38.29	14.60	34.37
PK	10.35992G	56.50	68.20	-11.70	16.88	3	Horizontal	223	1.94	-	39.62	39.38	12.18	34.68
PK	15.53452G	60.84	74.00	-13.16	18.50	3	Horizontal	298	1.50	-	42.34	38.26	14.61	34.37

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.94	54.00	-2.06	5.99	3	Vertical	13	2.35	-	45.95	31.70	8.52	34.23
AV	5.1964G	110.79	Inf	-Inf	5.84	3	Vertical	13	2.35	-	104.95	31.51	8.57	34.24
PK	5.1488G	65.83	74.00	-8.17	5.99	3	Vertical	13	2.35	-	59.84	31.70	8.52	34.23
PK	5.1984G	123.43	Inf	-Inf	5.84	3	Vertical	13	2.35	-	117.59	31.51	8.57	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.70	54.00	-1.30	5.99	3	Horizontal	360	1.80	-	46.71	31.70	8.52	34.23
AV	5.202G	109.45	Inf	-Inf	5.82	3	Horizontal	360	1.80	-	103.63	31.49	8.57	34.24
PK	5.15G	66.25	74.00	-7.75	5.99	3	Horizontal	360	1.80	-	60.26	31.70	8.52	34.23
PK	5.2028G	122.10	Inf	-Inf	5.81	3	Horizontal	360	1.80	-	116.29	31.48	8.57	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5758G	46.11	54.00	-7.89	18.18	3	Vertical	166	1.30	-	27.93	37.97	14.62	34.41
PK	10.39986G	56.73	68.20	-11.47	17.05	3	Vertical	169	2.15	-	39.68	39.50	12.20	34.65
PK	15.6005G	58.83	74.00	-15.17	17.99	3	Vertical	166	1.30	-	40.84	37.80	14.62	34.43

802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60656G	47.94	54.00	-6.06	17.99	3	Horizontal	167	1.64	-	29.95	37.81	14.62	34.44
PK	10.40002G	57.59	68.20	-10.61	17.05	3	Horizontal	218	2.06	-	40.54	39.50	12.20	34.65
PK	15.60684G	62.07	74.00	-11.93	17.99	3	Horizontal	167	1.64	-	44.08	37.81	14.62	34.44

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.80	54.00	-9.20	5.99	3	Vertical	28	2.56	-	38.81	31.70	8.52	34.23
AV	5.243G	109.60	Inf	-Inf	5.58	3	Vertical	28	2.56	-	104.02	31.24	8.58	34.24
AV	5.3762G	44.18	54.00	-9.82	5.52	3	Vertical	28	2.56	-	38.66	31.16	8.61	34.25
PK	5.1488G	57.15	74.00	-16.85	5.99	3	Vertical	28	2.56	-	51.16	31.70	8.52	34.23
PK	5.2346G	122.43	Inf	-Inf	5.63	3	Vertical	28	2.56	-	116.80	31.29	8.58	34.24
PK	5.384G	56.01	74.00	-17.99	5.56	3	Vertical	28	2.56	-	50.45	31.20	8.61	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	44.93	54.00	-9.07	5.99	3	Horizontal	-0	2.37	-	38.94	31.70	8.52	34.23
AV	5.2364G	109.02	Inf	-Inf	5.62	3	Horizontal	-0	2.37	-	103.40	31.28	8.58	34.24
AV	5.3762G	44.44	54.00	-9.56	5.52	3	Horizontal	-0	2.37	-	38.92	31.16	8.61	34.25
PK	5.1446G	58.02	74.00	-15.98	5.99	3	Horizontal	-0	2.37	-	52.03	31.70	8.52	34.23
PK	5.2454G	120.56	Inf	-Inf	5.57	3	Horizontal	-0	2.37	-	114.99	31.23	8.58	34.24
PK	5.3546G	56.85	74.00	-17.15	5.38	3	Horizontal	-0	2.37	-	51.47	31.03	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7158G	45.21	54.00	-8.79	18.05	3	Vertical	224	1.50	-	27.16	37.94	14.65	34.54
PK	10.47798G	55.25	68.20	-12.95	17.31	3	Vertical	172	1.58	-	37.94	39.66	12.24	34.59
PK	15.7124G	59.26	74.00	-14.74	18.06	3	Vertical	224	1.50	-	41.20	37.95	14.65	34.54

802.11ax HEW20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71752G	47.07	54.00	-6.93	18.04	3	Horizontal	168	1.66	-	29.03	37.93	14.65	34.54
PK	10.48019G	57.62	68.20	-10.58	17.31	3	Horizontal	228	2.42	-	40.31	39.66	12.24	34.59
PK	15.71948G	61.15	74.00	-12.85	18.03	3	Horizontal	168	1.66	-	43.12	37.92	14.65	34.54

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1442G	44.64	54.00	-9.36	5.99	3	Vertical	26	2.78	-	38.65	31.70	8.52	34.23
AV	5.2618G	109.82	Inf	-Inf	5.52	3	Vertical	26	2.78	-	104.30	31.18	8.58	34.24
AV	5.3608G	44.30	54.00	-9.70	5.41	3	Vertical	26	2.78	-	38.89	31.06	8.60	34.25
PK	5.1412G	57.28	74.00	-16.72	5.98	3	Vertical	26	2.78	-	51.30	31.70	8.51	34.23
PK	5.2522G	123.00	Inf	-Inf	5.54	3	Vertical	26	2.78	-	117.46	31.20	8.58	34.24
PK	5.3962G	57.14	74.00	-16.86	5.64	3	Vertical	26	2.78	-	51.50	31.28	8.61	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	44.66	54.00	-9.34	5.98	3	Horizontal	2	2.47	-	38.68	31.70	8.51	34.23
AV	5.2564G	108.96	Inf	-Inf	5.53	3	Horizontal	2	2.47	-	103.43	31.19	8.58	34.24
AV	5.3764G	44.59	54.00	-9.41	5.52	3	Horizontal	2	2.47	-	39.07	31.16	8.61	34.25
PK	5.1322G	57.59	74.00	-16.41	5.98	3	Horizontal	2	2.47	-	51.61	31.70	8.51	34.23
PK	5.266G	122.56	Inf	-Inf	5.51	3	Horizontal	2	2.47	-	117.05	31.17	8.58	34.24
PK	5.362G	56.53	74.00	-17.47	5.42	3	Horizontal	2	2.47	-	51.11	31.07	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.779G	45.30	54.00	-8.70	17.75	3	Vertical	208	1.50	-	27.55	37.68	14.67	34.60
PK	10.52011G	55.79	68.20	-12.41	17.43	3	Vertical	175	1.52	-	38.36	39.72	12.26	34.55
PK	15.7819G	58.26	74.00	-15.74	17.74	3	Vertical	208	1.50	-	40.52	37.67	14.67	34.60

802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7829G	47.96	54.00	-6.04	17.74	3	Horizontal	166	1.60	-	30.22	37.67	14.67	34.60
PK	10.51987G	58.43	68.20	-9.77	17.43	3	Horizontal	221	2.84	-	41.00	39.72	12.26	34.55
PK	15.7825G	61.96	74.00	-12.04	17.74	3	Horizontal	166	1.60	-	44.22	37.67	14.67	34.60

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	108.69	Inf	-Inf	5.46	3	Vertical	25	3.00	-	103.23	31.11	8.59	34.24
AV	5.35G	50.76	54.00	-3.24	5.35	3	Vertical	25	3.00	-	45.41	31.00	8.60	34.25
PK	5.2968G	121.55	Inf	-Inf	5.46	3	Vertical	25	3.00	-	116.09	31.11	8.59	34.24
PK	5.3528G	65.36	74.00	-8.64	5.37	3	Vertical	25	3.00	-	59.99	31.02	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3012G	107.58	Inf	-Inf	5.45	3	Horizontal	1	2.62	-	102.13	31.10	8.59	34.24
AV	5.35G	49.48	54.00	-4.52	5.35	3	Horizontal	1	2.62	-	44.13	31.00	8.60	34.25
PK	5.2992G	119.61	Inf	-Inf	5.45	3	Horizontal	1	2.62	-	114.16	31.10	8.59	34.24
PK	5.35G	61.62	74.00	-12.38	5.35	3	Horizontal	1	2.62	-	56.27	31.00	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60001G	46.51	54.00	-7.49	17.61	3	Vertical	182	2.89	-	28.90	39.80	12.30	34.49
AV	15.89732G	45.58	54.00	-8.42	17.39	3	Vertical	180	1.48	-	28.19	37.41	14.69	34.71
PK	10.60003G	57.50	74.00	-16.50	17.61	3	Vertical	182	2.89	-	39.89	39.80	12.30	34.49
PK	15.90196G	58.62	74.00	-15.38	17.39	3	Vertical	180	1.48	-	41.23	37.40	14.70	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60001G	50.85	54.00	-3.15	17.61	3	Horizontal	222	2.45	-	33.24	39.80	12.30	34.49
AV	15.89928G	46.68	54.00	-7.32	17.39	3	Horizontal	165	1.54	-	29.29	37.40	14.70	34.71
PK	10.60008G	58.56	74.00	-15.44	17.61	3	Horizontal	222	2.45	-	40.95	39.80	12.30	34.49
PK	15.90428G	60.21	74.00	-13.79	17.39	3	Horizontal	165	1.54	-	42.82	37.40	14.70	34.71

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3182G	106.54	Inf	-Inf	5.40	3	Vertical	34	2.88	-	101.14	31.06	8.59	34.25
AV	5.35G	52.06	54.00	-1.94	5.35	3	Vertical	34	2.88	-	46.71	31.00	8.60	34.25
PK	5.3176G	119.99	Inf	-Inf	5.40	3	Vertical	34	2.88	-	114.59	31.06	8.59	34.25
PK	5.3502G	66.24	74.00	-7.76	5.35	3	Vertical	34	2.88	-	60.89	31.00	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3212G	105.50	Inf	-Inf	5.40	3	Horizontal	-0	2.45	-	100.10	31.06	8.59	34.25
AV	5.35G	53.32	54.00	-0.68	5.35	3	Horizontal	-0	2.45	-	47.97	31.00	8.60	34.25
PK	5.3212G	119.50	Inf	-Inf	5.40	3	Horizontal	-0	2.45	-	114.10	31.06	8.59	34.25
PK	5.3516G	69.25	74.00	-4.75	5.36	3	Horizontal	-0	2.45	-	63.89	31.01	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	45.30	54.00	-8.70	17.70	3	Vertical	176	2.80	-	27.60	39.84	12.32	34.46
AV	15.95696G	45.38	54.00	-8.62	17.41	3	Vertical	343	3.00	-	27.97	37.46	14.71	34.76
PK	10.63996G	55.76	74.00	-18.24	17.70	3	Vertical	176	2.80	-	38.06	39.84	12.32	34.46
PK	15.96664G	58.89	74.00	-15.11	17.41	3	Vertical	343	3.00	-	41.48	37.47	14.71	34.77

802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63993G	49.18	54.00	-4.82	17.70	3	Horizontal	137	2.61	-	31.48	39.84	12.32	34.46
AV	15.96118G	45.51	54.00	-8.49	17.41	3	Horizontal	183	1.50	-	28.10	37.46	14.71	34.76
PK	10.64G	57.50	74.00	-16.50	17.70	3	Horizontal	137	2.61	-	39.80	39.84	12.32	34.46
PK	15.9608G	59.96	74.00	-14.04	17.41	3	Horizontal	183	1.50	-	42.55	37.46	14.71	34.76

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.57	54.00	-8.43	6.05	3	Vertical	33	1.86	-	39.52	31.62	8.69	34.26
AV	5.4964G	105.34	Inf	-Inf	6.18	3	Vertical	33	1.86	-	99.16	31.69	8.75	34.26
PK	5.4686G	67.03	68.20	-1.17	6.09	3	Vertical	33	1.86	-	60.94	31.64	8.71	34.26
PK	5.4958G	119.33	Inf	-Inf	6.18	3	Vertical	33	1.86	-	113.15	31.69	8.75	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	45.93	54.00	-8.07	6.06	3	Horizontal	63	1.86	-	39.87	31.62	8.70	34.26
AV	5.5014G	105.43	Inf	-Inf	6.20	3	Horizontal	63	1.86	-	99.23	31.70	8.76	34.26
PK	5.4688G	66.84	68.20	-1.36	6.09	3	Horizontal	63	1.86	-	60.75	31.64	8.71	34.26
PK	5.5014G	119.47	Inf	-Inf	6.20	3	Horizontal	63	1.86	-	113.27	31.70	8.76	34.26

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99452G	42.13	54.00	-11.87	18.50	3	Vertical	45	2.82	-	23.63	40.19	12.50	34.19
PK	11.00468G	55.36	74.00	-18.64	18.51	3	Vertical	45	2.82	-	36.85	40.19	12.51	34.19
PK	16.49312G	61.75	68.20	-6.45	19.34	3	Vertical	342	2.06	-	42.41	38.77	14.85	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99992G	43.31	54.00	-10.69	18.51	3	Horizontal	234	2.31	-	24.80	40.20	12.50	34.19
PK	10.99972G	56.22	74.00	-17.78	18.51	3	Horizontal	234	2.31	-	37.71	40.20	12.50	34.19
PK	16.49512G	61.51	68.20	-6.69	19.35	3	Horizontal	34	1.50	-	42.16	38.78	14.85	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4318G	44.52	54.00	-9.48	5.90	3	Vertical	32	1.01	-	38.62	31.49	8.66	34.25
AV	5.5788G	109.87	Inf	-Inf	6.20	3	Vertical	32	1.01	-	103.67	31.60	8.87	34.27
PK	5.4684G	56.61	68.20	-11.59	6.09	3	Vertical	32	1.01	-	50.52	31.64	8.71	34.26
PK	5.5788G	122.44	Inf	-Inf	6.20	3	Vertical	32	1.01	-	116.24	31.60	8.87	34.27
PK	5.7276G	56.18	68.20	-12.02	6.64	3	Vertical	32	1.01	-	49.54	31.91	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	44.24	54.00	-9.76	6.04	3	Horizontal	325	1.64	-	38.20	31.61	8.69	34.26
AV	5.5836G	108.53	Inf	-Inf	6.21	3	Horizontal	325	1.64	-	102.32	31.60	8.88	34.27
PK	5.4624G	56.18	68.20	-12.02	6.06	3	Horizontal	325	1.64	-	50.12	31.62	8.70	34.26
PK	5.5824G	120.77	Inf	-Inf	6.20	3	Horizontal	325	1.64	-	114.57	31.60	8.87	34.27
PK	5.7288G	56.18	68.20	-12.02	6.66	3	Horizontal	325	1.64	-	49.52	31.92	9.02	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16556G	42.94	54.00	-11.06	18.18	3	Vertical	345	1.50	-	24.76	39.77	12.59	34.18
PK	11.1654G	56.15	74.00	-17.85	18.18	3	Vertical	345	1.50	-	37.97	39.77	12.59	34.18
PK	16.7324G	62.76	68.20	-5.44	20.56	3	Vertical	0	1.51	-	42.20	39.50	14.91	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16576G	43.32	54.00	-10.68	18.18	3	Horizontal	63	1.63	-	25.14	39.77	12.59	34.18
PK	11.16648G	56.97	74.00	-17.03	18.18	3	Horizontal	63	1.63	-	38.79	39.77	12.59	34.18
PK	16.7462G	63.04	68.20	-5.16	20.63	3	Horizontal	153	1.27	-	42.41	39.54	14.91	33.82

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7032G	106.20	Inf	-Inf	6.52	3	Vertical	340	1.68	-	99.68	31.81	8.99	34.28
PK	5.7032G	119.56	Inf	-Inf	6.52	3	Vertical	340	1.68	-	113.04	31.81	8.99	34.28
PK	5.7312G	64.35	68.20	-3.85	6.66	3	Vertical	340	1.68	-	57.69	31.92	9.02	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.696G	103.97	Inf	-Inf	6.50	3	Horizontal	325	1.72	-	97.47	31.79	8.99	34.28
PK	5.6948G	116.80	Inf	-Inf	6.50	3	Horizontal	325	1.72	-	110.30	31.79	8.99	34.28
PK	5.7252G	64.50	68.20	-3.70	6.63	3	Horizontal	325	1.72	-	57.87	31.90	9.01	34.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3964G	42.38	54.00	-11.62	18.34	3	Vertical	334	1.05	-	24.04	39.80	12.71	34.17
PK	11.40056G	55.80	74.00	-18.20	18.34	3	Vertical	334	1.05	-	37.46	39.80	12.71	34.17
PK	17.093G	63.02	68.20	-5.18	21.28	3	Vertical	166	2.21	-	41.74	39.61	15.00	33.33

802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39492G	42.18	54.00	-11.82	18.32	3	Horizontal	149	1.61	-	23.86	39.79	12.70	34.17
PK	11.39164G	55.96	74.00	-18.04	18.32	3	Horizontal	149	1.61	-	37.64	39.79	12.70	34.17
PK	17.10132G	63.20	68.20	-5.00	21.27	3	Horizontal	269	1.50	-	41.93	39.60	15.00	33.33

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	44.14	54.00	-9.86	6.02	3	Vertical	338	1.75	-	38.12	31.60	8.68	34.26
AV	5.7176G	109.76	Inf	-Inf	6.60	3	Vertical	338	1.75	-	103.16	31.87	9.01	34.28
PK	5.4668G	56.26	68.20	-11.94	6.08	3	Vertical	338	1.75	-	50.18	31.63	8.71	34.26
PK	5.7176G	121.48	Inf	-Inf	6.60	3	Vertical	338	1.75	-	114.88	31.87	9.01	34.28
PK	5.8868G	57.98	68.20	-10.22	7.09	3	Vertical	338	1.75	-	50.89	32.27	9.12	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	44.16	54.00	-9.84	6.02	3	Horizontal	327	1.50	-	38.14	31.60	8.68	34.26
AV	5.7212G	106.95	Inf	-Inf	6.61	3	Horizontal	327	1.50	-	100.34	31.88	9.01	34.28
PK	5.4656G	55.86	68.20	-12.34	6.08	3	Horizontal	327	1.50	-	49.78	31.63	8.71	34.26
PK	5.7212G	119.40	Inf	-Inf	6.61	3	Horizontal	327	1.50	-	112.79	31.88	9.01	34.28
PK	5.9444G	57.59	68.20	-10.61	7.14	3	Horizontal	327	1.50	-	50.45	32.30	9.14	34.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44492G	41.99	54.00	-12.01	18.46	3	Vertical	335	1.02	-	23.53	39.89	12.73	34.16
PK	11.444G	55.67	74.00	-18.33	18.46	3	Vertical	335	1.02	-	37.21	39.89	12.73	34.16
PK	17.15744G	63.24	68.20	-4.96	21.25	3	Vertical	228	1.50	-	41.99	39.54	15.02	33.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43984G	42.27	54.00	-11.73	18.45	3	Horizontal	81	1.50	-	23.82	39.88	12.73	34.16
PK	11.442G	55.60	74.00	-18.40	18.45	3	Horizontal	81	1.50	-	37.15	39.88	12.73	34.16
PK	17.16196G	63.27	68.20	-4.93	21.26	3	Horizontal	343	1.42	-	42.01	39.54	15.02	33.30

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	109.48	Inf	-Inf	6.72	3	Vertical	334	1.81	-	102.76	31.97	9.03	34.28
PK	5.643G	59.19	68.20	-9.01	6.36	3	Vertical	334	1.81	-	52.83	31.69	8.94	34.27
PK	5.7426G	121.76	Inf	-Inf	6.72	3	Vertical	334	1.81	-	115.04	31.97	9.03	34.28
PK	5.9526G	58.12	68.20	-10.08	7.15	3	Vertical	334	1.81	-	50.97	32.31	9.15	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	107.53	Inf	-Inf	6.72	3	Horizontal	323	1.71	-	100.81	31.97	9.03	34.28
PK	5.6478G	58.97	68.20	-9.23	6.37	3	Horizontal	323	1.71	-	52.60	31.70	8.94	34.27
PK	5.7426G	119.87	Inf	-Inf	6.72	3	Horizontal	323	1.71	-	113.15	31.97	9.03	34.28
PK	6.0018G	58.05	68.20	-10.15	7.26	3	Horizontal	323	1.71	-	50.79	32.40	9.17	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56144G	42.15	54.00	-11.85	18.54	3	Vertical	43	1.50	-	23.61	39.94	12.79	34.19
PK	11.56484G	55.65	74.00	-18.35	18.54	3	Vertical	43	1.50	-	37.11	39.94	12.79	34.19
PK	17.23292G	63.56	68.20	-4.64	21.35	3	Vertical	354	1.60	-	42.21	39.60	15.03	33.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4954G	42.44	54.00	-11.56	18.59	3	Horizontal	47	2.96	-	23.85	39.99	12.76	34.16
PK	11.48952G	55.80	74.00	-18.20	18.57	3	Horizontal	47	2.96	-	37.23	39.98	12.75	34.16
PK	17.22712G	63.55	68.20	-4.65	21.33	3	Horizontal	269	1.52	-	42.22	39.58	15.03	33.28

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	108.58	Inf	-Inf	6.77	3	Vertical	339	1.65	-	101.81	32.00	9.06	34.29
PK	5.5222G	57.37	68.20	-10.83	6.19	3	Vertical	339	1.65	-	51.18	31.66	8.79	34.26
PK	5.7826G	119.78	Inf	-Inf	6.77	3	Vertical	339	1.65	-	113.01	32.00	9.06	34.29
PK	5.9566G	57.89	68.20	-10.31	7.15	3	Vertical	339	1.65	-	50.74	32.31	9.15	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7886G	106.97	Inf	-Inf	6.78	3	Horizontal	58	1.73	-	100.19	32.00	9.07	34.29
PK	5.6326G	58.65	68.20	-9.55	6.33	3	Horizontal	58	1.73	-	52.32	31.67	8.93	34.27
PK	5.7874G	119.34	Inf	-Inf	6.78	3	Horizontal	58	1.73	-	112.56	32.00	9.07	34.29
PK	6.0058G	57.12	68.20	-11.08	7.25	3	Horizontal	58	1.73	-	49.87	32.39	9.17	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56148G	41.70	54.00	-12.30	18.54	3	Vertical	56	2.36	-	23.16	39.94	12.79	34.19
PK	11.57868G	55.31	74.00	-18.69	18.52	3	Vertical	56	2.36	-	36.79	39.92	12.80	34.20
PK	17.36416G	63.76	68.20	-4.44	22.14	3	Vertical	310	1.50	-	41.62	40.31	15.07	33.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56572G	42.55	54.00	-11.45	18.53	3	Horizontal	148	1.53	-	24.02	39.93	12.79	34.19
PK	11.56624G	56.23	74.00	-17.77	18.53	3	Horizontal	148	1.53	-	37.70	39.93	12.79	34.19
PK	17.35404G	63.84	68.20	-4.36	22.06	3	Horizontal	95	1.51	-	41.78	40.23	15.07	33.24

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	108.19	Inf	-Inf	6.91	3	Vertical	340	1.50	-	101.28	32.11	9.09	34.29
PK	5.6414G	57.91	68.20	-10.29	6.35	3	Vertical	340	1.50	-	51.56	31.68	8.94	34.27
PK	5.8286G	119.76	Inf	-Inf	6.91	3	Vertical	340	1.50	-	112.85	32.11	9.09	34.29
PK	6.0494G	57.69	68.20	-10.51	7.20	3	Vertical	340	1.50	-	50.49	32.30	9.21	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	107.01	Inf	-Inf	6.89	3	Horizontal	58	1.80	-	100.12	32.09	9.09	34.29
PK	5.6294G	57.28	68.20	-10.92	6.32	3	Horizontal	58	1.80	-	50.96	31.66	8.93	34.27
PK	5.8226G	120.00	Inf	-Inf	6.89	3	Horizontal	58	1.80	-	113.11	32.09	9.09	34.29
PK	6.0422G	57.63	68.20	-10.57	7.21	3	Horizontal	58	1.80	-	50.42	32.32	9.20	34.31

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64744G	42.17	54.00	-11.83	18.17	3	Vertical	174	2.09	-	24.00	39.57	12.83	34.23
PK	11.65372G	55.67	74.00	-18.33	18.13	3	Vertical	174	2.09	-	37.54	39.52	12.84	34.23
PK	17.4846G	62.92	68.20	-5.28	23.01	3	Vertical	246	1.47	-	39.91	41.11	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6462G	42.65	54.00	-11.35	18.18	3	Horizontal	143	1.47	-	24.47	39.58	12.83	34.23
PK	11.65536G	56.03	74.00	-17.97	18.12	3	Horizontal	143	1.47	-	37.91	39.51	12.84	34.23
PK	17.47188G	63.73	68.20	-4.47	22.93	3	Horizontal	308	2.10	-	40.80	41.03	15.10	33.20

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	50.09	54.00	-3.91	5.99	3	Vertical	17	2.97	-	44.10	31.70	8.52	34.23
AV	5.1864G	103.34	Inf	-Inf	5.88	3	Vertical	17	2.97	-	97.46	31.55	8.56	34.23
PK	5.1444G	63.48	74.00	-10.52	5.99	3	Vertical	17	2.97	-	57.49	31.70	8.52	34.23
PK	5.1856G	115.29	Inf	-Inf	5.89	3	Vertical	17	2.97	-	109.40	31.56	8.56	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.93	54.00	-1.07	5.99	3	Horizontal	0	2.58	-	46.94	31.70	8.52	34.23
AV	5.1916G	102.33	Inf	-Inf	5.85	3	Horizontal	0	2.58	-	96.48	31.53	8.56	34.24
PK	5.1496G	65.90	74.00	-8.10	5.99	3	Horizontal	0	2.58	-	59.91	31.70	8.52	34.23
PK	5.1828G	116.16	Inf	-Inf	5.89	3	Horizontal	0	2.58	-	110.27	31.57	8.55	34.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56064G	46.36	54.00	-7.64	18.29	3	Vertical	53	1.50	-	28.07	38.08	14.61	34.40
PK	10.37984G	55.33	68.20	-12.87	16.97	3	Vertical	171	1.68	-	38.36	39.44	12.19	34.66
PK	15.56272G	60.55	74.00	-13.45	18.27	3	Vertical	53	1.50	-	42.28	38.06	14.61	34.40

802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.5602G	46.49	54.00	-7.51	18.29	3	Horizontal	360	1.51	-	28.20	38.08	14.61	34.40
PK	10.38003G	56.91	68.20	-11.29	16.97	3	Horizontal	219	2.00	-	39.94	39.44	12.19	34.66
PK	15.56156G	59.64	74.00	-14.36	18.28	3	Horizontal	360	1.51	-	41.36	38.07	14.61	34.40

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.17	54.00	-3.83	5.99	3	Vertical	26	2.70	-	44.18	31.70	8.52	34.23
AV	5.2328G	106.13	Inf	-Inf	5.64	3	Vertical	26	2.70	-	100.49	31.30	8.58	34.24
PK	5.15G	63.00	74.00	-11.00	5.99	3	Vertical	26	2.70	-	57.01	31.70	8.52	34.23
PK	5.2216G	118.07	Inf	-Inf	5.70	3	Vertical	26	2.70	-	112.37	31.37	8.57	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.68	54.00	-2.32	5.99	3	Horizontal	360	2.66	-	45.69	31.70	8.52	34.23
AV	5.2264G	105.20	Inf	-Inf	5.68	3	Horizontal	360	2.66	-	99.52	31.34	8.58	34.24
PK	5.1492G	65.33	74.00	-8.67	5.99	3	Horizontal	360	2.66	-	59.34	31.70	8.52	34.23
PK	5.2268G	117.34	Inf	-Inf	5.68	3	Horizontal	360	2.66	-	111.66	31.34	8.58	34.24

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.69175G	45.50	54.00	-8.50	18.10	3	Vertical	360	1.50	-	27.40	37.98	14.64	34.52
PK	10.45974G	56.02	68.20	-12.18	17.25	3	Vertical	174	2.32	-	38.77	39.62	12.23	34.60
PK	15.68919G	59.56	74.00	-14.44	18.11	3	Vertical	360	1.50	-	41.45	37.98	14.64	34.51

802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68986G	45.48	54.00	-8.52	18.11	3	Horizontal	359	3.00	-	27.37	37.98	14.64	34.51
PK	10.46004G	57.92	68.20	-10.28	17.25	3	Horizontal	230	2.49	-	40.67	39.62	12.23	34.60
PK	15.69094G	58.96	74.00	-15.04	18.10	3	Horizontal	359	3.00	-	40.86	37.98	14.64	34.52

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2712G	104.73	Inf	-Inf	5.50	3	Vertical	0	2.48	-	99.23	31.16	8.58	34.24
AV	5.35G	52.74	54.00	-1.26	5.35	3	Vertical	0	2.48	-	47.39	31.00	8.60	34.25
PK	5.2712G	118.92	Inf	-Inf	5.50	3	Vertical	0	2.48	-	113.42	31.16	8.58	34.24
PK	5.3512G	66.03	74.00	-7.97	5.36	3	Vertical	0	2.48	-	60.67	31.01	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2708G	104.47	Inf	-Inf	5.50	3	Horizontal	360	2.50	-	98.97	31.16	8.58	34.24
AV	5.35G	52.90	54.00	-1.10	5.35	3	Horizontal	360	2.50	-	47.55	31.00	8.60	34.25
PK	5.2712G	116.62	Inf	-Inf	5.50	3	Horizontal	360	2.50	-	111.12	31.16	8.58	34.24
PK	5.3524G	66.35	74.00	-7.65	5.36	3	Horizontal	360	2.50	-	60.99	31.01	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8112G	44.79	54.00	-9.21	17.62	3	Vertical	125	1.51	-	27.17	37.58	14.67	34.63
PK	10.53984G	55.91	68.20	-12.29	17.47	3	Vertical	175	1.50	-	38.44	39.74	12.27	34.54
PK	15.81142G	58.26	74.00	-15.74	17.62	3	Vertical	125	1.51	-	40.64	37.58	14.67	34.63

802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81167G	45.44	54.00	-8.56	17.62	3	Horizontal	167	1.62	-	27.82	37.58	14.67	34.63
PK	10.53981G	56.32	68.20	-11.88	17.47	3	Horizontal	236	1.53	-	38.85	39.74	12.27	34.54
PK	15.80895G	58.69	74.00	-15.31	17.63	3	Horizontal	167	1.62	-	41.06	37.58	14.67	34.62

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.302G	102.61	Inf	-Inf	5.45	3	Vertical	26	2.88	-	97.16	31.10	8.59	34.24
AV	5.352G	48.13	54.00	-5.87	5.36	3	Vertical	26	2.88	-	42.77	31.01	8.60	34.25
PK	5.3032G	115.85	Inf	-Inf	5.44	3	Vertical	26	2.88	-	110.41	31.09	8.59	34.24
PK	5.3512G	65.64	74.00	-8.36	5.36	3	Vertical	26	2.88	-	60.28	31.01	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3056G	101.41	Inf	-Inf	5.44	3	Horizontal	358	2.44	-	95.97	31.09	8.59	34.24
AV	5.3556G	47.17	54.00	-6.83	5.38	3	Horizontal	358	2.44	-	41.79	31.03	8.60	34.25
PK	5.3064G	113.36	Inf	-Inf	5.44	3	Horizontal	358	2.44	-	107.92	31.09	8.59	34.24
PK	5.3532G	62.59	74.00	-11.41	5.37	3	Horizontal	358	2.44	-	57.22	31.02	8.60	34.25

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.61986G	56.63	74.00	-17.37	17.65	3	Vertical	186	2.88	-	38.98	39.82	12.31	34.48
AV	10.62003G	45.05	54.00	-8.95	17.65	3	Vertical	186	2.88	-	27.40	39.82	12.31	34.48
PK	15.92863G	58.78	74.00	-15.22	17.40	3	Vertical	0	1.50	-	41.38	37.43	14.70	34.73
AV	15.93039G	45.36	54.00	-8.64	17.39	3	Vertical	0	1.50	-	27.97	37.43	14.70	34.74

802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61998G	49.97	54.00	-4.03	17.65	3	Horizontal	139	2.97	-	32.32	39.82	12.31	34.48
AV	15.93102G	45.31	54.00	-8.69	17.39	3	Horizontal	138	2.64	-	27.92	37.43	14.70	34.74
PK	10.62G	58.05	74.00	-15.95	17.65	3	Horizontal	139	2.97	-	40.40	39.82	12.31	34.48
PK	15.92952G	59.08	74.00	-14.92	17.39	3	Horizontal	138	2.64	-	41.69	37.43	14.70	34.74

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	47.14	54.00	-6.86	6.06	3	Vertical	33	1.50	-	41.08	31.62	8.70	34.26
AV	5.5124G	102.02	Inf	-Inf	6.19	3	Vertical	33	1.50	-	95.83	31.68	8.77	34.26
PK	5.47G	63.67	68.20	-4.53	6.09	3	Vertical	33	1.50	-	57.58	31.64	8.71	34.26
PK	5.5128G	114.20	Inf	-Inf	6.18	3	Vertical	33	1.50	-	108.02	31.67	8.77	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.17	54.00	-7.83	6.04	3	Horizontal	57	1.53	-	40.13	31.61	8.69	34.26
AV	5.5168G	101.24	Inf	-Inf	6.19	3	Horizontal	57	1.53	-	95.05	31.67	8.78	34.26
PK	5.4676G	67.09	68.20	-1.11	6.09	3	Horizontal	57	1.53	-	61.00	31.64	8.71	34.26
PK	5.516G	113.20	Inf	-Inf	6.19	3	Horizontal	57	1.53	-	107.01	31.67	8.78	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02126G	41.86	54.00	-12.14	18.47	3	Vertical	240	1.50	-	23.39	40.14	12.52	34.19
PK	11.01984G	55.25	74.00	-18.75	18.47	3	Vertical	240	1.50	-	36.78	40.14	12.52	34.19
PK	16.52981G	62.48	68.20	-5.72	19.35	3	Vertical	245	1.51	-	43.13	38.71	14.86	34.22

802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02008G	42.94	54.00	-11.06	18.47	3	Horizontal	241	1.00	-	24.47	40.14	12.52	34.19
PK	11.01973G	56.48	74.00	-17.52	18.46	3	Horizontal	241	1.00	-	38.02	40.14	12.51	34.19
PK	16.5285G	61.86	68.20	-6.34	19.34	3	Horizontal	156	1.51	-	42.52	38.71	14.85	34.22

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	49.76	54.00	-4.24	6.05	3	Vertical	32	1.47	-	43.71	31.62	8.69	34.26
AV	5.5472G	106.34	Inf	-Inf	6.17	3	Vertical	32	1.47	-	100.17	31.61	8.82	34.26
PK	5.4688G	66.68	68.20	-1.52	6.09	3	Vertical	32	1.47	-	60.59	31.64	8.71	34.26
PK	5.5464G	118.79	Inf	-Inf	6.17	3	Vertical	32	1.47	-	112.62	31.61	8.82	34.26

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	50.03	54.00	-3.97	6.04	3	Horizontal	326	1.76	-	43.99	31.61	8.69	34.26
AV	5.5528G	105.35	Inf	-Inf	6.16	3	Horizontal	326	1.76	-	99.19	31.60	8.83	34.27
PK	5.464G	67.13	68.20	-1.07	6.07	3	Horizontal	326	1.76	-	61.06	31.63	8.70	34.26
PK	5.5528G	117.88	Inf	-Inf	6.16	3	Horizontal	326	1.76	-	111.72	31.60	8.83	34.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10102G	42.01	54.00	-11.99	18.28	3	Vertical	69	2.37	-	23.73	39.90	12.56	34.18
PK	11.0862G	55.06	74.00	-18.94	18.31	3	Vertical	69	2.37	-	36.75	39.94	12.55	34.18
PK	16.64958G	61.25	68.20	-6.95	19.84	3	Vertical	0	1.50	-	41.41	38.95	14.89	34.00

802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10468G	42.26	54.00	-11.74	18.27	3	Horizontal	70	1.44	-	23.99	39.89	12.56	34.18
PK	11.11434G	55.65	74.00	-18.35	18.25	3	Horizontal	70	1.44	-	37.40	39.87	12.56	34.18
PK	16.63758G	61.35	68.20	-6.85	19.70	3	Horizontal	157	1.42	-	41.65	38.84	14.88	34.02

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6728G	103.86	Inf	-Inf	6.44	3	Vertical	333	1.87	-	97.42	31.75	8.97	34.28
PK	5.6812G	116.35	Inf	-Inf	6.45	3	Vertical	333	1.87	-	109.90	31.76	8.97	34.28
PK	5.7256G	63.51	68.20	-4.69	6.63	3	Vertical	333	1.87	-	56.88	31.90	9.01	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6664G	101.62	Inf	-Inf	6.41	3	Horizontal	323	1.80	-	95.21	31.73	8.96	34.28
PK	5.6668G	114.13	Inf	-Inf	6.41	3	Horizontal	323	1.80	-	107.72	31.73	8.96	34.28
PK	5.7272G	61.88	68.20	-6.32	6.64	3	Horizontal	323	1.80	-	55.24	31.91	9.01	34.28

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3492G	42.34	54.00	-11.66	18.26	3	Vertical	308	2.30	-	24.08	39.75	12.68	34.17
PK	11.3438G	55.83	74.00	-18.17	18.25	3	Vertical	308	2.30	-	37.58	39.74	12.68	34.17
PK	17.0186G	63.43	68.20	-4.77	21.39	3	Vertical	87	1.44	-	42.04	39.76	14.98	33.35

802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3442G	42.11	54.00	-11.89	18.25	3	Horizontal	318	1.98	-	23.86	39.74	12.68	34.17
PK	11.33112G	55.16	74.00	-18.84	18.23	3	Horizontal	318	1.98	-	36.93	39.73	12.67	34.17
PK	17.01222G	63.20	68.20	-5.00	21.40	3	Horizontal	210	2.22	-	41.80	39.78	14.98	33.36

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	44.16	54.00	-9.84	6.01	3	Vertical	335	1.86	-	38.15	31.59	8.68	34.26
AV	5.7028G	107.37	Inf	-Inf	6.52	3	Vertical	335	1.86	-	100.85	31.81	8.99	34.28
PK	5.4628G	55.65	68.20	-12.55	6.07	3	Vertical	335	1.86	-	49.58	31.63	8.70	34.26
PK	5.7016G	119.38	Inf	-Inf	6.52	3	Vertical	335	1.86	-	112.86	31.81	8.99	34.28
PK	5.854G	62.25	68.20	-5.95	7.01	3	Vertical	335	1.86	-	55.24	32.21	9.10	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	44.40	54.00	-9.60	6.04	3	Horizontal	326	1.50	-	38.36	31.61	8.69	34.26
AV	5.7064G	105.27	Inf	-Inf	6.55	3	Horizontal	326	1.50	-	98.72	31.83	9.00	34.28
PK	5.46G	56.18	68.20	-12.02	6.06	3	Horizontal	326	1.50	-	50.12	31.62	8.70	34.26
PK	5.7244G	117.08	Inf	-Inf	6.63	3	Horizontal	326	1.50	-	110.45	31.90	9.01	34.28
PK	5.8516G	61.78	68.20	-6.42	7.00	3	Horizontal	326	1.50	-	54.78	32.20	9.10	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41912G	42.33	54.00	-11.67	18.40	3	Vertical	314	2.52	-	23.93	39.84	12.72	34.16
PK	11.42223G	56.00	74.00	-18.00	18.40	3	Vertical	314	2.52	-	37.60	39.84	12.72	34.16
PK	17.13173G	63.29	68.20	-4.91	21.26	3	Vertical	356	1.68	-	42.03	39.57	15.01	33.32

802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41736G	42.18	54.00	-11.82	18.39	3	Horizontal	160	2.36	-	23.79	39.83	12.72	34.16
PK	11.4126G	56.01	74.00	-17.99	18.37	3	Horizontal	160	2.36	-	37.64	39.83	12.71	34.17
PK	17.12184G	63.26	68.20	-4.94	21.27	3	Horizontal	23	2.10	-	41.99	39.58	15.01	33.32

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7586G	105.26	Inf	-Inf	6.75	3	Vertical	337	1.50	-	98.51	32.00	9.04	34.29
PK	5.6578G	67.87	73.97	-6.10	6.39	3	Vertical	337	1.50	-	61.48	31.72	8.95	34.28
PK	5.749G	116.90	Inf	-Inf	6.75	3	Vertical	337	1.50	-	110.15	32.00	9.03	34.28
PK	6.049G	57.55	68.20	-10.65	7.20	3	Vertical	337	1.50	-	50.35	32.30	9.21	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	103.35	Inf	-Inf	6.75	3	Horizontal	324	1.74	-	96.60	32.00	9.04	34.29
PK	5.6506G	61.20	68.64	-7.44	6.37	3	Horizontal	324	1.74	-	54.83	31.70	8.95	34.28
PK	5.7502G	115.94	Inf	-Inf	6.75	3	Horizontal	324	1.74	-	109.19	32.00	9.04	34.29
PK	6.0394G	57.98	68.20	-10.22	7.21	3	Horizontal	324	1.74	-	50.77	32.32	9.20	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.505G	42.63	54.00	-11.37	18.59	3	Vertical	91	1.60	-	24.04	39.99	12.76	34.16
PK	11.5058G	56.34	74.00	-17.66	18.59	3	Vertical	91	1.60	-	37.75	39.99	12.76	34.16
PK	17.266G	63.50	68.20	-4.70	21.47	3	Vertical	127	1.89	-	42.03	39.70	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	11.51088G	55.65	74.00	-18.35	18.58	3	Horizontal	131	1.44	-	37.07	39.99	12.76	34.17
AV	11.51226G	42.21	54.00	-11.79	18.58	3	Horizontal	131	1.44	-	23.63	39.99	12.76	34.17
PK	17.2646G	64.24	68.20	-3.96	21.46	3	Horizontal	313	2.37	-	42.78	39.69	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	106.40	Inf	-Inf	6.78	3	Vertical	338	1.54	-	99.62	32.00	9.07	34.29
PK	5.6522G	63.37	69.83	-6.46	6.37	3	Vertical	338	1.54	-	57.00	31.70	8.95	34.28
PK	5.7938G	117.48	Inf	-Inf	6.78	3	Vertical	338	1.54	-	110.70	32.00	9.07	34.29
PK	5.9246G	64.64	68.50	-3.86	7.14	3	Vertical	338	1.54	-	57.50	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7854G	104.24	Inf	-Inf	6.78	3	Horizontal	330	1.72	-	97.46	32.00	9.07	34.29
PK	5.6486G	59.79	68.20	-8.41	6.37	3	Horizontal	330	1.72	-	53.42	31.70	8.94	34.27
PK	5.7854G	116.62	Inf	-Inf	6.78	3	Horizontal	330	1.72	-	109.84	32.00	9.07	34.29
PK	5.9258G	61.35	68.20	-6.85	7.14	3	Horizontal	330	1.72	-	54.21	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59384G	41.85	54.00	-12.15	18.50	3	Vertical	314	1.50	-	23.35	39.91	12.80	34.21
PK	11.59024G	55.40	74.00	-18.60	18.51	3	Vertical	314	1.50	-	36.89	39.91	12.80	34.20
PK	17.3893G	63.78	68.20	-4.42	22.35	3	Vertical	69	1.47	-	41.43	40.51	15.07	33.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58694G	42.15	54.00	-11.85	18.51	3	Horizontal	62	1.72	-	23.64	39.91	12.80	34.20
PK	11.5871G	55.87	74.00	-18.13	18.51	3	Horizontal	62	1.72	-	37.36	39.91	12.80	34.20
PK	17.3866G	63.71	68.20	-4.49	22.33	3	Horizontal	246	1.50	-	41.38	40.49	15.07	33.23

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	51.17	54.00	-2.83	5.99	3	Vertical	10	2.83	-	45.18	31.70	8.52	34.23
AV	5.206G	98.98	Inf	-Inf	5.79	3	Vertical	10	2.83	-	93.19	31.46	8.57	34.24
AV	5.357G	45.00	54.00	-9.00	5.39	3	Vertical	10	2.83	-	39.61	31.04	8.60	34.25
PK	5.147G	64.66	74.00	-9.34	5.99	3	Vertical	10	2.83	-	58.67	31.70	8.52	34.23
PK	5.207G	111.83	Inf	-Inf	5.79	3	Vertical	10	2.83	-	106.04	31.46	8.57	34.24
PK	5.353G	57.87	74.00	-16.13	5.37	3	Vertical	10	2.83	-	52.50	31.02	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	53.27	54.00	-0.73	5.98	3	Horizontal	360	2.76	-	47.29	31.70	8.51	34.23
AV	5.211G	97.99	Inf	-Inf	5.76	3	Horizontal	360	2.76	-	92.23	31.43	8.57	34.24
AV	5.351G	44.82	54.00	-9.18	5.36	3	Horizontal	360	2.76	-	39.46	31.01	8.60	34.25
PK	5.144G	66.96	74.00	-7.04	5.99	3	Horizontal	360	2.76	-	60.97	31.70	8.52	34.23
PK	5.211G	109.95	Inf	-Inf	5.76	3	Horizontal	360	2.76	-	104.19	31.43	8.57	34.24
PK	5.353G	56.97	74.00	-17.03	5.37	3	Horizontal	360	2.76	-	51.60	31.02	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.61572G	45.61	54.00	-8.39	18.01	3	Vertical	190	2.70	-	27.60	37.83	14.63	34.45
PK	10.41544G	55.16	68.20	-13.04	17.11	3	Vertical	166	1.50	-	38.05	39.53	12.21	34.63
PK	15.63108G	59.61	74.00	-14.39	18.03	3	Vertical	190	2.70	-	41.58	37.86	14.63	34.46

802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.62466G	45.60	54.00	-8.40	18.03	3	Horizontal	200	2.33	-	27.57	37.85	14.63	34.45
PK	10.42002G	57.51	68.20	-10.69	17.12	3	Horizontal	213	2.09	-	40.39	39.54	12.21	34.63
PK	15.6159G	59.40	74.00	-14.60	18.01	3	Horizontal	200	2.33	-	41.39	37.83	14.63	34.45

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.72	54.00	-7.28	5.99	3	Vertical	22	2.78	-	40.73	31.70	8.52	34.23
AV	5.288G	98.88	Inf	-Inf	5.47	3	Vertical	22	2.78	-	93.41	31.12	8.59	34.24
AV	5.359G	52.25	54.00	-1.75	5.40	3	Vertical	22	2.78	-	46.85	31.05	8.60	34.25
PK	5.15G	60.13	74.00	-13.87	5.99	3	Vertical	22	2.78	-	54.14	31.70	8.52	34.23
PK	5.257G	110.58	Inf	-Inf	5.53	3	Vertical	22	2.78	-	105.05	31.19	8.58	34.24
PK	5.35G	68.67	74.00	-5.33	5.35	3	Vertical	22	2.78	-	63.32	31.00	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.98	54.00	-7.02	5.99	3	Horizontal	355	2.78	-	40.99	31.70	8.52	34.23
AV	5.3G	98.26	Inf	-Inf	5.45	3	Horizontal	355	2.78	-	92.81	31.10	8.59	34.24
AV	5.35G	52.80	54.00	-1.20	5.35	3	Horizontal	355	2.78	-	47.45	31.00	8.60	34.25
PK	5.149G	60.77	74.00	-13.23	5.99	3	Horizontal	355	2.78	-	54.78	31.70	8.52	34.23
PK	5.299G	109.66	Inf	-Inf	5.45	3	Horizontal	355	2.78	-	104.21	31.10	8.59	34.24
PK	5.351G	71.22	74.00	-2.78	5.36	3	Horizontal	355	2.78	-	65.86	31.01	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87036G	45.28	54.00	-8.72	17.47	3	Vertical	56	2.03	-	27.81	37.46	14.69	34.68
PK	10.58012G	56.24	68.20	-11.96	17.56	3	Vertical	143	1.50	-	38.68	39.78	12.29	34.51
PK	15.86562G	59.17	74.00	-14.83	17.48	3	Vertical	56	2.03	-	41.69	37.47	14.69	34.68

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8775G	45.36	54.00	-8.64	17.45	3	Horizontal	60	2.50	-	27.91	37.45	14.69	34.69
PK	10.58G	58.27	68.20	-9.93	17.56	3	Horizontal	216	2.81	-	40.71	39.78	12.29	34.51
PK	15.85896G	58.98	74.00	-15.02	17.50	3	Horizontal	60	2.50	-	41.48	37.48	14.69	34.67

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	51.98	54.00	-2.02	6.06	3	Vertical	26	1.43	-	45.92	31.62	8.70	34.26
AV	5.522G	98.43	Inf	-Inf	6.19	3	Vertical	26	1.43	-	92.24	31.66	8.79	34.26
PK	5.46G	63.73	74.00	-10.27	6.06	3	Vertical	26	1.43	-	57.67	31.62	8.70	34.26
PK	5.461G	64.55	68.20	-3.65	6.06	3	Vertical	26	1.43	-	58.49	31.62	8.70	34.26
PK	5.513G	110.12	Inf	-Inf	6.18	3	Vertical	26	1.43	-	103.94	31.67	8.77	34.26
PK	5.731G	56.60	68.20	-11.60	6.66	3	Vertical	26	1.43	-	49.94	31.92	9.02	34.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	50.10	54.00	-3.90	6.04	3	Horizontal	53	1.86	-	44.06	31.61	8.69	34.26
AV	5.527G	97.80	Inf	-Inf	6.18	3	Horizontal	53	1.86	-	91.62	31.65	8.79	34.26
PK	5.466G	66.99	68.20	-1.21	6.08	3	Horizontal	53	1.86	-	60.91	31.63	8.71	34.26
PK	5.527G	110.32	Inf	-Inf	6.18	3	Horizontal	53	1.86	-	104.14	31.65	8.79	34.26
PK	5.769G	57.97	68.20	-10.23	6.76	3	Horizontal	53	1.86	-	51.21	32.00	9.05	34.29

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0477G	42.30	54.00	-11.70	18.40	3	Vertical	219	1.00	-	23.90	40.06	12.53	34.19
PK	11.06588G	55.88	74.00	-18.12	18.35	3	Vertical	219	1.00	-	37.53	40.00	12.54	34.19
PK	16.57746G	60.49	68.20	-7.71	19.31	3	Vertical	360	1.46	-	41.18	38.57	14.87	34.13

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0504G	42.18	54.00	-11.82	18.39	3	Horizontal	-0	1.49	-	23.79	40.05	12.53	34.19
PK	11.06192G	55.35	74.00	-18.65	18.36	3	Horizontal	-0	1.49	-	36.99	40.01	12.54	34.19
PK	16.59798G	61.03	68.20	-7.17	19.29	3	Horizontal	235	1.50	-	41.74	38.51	14.87	34.09

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	46.56	54.00	-7.44	6.04	3	Vertical	331	1.71	-	40.52	31.61	8.69	34.26
AV	5.613G	101.52	Inf	-Inf	6.27	3	Vertical	331	1.71	-	95.25	31.63	8.91	34.27
PK	5.464G	61.49	68.20	-6.71	6.07	3	Vertical	331	1.71	-	55.42	31.63	8.70	34.26
PK	5.592G	114.46	Inf	-Inf	6.22	3	Vertical	331	1.71	-	108.24	31.60	8.89	34.27
PK	5.741G	67.44	68.20	-0.76	6.71	3	Vertical	331	1.71	-	60.73	31.96	9.03	34.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.598G	98.90	Inf	-Inf	6.23	3	Horizontal	322	1.79	-	92.67	31.60	8.90	34.27
PK	5.469G	61.81	68.20	-6.39	6.09	3	Horizontal	322	1.79	-	55.72	31.64	8.71	34.26
PK	5.598G	111.38	Inf	-Inf	6.23	3	Horizontal	322	1.79	-	105.15	31.60	8.90	34.27
PK	5.725G	66.41	68.20	-1.79	6.63	3	Horizontal	322	1.79	-	59.78	31.90	9.01	34.28

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22048G	42.02	54.00	-11.98	18.14	3	Vertical	242	1.50	-	23.88	39.70	12.62	34.18
PK	11.22032G	55.73	74.00	-18.27	18.14	3	Vertical	242	1.50	-	37.59	39.70	12.62	34.18
PK	16.81644G	61.95	68.20	-6.25	20.91	3	Vertical	273	1.48	-	41.04	39.67	14.93	33.69

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.2071G	42.25	54.00	-11.75	18.13	3	Horizontal	47	1.85	-	24.12	39.70	12.61	34.18
PK	11.23236G	55.96	74.00	-18.04	18.14	3	Horizontal	47	1.85	-	37.82	39.70	12.62	34.18
PK	16.83744G	62.25	68.20	-5.95	20.90	3	Horizontal	146	1.47	-	41.35	39.63	14.93	33.66

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	44.86	54.00	-9.14	6.03	3	Vertical	329	1.87	-	38.83	31.60	8.69	34.26
AV	5.6828G	104.09	Inf	-Inf	6.46	3	Vertical	329	1.87	-	97.63	31.77	8.97	34.28
PK	5.4644G	57.56	68.20	-10.64	6.07	3	Vertical	329	1.87	-	51.49	31.63	8.70	34.26
PK	5.6828G	116.80	Inf	-Inf	6.46	3	Vertical	329	1.87	-	110.34	31.77	8.97	34.28
PK	5.8508G	67.45	68.20	-0.75	7.00	3	Vertical	329	1.87	-	60.45	32.20	9.10	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.79	54.00	-7.21	6.04	3	Horizontal	49	1.76	-	40.75	31.61	8.69	34.26
AV	5.6864G	100.99	Inf	-Inf	6.47	3	Horizontal	49	1.76	-	94.52	31.77	8.98	34.28
PK	5.4668G	59.13	68.20	-9.07	6.08	3	Horizontal	49	1.76	-	53.05	31.63	8.71	34.26
PK	5.6768G	113.15	Inf	-Inf	6.44	3	Horizontal	49	1.76	-	106.71	31.75	8.97	34.28
PK	5.858G	65.27	68.20	-2.93	7.03	3	Horizontal	49	1.76	-	58.24	32.22	9.11	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37382G	42.28	54.00	-11.72	18.29	3	Vertical	209	1.50	-	23.99	39.77	12.69	34.17
PK	11.36728G	55.68	74.00	-18.32	18.29	3	Vertical	209	1.50	-	37.39	39.77	12.69	34.17
PK	17.06658G	63.76	68.20	-4.44	21.32	3	Vertical	360	1.53	-	42.44	39.67	14.99	33.34

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37028G	42.00	54.00	-12.00	18.29	3	Horizontal	93	1.50	-	23.71	39.77	12.69	34.17
PK	11.38798G	55.39	74.00	-18.61	18.32	3	Horizontal	93	1.50	-	37.07	39.79	12.70	34.17
PK	17.08356G	63.98	68.20	-4.22	21.30	3	Horizontal	-0	1.48	-	42.68	39.63	15.00	33.33

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7774G	98.83	Inf	-Inf	6.77	3	Vertical	335	1.71	-	92.06	32.00	9.06	34.29
PK	5.6478G	67.59	68.20	-0.61	6.37	3	Vertical	335	1.71	-	61.22	31.70	8.94	34.27
PK	5.7774G	111.02	Inf	-Inf	6.77	3	Vertical	335	1.71	-	104.25	32.00	9.06	34.29
PK	5.9538G	59.01	68.20	-9.19	7.15	3	Vertical	335	1.71	-	51.86	32.31	9.15	34.31

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	96.40	Inf	-Inf	6.77	3	Horizontal	48	1.78	-	89.63	32.00	9.06	34.29
PK	5.6526G	66.00	70.12	-4.12	6.38	3	Horizontal	48	1.78	-	59.62	31.71	8.95	34.28
PK	5.7618G	108.27	Inf	-Inf	6.76	3	Horizontal	48	1.78	-	101.51	32.00	9.05	34.29
PK	5.9334G	59.03	68.20	-9.17	7.14	3	Horizontal	48	1.78	-	51.89	32.30	9.14	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.53524G	42.50	54.00	-11.50	18.56	3	Vertical	11.2	1.50	-	23.94	39.96	12.78	34.18
PK	11.56404G	56.12	74.00	-17.88	18.54	3	Vertical	11.2	1.50	-	37.58	39.94	12.79	34.19
PK	17.33502G	63.67	68.20	-4.53	21.89	3	Vertical	287	2.31	-	41.78	40.08	15.06	33.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54756G	41.93	54.00	-12.07	18.55	3	Horizontal	122	1.50	-	23.38	39.95	12.78	34.18
PK	11.54484G	55.56	74.00	-18.44	18.56	3	Horizontal	122	1.50	-	37.00	39.96	12.78	34.18
PK	17.32632G	63.75	68.20	-4.45	21.82	3	Horizontal	237	1.92	-	41.93	40.01	15.06	33.25


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.828G	42.96	54.00	-11.04	Horizontal

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.492G	30.20	54.00	-23.80	3	Vertical	360	2.59	-
Mode 1	Pass	AV	2.692G	27.61	54.00	-26.39	3	Vertical	203	1.62	-
Mode 1	Pass	AV	4.276G	29.81	54.00	-24.19	3	Vertical	63	1.81	-
Mode 1	Pass	PK	1.492G	37.67	74.00	-36.33	3	Vertical	360	2.59	-
Mode 1	Pass	PK	2.692G	40.75	74.00	-33.25	3	Vertical	203	1.62	-
Mode 1	Pass	PK	4.276G	42.14	74.00	-31.86	3	Vertical	63	1.81	-
Mode 1	Pass	AV	1.408G	24.54	54.00	-29.46	3	Horizontal	270	1.49	-
Mode 1	Pass	AV	3.076G	34.33	68.20	-33.87	3	Horizontal	69	1.00	-
Mode 1	Pass	AV	4.828G	42.96	54.00	-11.04	3	Horizontal	228	1.74	-
Mode 1	Pass	PK	1.408G	37.12	74.00	-36.88	3	Horizontal	270	1.49	-
Mode 1	Pass	PK	3.076G	41.56	68.20	-26.64	3	Horizontal	69	1.00	-
Mode 1	Pass	PK	4.828G	47.42	74.00	-26.58	3	Horizontal	228	1.74	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.492G	30.20	54.00	-23.80	-2.98	3	Vertical	360	2.59	-	33.18	25.46	5.89	34.33
AV	2.692G	27.61	54.00	-26.39	0.97	3	Vertical	203	1.62	-	26.64	27.87	7.48	34.38
AV	4.276G	29.81	54.00	-24.19	4.34	3	Vertical	63	1.81	-	25.47	29.95	8.81	34.42
PK	1.492G	37.67	74.00	-36.33	-2.98	3	Vertical	360	2.59	-	40.65	25.46	5.89	34.33
PK	2.692G	40.75	74.00	-33.25	0.97	3	Vertical	203	1.62	-	39.78	27.87	7.48	34.38
PK	4.276G	42.14	74.00	-31.86	4.34	3	Vertical	63	1.81	-	37.80	29.95	8.81	34.42

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.408G	24.54	54.00	-29.46	-2.91	3	Horizontal	270	1.49	-	27.45	25.88	5.67	34.46
AV	3.076G	34.33	68.20	-33.87	1.87	3	Horizontal	69	1.00	-	32.46	28.56	7.74	34.43
AV	4.828G	42.96	54.00	-11.04	5.65	3	Horizontal	228	1.74	-	37.31	31.01	8.92	34.28
PK	1.408G	37.12	74.00	-36.88	-2.91	3	Horizontal	270	1.49	-	40.03	25.88	5.67	34.46
PK	3.076G	41.56	68.20	-26.64	1.87	3	Horizontal	69	1.00	-	39.69	28.56	7.74	34.43
PK	4.828G	47.42	74.00	-26.58	5.65	3	Horizontal	228	1.74	-	41.77	31.01	8.92	34.28