Label information Model：HSC-I001R

1. Images of the e-label screen are provided below:

    RMN：HSC-I001R
    Contains Intel Radio Model: AX201D2W
    Contains FCC ID: PD9AX201D2
    Contains IC: 1000M-AX201D2

2. The information that will be displayed on the e-label and information that will remain in the user manual is shown below:

Information	on E-label	In Manual
FCC ID/IC number	Yes	No
Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.")	No	Yes
Class A / B Digital Device user manual statements1	No	Yes

3. Users are able to access the information in no more than three steps in a device's menu by following below steps.

    A. Turn on or restart the computer.
    B. Press esc or f10 to enter Computer Setup.
    C. Use a pointing device or the arrow keys to select **Advanced**, select Electronic Labels, and then press enter.
    D. To view an electronic label, use a pointing device or the arrow keys to select one of the listed items, and then press **OK**.

    ✎   NOTE: The list of available electronic label items varies depending on the computer model and installed devices.

    E. To exit Computer Setup menus without making any changes:
       Select the **Exit** icon in the lower-right corner of the screen, and then follow the on-screen instructions.
       - or –
       Use the arrow keys to select **Main**, select **Ignore Changes and Exit**, and then press enter.
   No special access codes or permissions are required to go through the above steps beyond entering a user-defined password to protect against unauthorized access to the device.

4. The information is stored on the device, no special accessories or supplemental plug-ins (e.g., a SIM/USIM card) are required to access the information.
   No.

5. Users are provided specific instructions on how to access the information.
    Yes.

6. The above information must be programmed by the responsible party and the information must be secured in such a manner that third-parties cannot modify it.
   The e-label information is pre-programmed by the manufacturer. The user cannot modify the e-label formation.

FCC ID: PD9AX201D2
IC:1000M-AX201D2

The device is considered to be too small for the label since it is impracticable to label with a font side that is four-points or larger. The FCC ID is instead placed in the users manual as allowed by KDB 784748 and as allow by ISED previously on this form factor.

Good Day Tim,

Label exemption would be acceptable for this device. Please place the label information in accompanying literature.

Regards,

Engineering, Planning and Standards Branch (14)
Innovation, Science and Economic Development Canada / Government of Canada
Tel: 613-990-4218 / TTY: 1-866-694-8389

Direction générale du génie, de la planification et des normes (14)
Innovation, Sciences et Développement économique Canada / Gouvernement du Canada
Tél: 613-990-4218 / ATS: 1-866-694-8389
ic.certificationbureau-bureauhomologation.ic@canada.ca

Intel submitted and application to ACB in December. For the labeling exhibit they submitted the label with an explanation that the form factor has been accepted in the past by ISED. ISED asked for us to provide Intels previous correspondence in order to proceed as well as something denoting appropriate sizes and the application has been in pass back since December.

Our contact at Intel is fairly certain ISED has granted them permission in the past on this form factor, but has not had the time to investigate and provide the past proof and is currently "buried" in other priorities. Therefore on their behalf we are submitting the attached and requesting permission for the labeling to be placed into the manual based on the information provided.

They use the basic form factor for many devices and have several upcoming approvals based on the same form factor (known as D2 to Intel) as well. If possible we would like to obtain permission for Intel to place the labeling in the manual for all certifications that they use this particular form factor.

Could ISED please review the attached and provide feedback as appropriate?

Thank You,

Timothy R. Johnson, iNARTE Certified EMC Engineer (No. EMC-002205-NE) and Wireless Device Certification Professional (No. WDCP-100101)
Examining Engineer
American Certification Body, Inc.

6731 Whittier Ave., C110
McLean, VA 22101

email: tjohnson@acbcert.com
alternate email: timothyrjohnson@comcast.net
USA direct number: 404-414-8071
USA corporate phone: 703-847-4700
USA corporate fax: 703-847-6888

FCC/IC Label & Location for Intel Models using form factor D2

• FCC: Per KDB 784748 the marking may be placed in the user manual if the device is unquestionably too small to be readable (smaller than 4-6 pt font).

• IC: Per RSS-GEN 4.1 – If the dimensions of the product are extremely small or it is not practical to place the label or marking on the product....the label shall be placed in a prominent location in the users manual supplied with the product, as agreed upon with ISED prior to the certification application.

• The D2 models are considered to meet this criteria since the module size is 12mm x 16mm and 4pt font is the largest that can be used for module labeling which requires magnification for clear viewing.

Due to size, only the manufacturer ID & model number will appear on the module for identification.

The Certifications Numbers: FCC (per KDB 784748) and with ISED's permission will be displayed in the Uses Guide.