




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 17:08:51

Channel HIGH – 12.5 kHz channel bandwidth modulation (same result for all modulations)
Frequency range 30 MHz to 1000 MHz with antenna in vertical polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 19:20:08

Channel HIGH – 12.5 kHz channel bandwidth modulation (same result for all modulations)
Frequency range 1000 MHz to 6000 MHz with antenna in horizontal polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 19:19:26

Channel HIGH – 12.5 kHz channel bandwidth modulation (same result for all modulations)
Frequency range 1000 MHz to 6000 MHz with antenna in vertical polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



16:46:17 04.07.2019

Page 1/1

Channel LOW – 25 kHz channel bandwidth modulation
Frequency range 30 MHz to 1000 MHz with antenna in horizontal polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



16:46:17 04.07.2019

Page 1/1

Channel LOW – 25kHz channel bandwidth modulation
Frequency range 30 MHz to 1000 MHz with antenna in vertical polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data






Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90






Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



16:43:59 04.07.2019

Page 1/1

Channel MID – 25 kHz channel bandwidth modulation
Frequency range 30 MHz to 1000 MHz with antenna in horizontal polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Start 30.0 MHz

Stop 1.0 GHz

16:42:58 04.07.2019

Page 1/1


Channel MID – 25 kHz channel bandwidth modulation
Frequency range 30 MHz to 1000 MHz with antenna in vertical polarization



Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90






Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90






Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



16:40:03 04.07.2019

Page 1/1

Channel HIGH – 25 kHz channel bandwidth modulation
Frequency range 30 MHz to 1000 MHz with antenna in horizontal polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Page 1/1


Channel HIGH – 25 kHz channel bandwidth modulation
Frequency range 30 MHz to 1000 MHz with antenna in vertical polarization



Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90






Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90






Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 17:19:10

Channel LOW – 4FSK
Frequency range 30 MHz to 1000 MHz with antenna in horizontal polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 17:24:52

Channel LOW – 4FSK
Frequency range 30 MHz to 1000 MHz with antenna in vertical polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 19:10:45

Channel low – 4FSK (Frequency range 1000 MHz to 6000 MHz with antenna in vertical polarization)




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 19:12:16

Channel low – 4FSK (Frequency range 1000 MHz to 6000 MHz with antenna in horizontal polarization)




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 17:33:50

Channel MID – 4FSK
Frequency range 30 MHz to 1000 MHz with antenna in horizontal polarization




Appendix A: Test results

Report Number: 376484TRFWL

Specification: FCC 90

Test data



Date: 27.JUN.2019 17:39:42

Channel MID – 4FSK
Frequency range 30 MHz to 1000 MHz with antenna in vertical polarization