







HERMON LABORATORIES

Test specification:		Section 96.41(e), Emission mask	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

#### Plot 7.4.10 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.11 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
2  
Modulation: 16QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.12 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
2  
Modulation: 256QAM







HERMON LABORATORIES



Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.13 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
3  
Modulation: 16QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.14 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
3  
Modulation: 256QAM







HERMON LABORATORIES



Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.15 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
4  
Modulation: 16QAM






HERMON LABORATORIES




Test specification:		Section 96.41(e), Emission mask	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.16 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
4  
Modulation: 256QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.17 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
1  
Modulation: 16QAM








HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.18 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
1  
Modulation: 256QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.19 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
2  
Modulation: 16QAM









HERMON LABORATORIES

Test specification:		Section 96.41(e), Emission mask	
Test procedure:		Section 96.41(e)(3)	
Test mode:		Verdict: PASS	
Date(s):			
14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.20 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

10 MHz  
2  
Modulation: 256QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.21 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
3  
Modulation: 16QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.22 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
3  
Modulation: 256QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.23 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK



10 MHz  
4  
Modulation: 16QAM






HERMON LABORATORIES




Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.24 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
4  
Modulation: 256QAM









HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.25 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
1  
Modulation: 16QAM







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 14-Dec-21			
Temperature: 25 °C	Relative Humidity: 54 %	Air Pressure: 1011 hPa	Power: 48 VDC
Remarks:			

Plot 7.4.26 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
1  
Modulation: 256QAM

