



Antenna #0, Band n261, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258a, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-8.78	-5	3.78
					24.245	-19.06	-13	6.06
			DFT-s-OFDM	QPSK	24.250	-8.32	-5	3.32
					24.245	-18.22	-13	5.22
			DFT-s-OFDM	16QAM	24.250	-9.05	-5	4.05
					24.245	-21.54	-13	8.54
		Full (32/0)	DFT-s-OFDM	64QAM	24.250	-11.54	-5	6.54
					24.245	-23.81	-13	10.81
			DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-18.42	-5	13.42
					24.245	-25.39	-13	12.39
			DFT-s-OFDM	QPSK	24.250	-18.55	-5	13.55
					24.245	-21.17	-13	8.17
			DFT-s-OFDM	16QAM	24.250	-20.94	-5	15.94
					24.245	-24.10	-13	11.10
			DFT-s-OFDM	64QAM	24.250	-23.13	-5	18.13
					24.245	-27.10	-13	14.10
	100	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-10.35	-5	5.35
					24.240	-26.54	-13	13.54
			DFT-s-OFDM	QPSK	24.250	-9.08	-5	4.08
					24.240	-24.56	-13	11.56
			DFT-s-OFDM	16QAM	24.250	-11.48	-5	6.48
					24.240	-28.14	-13	15.14
		Full (64/0)	DFT-s-OFDM	64QAM	24.250	-13.44	-5	8.44
					24.240	-28.74	-13	15.74
			DFT-s-OFDM	$\pi/2$ -BPSK	24.250	-23.28	-5	18.28
					24.212	-27.07	-13	14.07
			DFT-s-OFDM	QPSK	24.250	-22.08	-5	17.08
					24.240	-25.29	-13	12.29
			DFT-s-OFDM	16QAM	24.250	-24.27	-5	19.27
					24.240	-26.51	-13	13.51
			DFT-s-OFDM	64QAM	24.250	-26.85	-5	21.85
					24.240	-29.59	-13	16.59
High	50	1RB (1/31)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-10.50	-5	5.50
					24.455	-19.85	-13	6.85
			DFT-s-OFDM	QPSK	24.450	-10.38	-5	5.38
					24.455	-18.77	-13	5.77
			DFT-s-OFDM	16QAM	24.450	-12.63	-5	7.63
					24.455	-21.02	-13	8.02
		Full (32/0)	DFT-s-OFDM	64QAM	24.450	-14.40	-5	9.40
					24.455	-23.09	-13	10.09
			DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-19.69	-5	14.69
					24.455	-24.76	-13	11.76
			DFT-s-OFDM	QPSK	24.450	-18.31	-5	13.31
					24.455	-19.97	-13	6.97
			DFT-s-OFDM	16QAM	24.450	-21.57	-5	16.57
					24.455	-24.80	-13	11.80
			DFT-s-OFDM	64QAM	24.450	-24.63	-5	19.63
					24.455	-27.52	-13	14.52
	100	1RB (1/65)	DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-11.65	-5	6.65
					24.460	-26.12	-13	13.12
			DFT-s-OFDM	QPSK	24.450	-11.89	-5	6.89
					24.460	-25.61	-13	12.61
			DFT-s-OFDM	16QAM	24.450	-12.41	-5	7.41
					24.460	-26.37	-13	13.37
		Full (64/0)	DFT-s-OFDM	64QAM	24.450	-14.41	-5	9.41
					24.460	-29.67	-13	16.67
			DFT-s-OFDM	$\pi/2$ -BPSK	24.450	-25.67	-5	20.67
					24.483	-29.72	-13	16.72
			DFT-s-OFDM	QPSK	24.450	-22.06	-5	17.06
					24.460	-24.37	-13	11.37
			DFT-s-OFDM	16QAM	24.450	-26.09	-5	21.09
					24.460	-29.06	-13	16.06
			DFT-s-OFDM	64QAM	24.450	-28.44	-5	23.44
					24.460	-30.91	-13	17.91


Antenna #1, Band n258a, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258a, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)



Antenna #1, Band n258a, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)




Antenna #1, Band n258a, 100 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)


Antenna #1, Band n258b, H+V

Channel	Bandwidth [MHz]	RB (Size/Offset)	Transmission scheme	Modulation	Frequency [GHz]	EIRP [dBm]	Limit [dBm]	Margin [dB]
Low	50	1RB (1/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-9.30	-5	4.30
					24.745	-19.74	-13	6.74
			DFT-s-OFDM	QPSK	24.750	-8.43	-5	3.43
					24.745	-19.18	-13	6.18
			DFT-s-OFDM	16QAM	24.750	-10.93	-5	5.93
					24.745	-20.06	-13	7.06
		Full (32/0)	DFT-s-OFDM	64QAM	24.750	-11.80	-5	6.80
					24.745	-22.11	-13	9.11
			DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-19.61	-5	14.61
					24.744	-24.17	-13	11.17
			DFT-s-OFDM	QPSK	24.750	-19.48	-5	14.48
					24.745	-21.76	-13	8.76
	100	1RB (1/0)	DFT-s-OFDM	16QAM	24.750	-21.98	-5	16.98
					24.745	-23.51	-13	10.51
			DFT-s-OFDM	64QAM	24.750	-23.69	-5	18.69
					24.745	-25.77	-13	12.77
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	24.750	-22.83	-5	17.83
					24.715	-26.48	-13	13.48
			DFT-s-OFDM	QPSK	24.750	-22.19	-5	17.19
					24.740	-25.41	-13	12.41
			DFT-s-OFDM	16QAM	24.750	-23.78	-5	18.78
					24.740	-26.70	-13	13.70
High	50	1RB (1/31)	DFT-s-OFDM	64QAM	24.750	-23.74	-5	18.74
					24.740	-26.32	-13	13.32
			DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-11.47	-5	6.47
					25.255	-21.61	-13	8.61
			DFT-s-OFDM	QPSK	25.250	-11.53	-5	6.53
					25.255	-21.49	-13	8.49
	100	1RB (1/65)	DFT-s-OFDM	16QAM	25.250	-12.91	-5	7.91
					25.255	-23.00	-13	10.00
			DFT-s-OFDM	64QAM	25.250	-15.82	-5	10.82
					25.255	-24.34	-13	11.34
		Full (32/0)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-21.16	-5	16.16
					25.255	-22.52	-13	9.52
			DFT-s-OFDM	QPSK	25.250	-20.99	-5	15.99
					25.255	-23.62	-13	10.62
			DFT-s-OFDM	16QAM	25.250	-23.18	-5	18.18
					25.255	-24.95	-13	11.95
		1RB (1/65)	DFT-s-OFDM	64QAM	25.250	-26.03	-5	21.03
					25.255	-27.20	-13	14.20
			DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-11.54	-5	6.54
					25.260	-28.50	-13	15.50
			DFT-s-OFDM	QPSK	25.250	-11.23	-5	6.23
					25.260	-27.48	-13	14.48
		1RB (1/65)	DFT-s-OFDM	16QAM	25.250	-12.61	-5	7.61
					25.260	-28.18	-13	15.18
			DFT-s-OFDM	64QAM	25.250	-16.95	-5	11.95
					25.260	-31.01	-13	18.01
		Full (64/0)	DFT-s-OFDM	$\pi/2$ -BPSK	25.250	-26.94	-5	21.94
					25.283	-29.59	-13	16.59
			DFT-s-OFDM	QPSK	25.250	-24.44	-5	19.44
					25.260	-26.39	-13	13.39
			DFT-s-OFDM	16QAM	25.250	-30.35	-5	25.35
					25.260	-32.42	-13	19.42
		Full (64/0)	DFT-s-OFDM	64QAM	25.250	-32.85	-5	27.85
					25.260	-36.18	-13	23.18

Antenna #1, Band n258b, 50 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)



Antenna #1, Band n258b, 50 MHz, Upper Band Edge, DFT-s-OFDM (Worst Case)



Antenna #1, Band n258b, 100 MHz, Lower Band Edge, DFT-s-OFDM (Worst Case)

