

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	57.64	14.35	43.29	68.28	-10.56		385	202	Peak	Horizontal	
2 *	5100.00	107.71	64.33	43.38	68.28	39.51		385	202	Peak	Horizontal	
3	5409.00	57.08	13.24	43.84	74.00	-16.92		385	202	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	62.07	18.78	43.29	68.28	-6.13		278	289	Peak	Vertical	
2 *	5100.00	100.44	66.06	43.38	68.28	41.24		278	289	Peak	Vertical	
3	5434.50	58.02	14.37	43.65	74.00	-15.98		278	289	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5061.50	44.82	1.55	43.27	54.00	-9.18	385	202	Average	Horizontal	
2 *	5100.00	97.87	54.49	43.38	54.00	43.87	385	202	Average	Horizontal	
3	5399.50	44.59	0.70	43.89	54.00	-9.41	385	202	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	45.38	2.09	43.29	54.00	-8.62	278	289	Average	Vertical	
2 *	5100.00	99.21	55.83	43.38	54.00	45.21	278	289	Average	Vertical	
3	5401.00	44.45	0.56	43.89	54.00	-9.55	278	289	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5130.50	56.94	13.70	43.24	74.00	-17.06	338	159	Peak		Horizontal	
2 *	5200.00	106.02	63.39	43.43	68.20	38.62	338	159	Peak		Horizontal	
3	5353.00	57.09	13.79	43.30	74.00	-16.91	338	159	Peak		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Limit	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.00	57.81	14.55	43.26	74.00	-16.19	279	287 Peak	Vertical	
2	5200.00	118.09	66.66	43.43	68.20	41.89	279	287 Peak	Vertical	
3	5364.50	58.55	15.11	43.44	74.00	-15.45	279	287 Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5140.00	44.36	1.07	43.29	54.00	-9.64	338	159 Average	Horizontal	
2 *	5200.00	97.46	54.83	43.43	54.00	43.46	338	159 Average	Horizontal	
3	5352.50	44.77	1.48	43.29	54.00	-9.23	338	159 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5140.00	45.56	2.34	43.22	54.00	-8.44	279	287 Average	Vertical	
2 *	5200.00	100.51	57.88	43.43	54.00	46.51	279	287 Average	Vertical	
3	5352.50	46.63	3.20	43.43	54.00	-7.37	279	287 Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5122.50	56.60	13.39	43.21	74.00	-17.40	388	188 Peak	Horizontal	
2 *	5240.00	106.56	63.33	43.23	68.20	38.36	388	188 Peak	Horizontal	
3	5405.50	57.37	13.51	43.86	74.00	-16.63	388	188 Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5122.00	57.89	14.68	43.21	74.00	-16.11	256	290 Peak	Vertical	
2 *	5240.00	109.88	66.65	43.23	68.20	43.68	256	290 Peak	Vertical	
3	5406.00	58.15	14.30	43.85	74.00	-15.85	256	290 Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5124.00	44.57	1.35	43.22	54.00	-9.43	388	188 Average	Horizontal	
2 *	5240.00	96.71	53.48	43.23	54.00	42.71	388	188 Average	Horizontal	
3	5404.00	45.54	1.67	43.87	54.00	-8.46	388	188 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5122.50	45.47	2.26	43.21	54.00	-8.53	256	290 Average	Vertical	
2 *	5240.00	100.33	57.18	43.23	54.00	46.33	256	290 Average	Vertical	
3	5400.50	46.38	2.48	43.90	54.00	-7.62	256	290 Average	Vertical	

802.11n HT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5147.50	65.40	22.12	43.28	74.00	-8.60	350	315 Peak	Horizontal	
2 *	5180.00	107.86	64.48	43.38	68.20	39.66	350	315 Peak	Horizontal	
3	5427.50	57.32	13.62	43.70	74.00	-16.68	350	315 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5147.50	58.33	15.05	43.28	74.00	-15.67	349	285 Peak	Vertical	
2 *	5180.00	107.55	64.17	43.38	68.20	39.35	349	285 Peak	Vertical	
3	5381.50	58.23	14.57	43.66	74.00	-15.77	349	285 Peak	Vertical	

802.11n HT20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5150.00	48.42	5.13	43.29	54.00	-5.58	350	315 Average	Horizontal	
2	5180.00	98.03	54.65	43.38	54.00	44.03	350	315 Average	Horizontal	
3	5396.00	44.79	0.95	43.84	54.00	-9.21	350	315 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5149.00	45.35	2.06	43.29	54.00	-8.65	349	285 Average	Vertical	
2	5180.00	97.99	54.61	43.38	54.00	43.99	349	285 Average	Vertical	
3	5399.00	44.82	0.93	43.89	54.00	-9.18	349	285 Average	Vertical	


802.11n HT20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5077.00	57.89	14.67	43.22	74.00	-16.11	285	213 Peak	Horizontal	
2 *	5200.00	107.93	64.50	43.43	68.20	39.73	285	213 Peak	Horizontal	
3	5365.50	57.53	14.07	43.46	74.00	-16.47	285	213 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5119.00	57.72	14.51	43.21	74.00	-16.28	112	290 Peak	Vertical	
2 *	5200.00	110.05	66.62	43.43	68.20	43.85	112	290 Peak	Vertical	
3	5360.50	59.00	15.60	43.40	74.00	-15.00	112	290 Peak	Vertical	

802.11n HT20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5119.50	44.97	1.76	43.21	54.00	-9.03	285	213 Average	Horizontal	
2 *	5200.00	98.58	55.15	43.43	54.00	44.58	285	213 Average	Horizontal	
3	5356.00	46.08	2.75	43.33	54.00	-7.92	285	213 Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5123.00	45.43	2.21	43.22	54.00	-8.57	112	290 Average	Vertical	
2 *	5200.00	101.04	57.61	43.43	54.00	47.61	112	290 Average	Vertical	
3	5356.50	47.31	3.97	43.34	54.00	-6.69	112	290 Average	Vertical	


802.11n HT20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5115.00	58.07	14.88	43.19	74.00	-15.93	298	213 Peak	Horizontal	
2 *	5240.00	100.26	65.03	43.23	68.20	40.06	298	213 Peak	Horizontal	
3	5398.00	58.27	14.39	43.88	74.00	-15.73	298	213 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5124.50	57.85	14.63	43.22	74.00	-16.15	172	291 Peak	Vertical	
2 *	5240.00	100.40	66.17	43.23	68.20	43.20	172	291 Peak	Vertical	
3	5383.00	58.65	14.97	43.68	74.00	-15.35	172	291 Peak	Vertical	

802.11n HT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5115.50	45.03	1.84	43.19	54.00	-8.97	298	213 Average	Horizontal	
2 *	5240.00	98.30	55.87	43.23	54.00	44.30	298	213 Average	Horizontal	
3	5393.50	46.13	2.32	43.81	54.00	-7.87	298	213 Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5124.00	45.89	2.67	43.22	54.00	-8.11	172	291 Average	Vertical	
2 *	5240.00	99.47	56.24	43.23	54.00	45.47	172	291 Average	Vertical	
3	5403.50	47.27	3.40	43.87	54.00	-6.73	172	291 Average	Vertical	


802.11n HT40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5147.50	64.13	20.85	43.28	74.00	-9.87	262	323 Peak	Horizontal	
2 *	5190.00	100.53	57.12	43.41	68.20	32.33	262	323 Peak	Horizontal	
3	5439.50	56.44	12.83	43.61	74.00	-17.56	262	323 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5147.00	67.36	24.08	43.28	74.00	-6.64	251	281 Peak	Vertical	
2 *	5190.00	103.18	59.77	43.41	68.20	34.98	251	281 Peak	Vertical	
3	5378.00	56.88	13.26	43.62	74.00	-17.12	251	281 Peak	Vertical	

802.11n HT40

CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5149.50	40.87	5.58	43.29	54.00	-5.13	262	323 Average	Horizontal	
2	5190.00	91.15	47.74	43.41	54.00	37.15	262	323 Average	Horizontal	
3	5392.50	44.58	0.78	43.80	54.00	-9.42	262	323 Average	Horizontal	

CH 38 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5150.00	52.25	8.96	43.29	54.00	-1.75	251	281 Average	Vertical	
2	5190.00	93.68	50.27	43.41	54.00	39.68	251	281 Average	Vertical	
3	5356.00	44.76	1.43	43.33	54.00	-9.24	251	281 Average	Vertical	


802.11n HT40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5140.50	57.10	13.83	43.27	74.00	-16.90	400	321 Peak	Horizontal	
2 *	5230.00	105.58	62.30	43.28	68.20	37.30	400	321 Peak	Horizontal	
3	5400.00	57.57	13.67	43.90	74.00	-16.43	400	321 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5140.00	58.57	15.28	43.29	74.00	-15.43	248	292 Peak	Vertical	
2 *	5230.00	109.00	65.72	43.28	68.20	40.80	248	292 Peak	Vertical	
3	5389.50	58.86	15.10	43.76	74.00	-15.14	248	292 Peak	Vertical	

802.11n HT40

CH 46 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5186.50	45.07	1.90	43.17	54.00	-8.93	400	321 Average	Horizontal	
2 *	5230.00	95.42	52.14	43.20	54.00	41.42	400	321 Average	Horizontal	
3	5354.00	45.09	1.78	43.31	54.00	-8.91	400	321 Average	Horizontal	

CH 46 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5145.00	45.90	2.62	43.28	54.00	-8.10	248	292 Average	Vertical	
2 *	5230.00	98.78	55.50	43.20	54.00	44.78	248	292 Average	Vertical	
3	5384.00	46.82	3.13	43.69	54.00	-7.18	248	292 Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak


CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5136.00	45.28	2.03	43.25	54.00	-8.72	294	214 Average	Horizontal	
2 *	5260.00	99.61	56.33	43.20	54.00	45.61	294	214 Average	Horizontal	
3	5415.50	47.46	3.67	43.79	54.00	-6.54	294	214 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5142.50	45.66	2.39	43.27	54.00	-8.34	245	290 Average	Vertical	
2 *	5260.00	101.30	58.02	43.20	54.00	47.30	245	290 Average	Vertical	
3 !	5414.50	48.17	4.38	43.79	54.00	-5.83	245	290 Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5135.50	58.40	15.15	43.25	74.00	-15.60	276	215 Peak	Horizontal	
2 *	5300.00	103.94	60.22	43.72	68.20	35.74	276	215 Peak	Horizontal	
3	5420.50	57.56	13.81	43.75	74.00	-16.44	276	215 Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5135.50	56.75	13.50	43.25	74.00	-17.25	243	290 Peak	Vertical	
2 *	5300.00	106.17	62.45	43.72	68.20	37.97	243	290 Peak	Vertical	
3	5459.50	58.48	14.91	43.57	74.00	-15.52	243	290 Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5126.50	44.56	1.34	43.22	54.00	-9.44	276	215 Average	Horizontal	
2 *	5300.00	94.56	50.84	43.72	54.00	40.56	276	215 Average	Horizontal	
3	5455.50	45.28	1.73	43.55	54.00	-8.72	276	215 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5130.00	44.78	1.52	43.26	54.00	-9.22	243	290 Average	Vertical	
2 *	5300.00	96.74	53.82	43.72	54.00	42.74	243	290 Average	Vertical	
3	5458.00	46.31	2.74	43.57	54.00	-7.69	243	290 Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5140.00	57.54	14.28	43.26	74.00	-16.46	383	201 Peak	Horizontal	
2 *	5320.00	103.05	60.32	43.53	68.20	35.05	383	201 Peak	Horizontal	
3	5454.50	57.64	14.09	43.55	74.00	-16.36	383	201 Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5104.50	56.93	13.76	43.17	74.00	-17.07	175	28 Peak	Vertical	
2 *	5320.00	105.28	61.75	43.53	68.20	37.08	175	28 Peak	Vertical	
3	5382.50	57.56	13.89	43.67	74.00	-16.44	175	28 Peak	Vertical	

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5117.00	45.05	1.85	43.20	54.00	-8.95	383	201 Average	Horizontal	
2 *	5320.00	94.02	50.49	43.53	54.00	40.02	383	201 Average	Horizontal	
3	5444.00	44.96	1.38	43.58	54.00	-9.04	383	201 Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5117.00	44.96	1.76	43.20	54.00	-9.04	175	28 Average	Vertical	
2 *	5320.00	96.43	52.90	43.53	54.00	42.43	175	28 Average	Vertical	
3	5439.00	45.72	2.10	43.62	54.00	-8.28	175	28 Average	Vertical	


802.11n HT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5085.00	57.33	14.13	43.20	74.00	-16.67	394	201 Peak	Horizontal	
2 *	5260.00	107.87	64.59	43.20	68.20	39.67	394	201 Peak	Horizontal	
3	5371.50	56.94	13.41	43.53	74.00	-17.06	394	201 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5134.00	58.14	14.89	43.25	74.00	-15.86	272	287 Peak	Vertical	
2 *	5260.00	111.05	67.77	43.20	68.20	42.85	272	287 Peak	Vertical	
3	5417.50	58.44	14.67	43.77	74.00	-15.56	272	287 Peak	Vertical	

802.11n HT20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5147.50	44.72	1.44	43.28	54.00	-9.28	394	201 Average	Horizontal	
2 *	5260.00	98.05	54.77	43.28	54.00	44.05	394	201 Average	Horizontal	
3	5413.50	45.34	1.54	43.80	54.00	-8.66	394	201 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5138.00	45.51	2.25	43.26	54.00	-8.49	272	287 Average	Vertical	
2 *	5260.00	102.05	58.77	43.28	54.00	48.05	272	287 Average	Vertical	
3	5414.00	46.75	2.95	43.80	54.00	-7.25	272	287 Average	Vertical	


802.11n HT20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5141.50	58.15	14.88	43.27	74.00	-15.85	276	201 Peak	Horizontal	
2 *	5300.00	104.14	60.42	43.72	68.20	35.94	276	201 Peak	Horizontal	
3	5405.50	58.62	14.76	43.86	74.00	-15.38	276	201 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5124.50	56.63	13.41	43.22	74.00	-17.37	285	143 Peak	Vertical	
2 *	5300.00	106.04	63.12	43.72	68.20	30.64	285	143 Peak	Vertical	
3	5350.50	57.64	14.37	43.27	74.00	-16.36	285	143 Peak	Vertical	

802.11n HT20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5135.00	44.64	1.39	43.25	54.00	-9.36	276	201 Average	Horizontal	
2 *	5300.00	93.88	50.16	43.72	54.00	39.88	276	201 Average	Horizontal	
3	5424.50	45.39	1.67	43.72	54.00	-8.61	276	201 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5142.00	44.79	1.52	43.27	54.00	-9.21	285	143 Average	Vertical	
2 *	5300.00	96.91	53.19	43.72	54.00	42.91	285	143 Average	Vertical	
3	5459.00	45.46	1.89	43.57	54.00	-8.54	285	143 Average	Vertical	


802.11n HT20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5144.50	57.50	14.22	43.28	74.00	-16.50	382	202 Peak	Horizontal	
2 *	5320.00	107.16	63.63	43.53	68.20	38.96	382	202 Peak	Horizontal	
3	5350.00	58.52	15.26	43.26	68.20	-9.68	382	202 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5105.00	57.39	14.22	43.17	74.00	-16.61	271	147 Peak	Vertical	
2 *	5320.00	107.08	64.27	43.53	68.20	39.60	271	147 Peak	Vertical	
3	5351.50	60.33	17.05	43.28	74.00	-13.67	271	147 Peak	Vertical	

802.11n HT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5129.00	44.70	1.46	43.24	54.00	-9.30	382	202	Average	Horizontal		
2 *	5320.00	97.61	54.00	43.53	54.00	43.61	382	202	Average	Horizontal		
3	5436.00	45.64	2.00	43.64	54.00	-8.36	382	202	Average	Horizontal		

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5129.00	44.70	1.46	43.22	54.00	-9.30	271	147	Average	Vertical		
2 *	5320.00	98.29	54.76	43.53	54.00	44.29	271	147	Average	Vertical		
3	5436.00	47.25	3.99	43.26	54.00	-6.75	271	147	Average	Vertical		


802.11n HT40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5049.50	57.28	13.97	43.31	74.00	-16.72	305	207 Peak	Horizontal	
2 *	5270.00	105.93	62.54	43.39	68.20	37.73	305	207 Peak	Horizontal	
3	5380.00	58.03	14.39	43.64	74.00	-15.97	305	207 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5095.00	56.87	13.70	43.17	74.00	-17.13	259	130 Peak	Vertical	
2 *	5270.00	106.63	63.24	43.39	68.20	30.43	259	130 Peak	Vertical	
3	5352.00	57.89	14.61	43.28	74.00	-16.11	259	130 Peak	Vertical	

802.11n HT40

CH 54 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5146.50	45.08	1.80	43.28	54.00	-8.92	305	207 Average	Horizontal	
2 *	5270.00	96.57	53.18	43.39	54.00	42.57	305	207 Average	Horizontal	
3	5395.50	45.54	1.70	43.84	54.00	-8.46	305	207 Average	Horizontal	

CH 54 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5149.00	44.96	1.67	43.29	54.00	-9.04	259	130 Average	Vertical	
2 *	5270.00	96.92	53.53	43.39	54.00	42.92	259	130 Average	Vertical	
3	5397.50	45.71	1.84	43.87	54.00	-8.29	259	130 Average	Vertical	


802.11n HT40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5077.00	56.80	13.58	43.22	74.00	-17.20	133	200 Peak	Horizontal	
2 *	5310.00	100.33	56.71	43.62	68.20	32.13	133	200 Peak	Horizontal	
3	5354.00	65.13	21.82	43.31	74.00	-8.87	133	200 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	4992.00	56.26	13.37	42.89	74.00	-17.74	100	202 Peak	Vertical	
2 *	5310.00	102.42	58.80	43.62	68.20	34.22	100	202 Peak	Vertical	
3	5351.50	66.94	23.66	43.28	74.00	-7.06	100	202 Peak	Vertical	

802.11n HT40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	44.55	1.31	43.24	54.00	-9.45	133	200	Average	Horizontal	
2 *	5310.00	90.79	47.17	43.62	54.00	36.79	133	200	Average	Horizontal	
3 !	5350.00	50.10	6.84	43.26	54.00	-3.90	133	200	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.50	44.50	1.22	43.28	54.00	-9.50	100	282	Average	Vertical	
2 *	5310.00	93.13	49.51	43.62	54.00	39.13	100	282	Average	Vertical	
3 !	5350.00	52.00	8.74	43.26	54.00	-2.00	100	282	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5387.00	57.90	14.17	43.73	74.00	-16.10	355	198 Peak	Horizontal	
2	5460.00	57.53	13.96	43.57	68.20	-10.67	355	198 Peak	Horizontal	
3 *	5500.00	104.72	61.04	43.68	68.20	36.52	355	198 Peak	Horizontal	
4	5798.00	58.48	14.36	44.12	68.20	-9.72	355	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5381.50	57.27	13.61	43.66	74.00	-16.73	295	36 Peak	Vertical	
2	5470.00	56.87	13.27	43.68	68.20	-11.33	295	36 Peak	Vertical	
3 *	5500.00	104.77	61.09	43.68	68.20	36.57	295	36 Peak	Vertical	
4	5756.00	58.10	14.01	44.09	68.20	-10.10	295	36 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5398.00	45.02	1.31	43.71	54.00	-8.98	355	198 Average	Horizontal	
2 *	5500.00	94.73	51.05	43.68	54.00	40.73	355	198 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5398.00	45.16	1.28	43.88	54.00	-8.84	295	36 Average	Vertical	
2 *	5500.00	95.08	52.20	43.68	54.00	41.08	295	36 Average	Vertical	


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5416.50	57.43	13.65	43.78	74.00	-16.57	132	201 Peak	Horizontal	
2	5460.00	56.84	13.27	43.57	68.20	-11.36	132	201 Peak	Horizontal	
3 *	5580.00	102.96	59.31	43.65	68.20	34.76	132	201 Peak	Horizontal	
4	5767.50	58.09	13.99	44.10	68.20	-10.11	132	201 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5360.50	57.81	14.41	43.40	74.00	-16.19	291	31 Peak	Vertical	
2	5465.00	57.32	13.74	43.58	68.20	-10.88	291	31 Peak	Vertical	
3 *	5580.00	104.51	60.86	43.65	68.20	36.31	291	31 Peak	Vertical	
4	5734.00	58.56	14.65	43.91	68.20	-9.64	291	31 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Line	cm	deg			
1	5392.00	44.85	1.06	43.79	54.00	-9.15	132	201 Average	Horizontal	
2 *	5580.00	92.76	49.11	43.65	54.00	38.76	132	201 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Line	cm	deg			
1	5397.00	45.10	1.24	43.86	54.00	-8.90	291	31 Average	Vertical	
2 *	5580.00	95.56	51.91	43.65	54.00	41.56	291	31 Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.50	57.47	13.90	43.57	74.00	-16.53	366	204 Peak	Horizontal	
2	5465.00	57.18	13.60	43.58	68.20	-11.02	366	204 Peak	Horizontal	
3 *	5700.00	102.83	59.29	43.54	68.20	34.63	366	204 Peak	Horizontal	
4	5754.50	58.07	13.98	44.09	68.20	-10.13	366	204 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5422.50	57.41	13.67	43.74	74.00	-16.59	182	23 Peak	Vertical	
2	5460.50	57.12	13.55	43.57	68.20	-11.08	182	23 Peak	Vertical	
3 *	5700.00	104.33	60.79	43.54	68.20	36.13	182	23 Peak	Vertical	
4	5725.50	59.92	16.10	43.82	68.20	-8.28	182	23 Peak	Vertical	


802.11a

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5399.50	44.86	0.97	43.89	54.00	-9.14	366	204 Average	Horizontal	
2 *	5700.00	93.23	49.69	43.54	54.00	39.23	366	204 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5404.00	44.86	0.99	43.87	54.00	-9.14	182	23 Average	Vertical	
2 *	5700.00	94.76	51.22	43.54	54.00	40.76	182	23 Average	Vertical	


802.11n HT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.00	57.49	13.66	43.83	74.00	-16.51	376	322 Peak	Horizontal	
2	5470.00	59.62	16.02	43.60	68.20	-8.58	376	322 Peak	Horizontal	
3 *	5500.00	106.46	62.78	43.68	68.20	38.26	376	322 Peak	Horizontal	
4	5847.00	58.92	14.85	44.07	68.20	-9.28	376	322 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5392.00	58.26	14.60	43.66	74.00	-15.74	239	274 Peak	Vertical	
2	5469.50	62.10	18.51	43.59	68.20	-6.10	239	274 Peak	Vertical	
3 *	5500.00	109.17	65.49	43.68	68.20	40.97	239	274 Peak	Vertical	
4	5792.50	58.04	13.92	44.12	68.20	-10.16	239	274 Peak	Vertical	

802.11n HT20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5383.50	44.80	1.12	43.68	54.00	-9.20	376	322 Average	Horizontal	
2 *	5500.00	96.00	52.32	43.68	54.00	42.00	376	322 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5410.50	45.76	2.00	43.76	54.00	-8.24	239	274 Average	Vertical	
2 *	5500.00	99.50	55.82	43.68	54.00	45.50	239	274 Average	Vertical	


802.11n HT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5418.00	56.89	13.12	43.77	74.00	-17.11	153	193 Peak	Horizontal	
2	5469.00	56.57	13.00	43.57	68.20	-11.63	153	193 Peak	Horizontal	
3 *	5580.00	99.84	56.19	43.65	68.20	31.64	153	193 Peak	Horizontal	
4	5778.00	58.00	13.89	44.11	68.20	-10.20	153	193 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5416.50	58.13	14.35	43.78	74.00	-15.87	227	280 Peak	Vertical	
2	5469.50	57.43	13.84	43.59	68.20	-10.77	227	280 Peak	Vertical	
3 *	5580.00	106.71	63.06	43.65	68.20	38.51	227	280 Peak	Vertical	
4	5833.00	59.33	15.25	44.08	68.20	-8.87	227	280 Peak	Vertical	

802.11n HT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Line	dB	cm	deg		
1	5402.00	44.59	0.71	43.88	54.00	-9.41	153	193 Average	Horizontal	
2 *	5580.00	90.57	46.92	43.65	54.00	36.57	153	193 Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Line	dB	cm	deg		
1	5457.00	44.78	1.15	43.55	54.00	-9.30	227	280 Average	Vertical	
2 *	5580.00	96.87	53.22	43.65	54.00	42.87	227	280 Average	Vertical	


802.11n HT20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5385.50	57.04	13.32	43.72	74.00	-16.96	265	194 Peak	Horizontal	
2	5463.50	56.83	13.25	43.58	68.20	-11.37	265	194 Peak	Horizontal	
3 *	5700.00	103.41	59.87	43.54	68.20	35.21	265	194 Peak	Horizontal	
4	5726.50	60.62	16.78	43.84	68.20	-7.58	265	194 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5431.00	57.32	13.65	43.67	74.00	-16.68	249	279 Peak	Vertical	
2	5469.00	56.22	12.63	43.59	68.20	-11.98	249	279 Peak	Vertical	
3 *	5700.00	107.35	63.81	43.54	68.20	39.15	249	279 Peak	Vertical	
4 !	5725.00	64.05	20.24	43.81	68.20	-4.15	249	279 Peak	Vertical	


802.11n HT20

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5398.50	44.46	0.55	43.88	54.00	-9.54	265	194 Average	Horizontal	
2 *	5700.00	92.09	48.55	43.54	54.00	38.09	265	194 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5406.50	44.68	0.83	43.85	54.00	-9.32	249	279 Average	Vertical	
2 *	5700.00	97.47	53.93	43.54	54.00	43.47	249	279 Average	Vertical	


802.11n HT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5468.00	60.55	16.98	43.57	68.20	-7.65	163	196 Peak	Horizontal	
2	5468.50	66.35	22.76	43.59	68.20	-1.85	163	196 Peak	Horizontal	
3 *	5510.00	103.86	60.19	43.67	68.20	35.66	163	196 Peak	Horizontal	
4	5768.00	58.73	14.63	44.10	68.20	-9.47	163	196 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.00	60.60	17.05	43.55	74.00	-13.40	100	283 Peak	Vertical	
2	5469.00	66.68	23.09	43.59	68.20	-1.52	100	283 Peak	Vertical	
3 *	5510.00	102.12	58.45	43.67	68.20	33.92	100	283 Peak	Vertical	
4	5756.00	58.59	14.50	44.09	68.20	-9.61	100	283 Peak	Vertical	

802.11n HT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5450.00	46.44	2.87	43.57	54.00	-7.56	163	196 Average	Horizontal	
2 *	5510.00	92.79	49.12	43.67	54.00	38.79	163	196 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5450.00	47.17	3.60	43.57	54.00	-6.83	100	283 Average	Vertical	
2 *	5510.00	92.69	49.02	43.67	54.00	38.69	100	283 Average	Vertical	


802.11n HT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5458.00	57.41	13.84	43.57	74.00	-16.59	311	316 Peak	Horizontal	
2	5466.50	56.61	13.03	43.58	68.20	-11.59	311	316 Peak	Horizontal	
3 *	5550.00	105.24	61.62	43.62	68.20	37.04	311	316 Peak	Horizontal	
4	5816.00	58.44	14.33	44.11	68.20	-9.76	311	316 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5436.50	57.45	13.81	43.64	74.00	-16.55	230	293 Peak	Vertical	
2	5469.00	58.69	15.10	43.59	68.20	-9.51	230	293 Peak	Vertical	
3 *	5550.00	109.78	66.16	43.62	68.20	41.58	230	293 Peak	Vertical	
4	5827.50	58.74	14.64	44.10	68.20	-9.46	230	293 Peak	Vertical	


802.11n HT40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5418.00	44.87	1.18	43.77	54.00	-9.13	311	316 Average	Horizontal	
2 *	5550.00	95.67	52.05	43.62	54.00	41.67	311	316 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5437.50	45.58	1.95	43.63	54.00	-8.42	230	293 Average	Vertical	
2 *	5550.00	100.05	56.43	43.62	54.00	46.05	230	293 Average	Vertical	


802.11n HT40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5350.00	57.18	13.92	43.26	68.20	-11.02	140	198 Peak	Horizontal	
2	5460.50	55.90	12.33	43.57	68.20	-12.30	140	198 Peak	Horizontal	
3 *	5670.00	103.58	59.94	43.64	68.20	35.38	140	198 Peak	Horizontal	
4 !	5726.00	62.31	18.48	43.83	68.20	-5.89	140	198 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5432.00	56.53	12.87	43.66	74.00	-17.47	231	291 Peak	Vertical	
2	5464.50	56.90	13.32	43.58	68.20	-11.30	231	291 Peak	Vertical	
3 *	5670.00	109.21	65.57	43.64	68.20	41.01	231	291 Peak	Vertical	
4 !	5729.50	66.56	22.70	43.86	68.20	-1.64	231	291 Peak	Vertical	

802.11n HT40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5400.00	44.79	0.89	43.90	54.00	-9.21	140	198 Average	Horizontal	
2 *	5670.00	92.38	48.74	43.64	54.00	38.38	140	198 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5435.00	45.18	1.45	43.65	54.00	-8.90	231	291 Average	Vertical	
2 *	5670.00	99.70	56.86	43.64	54.00	45.70	231	291 Average	Vertical	