

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

LTE Band 5

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	824.7	20407	1.4	1	0	22.70
				1	3	22.76
				1	5	22.73
				3	0	22.71
				3	1	22.77
				3	3	22.68
	6	0		21.81		
	836.5	20525		1	0	22.80
				1	3	22.91
				1	5	22.89
				3	0	22.92
				3	1	22.83
				3	3	22.85
	6	0		21.90		
	848.3	20643		1	0	23.05
				1	3	23.08
				1	5	22.97
				3	0	22.98
3				1	23.04	
3				3	22.96	
16QAM	824.7	20407		6	0	22.07
				1	0	21.97
				1	3	22.18
				1	5	22.00
			3	0	21.81	
			3	1	21.88	
	3	3	21.83			
	6	0	20.92			
	836.5	20525	1	0	22.05	
			1	3	22.14	
			1	5	22.23	
			3	0	21.90	
			3	1	21.93	
			3	3	21.94	
	6	0	20.99			
	848.3	20643	1	0	22.30	
			1	3	22.29	
			1	5	22.30	
3			0	21.85		
3			1	21.97		
3			3	21.96		
6	0	21.10				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	824.7	20407	1.4	1	0	21.09
				1	3	21.33
				1	5	21.26
				3	0	20.96
				3	1	21.05
				3	3	20.99
				6	0	19.86
	836.5	20525		1	0	20.73
				1	3	20.86
				1	5	20.76
				3	0	20.97
				3	1	21.09
				3	3	21.12
				6	0	20.02
	848.3	20643		1	0	20.96
				1	3	20.99
				1	5	20.90
				3	0	21.11
				3	1	21.16
				3	3	21.15
				6	0	19.99

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	825.5	20415	3	1	0	22.91
				1	8	22.86
				1	14	22.90
				8	0	21.95
				8	4	21.98
				8	7	21.93
				15	0	21.91
	836.5	20525		1	0	22.98
				1	8	23.12
				1	14	23.03
				8	0	22.05
				8	4	22.13
				8	7	22.09
				15	0	22.00
	847.5	20635		1	0	23.13
				1	8	23.19
				1	14	23.16
				8	0	22.18
				8	4	22.20
				8	7	22.17
				15	0	22.09
16QAM	825.5	20415	1	0	22.54	
			1	8	22.51	
			1	14	22.55	
			8	0	21.04	
			8	4	21.08	
			8	7	21.05	
			15	0	20.98	
	836.5	20525	1	0	22.19	
			1	8	22.41	
			1	14	22.25	
			8	0	21.01	
			8	4	21.08	
			8	7	21.05	
			15	0	21.04	
	847.5	20635	1	0	22.43	
			1	8	22.43	
			1	14	22.38	
			8	0	21.20	
			8	4	21.14	
			8	7	21.15	
			15	0	21.22	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	825.5	20415	3	1	0	21.26
				1	8	21.18
				1	14	21.24
				8	0	20.19
				8	4	20.14
				8	7	20.17
				15	0	19.97
	836.5	20525		1	0	20.82
				1	8	20.95
				1	14	20.91
				8	0	19.97
				8	4	20.10
				8	7	20.07
				15	0	20.13
	847.5	20635		1	0	21.10
				1	8	21.04
				1	14	20.98
				8	0	20.13
				8	4	20.19
				8	7	20.17
				15	0	20.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
QPSK	826.5	20425	5	1	0	22.70
				1	12	22.51
				1	24	22.72
				12	0	21.78
				12	7	21.80
				12	13	21.78
				25	0	21.79
	836.5	20525		1	0	22.79
				1	12	22.82
				1	24	23.00
				12	0	21.88
				12	7	21.96
				12	13	22.01
				25	0	21.90
	846.5	20625		1	0	22.89
				1	12	22.99
				1	24	22.96
				12	0	21.99
				12	7	22.04
				12	13	22.11
				25	0	21.99
16QAM	826.5	20425	1	0	22.00	
			1	12	21.82	
			1	24	21.97	
			12	0	20.79	
			12	7	20.79	
			12	13	20.81	
			25	0	20.79	
	836.5	20525	1	0	22.30	
			1	12	22.20	
			1	24	22.43	
			12	0	20.82	
			12	7	20.88	
			12	13	20.94	
			25	0	20.85	
	846.5	20625	1	0	22.33	
			1	12	22.35	
			1	24	22.38	
			12	0	20.99	
			12	7	20.98	
			12	13	21.07	
			25	0	21.05	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	826.5	20425	5	1	0	20.74
				1	12	20.63
				1	24	20.80
				12	0	19.78
				12	7	19.72
				12	13	19.77
				25	0	19.75
	836.5	20525		1	0	21.19
				1	12	21.20
				1	24	21.28
				12	0	19.98
				12	7	19.97
				12	13	20.14
				25	0	19.98
	846.5	20625		1	0	21.27
				1	12	21.22
				1	24	21.34
				12	0	20.11
				12	7	20.13
				12	13	20.20
				25	0	20.07

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)	
QPSK	829	20450	10	1	0	22.62	
				1	25	22.67	
				1	49	22.64	
				25	0	21.79	
				25	12	21.86	
				25	25	21.85	
	50	0		21.90			
	836.5	20525		1	0	22.82	
				1	25	22.82	
				1	49	22.98	
				25	0	21.95	
				25	12	22.02	
				25	25	21.99	
	50	0		22.01			
	844	20600		1	0	23.07	
				1	25	22.95	
				1	49	22.99	
				25	0	21.98	
				25	12	22.06	
				25	25	22.15	
	50	0		22.02			
	16QAM	829		20450	1	0	22.55
					1	25	22.37
					1	49	22.79
25					0	20.71	
25					12	20.91	
25					25	20.91	
50		0		20.89			
836.5		20525		1	0	22.48	
				1	25	22.95	
				1	49	22.99	
				25	0	20.98	
				25	12	20.98	
				25	25	21.05	
50		0		20.84			
844		20600		1	0	22.16	
				1	25	22.26	
				1	49	22.45	
				25	0	21.12	
				25	12	21.04	
				25	25	21.13	
50		0		21.01			

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conducted power (dBm)
64QAM	829	20450	10	1	0	21.15
				1	25	21.00
				1	49	21.36
				25	0	19.83
				25	12	19.98
				25	25	19.92
				50	0	19.97
	836.5	20525		1	0	21.20
				1	25	21.42
				1	49	21.53
				25	0	19.98
				25	12	19.96
				25	25	20.06
				50	0	19.95
	844	20600		1	0	21.10
				1	25	20.91
				1	49	21.15
				25	0	20.07
				25	12	20.24
				25	25	20.21
				50	0	20.08

2 Occupied Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of 99% Power (MHz)					
						QPSK		16-QAM		64-QAM	
5	824.7	20407	1.4	6	0	1.082	Fig.1	1.082	Fig.2	1.076	Fig.3
	836.5	20525		6	0	1.082	Fig.4	1.082	Fig.5	1.082	Fig.6
	848.3	20643		6	0	1.082	Fig.7	1.082	Fig.8	1.076	Fig.9
	825.5	20415	3	15	0	2.683	Fig.10	2.683	Fig.11	2.696	Fig.12
	836.5	20525		15	0	2.683	Fig.13	2.683	Fig.14	2.683	Fig.15
	847.5	20635		15	0	2.683	Fig.16	2.683	Fig.17	2.683	Fig.18
	826.5	20425	5	25	0	4.472	Fig.19	4.472	Fig.20	4.472	Fig.21
	836.5	20525		25	0	4.472	Fig.22	4.472	Fig.23	4.472	Fig.24
	846.5	20625		25	0	4.472	Fig.25	4.472	Fig.26	4.472	Fig.27
	829	20450	10	50	0	8.944	Fig.28	8.944	Fig.29	8.944	Fig.30
	836.5	20525		50	0	8.987	Fig.31	8.944	Fig.32	8.944	Fig.33
	844	20600		50	0	8.944	Fig.34	8.944	Fig.35	8.944	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11


























Fig.12









3 Emission Bandwidth

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	Bandwidth of -26dB transmitter power (MHz)					
						QPSK		16-QAM		64-QAM	
5	824.7	20407	1.4	6	0	1.216	Fig.1	1.216	Fig.2	1.210	Fig.3
	836.5	20525		6	0	1.216	Fig.4	1.222	Fig.5	1.204	Fig.6
	848.3	20643		6	0	1.210	Fig.7	1.210	Fig.8	1.222	Fig.9
	825.5	20415	3	15	0	2.904	Fig.10	2.891	Fig.11	2.944	Fig.12
	836.5	20525		15	0	2.918	Fig.13	2.904	Fig.14	2.904	Fig.15
	847.5	20635		15	0	2.918	Fig.16	2.918	Fig.17	2.944	Fig.18
	826.5	20425	5	25	0	4.863	Fig.19	4.863	Fig.20	4.863	Fig.21
	836.5	20525		25	0	4.906	Fig.22	4.863	Fig.23	4.841	Fig.24
	846.5	20625		25	0	4.841	Fig.25	4.884	Fig.26	4.841	Fig.27
	829	20450	10	50	0	9.725	Fig.28	9.551	Fig.29	9.682	Fig.30
	836.5	20525		50	0	9.595	Fig.31	9.595	Fig.32	9.682	Fig.33
	844	20600		50	0	9.595	Fig.34	9.551	Fig.35	9.638	Fig.36




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26



Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	RB Size	RB Offset	QPSK	16-QAM	64-QAM
5	824.7	20407	1.4	1	5	Fig.1	Fig.2	Fig.3
	824.7	20407		6	0	Fig.4	Fig.5	Fig.6
	836.5	20525		1	5	Fig.7	Fig.8	Fig.9
	836.5	20525		6	0	Fig.10	Fig.11	Fig.12
	848.3	20643		1	5	Fig.13	Fig.14	Fig.15
	848.3	20643		6	0	Fig.16	Fig.17	Fig.18
	825.5	20415	3	1	14	Fig.19	Fig.20	Fig.21
	825.5	20415		15	0	Fig.22	Fig.23	Fig.24
	836.5	20525		1	14	Fig.25	Fig.26	Fig.27
	836.5	20525		15	0	Fig.28	Fig.29	Fig.30
	847.5	20635		1	14	Fig.31	Fig.32	Fig.33
	847.5	20635		15	0	Fig.34	Fig.35	Fig.36
	826.5	20425	5	1	24	Fig.37	Fig.38	Fig.39
	826.5	20425		25	0	Fig.40	Fig.41	Fig.42
	836.5	20525		1	24	Fig.43	Fig.44	Fig.45
	836.5	20525		25	0	Fig.46	Fig.47	Fig.48
	846.5	20625		1	24	Fig.49	Fig.50	Fig.51
	846.5	20625		25	0	Fig.52	Fig.53	Fig.54
	829	20450	10	1	49	Fig.55	Fig.56	Fig.57
	829	20450		50	0	Fig.58	Fig.59	Fig.60
	836.5	20525		1	49	Fig.61	Fig.62	Fig.63
	836.5	20525		50	0	Fig.64	Fig.65	Fig.66
	844	20600		1	49	Fig.67	Fig.68	Fig.69
	844	20600		50	0	Fig.70	Fig.71	Fig.72




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
5	829	20450	10	1	0	Fig.1
	836.5	20525		1	0	Fig.2
	844	20600		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band Edges Compliance							
Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot	
						QPSK	
5	824.7	20407	1.4	1	0	Fig.1	
				6	0	Fig.2	
		848.3		20643	1	5	Fig.3
					6	0	Fig.4
	825.5	20415	3	1	0	Fig.5	
				15	0	Fig.6	
		847.5		20635	1	14	Fig.7
					15	0	Fig.8
	826.5	20425	5	1	0	Fig.9	
				25	0	Fig.10	
		846.5		20625	1	24	Fig.11
					25	0	Fig.12
	829	20450	10	1	0	Fig.13	
				50	0	Fig.14	
		844		20600	1	49	Fig.15
					50	0	Fig.16




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7



Fig.8




Fig.9




Fig.10




Fig.11








Fig.12



7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band5 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.003	0.001	0.001	-0.001	---	---
0	NV	0.001	0.002	-0.001	0.000	---	---
+10	NV	-1.211	0.002	0.002	-0.001	---	---
+20	NV	0.012	0.001	0.000	0.002	---	---
+30	NV	-0.002	0.002	-0.001	-0.001	---	---
+40	NV	-0.002	0.002	0.002	-0.001	---	---
+50	NV	-0.001	0.000	-0.001	-0.003	---	---
+20	LV	0.018	0.001	-0.001	-0.002	---	---
+20	HV	-0.023	0.003	0.002	-0.002	---	---

Temperature(°C)	Voltage	Test Result (ppm) Band5 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.003	0.002	0.001	0.000	---	---
0	NV	-0.005	0.001	0.001	0.000	---	---
+10	NV	-0.006	0.002	0.002	0.000	---	---
+20	NV	0.002	0.000	0.002	-0.001	---	---
+30	NV	-0.008	0.001	0.000	-0.002	---	---
+40	NV	0.023	0.002	0.000	-0.001	---	---
+50	NV	0.002	0.003	0.001	0.001	---	---
+20	LV	0.003	0.002	0.002	0.001	---	---
+20	HV	0.014	0.000	0.003	-0.001	---	---

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	824.7	20407	1.4	1	0	22.70	14.55	0.029	
				1	3	22.76	14.61	0.029	
				1	5	22.73	14.58	0.029	
				3	0	22.71	14.56	0.029	
				3	1	22.77	14.62	0.029	
				3	3	22.68	14.53	0.028	
	6	0		21.81	13.66	0.023			
	836.5	20525		1	0	22.80	14.65	0.029	
				1	3	22.91	14.76	0.030	
				1	5	22.89	14.74	0.030	
				3	0	22.92	14.77	0.030	
				3	1	22.83	14.68	0.029	
				3	3	22.85	14.70	0.030	
	6	0		21.90	13.75	0.024			
	848.3	20643		1	0	23.05	14.90	0.031	
				1	3	23.08	14.93	0.031	
				1	5	22.97	14.82	0.030	
				3	0	22.98	14.83	0.030	
				3	1	23.04	14.89	0.031	
				3	3	22.96	14.81	0.030	
	16QAM	824.7		20407	6	0	22.07	13.92	0.025
					1	0	21.97	13.82	0.024
					1	3	22.18	14.03	0.025
					1	5	22.00	13.85	0.024
3					0	21.81	13.66	0.023	
3					1	21.88	13.73	0.024	
3		3		21.83	13.68	0.023			
6		0		20.92	12.77	0.019			
836.5		20525		1	0	22.05	13.90	0.025	
				1	3	22.14	13.99	0.025	
				1	5	22.23	14.08	0.026	
				3	0	21.90	13.75	0.024	
				3	1	21.93	13.78	0.024	
				3	3	21.94	13.79	0.024	
6		0		20.99	12.84	0.019			
848.3		20643		1	0	22.30	14.15	0.026	
				1	3	22.29	14.14	0.026	
				1	5	22.30	14.15	0.026	
				3	0	21.85	13.70	0.023	
				3	1	21.97	13.82	0.024	
				3	3	21.96	13.81	0.024	
6		0		21.10	12.95	0.020			

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	824.7	20407	1.4	1	0	21.09	12.94	0.020
				1	3	21.33	13.18	0.021
				1	5	21.26	13.11	0.020
				3	0	20.96	12.81	0.019
				3	1	21.05	12.90	0.019
				3	3	20.99	12.84	0.019
				6	0	19.86	11.71	0.015
	836.5	20525		1	0	20.73	12.58	0.018
				1	3	20.86	12.71	0.019
				1	5	20.76	12.61	0.018
				3	0	20.97	12.82	0.019
				3	1	21.09	12.94	0.020
				3	3	21.12	12.97	0.020
				6	0	20.02	11.87	0.015
	848.3	20643		1	0	20.96	12.81	0.019
				1	3	20.99	12.84	0.019
				1	5	20.90	12.75	0.019
				3	0	21.11	12.96	0.020
				3	1	21.16	13.01	0.020
				3	3	21.15	13.00	0.020
				6	0	19.99	11.84	0.015

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	825.5	20415	3	1	0	22.91	14.76	0.030	
				1	8	22.86	14.71	0.030	
				1	14	22.90	14.75	0.030	
				8	0	21.95	13.80	0.024	
				8	4	21.98	13.83	0.024	
				8	7	21.93	13.78	0.024	
	15	0		21.91	13.76	0.024			
	836.5	20525		1	0	22.98	14.83	0.030	
				1	8	23.12	14.97	0.031	
				1	14	23.03	14.88	0.031	
				8	0	22.05	13.90	0.025	
				8	4	22.13	13.98	0.025	
				8	7	22.09	13.94	0.025	
	15	0		22.00	13.85	0.024			
	847.5	20635		1	0	23.13	14.98	0.031	
				1	8	23.19	15.04	0.032	
				1	14	23.16	15.01	0.032	
				8	0	22.18	14.03	0.025	
				8	4	22.20	14.05	0.025	
				8	7	22.17	14.02	0.025	
	15	0		22.09	13.94	0.025			
	16QAM	825.5		20415	1	0	22.54	14.39	0.027
					1	8	22.51	14.36	0.027
					1	14	22.55	14.40	0.028
8					0	21.04	12.89	0.019	
8					4	21.08	12.93	0.020	
8					7	21.05	12.90	0.019	
15		0		20.98	12.83	0.019			
836.5		20525		1	0	22.19	14.04	0.025	
				1	8	22.41	14.26	0.027	
				1	14	22.25	14.10	0.026	
				8	0	21.01	12.86	0.019	
				8	4	21.08	12.93	0.020	
				8	7	21.05	12.90	0.019	
15		0		21.04	12.89	0.019			
847.5		20635		1	0	22.43	14.28	0.027	
				1	8	22.43	14.28	0.027	
				1	14	22.38	14.23	0.026	
				8	0	21.20	13.05	0.020	
				8	4	21.14	12.99	0.020	
				8	7	21.15	13.00	0.020	
				15	0	21.22	13.07	0.020	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	825.5	20415	3	1	0	21.26	13.11	0.020
				1	8	21.18	13.03	0.020
				1	14	21.24	13.09	0.020
				8	0	20.19	12.04	0.016
				8	4	20.14	11.99	0.016
				8	7	20.17	12.02	0.016
				15	0	19.97	11.82	0.015
	836.5	20525		1	0	20.82	12.67	0.018
				1	8	20.95	12.80	0.019
				1	14	20.91	12.76	0.019
				8	0	19.97	11.82	0.015
				8	4	20.10	11.95	0.016
				8	7	20.07	11.92	0.016
				15	0	20.13	11.98	0.016
	847.5	20635		1	0	21.10	12.95	0.020
				1	8	21.04	12.89	0.019
				1	14	20.98	12.83	0.019
				8	0	20.13	11.98	0.016
				8	4	20.19	12.04	0.016
				8	7	20.17	12.02	0.016
				15	0	20.28	12.13	0.016

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	826.5	20425	5	1	0	22.70	14.55	0.029	
				1	12	22.51	14.36	0.027	
				1	24	22.72	14.57	0.029	
				12	0	21.78	13.63	0.023	
				12	7	21.80	13.65	0.023	
				12	13	21.78	13.63	0.023	
				25	0	21.79	13.64	0.023	
	836.5	20525		1	0	22.79	14.64	0.029	
				1	12	22.82	14.67	0.029	
				1	24	23.00	14.85	0.031	
				12	0	21.88	13.73	0.024	
				12	7	21.96	13.81	0.024	
				12	13	22.01	13.86	0.024	
				25	0	21.90	13.75	0.024	
	846.5	20625		1	0	22.89	14.74	0.030	
				1	12	22.99	14.84	0.030	
				1	24	22.96	14.81	0.030	
				12	0	21.99	13.84	0.024	
				12	7	22.04	13.89	0.024	
				12	13	22.11	13.96	0.025	
				25	0	21.99	13.84	0.024	
	16QAM	826.5		20425	1	0	22.00	13.85	0.024
					1	12	21.82	13.67	0.023
					1	24	21.97	13.82	0.024
12					0	20.79	12.64	0.018	
12					7	20.79	12.64	0.018	
12					13	20.81	12.66	0.018	
25					0	20.79	12.64	0.018	
836.5		20525		1	0	22.30	14.15	0.026	
				1	12	22.20	14.05	0.025	
				1	24	22.43	14.28	0.027	
				12	0	20.82	12.67	0.018	
				12	7	20.88	12.73	0.019	
				12	13	20.94	12.79	0.019	
				25	0	20.85	12.70	0.019	
846.5		20625		1	0	22.33	14.18	0.026	
				1	12	22.35	14.20	0.026	
				1	24	22.38	14.23	0.026	
				12	0	20.99	12.84	0.019	
				12	7	20.98	12.83	0.019	
				12	13	21.07	12.92	0.020	
				25	0	21.05	12.90	0.019	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	826.5	20425	5	1	0	20.74	12.59	0.018
				1	12	20.63	12.48	0.018
				1	24	20.80	12.65	0.018
				12	0	19.78	11.63	0.015
				12	7	19.72	11.57	0.014
				12	13	19.77	11.62	0.015
				25	0	19.75	11.60	0.014
	836.5	20525		1	0	21.19	13.04	0.020
				1	12	21.20	13.05	0.020
				1	24	21.28	13.13	0.021
				12	0	19.98	11.83	0.015
				12	7	19.97	11.82	0.015
				12	13	20.14	11.99	0.016
				25	0	19.98	11.83	0.015
	846.5	20625		1	0	21.27	13.12	0.021
				1	12	21.22	13.07	0.020
				1	24	21.34	13.19	0.021
				12	0	20.11	11.96	0.016
				12	7	20.13	11.98	0.016
				12	13	20.20	12.05	0.016
				25	0	20.07	11.92	0.016

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	829	20450	10	1	0	22.62	14.47	0.028	
				1	25	22.67	14.52	0.028	
				1	49	22.64	14.49	0.028	
				25	0	21.79	13.64	0.023	
				25	12	21.86	13.71	0.023	
				25	25	21.85	13.70	0.023	
	50	0		21.90	13.75	0.024			
	836.5	20525		1	0	22.82	14.67	0.029	
				1	25	22.82	14.67	0.029	
				1	49	22.98	14.83	0.030	
				25	0	21.95	13.80	0.024	
				25	12	22.02	13.87	0.024	
				25	25	21.99	13.84	0.024	
	50	0		22.01	13.86	0.024			
	844	20600		1	0	23.07	14.92	0.031	
				1	25	22.95	14.80	0.030	
				1	49	22.99	14.84	0.030	
				25	0	21.98	13.83	0.024	
				25	12	22.06	13.91	0.025	
				25	25	22.15	14.00	0.025	
	16QAM	829		20450	50	0	22.02	13.87	0.024
					1	0	22.55	14.40	0.028
					1	25	22.37	14.22	0.026
					1	49	22.79	14.64	0.029
25					0	20.71	12.56	0.018	
25					12	20.91	12.76	0.019	
25		25		20.91	12.76	0.019			
50		0		20.89	12.74	0.019			
836.5		20525		1	0	22.48	14.33	0.027	
				1	25	22.95	14.80	0.030	
				1	49	22.99	14.84	0.030	
				25	0	20.98	12.83	0.019	
				25	12	20.98	12.83	0.019	
				25	25	21.05	12.90	0.019	
50		0		20.84	12.69	0.019			
844		20600		1	0	22.16	14.01	0.025	
				1	25	22.26	14.11	0.026	
				1	49	22.45	14.30	0.027	
				25	0	21.12	12.97	0.020	
				25	12	21.04	12.89	0.019	
				25	25	21.13	12.98	0.020	
50		0		21.01	12.86	0.019			

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	829	20450	10	1	0	21.15	13.00	0.020
				1	25	21.00	12.85	0.019
				1	49	21.36	13.21	0.021
				25	0	19.83	11.68	0.015
				25	12	19.98	11.83	0.015
				25	25	19.92	11.77	0.015
				50	0	19.97	11.82	0.015
	836.5	20525		1	0	21.20	13.05	0.020
				1	25	21.42	13.27	0.021
				1	49	21.53	13.38	0.022
				25	0	19.98	11.83	0.015
				25	12	19.96	11.81	0.015
				25	25	20.06	11.91	0.016
				50	0	19.95	11.80	0.015
	844	20600		1	0	21.10	12.95	0.020
				1	25	20.91	12.76	0.019
				1	49	21.15	13.00	0.020
				25	0	20.07	11.92	0.016
				25	12	20.24	12.09	0.016
				25	25	20.21	12.06	0.016
				50	0	20.08	11.93	0.016