



4.5 UNII Detection Bandwidth Measurement

5290MHz



5310MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5320MHz



5500MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5510MHz



5530MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5290MHz

EUT operating Fre- quency(MHz)	:	5290	EUT 99% Bandwidth(MHz)				:	75.535			
Radar Type	:	Type 0	Detction BW(MHz)				:	80			
Test Result	:	Pass	※	FH:	5330	FL:	5250				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5250	1	1	1	1	1	1	1	1	1	1	100
5255	1	1	1	1	1	1	1	1	1	1	100
5260	1	1	1	1	1	1	1	1	1	1	100
5265	1	1	1	1	1	1	1	1	1	1	100
5270	1	1	1	1	1	1	1	1	1	1	100
5275	1	1	1	1	1	1	1	1	1	1	100
5280	1	1	1	1	1	1	1	1	1	1	100
5285	1	1	1	1	1	1	1	1	1	1	100
5290	1	1	1	1	1	1	1	1	1	1	100
5295	1	1	1	1	1	1	1	1	1	1	100
5300	1	1	1	1	1	1	1	1	1	1	100
5305	1	1	1	1	1	1	1	1	1	1	100
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5310MHz

EUT operating Fre- quency(MHz)	:	5310			EUT 99% Bandwidth(MHz)	:	36.297				
Radar Type	:	Type 0			Detction BW(MHz)	:	40				
Test Result	:	Pass	※	FH:	5330	FL:	5290				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5290	1	1	1	1	1	1	1	1	1	1	100
5295	1	1	1	1	1	1	1	1	1	1	100
5300	1	1	1	1	1	1	1	1	1	1	100
5305	1	1	1	1	1	1	1	1	1	1	100
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5320MHz

EUT operating Fre- quency(MHz)	:	5320	EUT 99% Bandwidth(MHz)		:	17.660					
Radar Type	:	Type 0	Detction BW(MHz)		:	20					
Test Result	:	Pass	※	FH:	5330	FL: 5310					
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5500MHz

EUT operating Frequency(MHz)	:	5500			EUT 99% Bandwidth(MHz)	:	17.586				
Radar Type	:	Type 0			Detction BW(MHz)	:	20				
Test Result	:	Pass	※	FH:	5510	FL:	5490				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5510MHz

EUT operating Fre- quency(MHz)	:	5510			EUT 99% Bandwidth(MHz)	:	36.267				
Radar Type	:	Type 0			Detction BW(MHz)	:	40				
Test Result	:	Pass	※	FH:	5530	FL:	5490				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100
5515	1	1	1	1	1	1	1	1	1	1	100
5520	1	1	1	1	1	1	1	1	1	1	100
5525	1	1	1	1	1	1	1	1	1	1	100
5530	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5530MHz

EUT operating Fre- quency(MHz)	:	5530	EUT 99% Bandwidth(MHz)				:	75.737			
Radar Type	:	Type 0	Detction BW(MHz)				:	80			
Test Result	:	Pass	※	FH:	5570	FL:	5490				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100
5515	1	1	1	1	1	1	1	1	1	1	100
5520	1	1	1	1	1	1	1	1	1	1	100
5525	1	1	1	1	1	1	1	1	1	1	100
5530	1	1	1	1	1	1	1	1	1	1	100
5535	1	1	1	1	1	1	1	1	1	1	100
5540	1	1	1	1	1	1	1	1	1	1	100
5545	1	1	1	1	1	1	1	1	1	1	100
5550	1	1	1	1	1	1	1	1	1	1	100
5555	1	1	1	1	1	1	1	1	1	1	100
5560	1	1	1	1	1	1	1	1	1	1	100
5565	1	1	1	1	1	1	1	1	1	1	100
5570	1	1	1	1	1	1	1	1	1	1	100


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.6 Channel Availability Check Measurement

The time of channel availability check (60s) (5290MHz)




T2 represents the channel availability time.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar type 0 for 5290:



Radar type 0 for 5290:




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The time of channel availability check (60s) (5530MHz)




T2 represents the channel availability time.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar type 0 for 5530:



Radar type 0 for 5530:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

4.7 Statistical Performance Check

5290MHz:

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	93.33		60	Pass
4	30	70		60	Pass
Aggregate (Radar Types 1-4)	120	90.8325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	90	80	Pass
	Low Edge:10	100			
	High Edge:10	70			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	96.66666667		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 1 for 5290 MHz:

Data Sheet for FCC Radar Type 1						
Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5290	14	1285.3	778	A	Yes
2	5290	8	1519.8	658	A	Yes
3	5290	7	1567.4	638	A	Yes
4	5290	10	1432.7	698	A	Yes
5	5290	4	1730.1	578	A	Yes
6	5290	17	1193.3	838	A	Yes
7	5290	13	1319.3	758	A	Yes
8	5290	11	1392.8	718	A	Yes
9	5290	3	1792.1	558	A	Yes
10	5290	21	1089.3	918	A	Yes
11	5290	23	326.2	3066	A	Yes
12	5290	2	1858.7	538	A	Yes
13	5290	20	1113.6	898	A	Yes
14	5290	9	1474.9	678	A	Yes
15	5290	16	1222.5	818	A	Yes
16	5290	-	1092.9	915	B	Yes
17	5290	-	444.8	2248	B	Yes
18	5290	-	569.8	1755	B	Yes
19	5290	-	630.5	1586	B	Yes
20	5290	-	531.9	1880	B	Yes
21	5290	-	615.8	1624	B	Yes
22	5290	-	1248.4	801	B	Yes
23	5290	-	984.3	1016	B	Yes
24	5290	-	742.4	1347	B	Yes
25	5290	-	375	2667	B	Yes
26	5290	-	585.5	1708	B	Yes
27	5290	-	918.3	1089	B	Yes
28	5290	-	1293.7	773	B	Yes
29	5290	-	453.9	2203	B	Yes
30	5290	-	425.9	2348	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 2 for 5290 MHz:

Data Sheet for FCC Radar Type 2					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5290	23	1	210	Yes
2	5290	28	4	205	Yes
3	5290	26	2.8	154	Yes
4	5290	23	1.3	173	Yes
5	5290	27	3.8	188	Yes
6	5290	24	1.8	226	Yes
7	5290	23	1.1	228	Yes
8	5290	28	4.2	216	Yes
9	5290	25	2.7	187	Yes
10	5290	27	3.7	191	Yes
11	5290	27	3.3	165	Yes
12	5290	26	3.1	176	Yes
13	5290	29	4.7	214	Yes
14	5290	26	2.9	186	Yes
15	5290	26	3.1	225	Yes
16	5290	29	4.9	193	Yes
17	5290	28	4.1	213	Yes
18	5290	25	2.4	198	Yes
19	5290	26	3.2	196	Yes
20	5290	25	2.3	209	Yes
21	5290	29	4.8	170	Yes
22	5290	23	1.4	184	Yes
23	5290	28	4.1	195	Yes
24	5290	26	2.8	152	Yes
25	5290	23	1.2	178	Yes
26	5290	24	1.6	220	Yes
27	5290	23	1.3	156	Yes
28	5290	29	4.6	171	Yes
29	5290	23	1.3	229	Yes
30	5290	23	1.2	215	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 3 for 5290 MHz:

Data Sheet for FCC Radar Type 3					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5290	16	6	320	Yes
2	5290	18	9	375	Yes
3	5290	17	7.8	411	Yes
4	5290	16	6.3	279	Yes
5	5290	18	8.8	431	Yes
6	5290	16	6.8	422	Yes
7	5290	16	6.1	287	Yes
8	5290	18	9.2	444	Yes
9	5290	17	7.7	476	No
10	5290	17	8.7	426	Yes
11	5290	17	8.3	329	Yes
12	5290	17	8.1	257	Yes
13	5290	18	9.7	216	Yes
14	5290	17	7.9	383	Yes
15	5290	17	8.1	392	Yes
16	5290	18	9.9	410	Yes
17	5290	18	9.1	318	No
18	5290	17	7.4	213	Yes
19	5290	17	8.2	405	Yes
20	5290	16	7.3	440	Yes
21	5290	18	9.8	458	Yes
22	5290	16	6.4	486	Yes
23	5290	18	9.1	402	Yes
24	5290	17	7.8	266	Yes
25	5290	16	6.2	395	Yes
26	5290	16	6.6	475	Yes
27	5290	16	6.3	215	Yes
28	5290	18	9.6	340	Yes
29	5290	16	6.3	226	Yes
30	5290	16	6.2	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 4 for 5290 MHz:

Data Sheet for FCC Radar Type 4					
Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5290	12	11.1	320	Yes
2	5290	15	17.8	375	Yes
3	5290	14	15.1	411	Yes
4	5290	12	11.7	279	Yes
5	5290	15	17.3	431	Yes
6	5290	13	12.9	422	Yes
7	5290	12	11.4	287	Yes
8	5290	15	18.2	444	Yes
9	5290	14	14.8	476	Yes
10	5290	15	17	426	Yes
11	5290	14	16.3	329	Yes
12	5290	14	15.7	257	Yes
13	5290	16	19.3	216	Yes
14	5290	14	15.2	383	No
15	5290	14	15.6	392	No
16	5290	16	19.8	410	Yes
17	5290	15	17.9	318	Yes
18	5290	13	14.3	213	Yes
19	5290	14	16	405	No
20	5290	13	13.9	440	Yes
21	5290	16	19.5	458	Yes
22	5290	12	11.9	486	No
23	5290	15	17.8	402	Yes
24	5290	14	15.1	266	No
25	5290	12	11.5	395	No
26	5290	12	12.3	475	Yes
27	5290	12	11.6	215	No
28	5290	16	19	340	No
29	5290	12	11.7	226	Yes
30	5290	12	11.5	430	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 5 for 5290 MHz:

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5290
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.8	5			387497
2	3	87.6	5	1513.4	1219.4	749506
3	2	72.6	5	1718.4		1112827
4	1	54.3	5			1478025
5	3	84.7	5	1149.3	1141.3	342269
6	1	60.7	5			706443
7	1	52.2	5			1069703
8	3	89.8	5	976.2	1851.2	1430155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5290
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.1	17	1710.9		139758
2	2	83.2	17	1723.8		310097
3	2	79.3	17	1484.7		480502
4	2	76.2	17	1509.8		651053
5	3	96.2	17	1085.8	1510.8	118657
6	2	73.4	17	1313.6		289387
7	2	75.7	17	1783.3		459787
8	3	98.6	17	1309.4	1337.4	628725
9	3	88.2	17	1792.8	1457.8	97620
10	2	68.2	17	1775.8		268107
11	2	78	17	1034		438731
12	1	66.3	17			610642
13	3	97	17	1305	1335	76641
14	1	54.9	17			247679
15	3	87.9	17	1680.1	1551.1	416855
16	2	72.8	17	1390.2		588357
17	1	52.9	17			55929

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.4	12			296867
2	1	53.7	12			520221
3	3	94.3	12	1903.7	1524.7	741017
4	1	54.1	12			45671
5	1	52.8	12			269302
6	2	73.4	12	1536.6		491799
7	3	87.5	12	1175.5	1289.5	714443
8	2	71.8	12	1912.2		18091
9	3	85.4	12	1101.6	1309.6	240878
10	1	58.6	12			465342
11	3	86.7	12	1608.3	1602.3	686185
12	1	65.3	12			912264
13	3	90.3	12	1316.7	1669.7	213431

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	6			632635
2	2	73.2	6	1723.8		954155
3	3	97.7	6	1824.3	1618.3	1274837
4	2	71.7	6	1583.3		269389
5	2	74	6	1188		592244
6	1	59.9	6			915980
7	1	52.7	6			1238473
8	1	60.4	6			229841
9	2	67	6	1690		552182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.8	16			463489
2	2	72.6	16	1205.4		633090
3	1	64.5	16			100499
4	3	89.7	16	993.3	1362.3	270194
5	3	83.4	16	1789.6	1627.6	440061
6	1	54.2	16			613410
7	3	100	16	1460	1358	79170
8	1	55	16			250320
9	3	95.9	16	1135.1	1198.1	419583
10	3	99.8	16	1816.2	1381.2	588842
11	3	99.8	16	1078.2	1135.2	58212
12	1	51.4	16			229363
13	2	77.3	16	1479.7		399398
14	1	57	16			570901
15	1	58	16			37390
16	3	85.6	16	1303.4	1005.4	207641
17	2	68.2	16	1276.8		378327

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.8	8			935803
2	3	91.9	8	913.1	962.1	27777
3	1	54.4	8			318593
4	1	60.7	8			609022
5	1	64.8	8			899614
6	3	89	8	1777	1258	1187136
7	2	83.2	8	1013.8		282427
8	3	97.9	8	1519.1	1735.1	571887
9	1	51.9	8			864300
10	1	54.7	8			1154717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	5	1458.4		308319
2	2	75.3	5	995.7		671643
3	2	81	5	1202		1034927
4	2	77.9	5	1909.1		1397297
5	2	70	5	1320		263648
6	3	92.6	5	922.4	1382.4	626217
7	3	90.4	5	1679.6	1456.6	988321
8	3	95.9	5	1584.1	1344.1	1351574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5290
Number of Bursts in Trial:		18		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.6	17	1302.4		97079
2	3	89.7	17	1412.3	1364.3	257628
3	1	63.2	17			420227
4	3	90.1	17	1173.9	1115.9	578695
5	2	83.2	17	1432.8		77194
6	2	71.8	17	954.2		238534
7	2	80.4	17	1392.6		399097
8	1	62.7	17			561122
9	3	87	17	1650	1706	57260
10	1	65.5	17			218745
11	3	88.9	17	1785.1	1493.1	378364
12	3	89	17	1619	1317	538809
13	1	66.2	17			37668
14	3	89.7	17	1356.3	1738.3	197913
15	3	86.1	17	1535.9	1224.9	358895
16	1	55.7	17			521598
17	1	50.1	17			17804
18	1	60.9	17			179065

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5290
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	11			471900
2	1	56.3	11			694839
3	3	93	11	1063	1904	915738
4	3	83.7	11	1310.3	1825.3	219909
5	2	81.3	11	1421.7		443290
6	3	91.9	11	1245.1	1669.1	665345
7	2	81.4	11	1452.6		890046
8	3	99.5	11	1727.5	1219.5	192366
9	2	81.3	11	1425.7		415713
10	2	79.7	11	1247.3		639086
11	1	64.9	11			863321
12	2	71.8	11	1586.2		165247
13	2	79.8	11	1124.2		388424

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5290
Number of Bursts in Trial:		16		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.9	15			497502
2	3	86.9	15	1533.1	1833.1	675605
3	1	61.1	15			112164
4	3	86.4	15	978.6	1500.6	292582
5	3	96	15	1656	1638	472855
6	1	55	15			656339
7	2	69.7	15	1421.3		89576
8	1	58.6	15			271345
9	2	82.6	15	1356.4		452037
10	2	80.3	15	1187.7		633546
11	1	52	15			67407
12	1	52	15			248798
13	2	67.6	15	1094.4		429701
14	1	58.9	15			611785
15	1	63	15			45019
16	3	88.6	15	1147.4	1047.4	225939

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5257.8325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79	14	1793		434083
2	3	89.2	14	1588.8	1379.8	626513
3	2	75.2	14	1586.8		24126
4	2	77.7	14	1283.3		217529
5	1	59	14			411565
6	3	86.6	14	1064.4	1333.4	603052
7	3	84.1	14	1680.9	1039.9	329
8	1	52.9	14			194062
9	3	88	14	1564	1443	386007
10	1	58.3	14			581474
11	2	71.3	14	1757.7		773641
12	1	58.6	14			170231
13	3	83.8	14	1486.2	997.2	362450
14	3	90.5	14	1810.5	1862.5	554607
15	1	50.7	14			751200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5257.4325
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	97.9	13	937.1	1401.1	156269
2	1	65.1	13			364373
3	3	85.8	13	1407.2	1410.2	569469
4	2	80	13	1798		777835
5	1	52	13			131185
6	1	55.1	13			338749
7	1	53.2	13			545977
8	3	90.2	13	1773.8	1064.8	750920
9	1	50.7	13			105650
10	2	80.4	13	1026.6		312711
11	1	52.3	13			520617
12	2	73.4	13	1254.6		726801
13	2	76	13	1038		79992
14	3	91	13	1053	1387	286683

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5259.8325
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.7	19	1397.3		363735
2	1	63.7	19			517509
3	2	82.9	19	1842.1		40013
4	2	68.3	19	1603.7		192571
5	1	60.9	19			345898
6	1	52.3	19			498708
7	3	90.5	19	1342.5	1442.5	21215
8	3	89.7	19	1891.3	1200.3	173140
9	3	94.2	19	944.8	1004.8	326085
10	2	70.7	19	1113.3		478705
11	2	72.4	19	1562.6		2484
12	1	52.7	19			155187
13	1	58.2	19			307927
14	3	98.5	19	1667.5	1863.5	457856
15	3	87.7	19	1509.3	1527.3	610669
16	3	83.7	19	1806.3	1166.3	135765
17	1	61.1	19			289167
18	2	74.8	19	1330.2		441293
19	3	92.1	19	1606.9	1665.9	591713

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5257.0325
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.6	12	937.4		159559
2	1	54.1	12			367460
3	3	86.9	12	1034.1	1161.1	573367
4	2	81.8	12	1365.2		781365
5	2	79	12	1592		133903
6	1	61	12			341596
7	3	83.4	12	1680.6	1672.6	547004
8	2	75.7	12	1603.3		755232
9	3	99.1	12	1452.9	1479.9	108247
10	2	74.4	12	1780.6		315396
11	3	97.4	12	1831.6	1861.6	521501
12	1	56.6	12			731323
13	1	63.2	12			83112
14	1	58.1	12			290772

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5257.4325
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	13			498157
2	1	56.2	13			705909
3	3	94.7	13	1244.3	1763.3	57345
4	3	88.5	13	1500.5	1270.5	263988
5	3	90.3	13	1163.7	1058.7	471141
6	2	72.9	13	1675.1		678816
7	3	88.2	13	1617.8	1215.8	31865
8	1	60.2	13			239390
9	1	58.2	13			447023
10	2	71	13	1009		653721
11	1	65	13			6406
12	1	57.6	13			213871
13	3	99.3	13	1617.7	1258.7	420153
14	3	97	13	1424	985	627225

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5260.2325
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.8	20			584653
2	1	52.5	20			131720
3	2	67.1	20	1505.9		275985
4	2	69.3	20	1485.7		420752
5	2	77.5	20	1684.5		565866
6	2	81.3	20	1730.7		113612
7	3	96.4	20	1546.6	1739.6	257363
8	3	86.8	20	1840.2	1114.2	401781
9	3	94.8	20	1091.2	1181.2	547082
10	2	81.9	20	1673.1		95669
11	1	53.8	20			241061
12	1	57.3	20			386016
13	2	77.5	20	1199.5		530417
14	2	76.6	20	1862.4		77887
15	3	91.4	20	1183.6	1413.6	222332
16	1	65.2	20			368617
17	3	96.9	20	1502.1	1176.1	511436
18	1	64.1	20			60285
19	1	59.2	20			205280
20	3	94.7	20	1900.3	1470.3	348748

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5259.0325
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	17	1497.7	1147.7	580964
2	3	92.2	17	1320.8	1325.8	49631
3	3	93	17	1856	1616	219686
4	3	95.2	17	1212.8	1313.8	389823
5	2	70.8	17	1876.2		560524
6	1	51.9	17			28822
7	1	53.9	17			199513
8	2	69.3	17	968.7		369866
9	3	96	17	1017	1279	539227
10	1	65.9	17			7766
11	2	66.8	17	1447.2		178250
12	2	71.4	17	1557.6		348796
13	1	61.7	17			520248
14	3	86.5	17	1323.5	999.5	689019
15	2	70.9	17	1215.1		157335
16	3	96.6	17	1130.4	1515.4	327093
17	1	57.3	17			499278

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5256.2325
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78	10	1502		947940
2	2	79.1	10	1290.9		193169
3	2	82	10	1169		435195
4	1	61.7	10			677689
5	2	75.2	10	1637.8		917979
6	1	61.5	10			163761
7	1	62.8	10			405836
8	3	84.7	10	1316.3	1914.3	645864
9	2	82.9	10	1088.1		889298
10	3	95.4	10	1485.6	1633.6	133381
11	1	61.5	10			376131
12	2	68.8	10	1659.2		616825

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5257.4325
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93	13	1638	1859	685035
2	2	74.2	13	1890.8		82980
3	1	50.9	13			276895
4	3	98.5	13	1537.5	1793.5	468709
5	1	54.5	13			664273
6	1	50.7	13			59342
7	1	62.7	13			253066
8	1	59.5	13			446421
9	2	71.9	13	1180.1		639657
10	3	98.5	13	1384.5	1257.5	35360
11	2	75.6	13	1097.4		228927
12	2	77.3	13	1908.7		421637
13	2	77.1	13	1025.9		615878
14	3	90.8	13	1596.2	1873.2	11577
15	2	78.8	13	1170.2		204885

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5256.2325
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65	10			499096
2	2	82.4	10	1549.6		739679
3	3	95.7	10	926.3	1008.3	980680
4	3	91.1	10	1376.9	1843.9	226153
5	1	55.7	10			469113
6	3	94.9	10	989.1	1032.1	709339
7	1	57.9	10			953819
8	2	68.8	10	1604.2		196640
9	3	85	10	1598	1560	437576
10	2	77.2	10	1175.8		680223
11	2	83	10	1377		921794
12	2	71.1	10	1928.9		166864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5319.7675
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.6	20	1399.4		244591
2	2	80.2	20	1495.8		389305
3	1	60.5	20			535564
4	3	87.9	20	991.1	1177.1	81985
5	1	56.5	20			227679
6	3	92.4	20	1206.6	1059.6	370956
7	1	50.4	20			517557
8	1	53	20			64506
9	3	91.8	20	1582.2	1898.2	208294
10	1	65.8	20			354704
11	2	73	20	1293		499033
12	1	57.1	20			46585
13	3	85.7	20	1877.3	916.3	190652
14	1	58.2	20			336744
15	3	87.1	20	1743.9	1642.9	479089
16	3	85.5	20	1584.5	1357.5	28543
17	2	79.6	20	1573.4		173365
18	1	53.5	20			319083
19	1	54.6	20			463924
20	3	84.7	20	1377.3	1549.3	10767

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5325.3675
Number of Bursts in Trial:			9	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84.4	6	1370.6	1660.6	346225
2	2	82.7	6	1853.3		669019
3	3	97.8	6	1566.2	1542.2	990710
4	1	52.2	6			1316435
5	3	87.3	6	1805.7	1153.7	306620
6	1	54.3	6			630460
7	1	55.8	6			953309
8	2	74	6	1831		1274842
9	3	85	6	1715	978	266942

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5320.9675
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	17			312281
2	1	66	17			483407
3	2	71.2	17	1782.8		652715
4	2	71.6	17	942.4		120343
5	2	79.7	17	1134.3		290950
6	2	82.1	17	1515.9		461186
7	2	79.3	17	1018.7		632418
8	1	61.3	17			99405
9	1	60.5	17			270399
10	2	69	17	1006		440273
11	3	84.9	17	1200.1	1382.1	609351
12	2	76.6	17	924.4		78273
13	3	87.8	17	1693.2	1655.2	247964
14	3	87.1	17	1327.9	1768.9	418204
15	3	99.3	17	990.7	913.7	588824
16	1	59.4	17			57286
17	3	88.5	17	1567.5	1275.5	227243

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5322.9675
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	12			522127
2	3	97.6	12	1520.4	1652.4	742586
3	1	57.8	12			47454
4	2	72.4	12	976.6		270739
5	3	89.2	12	1267.8	1322.8	493166
6	2	81.4	12	1118.6		716891
7	2	72.6	12	1157.4		19919
8	3	98.3	12	1158.7	1016.7	242810
9	3	86.7	12	1126.3	1002.3	465650
10	3	98	12	1367	1092	688343
11	2	82.5	12	1002.5		912901
12	1	58.3	12			216014
13	1	50.5	12			439635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5325.7675
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	52.1	5			1078184
2	3	86.6	5	1859.4	1089.4	1438505
3	2	76.5	5	1102.5		305984
4	2	68	5	1630		668774
5	3	86.4	5	1743.6	1454.6	1031085
6	3	99.9	5	1008.1	930.1	1394462
7	1	51.8	5			261491
8	3	85.6	5	1498.4	1656.4	623788

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5324.9675
Number of Bursts in Trial:			9	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56	7			878766
2	2	76.2	7	1092.8		1200300
3	1	57.7	7			192680
4	2	74.1	7	1079.9		515089
5	2	69	7	1597		837632
6	3	84.5	7	1483.5	1772.5	1158393
7	2	69.7	7	1923.3		152615
8	1	58.1	7			476055
9	3	96.7	7	1809.3	1086.3	796868

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5325.3675
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.7	6	1285.3	1645.3	1260017
2	3	98.5	6	1673.5	1504.5	126972
3	3	92.8	6	1609.2	1181.2	489737
4	3	98.9	6	1797.1	1036.1	852527
5	3	99.1	6	1880.9	1866.9	1214525
6	1	58.2	6			82504
7	1	66.2	6			445904
8	1	62.5	6			809293

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5320.1675
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	19			493252
2	3	84.6	19	1445.4	1489.4	15783
3	3	98.6	19	1075.4	1753.4	167932
4	2	73.3	19	1521.7		320584
5	3	93	19	1055	1003	472880
6	3	84.1	19	1700.9	1548.9	623706
7	3	96.9	19	1649.1	1347.1	149079
8	1	53	19			302797
9	1	59.9	19			455277
10	2	66.8	19	1816.2		606699
11	3	98.4	19	1637.6	1884.6	130356
12	1	50	19			284040
13	2	69.7	19	1270.3		435964
14	1	50.6	19			589083
15	3	99.5	19	1053.5	1800.5	111728
16	1	57.5	19			265213
17	1	52.8	19			417900
18	3	99.3	19	1411.7	1784.7	567207
19	2	71.4	19	949.6		93211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5325.3675
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50	6			520282
2	3	98.4	6	1227.6	1871.6	841006
3	2	70.2	6	1654.8		1164551
4	3	96.9	6	1491.1	1445.1	157201
5	1	52.9	6			480782
6	3	90.2	6	1206.8	1590.8	801582
7	3	90.1	6	1712.9	1102.9	1123823
8	1	52.3	6			117841
9	3	84	6	1520	1720	439566

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5325.7675
Number of Bursts in Trial:		8		Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.5	5			859222
2	1	51.7	5			1222757
3	1	53.1	5			87783
4	2	78.3	5	1872.7		450781
5	1	60.2	5			814435
6	1	55.4	5			1178125
7	2	70.2	5	1790.8		42969
8	1	65.2	5			406559

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 6 for 5290 MHz:

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	No
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Statistical Performance Check 5310MHz:

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	96.67		60	Pass
2	30	100		60	Pass
3	30	96.67		60	Pass
4	30	86.67		60	Pass
Aggregate (Radar Types 1-4)	120	95.0025		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 1 for 5310 MHz:

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI (msec)	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)			
1	5310	14	1285.3	778	A	Yes
2	5310	8	1519.8	658	A	Yes
3	5310	7	1567.4	638	A	Yes
4	5310	10	1432.7	698	A	Yes
5	5310	4	1730.1	578	A	Yes
6	5310	17	1193.3	838	A	Yes
7	5310	13	1319.3	758	A	Yes
8	5310	11	1392.8	718	A	Yes
9	5310	3	1792.1	558	A	Yes
10	5310	21	1089.3	918	A	Yes
11	5310	23	326.2	3066	A	Yes
12	5310	2	1858.7	538	A	Yes
13	5310	20	1113.6	898	A	Yes
14	5310	9	1474.9	678	A	Yes
15	5310	16	1222.5	818	A	Yes
16	5310	-	1092.9	915	B	Yes
17	5310	-	444.8	2248	B	Yes
18	5310	-	569.8	1755	B	Yes
19	5310	-	630.5	1586	B	Yes
20	5310	-	531.9	1880	B	No
21	5310	-	615.8	1624	B	Yes
22	5310	-	1248.4	801	B	Yes
23	5310	-	984.3	1016	B	Yes
24	5310	-	742.4	1347	B	Yes
25	5310	-	375	2667	B	Yes
26	5310	-	585.5	1708	B	Yes
27	5310	-	918.3	1089	B	Yes
28	5310	-	1293.7	773	B	Yes
29	5310	-	453.9	2203	B	Yes
30	5310	-	425.9	2348	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 2 for 5310 MHz:

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	23	1	210	Yes
2	5310	28	4	205	Yes
3	5310	26	2.8	154	Yes
4	5310	23	1.3	173	Yes
5	5310	27	3.8	188	Yes
6	5310	24	1.8	226	Yes
7	5310	23	1.1	228	Yes
8	5310	28	4.2	216	Yes
9	5310	25	2.7	187	Yes
10	5310	27	3.7	191	Yes
11	5310	27	3.3	165	Yes
12	5310	26	3.1	176	Yes
13	5310	29	4.7	214	Yes
14	5310	26	2.9	186	Yes
15	5310	26	3.1	225	Yes
16	5310	29	4.9	193	Yes
17	5310	28	4.1	213	Yes
18	5310	25	2.4	198	Yes
19	5310	26	3.2	196	Yes
20	5310	25	2.3	209	Yes
21	5310	29	4.8	170	Yes
22	5310	23	1.4	184	Yes
23	5310	28	4.1	195	Yes
24	5310	26	2.8	152	Yes
25	5310	23	1.2	178	Yes
26	5310	24	1.6	220	Yes
27	5310	23	1.3	156	Yes
28	5310	29	4.6	171	Yes
29	5310	23	1.3	229	Yes
30	5310	23	1.2	215	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 3 for 5310 MHz:

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	16	6	320	No
2	5310	18	9	375	Yes
3	5310	17	7.8	411	Yes
4	5310	16	6.3	279	Yes
5	5310	18	8.8	431	Yes
6	5310	16	6.8	422	Yes
7	5310	16	6.1	287	Yes
8	5310	18	9.2	444	Yes
9	5310	17	7.7	476	Yes
10	5310	17	8.7	426	Yes
11	5310	17	8.3	329	Yes
12	5310	17	8.1	257	Yes
13	5310	18	9.7	216	Yes
14	5310	17	7.9	383	Yes
15	5310	17	8.1	392	Yes
16	5310	18	9.9	410	Yes
17	5310	18	9.1	318	Yes
18	5310	17	7.4	213	Yes
19	5310	17	8.2	405	Yes
20	5310	16	7.3	440	Yes
21	5310	18	9.8	458	Yes
22	5310	16	6.4	486	Yes
23	5310	18	9.1	402	Yes
24	5310	17	7.8	266	Yes
25	5310	16	6.2	395	Yes
26	5310	16	6.6	475	Yes
27	5310	16	6.3	215	Yes
28	5310	18	9.6	340	Yes
29	5310	16	6.3	226	Yes
30	5310	16	6.2	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 4 for 5310 MHz:

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5310	12	11.1	320	Yes
2	5310	15	17.8	375	Yes
3	5310	14	15.1	411	Yes
4	5310	12	11.7	279	No
5	5310	15	17.3	431	Yes
6	5310	13	12.9	422	No
7	5310	12	11.4	287	Yes
8	5310	15	18.2	444	Yes
9	5310	14	14.8	476	Yes
10	5310	15	17	426	Yes
11	5310	14	16.3	329	Yes
12	5310	14	15.7	257	Yes
13	5310	16	19.3	216	Yes
14	5310	14	15.2	383	No
15	5310	14	15.6	392	Yes
16	5310	16	19.8	410	Yes
17	5310	15	17.9	318	Yes
18	5310	13	14.3	213	No
19	5310	14	16	405	Yes
20	5310	13	13.9	440	Yes
21	5310	16	19.5	458	Yes
22	5310	12	11.9	486	Yes
23	5310	15	17.8	402	Yes
24	5310	14	15.1	266	Yes
25	5310	12	11.5	395	Yes
26	5310	12	12.3	475	Yes
27	5310	12	11.6	215	Yes
28	5310	16	19	340	Yes
29	5310	12	11.7	226	Yes
30	5310	12	11.5	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 5 for 5310 MHz:

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5310
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.8	5			387497
2	3	87.6	5	1513.4	1219.4	749506
3	2	72.6	5	1718.4		1112827
4	1	54.3	5			1478025
5	3	84.7	5	1149.3	1141.3	342269
6	1	60.7	5			706443
7	1	52.2	5			1069703
8	3	89.8	5	976.2	1851.2	1430155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5310
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.1	17	1710.9		139758
2	2	83.2	17	1723.8		310097
3	2	79.3	17	1484.7		480502
4	2	76.2	17	1509.8		651053
5	3	96.2	17	1085.8	1510.8	118657
6	2	73.4	17	1313.6		289387
7	2	75.7	17	1783.3		459787
8	3	98.6	17	1309.4	1337.4	628725
9	3	88.2	17	1792.8	1457.8	97620
10	2	68.2	17	1775.8		268107
11	2	78	17	1034		438731
12	1	66.3	17			610642
13	3	97	17	1305	1335	76641
14	1	54.9	17			247679
15	3	87.9	17	1680.1	1551.1	416855
16	2	72.8	17	1390.2		588357
17	1	52.9	17			55929

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		3		VSG Frequency(MHz):		5310
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.4	12			296867
2	1	53.7	12			520221
3	3	94.3	12	1903.7	1524.7	741017
4	1	54.1	12			45671
5	1	52.8	12			269302
6	2	73.4	12	1536.6		491799
7	3	87.5	12	1175.5	1289.5	714443
8	2	71.8	12	1912.2		18091
9	3	85.4	12	1101.6	1309.6	240878
10	1	58.6	12			465342
11	3	86.7	12	1608.3	1602.3	686185
12	1	65.3	12			912264
13	3	90.3	12	1316.7	1669.7	213431

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	6			632635
2	2	73.2	6	1723.8		954155
3	3	97.7	6	1824.3	1618.3	1274837
4	2	71.7	6	1583.3		269389
5	2	74	6	1188		592244
6	1	59.9	6			915980
7	1	52.7	6			1238473
8	1	60.4	6			229841
9	2	67	6	1690		552182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.8	16			463489
2	2	72.6	16	1205.4		633090
3	1	64.5	16			100499
4	3	89.7	16	993.3	1362.3	270194
5	3	83.4	16	1789.6	1627.6	440061
6	1	54.2	16			613410
7	3	100	16	1460	1358	79170
8	1	55	16			250320
9	3	95.9	16	1135.1	1198.1	419583
10	3	99.8	16	1816.2	1381.2	588842
11	3	99.8	16	1078.2	1135.2	58212
12	1	51.4	16			229363
13	2	77.3	16	1479.7		399398
14	1	57	16			570901
15	1	58	16			37390
16	3	85.6	16	1303.4	1005.4	207641
17	2	68.2	16	1276.8		378327

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.8	8			935803
2	3	91.9	8	913.1	962.1	27777
3	1	54.4	8			318593
4	1	60.7	8			609022
5	1	64.8	8			899614
6	3	89	8	1777	1258	1187136
7	2	83.2	8	1013.8		282427
8	3	97.9	8	1519.1	1735.1	571887
9	1	51.9	8			864300
10	1	54.7	8			1154717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	5	1458.4		308319
2	2	75.3	5	995.7		671643
3	2	81	5	1202		1034927
4	2	77.9	5	1909.1		1397297
5	2	70	5	1320		263648
6	3	92.6	5	922.4	1382.4	626217
7	3	90.4	5	1679.6	1456.6	988321
8	3	95.9	5	1584.1	1344.1	1351574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5310
Number of Bursts in Trial:		18		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.6	17	1302.4		97079
2	3	89.7	17	1412.3	1364.3	257628
3	1	63.2	17			420227
4	3	90.1	17	1173.9	1115.9	578695
5	2	83.2	17	1432.8		77194
6	2	71.8	17	954.2		238534
7	2	80.4	17	1392.6		399097
8	1	62.7	17			561122
9	3	87	17	1650	1706	57260
10	1	65.5	17			218745
11	3	88.9	17	1785.1	1493.1	378364
12	3	89	17	1619	1317	538809
13	1	66.2	17			37668
14	3	89.7	17	1356.3	1738.3	197913
15	3	86.1	17	1535.9	1224.9	358895
16	1	55.7	17			521598
17	1	50.1	17			17804
18	1	60.9	17			179065

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5310
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	11			471900
2	1	56.3	11			694839
3	3	93	11	1063	1904	915738
4	3	83.7	11	1310.3	1825.3	219909
5	2	81.3	11	1421.7		443290
6	3	91.9	11	1245.1	1669.1	665345
7	2	81.4	11	1452.6		890046
8	3	99.5	11	1727.5	1219.5	192366
9	2	81.3	11	1425.7		415713
10	2	79.7	11	1247.3		639086
11	1	64.9	11			863321
12	2	71.8	11	1586.2		165247
13	2	79.8	11	1124.2		388424

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5310
Number of Bursts in Trial:		16		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.9	15			497502
2	3	86.9	15	1533.1	1833.1	675605
3	1	61.1	15			112164
4	3	86.4	15	978.6	1500.6	292582
5	3	96	15	1656	1638	472855
6	1	55	15			656339
7	2	69.7	15	1421.3		89576
8	1	58.6	15			271345
9	2	82.6	15	1356.4		452037
10	2	80.3	15	1187.7		633546
11	1	52	15			67407
12	1	52	15			248798
13	2	67.6	15	1094.4		429701
14	1	58.9	15			611785
15	1	63	15			45019
16	3	88.6	15	1147.4	1047.4	225939

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5297.4515
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79	14	1793		434083
2	3	89.2	14	1588.8	1379.8	626513
3	2	75.2	14	1586.8		24126
4	2	77.7	14	1283.3		217529
5	1	59	14			411565
6	3	86.6	14	1064.4	1333.4	603052
7	3	84.1	14	1680.9	1039.9	329
8	1	52.9	14			194062
9	3	88	14	1564	1443	386007
10	1	58.3	14			581474
11	2	71.3	14	1757.7		773641
12	1	58.6	14			170231
13	3	83.8	14	1486.2	997.2	362450
14	3	90.5	14	1810.5	1862.5	554607
15	1	50.7	14			751200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5297.0515
Number of Bursts in Trial:		14		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	97.9	13	937.1	1401.1	156269
2	1	65.1	13			364373
3	3	85.8	13	1407.2	1410.2	569469
4	2	80	13	1798		777835
5	1	52	13			131185
6	1	55.1	13			338749
7	1	53.2	13			545977
8	3	90.2	13	1773.8	1064.8	750920
9	1	50.7	13			105650
10	2	80.4	13	1026.6		312711
11	1	52.3	13			520617
12	2	73.4	13	1254.6		726801
13	2	76	13	1038		79992
14	3	91	13	1053	1387	286683

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5299.4515
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.7	19	1397.3		363735
2	1	63.7	19			517509
3	2	82.9	19	1842.1		40013
4	2	68.3	19	1603.7		192571
5	1	60.9	19			345898
6	1	52.3	19			498708
7	3	90.5	19	1342.5	1442.5	21215
8	3	89.7	19	1891.3	1200.3	173140
9	3	94.2	19	944.8	1004.8	326085
10	2	70.7	19	1113.3		478705
11	2	72.4	19	1562.6		2484
12	1	52.7	19			155187
13	1	58.2	19			307927
14	3	98.5	19	1667.5	1863.5	457856
15	3	87.7	19	1509.3	1527.3	610669
16	3	83.7	19	1806.3	1166.3	135765
17	1	61.1	19			289167
18	2	74.8	19	1330.2		441293
19	3	92.1	19	1606.9	1665.9	591713

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5296.6515
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.6	12	937.4		159559
2	1	54.1	12			367460
3	3	86.9	12	1034.1	1161.1	573367
4	2	81.8	12	1365.2		781365
5	2	79	12	1592		133903
6	1	61	12			341596
7	3	83.4	12	1680.6	1672.6	547004
8	2	75.7	12	1603.3		755232
9	3	99.1	12	1452.9	1479.9	108247
10	2	74.4	12	1780.6		315396
11	3	97.4	12	1831.6	1861.6	521501
12	1	56.6	12			731323
13	1	63.2	12			83112
14	1	58.1	12			290772

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5297.0515
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	13			498157
2	1	56.2	13			705909
3	3	94.7	13	1244.3	1763.3	57345
4	3	88.5	13	1500.5	1270.5	263988
5	3	90.3	13	1163.7	1058.7	471141
6	2	72.9	13	1675.1		678816
7	3	88.2	13	1617.8	1215.8	31865
8	1	60.2	13			239390
9	1	58.2	13			447023
10	2	71	13	1009		653721
11	1	65	13			6406
12	1	57.6	13			213871
13	3	99.3	13	1617.7	1258.7	420153
14	3	97	13	1424	985	627225

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5299.8515
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.8	20			584653
2	1	52.5	20			131720
3	2	67.1	20	1505.9		275985
4	2	69.3	20	1485.7		420752
5	2	77.5	20	1684.5		565866
6	2	81.3	20	1730.7		113612
7	3	96.4	20	1546.6	1739.6	257363
8	3	86.8	20	1840.2	1114.2	401781
9	3	94.8	20	1091.2	1181.2	547082
10	2	81.9	20	1673.1		95669
11	1	53.8	20			241061
12	1	57.3	20			386016
13	2	77.5	20	1199.5		530417
14	2	76.6	20	1862.4		77887
15	3	91.4	20	1183.6	1413.6	222332
16	1	65.2	20			368617
17	3	96.9	20	1502.1	1176.1	511436
18	1	64.1	20			60285
19	1	59.2	20			205280
20	3	94.7	20	1900.3	1470.3	348748

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5298.6515
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	17	1497.7	1147.7	580964
2	3	92.2	17	1320.8	1325.8	49631
3	3	93	17	1856	1616	219686
4	3	95.2	17	1212.8	1313.8	389823
5	2	70.8	17	1876.2		560524
6	1	51.9	17			28822
7	1	53.9	17			199513
8	2	69.3	17	968.7		369866
9	3	96	17	1017	1279	539227
10	1	65.9	17			7766
11	2	66.8	17	1447.2		178250
12	2	71.4	17	1557.6		348796
13	1	61.7	17			520248
14	3	86.5	17	1323.5	999.5	689019
15	2	70.9	17	1215.1		157335
16	3	96.6	17	1130.4	1515.4	327093
17	1	57.3	17			499278

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5295.8515
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78	10	1502		947940
2	2	79.1	10	1290.9		193169
3	2	82	10	1169		435195
4	1	61.7	10			677689
5	2	75.2	10	1637.8		917979
6	1	61.5	10			163761
7	1	62.8	10			405836
8	3	84.7	10	1316.3	1914.3	645864
9	2	82.9	10	1088.1		889298
10	3	95.4	10	1485.6	1633.6	133381
11	1	61.5	10			376131
12	2	68.8	10	1659.2		616825

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5297.0515
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93	13	1638	1859	685035
2	2	74.2	13	1890.8		82980
3	1	50.9	13			276895
4	3	98.5	13	1537.5	1793.5	468709
5	1	54.5	13			664273
6	1	50.7	13			59342
7	1	62.7	13			253066
8	1	59.5	13			446421
9	2	71.9	13	1180.1		639657
10	3	98.5	13	1384.5	1257.5	35360
11	2	75.6	13	1097.4		228927
12	2	77.3	13	1908.7		421637
13	2	77.1	13	1025.9		615878
14	3	90.8	13	1596.2	1873.2	11577
15	2	78.8	13	1170.2		204885

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5295.8515
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65	10			499096
2	2	82.4	10	1549.6		739679
3	3	95.7	10	926.3	1008.3	980680
4	3	91.1	10	1376.9	1843.9	226153
5	1	55.7	10			469113
6	3	94.9	10	989.1	1032.1	709339
7	1	57.9	10			953819
8	2	68.8	10	1604.2		196640
9	3	85	10	1598	1560	437576
10	2	77.2	10	1175.8		680223
11	2	83	10	1377		921794
12	2	71.1	10	1928.9		166864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5320.1485
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.6	20	1399.4		244591
2	2	80.2	20	1495.8		389305
3	1	60.5	20			535564
4	3	87.9	20	991.1	1177.1	81985
5	1	56.5	20			227679
6	3	92.4	20	1206.6	1059.6	370956
7	1	50.4	20			517557
8	1	53	20			64506
9	3	91.8	20	1582.2	1898.2	208294
10	1	65.8	20			354704
11	2	73	20	1293		499033
12	1	57.1	20			46585
13	3	85.7	20	1877.3	916.3	190652
14	1	58.2	20			336744
15	3	87.1	20	1743.9	1642.9	479089
16	3	85.5	20	1584.5	1357.5	28543
17	2	79.6	20	1573.4		173365
18	1	53.5	20			319083
19	1	54.6	20			463924
20	3	84.7	20	1377.3	1549.3	10767

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5325.7485
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84.4	6	1370.6	1660.6	346225
2	2	82.7	6	1853.3		669019
3	3	97.8	6	1566.2	1542.2	990710
4	1	52.2	6			1316435
5	3	87.3	6	1805.7	1153.7	306620
6	1	54.3	6			630460
7	1	55.8	6			953309
8	2	74	6	1831		1274842
9	3	85	6	1715	978	266942

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5321.3485
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	17			312281
2	1	66	17			483407
3	2	71.2	17	1782.8		652715
4	2	71.6	17	942.4		120343
5	2	79.7	17	1134.3		290950
6	2	82.1	17	1515.9		461186
7	2	79.3	17	1018.7		632418
8	1	61.3	17			99405
9	1	60.5	17			270399
10	2	69	17	1006		440273
11	3	84.9	17	1200.1	1382.1	609351
12	2	76.6	17	924.4		78273
13	3	87.8	17	1693.2	1655.2	247964
14	3	87.1	17	1327.9	1768.9	418204
15	3	99.3	17	990.7	913.7	588824
16	1	59.4	17			57286
17	3	88.5	17	1567.5	1275.5	227243

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5323.3485
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	12			522127
2	3	97.6	12	1520.4	1652.4	742586
3	1	57.8	12			47454
4	2	72.4	12	976.6		270739
5	3	89.2	12	1267.8	1322.8	493166
6	2	81.4	12	1118.6		716891
7	2	72.6	12	1157.4		19919
8	3	98.3	12	1158.7	1016.7	242810
9	3	86.7	12	1126.3	1002.3	465650
10	3	98	12	1367	1092	688343
11	2	82.5	12	1002.5		912901
12	1	58.3	12			216014
13	1	50.5	12			439635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5326.1485
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	52.1	5			1078184
2	3	86.6	5	1859.4	1089.4	1438505
3	2	76.5	5	1102.5		305984
4	2	68	5	1630		668774
5	3	86.4	5	1743.6	1454.6	1031085
6	3	99.9	5	1008.1	930.1	1394462
7	1	51.8	5			261491
8	3	85.6	5	1498.4	1656.4	623788

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5325.3485
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56	7			878766
2	2	76.2	7	1092.8		1200300
3	1	57.7	7			192680
4	2	74.1	7	1079.9		515089
5	2	69	7	1597		837632
6	3	84.5	7	1483.5	1772.5	1158393
7	2	69.7	7	1923.3		152615
8	1	58.1	7			476055
9	3	96.7	7	1809.3	1086.3	796868

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5325.7485
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.7	6	1285.3	1645.3	1260017
2	3	98.5	6	1673.5	1504.5	126972
3	3	92.8	6	1609.2	1181.2	489737
4	3	98.9	6	1797.1	1036.1	852527
5	3	99.1	6	1880.9	1866.9	1214525
6	1	58.2	6			82504
7	1	66.2	6			445904
8	1	62.5	6			809293

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5320.5485
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	19			493252
2	3	84.6	19	1445.4	1489.4	15783
3	3	98.6	19	1075.4	1753.4	167932
4	2	73.3	19	1521.7		320584
5	3	93	19	1055	1003	472880
6	3	84.1	19	1700.9	1548.9	623706
7	3	96.9	19	1649.1	1347.1	149079
8	1	53	19			302797
9	1	59.9	19			455277
10	2	66.8	19	1816.2		606699
11	3	98.4	19	1637.6	1884.6	130356
12	1	50	19			284040
13	2	69.7	19	1270.3		435964
14	1	50.6	19			589083
15	3	99.5	19	1053.5	1800.5	111728
16	1	57.5	19			265213
17	1	52.8	19			417900
18	3	99.3	19	1411.7	1784.7	567207
19	2	71.4	19	949.6		93211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5325.7485
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50	6			520282
2	3	98.4	6	1227.6	1871.6	841006
3	2	70.2	6	1654.8		1164551
4	3	96.9	6	1491.1	1445.1	157201
5	1	52.9	6			480782
6	3	90.2	6	1206.8	1590.8	801582
7	3	90.1	6	1712.9	1102.9	1123823
8	1	52.3	6			117841
9	3	84	6	1520	1720	439566

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5326.1485
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.5	5			859222
2	1	51.7	5			1222757
3	1	53.1	5			87783
4	2	78.3	5	1872.7		450781
5	1	60.2	5			814435
6	1	55.4	5			1178125
7	2	70.2	5	1790.8		42969
8	1	65.2	5			406559

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 6 for 5310 MHz:

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Statistical Performance Check: 5320:

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	96.67		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	94.1675		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	86.66666667		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 1 for 5320 MHz:

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI (msec)	Test A/B	Successful Detection (Yes/No)
		Number (1 to 23)	(Pulses Per Second)			
1	5320	14	1285.3	778	A	Yes
2	5320	8	1519.8	658	A	Yes
3	5320	7	1567.4	638	A	Yes
4	5320	10	1432.7	698	A	Yes
5	5320	4	1730.1	578	A	Yes
6	5320	17	1193.3	838	A	Yes
7	5320	13	1319.3	758	A	Yes
8	5320	11	1392.8	718	A	Yes
9	5320	3	1792.1	558	A	Yes
10	5320	21	1089.3	918	A	Yes
11	5320	23	326.2	3066	A	Yes
12	5320	2	1858.7	538	A	Yes
13	5320	20	1113.6	898	A	Yes
14	5320	9	1474.9	678	A	Yes
15	5320	16	1222.5	818	A	Yes
16	5320	-	1092.9	915	B	Yes
17	5320	-	444.8	2248	B	Yes
18	5320	-	569.8	1755	B	Yes
19	5320	-	630.5	1586	B	Yes
20	5320	-	531.9	1880	B	Yes
21	5320	-	615.8	1624	B	Yes
22	5320	-	1248.4	801	B	Yes
23	5320	-	984.3	1016	B	Yes
24	5320	-	742.4	1347	B	Yes
25	5320	-	375	2667	B	Yes
26	5320	-	585.5	1708	B	Yes
27	5320	-	918.3	1089	B	Yes
28	5320	-	1293.7	773	B	Yes
29	5320	-	453.9	2203	B	Yes
30	5320	-	425.9	2348	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 2 for 5320 MHz:

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	23	1	210	Yes
2	5320	28	4	205	Yes
3	5320	26	2.8	154	Yes
4	5320	23	1.3	173	Yes
5	5320	27	3.8	188	Yes
6	5320	24	1.8	226	Yes
7	5320	23	1.1	228	Yes
8	5320	28	4.2	216	Yes
9	5320	25	2.7	187	Yes
10	5320	27	3.7	191	Yes
11	5320	27	3.3	165	Yes
12	5320	26	3.1	176	Yes
13	5320	29	4.7	214	Yes
14	5320	26	2.9	186	Yes
15	5320	26	3.1	225	Yes
16	5320	29	4.9	193	Yes
17	5320	28	4.1	213	Yes
18	5320	25	2.4	198	Yes
19	5320	26	3.2	196	Yes
20	5320	25	2.3	209	Yes
21	5320	29	4.8	170	Yes
22	5320	23	1.4	184	Yes
23	5320	28	4.1	195	Yes
24	5320	26	2.8	152	Yes
25	5320	23	1.2	178	Yes
26	5320	24	1.6	220	Yes
27	5320	23	1.3	156	Yes
28	5320	29	4.6	171	Yes
29	5320	23	1.3	229	Yes
30	5320	23	1.2	215	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 3 for 5290 MHz:

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	16	6	320	Yes
2	5320	18	9	375	Yes
3	5320	17	7.8	411	Yes
4	5320	16	6.3	279	Yes
5	5320	18	8.8	431	Yes
6	5320	16	6.8	422	Yes
7	5320	16	6.1	287	Yes
8	5320	18	9.2	444	Yes
9	5320	17	7.7	476	Yes
10	5320	17	8.7	426	Yes
11	5320	17	8.3	329	Yes
12	5320	17	8.1	257	No
13	5320	18	9.7	216	Yes
14	5320	17	7.9	383	Yes
15	5320	17	8.1	392	Yes
16	5320	18	9.9	410	Yes
17	5320	18	9.1	318	Yes
18	5320	17	7.4	213	Yes
19	5320	17	8.2	405	Yes
20	5320	16	7.3	440	Yes
21	5320	18	9.8	458	Yes
22	5320	16	6.4	486	Yes
23	5320	18	9.1	402	Yes
24	5320	17	7.8	266	Yes
25	5320	16	6.2	395	Yes
26	5320	16	6.6	475	Yes
27	5320	16	6.3	215	Yes
28	5320	18	9.6	340	Yes
29	5320	16	6.3	226	Yes
30	5320	16	6.2	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 4 for 5320 MHz:

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5320	12	11.1	320	Yes
2	5320	15	17.8	375	Yes
3	5320	14	15.1	411	Yes
4	5320	12	11.7	279	Yes
5	5320	15	17.3	431	No
6	5320	13	12.9	422	Yes
7	5320	12	11.4	287	Yes
8	5320	15	18.2	444	Yes
9	5320	14	14.8	476	Yes
10	5320	15	17	426	Yes
11	5320	14	16.3	329	Yes
12	5320	14	15.7	257	No
13	5320	16	19.3	216	Yes
14	5320	14	15.2	383	Yes
15	5320	14	15.6	392	Yes
16	5320	16	19.8	410	Yes
17	5320	15	17.9	318	Yes
18	5320	13	14.3	213	Yes
19	5320	14	16	405	Yes
20	5320	13	13.9	440	Yes
21	5320	16	19.5	458	Yes
22	5320	12	11.9	486	No
23	5320	15	17.8	402	Yes
24	5320	14	15.1	266	No
25	5320	12	11.5	395	Yes
26	5320	12	12.3	475	No
27	5320	12	11.6	215	No
28	5320	16	19	340	Yes
29	5320	12	11.7	226	Yes
30	5320	12	11.5	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 5 for 5320 MHz:

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5320
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.8	5			387497
2	3	87.6	5	1513.4	1219.4	749506
3	2	72.6	5	1718.4		1112827
4	1	54.3	5			1478025
5	3	84.7	5	1149.3	1141.3	342269
6	1	60.7	5			706443
7	1	52.2	5			1069703
8	3	89.8	5	976.2	1851.2	1430155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5320
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.1	17	1710.9		139758
2	2	83.2	17	1723.8		310097
3	2	79.3	17	1484.7		480502
4	2	76.2	17	1509.8		651053
5	3	96.2	17	1085.8	1510.8	118657
6	2	73.4	17	1313.6		289387
7	2	75.7	17	1783.3		459787
8	3	98.6	17	1309.4	1337.4	628725
9	3	88.2	17	1792.8	1457.8	97620
10	2	68.2	17	1775.8		268107
11	2	78	17	1034		438731
12	1	66.3	17			610642
13	3	97	17	1305	1335	76641
14	1	54.9	17			247679
15	3	87.9	17	1680.1	1551.1	416855
16	2	72.8	17	1390.2		588357
17	1	52.9	17			55929

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.4	12			296867
2	1	53.7	12			520221
3	3	94.3	12	1903.7	1524.7	741017
4	1	54.1	12			45671
5	1	52.8	12			269302
6	2	73.4	12	1536.6		491799
7	3	87.5	12	1175.5	1289.5	714443
8	2	71.8	12	1912.2		18091
9	3	85.4	12	1101.6	1309.6	240878
10	1	58.6	12			465342
11	3	86.7	12	1608.3	1602.3	686185
12	1	65.3	12			912264
13	3	90.3	12	1316.7	1669.7	213431

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	6			632635
2	2	73.2	6	1723.8		954155
3	3	97.7	6	1824.3	1618.3	1274837
4	2	71.7	6	1583.3		269389
5	2	74	6	1188		592244
6	1	59.9	6			915980
7	1	52.7	6			1238473
8	1	60.4	6			229841
9	2	67	6	1690		552182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.8	16			463489
2	2	72.6	16	1205.4		633090
3	1	64.5	16			100499
4	3	89.7	16	993.3	1362.3	270194
5	3	83.4	16	1789.6	1627.6	440061
6	1	54.2	16			613410
7	3	100	16	1460	1358	79170
8	1	55	16			250320
9	3	95.9	16	1135.1	1198.1	419583
10	3	99.8	16	1816.2	1381.2	588842
11	3	99.8	16	1078.2	1135.2	58212
12	1	51.4	16			229363
13	2	77.3	16	1479.7		399398
14	1	57	16			570901
15	1	58	16			37390
16	3	85.6	16	1303.4	1005.4	207641
17	2	68.2	16	1276.8		378327

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.8	8			935803
2	3	91.9	8	913.1	962.1	27777
3	1	54.4	8			318593
4	1	60.7	8			609022
5	1	64.8	8			899614
6	3	89	8	1777	1258	1187136
7	2	83.2	8	1013.8		282427
8	3	97.9	8	1519.1	1735.1	571887
9	1	51.9	8			864300
10	1	54.7	8			1154717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	5	1458.4		308319
2	2	75.3	5	995.7		671643
3	2	81	5	1202		1034927
4	2	77.9	5	1909.1		1397297
5	2	70	5	1320		263648
6	3	92.6	5	922.4	1382.4	626217
7	3	90.4	5	1679.6	1456.6	988321
8	3	95.9	5	1584.1	1344.1	1351574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.6	17	1302.4		97079
2	3	89.7	17	1412.3	1364.3	257628
3	1	63.2	17			420227
4	3	90.1	17	1173.9	1115.9	578695
5	2	83.2	17	1432.8		77194
6	2	71.8	17	954.2		238534
7	2	80.4	17	1392.6		399097
8	1	62.7	17			561122
9	3	87	17	1650	1706	57260
10	1	65.5	17			218745
11	3	88.9	17	1785.1	1493.1	378364
12	3	89	17	1619	1317	538809
13	1	66.2	17			37668
14	3	89.7	17	1356.3	1738.3	197913
15	3	86.1	17	1535.9	1224.9	358895
16	1	55.7	17			521598
17	1	50.1	17			17804
18	1	60.9	17			179065

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	11			471900
2	1	56.3	11			694839
3	3	93	11	1063	1904	915738
4	3	83.7	11	1310.3	1825.3	219909
5	2	81.3	11	1421.7		443290
6	3	91.9	11	1245.1	1669.1	665345
7	2	81.4	11	1452.6		890046
8	3	99.5	11	1727.5	1219.5	192366
9	2	81.3	11	1425.7		415713
10	2	79.7	11	1247.3		639086
11	1	64.9	11			863321
12	2	71.8	11	1586.2		165247
13	2	79.8	11	1124.2		388424

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			10	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.9	15			497502
2	3	86.9	15	1533.1	1833.1	675605
3	1	61.1	15			112164
4	3	86.4	15	978.6	1500.6	292582
5	3	96	15	1656	1638	472855
6	1	55	15			656339
7	2	69.7	15	1421.3		89576
8	1	58.6	15			271345
9	2	82.6	15	1356.4		452037
10	2	80.3	15	1187.7		633546
11	1	52	15			67407
12	1	52	15			248798
13	2	67.6	15	1094.4		429701
14	1	58.9	15			611785
15	1	63	15			45019
16	3	88.6	15	1147.4	1047.4	225939

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		11		VSG Frequency(MHz):		5316.77
Number of Bursts in Trial:		15		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79	14	1793		434083
2	3	89.2	14	1588.8	1379.8	626513
3	2	75.2	14	1586.8		24126
4	2	77.7	14	1283.3		217529
5	1	59	14			411565
6	3	86.6	14	1064.4	1333.4	603052
7	3	84.1	14	1680.9	1039.9	329
8	1	52.9	14			194062
9	3	88	14	1564	1443	386007
10	1	58.3	14			581474
11	2	71.3	14	1757.7		773641
12	1	58.6	14			170231
13	3	83.8	14	1486.2	997.2	362450
14	3	90.5	14	1810.5	1862.5	554607
15	1	50.7	14			751200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5316.37
Number of Bursts in Trial:		14		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	97.9	13	937.1	1401.1	156269
2	1	65.1	13			364373
3	3	85.8	13	1407.2	1410.2	569469
4	2	80	13	1798		777835
5	1	52	13			131185
6	1	55.1	13			338749
7	1	53.2	13			545977
8	3	90.2	13	1773.8	1064.8	750920
9	1	50.7	13			105650
10	2	80.4	13	1026.6		312711
11	1	52.3	13			520617
12	2	73.4	13	1254.6		726801
13	2	76	13	1038		79992
14	3	91	13	1053	1387	286683

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5318.77
Number of Bursts in Trial:		19		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.7	19	1397.3		363735
2	1	63.7	19			517509
3	2	82.9	19	1842.1		40013
4	2	68.3	19	1603.7		192571
5	1	60.9	19			345898
6	1	52.3	19			498708
7	3	90.5	19	1342.5	1442.5	21215
8	3	89.7	19	1891.3	1200.3	173140
9	3	94.2	19	944.8	1004.8	326085
10	2	70.7	19	1113.3		478705
11	2	72.4	19	1562.6		2484
12	1	52.7	19			155187
13	1	58.2	19			307927
14	3	98.5	19	1667.5	1863.5	457856
15	3	87.7	19	1509.3	1527.3	610669
16	3	83.7	19	1806.3	1166.3	135765
17	1	61.1	19			289167
18	2	74.8	19	1330.2		441293
19	3	92.1	19	1606.9	1665.9	591713

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5315.97
Number of Bursts in Trial:		14		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.6	12	937.4		159559
2	1	54.1	12			367460
3	3	86.9	12	1034.1	1161.1	573367
4	2	81.8	12	1365.2		781365
5	2	79	12	1592		133903
6	1	61	12			341596
7	3	83.4	12	1680.6	1672.6	547004
8	2	75.7	12	1603.3		755232
9	3	99.1	12	1452.9	1479.9	108247
10	2	74.4	12	1780.6		315396
11	3	97.4	12	1831.6	1861.6	521501
12	1	56.6	12			731323
13	1	63.2	12			83112
14	1	58.1	12			290772

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5316.37
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	13			498157
2	1	56.2	13			705909
3	3	94.7	13	1244.3	1763.3	57345
4	3	88.5	13	1500.5	1270.5	263988
5	3	90.3	13	1163.7	1058.7	471141
6	2	72.9	13	1675.1		678816
7	3	88.2	13	1617.8	1215.8	31865
8	1	60.2	13			239390
9	1	58.2	13			447023
10	2	71	13	1009		653721
11	1	65	13			6406
12	1	57.6	13			213871
13	3	99.3	13	1617.7	1258.7	420153
14	3	97	13	1424	985	627225

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5319.17
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.8	20			584653
2	1	52.5	20			131720
3	2	67.1	20	1505.9		275985
4	2	69.3	20	1485.7		420752
5	2	77.5	20	1684.5		565866
6	2	81.3	20	1730.7		113612
7	3	96.4	20	1546.6	1739.6	257363
8	3	86.8	20	1840.2	1114.2	401781
9	3	94.8	20	1091.2	1181.2	547082
10	2	81.9	20	1673.1		95669
11	1	53.8	20			241061
12	1	57.3	20			386016
13	2	77.5	20	1199.5		530417
14	2	76.6	20	1862.4		77887
15	3	91.4	20	1183.6	1413.6	222332
16	1	65.2	20			368617
17	3	96.9	20	1502.1	1176.1	511436
18	1	64.1	20			60285
19	1	59.2	20			205280
20	3	94.7	20	1900.3	1470.3	348748

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5317.97
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	17	1497.7	1147.7	580964
2	3	92.2	17	1320.8	1325.8	49631
3	3	93	17	1856	1616	219686
4	3	95.2	17	1212.8	1313.8	389823
5	2	70.8	17	1876.2		560524
6	1	51.9	17			28822
7	1	53.9	17			199513
8	2	69.3	17	968.7		369866
9	3	96	17	1017	1279	539227
10	1	65.9	17			7766
11	2	66.8	17	1447.2		178250
12	2	71.4	17	1557.6		348796
13	1	61.7	17			520248
14	3	86.5	17	1323.5	999.5	689019
15	2	70.9	17	1215.1		157335
16	3	96.6	17	1130.4	1515.4	327093
17	1	57.3	17			499278

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5315.17
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78	10	1502		947940
2	2	79.1	10	1290.9		193169
3	2	82	10	1169		435195
4	1	61.7	10			677689
5	2	75.2	10	1637.8		917979
6	1	61.5	10			163761
7	1	62.8	10			405836
8	3	84.7	10	1316.3	1914.3	645864
9	2	82.9	10	1088.1		889298
10	3	95.4	10	1485.6	1633.6	133381
11	1	61.5	10			376131
12	2	68.8	10	1659.2		616825

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		19		VSG Frequency(MHz):		5316.37
Number of Bursts in Trial:		15		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93	13	1638	1859	685035
2	2	74.2	13	1890.8		82980
3	1	50.9	13			276895
4	3	98.5	13	1537.5	1793.5	468709
5	1	54.5	13			664273
6	1	50.7	13			59342
7	1	62.7	13			253066
8	1	59.5	13			446421
9	2	71.9	13	1180.1		639657
10	3	98.5	13	1384.5	1257.5	35360
11	2	75.6	13	1097.4		228927
12	2	77.3	13	1908.7		421637
13	2	77.1	13	1025.9		615878
14	3	90.8	13	1596.2	1873.2	11577
15	2	78.8	13	1170.2		204885

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5315.17
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65	10			499096
2	2	82.4	10	1549.6		739679
3	3	95.7	10	926.3	1008.3	980680
4	3	91.1	10	1376.9	1843.9	226153
5	1	55.7	10			469113
6	3	94.9	10	989.1	1032.1	709339
7	1	57.9	10			953819
8	2	68.8	10	1604.2		196640
9	3	85	10	1598	1560	437576
10	2	77.2	10	1175.8		680223
11	2	83	10	1377		921794
12	2	71.1	10	1928.9		166864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5320.83
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.6	20	1399.4		244591
2	2	80.2	20	1495.8		389305
3	1	60.5	20			535564
4	3	87.9	20	991.1	1177.1	81985
5	1	56.5	20			227679
6	3	92.4	20	1206.6	1059.6	370956
7	1	50.4	20			517557
8	1	53	20			64506
9	3	91.8	20	1582.2	1898.2	208294
10	1	65.8	20			354704
11	2	73	20	1293		499033
12	1	57.1	20			46585
13	3	85.7	20	1877.3	916.3	190652
14	1	58.2	20			336744
15	3	87.1	20	1743.9	1642.9	479089
16	3	85.5	20	1584.5	1357.5	28543
17	2	79.6	20	1573.4		173365
18	1	53.5	20			319083
19	1	54.6	20			463924
20	3	84.7	20	1377.3	1549.3	10767

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5326.43
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84.4	6	1370.6	1660.6	346225
2	2	82.7	6	1853.3		669019
3	3	97.8	6	1566.2	1542.2	990710
4	1	52.2	6			1316435
5	3	87.3	6	1805.7	1153.7	306620
6	1	54.3	6			630460
7	1	55.8	6			953309
8	2	74	6	1831		1274842
9	3	85	6	1715	978	266942

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5322.03
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	17			312281
2	1	66	17			483407
3	2	71.2	17	1782.8		652715
4	2	71.6	17	942.4		120343
5	2	79.7	17	1134.3		290950
6	2	82.1	17	1515.9		461186
7	2	79.3	17	1018.7		632418
8	1	61.3	17			99405
9	1	60.5	17			270399
10	2	69	17	1006		440273
11	3	84.9	17	1200.1	1382.1	609351
12	2	76.6	17	924.4		78273
13	3	87.8	17	1693.2	1655.2	247964
14	3	87.1	17	1327.9	1768.9	418204
15	3	99.3	17	990.7	913.7	588824
16	1	59.4	17			57286
17	3	88.5	17	1567.5	1275.5	227243

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5324.03
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	12			522127
2	3	97.6	12	1520.4	1652.4	742586
3	1	57.8	12			47454
4	2	72.4	12	976.6		270739
5	3	89.2	12	1267.8	1322.8	493166
6	2	81.4	12	1118.6		716891
7	2	72.6	12	1157.4		19919
8	3	98.3	12	1158.7	1016.7	242810
9	3	86.7	12	1126.3	1002.3	465650
10	3	98	12	1367	1092	688343
11	2	82.5	12	1002.5		912901
12	1	58.3	12			216014
13	1	50.5	12			439635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		25		VSG Frequency(MHz):		5326.83
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	52.1	5			1078184
2	3	86.6	5	1859.4	1089.4	1438505
3	2	76.5	5	1102.5		305984
4	2	68	5	1630		668774
5	3	86.4	5	1743.6	1454.6	1031085
6	3	99.9	5	1008.1	930.1	1394462
7	1	51.8	5			261491
8	3	85.6	5	1498.4	1656.4	623788

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5326.03
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56	7			878766
2	2	76.2	7	1092.8		1200300
3	1	57.7	7			192680
4	2	74.1	7	1079.9		515089
5	2	69	7	1597		837632
6	3	84.5	7	1483.5	1772.5	1158393
7	2	69.7	7	1923.3		152615
8	1	58.1	7			476055
9	3	96.7	7	1809.3	1086.3	796868

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5326.43
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.7	6	1285.3	1645.3	1260017
2	3	98.5	6	1673.5	1504.5	126972
3	3	92.8	6	1609.2	1181.2	489737
4	3	98.9	6	1797.1	1036.1	852527
5	3	99.1	6	1880.9	1866.9	1214525
6	1	58.2	6			82504
7	1	66.2	6			445904
8	1	62.5	6			809293

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		28		VSG Frequency(MHz):		5321.23
Number of Bursts in Trial:		19		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	19			493252
2	3	84.6	19	1445.4	1489.4	15783
3	3	98.6	19	1075.4	1753.4	167932
4	2	73.3	19	1521.7		320584
5	3	93	19	1055	1003	472880
6	3	84.1	19	1700.9	1548.9	623706
7	3	96.9	19	1649.1	1347.1	149079
8	1	53	19			302797
9	1	59.9	19			455277
10	2	66.8	19	1816.2		606699
11	3	98.4	19	1637.6	1884.6	130356
12	1	50	19			284040
13	2	69.7	19	1270.3		435964
14	1	50.6	19			589083
15	3	99.5	19	1053.5	1800.5	111728
16	1	57.5	19			265213
17	1	52.8	19			417900
18	3	99.3	19	1411.7	1784.7	567207
19	2	71.4	19	949.6		93211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5326.43
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50	6			520282
2	3	98.4	6	1227.6	1871.6	841006
3	2	70.2	6	1654.8		1164551
4	3	96.9	6	1491.1	1445.1	157201
5	1	52.9	6			480782
6	3	90.2	6	1206.8	1590.8	801582
7	3	90.1	6	1712.9	1102.9	1123823
8	1	52.3	6			117841
9	3	84	6	1520	1720	439566

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5326.83
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.5	5			859222
2	1	51.7	5			1222757
3	1	53.1	5			87783
4	2	78.3	5	1872.7		450781
5	1	60.2	5			814435
6	1	55.4	5			1178125
7	2	70.2	5	1790.8		42969
8	1	65.2	5			406559

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 6 for 5320 MHz:

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	No
17	1	333	9	0.333	300	No
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	No
30	1	333	9	0.333	300	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Statistical Performance Check: 5500 MHz:

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	93.33		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	93.3325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	96.66666667	80	Pass
	Low Edge:10	100			
	High Edge:10	90			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	80		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 1 for 5500 MHz:

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI (msec)	Test A/B A/B	Successful Detection (Yes/No)
		Number (1 to 23)	(Pulses Per Sec- ond)			
1	5500	14	1285.3	778	A	Yes
2	5500	8	1519.8	658	A	Yes
3	5500	7	1567.4	638	A	Yes
4	5500	10	1432.7	698	A	Yes
5	5500	4	1730.1	578	A	Yes
6	5500	17	1193.3	838	A	Yes
7	5500	13	1319.3	758	A	Yes
8	5500	11	1392.8	718	A	Yes
9	5500	3	1792.1	558	A	Yes
10	5500	21	1089.3	918	A	Yes
11	5500	23	326.2	3066	A	Yes
12	5500	2	1858.7	538	A	Yes
13	5500	20	1113.6	898	A	Yes
14	5500	9	1474.9	678	A	Yes
15	5500	16	1222.5	818	A	Yes
16	5500	-	1092.9	915	B	Yes
17	5500	-	444.8	2248	B	Yes
18	5500	-	569.8	1755	B	Yes
19	5500	-	630.5	1586	B	Yes
20	5500	-	531.9	1880	B	Yes
21	5500	-	615.8	1624	B	Yes
22	5500	-	1248.4	801	B	Yes
23	5500	-	984.3	1016	B	Yes
24	5500	-	742.4	1347	B	Yes
25	5500	-	375	2667	B	Yes
26	5500	-	585.5	1708	B	Yes
27	5500	-	918.3	1089	B	Yes
28	5500	-	1293.7	773	B	Yes
29	5500	-	453.9	2203	B	Yes
30	5500	-	425.9	2348	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 2 for 5500 MHz:

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	23	1	210	Yes
2	5500	28	4	205	Yes
3	5500	26	2.8	154	Yes
4	5500	23	1.3	173	Yes
5	5500	27	3.8	188	Yes
6	5500	24	1.8	226	Yes
7	5500	23	1.1	228	Yes
8	5500	28	4.2	216	Yes
9	5500	25	2.7	187	Yes
10	5500	27	3.7	191	Yes
11	5500	27	3.3	165	Yes
12	5500	26	3.1	176	Yes
13	5500	29	4.7	214	Yes
14	5500	26	2.9	186	Yes
15	5500	26	3.1	225	Yes
16	5500	29	4.9	193	Yes
17	5500	28	4.1	213	Yes
18	5500	25	2.4	198	Yes
19	5500	26	3.2	196	Yes
20	5500	25	2.3	209	Yes
21	5500	29	4.8	170	Yes
22	5500	23	1.4	184	Yes
23	5500	28	4.1	195	Yes
24	5500	26	2.8	152	Yes
25	5500	23	1.2	178	Yes
26	5500	24	1.6	220	Yes
27	5500	23	1.3	156	Yes
28	5500	29	4.6	171	Yes
29	5500	23	1.3	229	Yes
30	5500	23	1.2	215	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 3 for 5500 MHz:

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	16	6	320	Yes
2	5500	18	9	375	Yes
3	5500	17	7.8	411	Yes
4	5500	16	6.3	279	Yes
5	5500	18	8.8	431	Yes
6	5500	16	6.8	422	Yes
7	5500	16	6.1	287	Yes
8	5500	18	9.2	444	Yes
9	5500	17	7.7	476	Yes
10	5500	17	8.7	426	Yes
11	5500	17	8.3	329	No
12	5500	17	8.1	257	Yes
13	5500	18	9.7	216	Yes
14	5500	17	7.9	383	Yes
15	5500	17	8.1	392	Yes
16	5500	18	9.9	410	Yes
17	5500	18	9.1	318	Yes
18	5500	17	7.4	213	Yes
19	5500	17	8.2	405	Yes
20	5500	16	7.3	440	Yes
21	5500	18	9.8	458	Yes
22	5500	16	6.4	486	Yes
23	5500	18	9.1	402	Yes
24	5500	17	7.8	266	Yes
25	5500	16	6.2	395	Yes
26	5500	16	6.6	475	No
27	5500	16	6.3	215	Yes
28	5500	18	9.6	340	Yes
29	5500	16	6.3	226	Yes
30	5500	16	6.2	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 4 for 5500 MHz:

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5500	12	11.1	320	Yes
2	5500	15	17.8	375	Yes
3	5500	14	15.1	411	Yes
4	5500	12	11.7	279	No
5	5500	15	17.3	431	No
6	5500	13	12.9	422	Yes
7	5500	12	11.4	287	Yes
8	5500	15	18.2	444	Yes
9	5500	14	14.8	476	Yes
10	5500	15	17	426	Yes
11	5500	14	16.3	329	Yes
12	5500	14	15.7	257	Yes
13	5500	16	19.3	216	Yes
14	5500	14	15.2	383	Yes
15	5500	14	15.6	392	Yes
16	5500	16	19.8	410	Yes
17	5500	15	17.9	318	Yes
18	5500	13	14.3	213	Yes
19	5500	14	16	405	Yes
20	5500	13	13.9	440	Yes
21	5500	16	19.5	458	Yes
22	5500	12	11.9	486	Yes
23	5500	15	17.8	402	Yes
24	5500	14	15.1	266	No
25	5500	12	11.5	395	Yes
26	5500	12	12.3	475	No
27	5500	12	11.6	215	Yes
28	5500	16	19	340	Yes
29	5500	12	11.7	226	No
30	5500	12	11.5	430	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 5 for 5500 MHz:

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5500
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.8	5			387497
2	3	87.6	5	1513.4	1219.4	749506
3	2	72.6	5	1718.4		1112827
4	1	54.3	5			1478025
5	3	84.7	5	1149.3	1141.3	342269
6	1	60.7	5			706443
7	1	52.2	5			1069703
8	3	89.8	5	976.2	1851.2	1430155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5500
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.1	17	1710.9		139758
2	2	83.2	17	1723.8		310097
3	2	79.3	17	1484.7		480502
4	2	76.2	17	1509.8		651053
5	3	96.2	17	1085.8	1510.8	118657
6	2	73.4	17	1313.6		289387
7	2	75.7	17	1783.3		459787
8	3	98.6	17	1309.4	1337.4	628725
9	3	88.2	17	1792.8	1457.8	97620
10	2	68.2	17	1775.8		268107
11	2	78	17	1034		438731
12	1	66.3	17			610642
13	3	97	17	1305	1335	76641
14	1	54.9	17			247679
15	3	87.9	17	1680.1	1551.1	416855
16	2	72.8	17	1390.2		588357
17	1	52.9	17			55929

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.4	12			296867
2	1	53.7	12			520221
3	3	94.3	12	1903.7	1524.7	741017
4	1	54.1	12			45671
5	1	52.8	12			269302
6	2	73.4	12	1536.6		491799
7	3	87.5	12	1175.5	1289.5	714443
8	2	71.8	12	1912.2		18091
9	3	85.4	12	1101.6	1309.6	240878
10	1	58.6	12			465342
11	3	86.7	12	1608.3	1602.3	686185
12	1	65.3	12			912264
13	3	90.3	12	1316.7	1669.7	213431

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	6			632635
2	2	73.2	6	1723.8		954155
3	3	97.7	6	1824.3	1618.3	1274837
4	2	71.7	6	1583.3		269389
5	2	74	6	1188		592244
6	1	59.9	6			915980
7	1	52.7	6			1238473
8	1	60.4	6			229841
9	2	67	6	1690		552182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.8	16			463489
2	2	72.6	16	1205.4		633090
3	1	64.5	16			100499
4	3	89.7	16	993.3	1362.3	270194
5	3	83.4	16	1789.6	1627.6	440061
6	1	54.2	16			613410
7	3	100	16	1460	1358	79170
8	1	55	16			250320
9	3	95.9	16	1135.1	1198.1	419583
10	3	99.8	16	1816.2	1381.2	588842
11	3	99.8	16	1078.2	1135.2	58212
12	1	51.4	16			229363
13	2	77.3	16	1479.7		399398
14	1	57	16			570901
15	1	58	16			37390
16	3	85.6	16	1303.4	1005.4	207641
17	2	68.2	16	1276.8		378327

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.8	8			935803
2	3	91.9	8	913.1	962.1	27777
3	1	54.4	8			318593
4	1	60.7	8			609022
5	1	64.8	8			899614
6	3	89	8	1777	1258	1187136
7	2	83.2	8	1013.8		282427
8	3	97.9	8	1519.1	1735.1	571887
9	1	51.9	8			864300
10	1	54.7	8			1154717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	5	1458.4		308319
2	2	75.3	5	995.7		671643
3	2	81	5	1202		1034927
4	2	77.9	5	1909.1		1397297
5	2	70	5	1320		263648
6	3	92.6	5	922.4	1382.4	626217
7	3	90.4	5	1679.6	1456.6	988321
8	3	95.9	5	1584.1	1344.1	1351574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		8		VSG Frequency(MHz):		5500
Number of Bursts in Trial:		18		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.6	17	1302.4		97079
2	3	89.7	17	1412.3	1364.3	257628
3	1	63.2	17			420227
4	3	90.1	17	1173.9	1115.9	578695
5	2	83.2	17	1432.8		77194
6	2	71.8	17	954.2		238534
7	2	80.4	17	1392.6		399097
8	1	62.7	17			561122
9	3	87	17	1650	1706	57260
10	1	65.5	17			218745
11	3	88.9	17	1785.1	1493.1	378364
12	3	89	17	1619	1317	538809
13	1	66.2	17			37668
14	3	89.7	17	1356.3	1738.3	197913
15	3	86.1	17	1535.9	1224.9	358895
16	1	55.7	17			521598
17	1	50.1	17			17804
18	1	60.9	17			179065

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5500
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	11			471900
2	1	56.3	11			694839
3	3	93	11	1063	1904	915738
4	3	83.7	11	1310.3	1825.3	219909
5	2	81.3	11	1421.7		443290
6	3	91.9	11	1245.1	1669.1	665345
7	2	81.4	11	1452.6		890046
8	3	99.5	11	1727.5	1219.5	192366
9	2	81.3	11	1425.7		415713
10	2	79.7	11	1247.3		639086
11	1	64.9	11			863321
12	2	71.8	11	1586.2		165247
13	2	79.8	11	1124.2		388424

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		10		VSG Frequency(MHz):		5500
Number of Bursts in Trial:		16		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.9	15			497502
2	3	86.9	15	1533.1	1833.1	675605
3	1	61.1	15			112164
4	3	86.4	15	978.6	1500.6	292582
5	3	96	15	1656	1638	472855
6	1	55	15			656339
7	2	69.7	15	1421.3		89576
8	1	58.6	15			271345
9	2	82.6	15	1356.4		452037
10	2	80.3	15	1187.7		633546
11	1	52	15			67407
12	1	52	15			248798
13	2	67.6	15	1094.4		429701
14	1	58.9	15			611785
15	1	63	15			45019
16	3	88.6	15	1147.4	1047.4	225939

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5496.807
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79	14	1793		434083
2	3	89.2	14	1588.8	1379.8	626513
3	2	75.2	14	1586.8		24126
4	2	77.7	14	1283.3		217529
5	1	59	14			411565
6	3	86.6	14	1064.4	1333.4	603052
7	3	84.1	14	1680.9	1039.9	329
8	1	52.9	14			194062
9	3	88	14	1564	1443	386007
10	1	58.3	14			581474
11	2	71.3	14	1757.7		773641
12	1	58.6	14			170231
13	3	83.8	14	1486.2	997.2	362450
14	3	90.5	14	1810.5	1862.5	554607
15	1	50.7	14			751200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		12		VSG Frequency(MHz):		5496.407
Number of Bursts in Trial:		14		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	97.9	13	937.1	1401.1	156269
2	1	65.1	13			364373
3	3	85.8	13	1407.2	1410.2	569469
4	2	80	13	1798		777835
5	1	52	13			131185
6	1	55.1	13			338749
7	1	53.2	13			545977
8	3	90.2	13	1773.8	1064.8	750920
9	1	50.7	13			105650
10	2	80.4	13	1026.6		312711
11	1	52.3	13			520617
12	2	73.4	13	1254.6		726801
13	2	76	13	1038		79992
14	3	91	13	1053	1387	286683

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		13		VSG Frequency(MHz):		5498.807
Number of Bursts in Trial:		19		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.7	19	1397.3		363735
2	1	63.7	19			517509
3	2	82.9	19	1842.1		40013
4	2	68.3	19	1603.7		192571
5	1	60.9	19			345898
6	1	52.3	19			498708
7	3	90.5	19	1342.5	1442.5	21215
8	3	89.7	19	1891.3	1200.3	173140
9	3	94.2	19	944.8	1004.8	326085
10	2	70.7	19	1113.3		478705
11	2	72.4	19	1562.6		2484
12	1	52.7	19			155187
13	1	58.2	19			307927
14	3	98.5	19	1667.5	1863.5	457856
15	3	87.7	19	1509.3	1527.3	610669
16	3	83.7	19	1806.3	1166.3	135765
17	1	61.1	19			289167
18	2	74.8	19	1330.2		441293
19	3	92.1	19	1606.9	1665.9	591713

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		14		VSG Frequency(MHz):		5496.007
Number of Bursts in Trial:		14		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.6	12	937.4		159559
2	1	54.1	12			367460
3	3	86.9	12	1034.1	1161.1	573367
4	2	81.8	12	1365.2		781365
5	2	79	12	1592		133903
6	1	61	12			341596
7	3	83.4	12	1680.6	1672.6	547004
8	2	75.7	12	1603.3		755232
9	3	99.1	12	1452.9	1479.9	108247
10	2	74.4	12	1780.6		315396
11	3	97.4	12	1831.6	1861.6	521501
12	1	56.6	12			731323
13	1	63.2	12			83112
14	1	58.1	12			290772

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5496.407
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	13			498157
2	1	56.2	13			705909
3	3	94.7	13	1244.3	1763.3	57345
4	3	88.5	13	1500.5	1270.5	263988
5	3	90.3	13	1163.7	1058.7	471141
6	2	72.9	13	1675.1		678816
7	3	88.2	13	1617.8	1215.8	31865
8	1	60.2	13			239390
9	1	58.2	13			447023
10	2	71	13	1009		653721
11	1	65	13			6406
12	1	57.6	13			213871
13	3	99.3	13	1617.7	1258.7	420153
14	3	97	13	1424	985	627225

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		16		VSG Frequency(MHz):		5499.207
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.8	20			584653
2	1	52.5	20			131720
3	2	67.1	20	1505.9		275985
4	2	69.3	20	1485.7		420752
5	2	77.5	20	1684.5		565866
6	2	81.3	20	1730.7		113612
7	3	96.4	20	1546.6	1739.6	257363
8	3	86.8	20	1840.2	1114.2	401781
9	3	94.8	20	1091.2	1181.2	547082
10	2	81.9	20	1673.1		95669
11	1	53.8	20			241061
12	1	57.3	20			386016
13	2	77.5	20	1199.5		530417
14	2	76.6	20	1862.4		77887
15	3	91.4	20	1183.6	1413.6	222332
16	1	65.2	20			368617
17	3	96.9	20	1502.1	1176.1	511436
18	1	64.1	20			60285
19	1	59.2	20			205280
20	3	94.7	20	1900.3	1470.3	348748

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5498.007
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	17	1497.7	1147.7	580964
2	3	92.2	17	1320.8	1325.8	49631
3	3	93	17	1856	1616	219686
4	3	95.2	17	1212.8	1313.8	389823
5	2	70.8	17	1876.2		560524
6	1	51.9	17			28822
7	1	53.9	17			199513
8	2	69.3	17	968.7		369866
9	3	96	17	1017	1279	539227
10	1	65.9	17			7766
11	2	66.8	17	1447.2		178250
12	2	71.4	17	1557.6		348796
13	1	61.7	17			520248
14	3	86.5	17	1323.5	999.5	689019
15	2	70.9	17	1215.1		157335
16	3	96.6	17	1130.4	1515.4	327093
17	1	57.3	17			499278

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		18		VSG Frequency(MHz):		5495.207
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78	10	1502		947940
2	2	79.1	10	1290.9		193169
3	2	82	10	1169		435195
4	1	61.7	10			677689
5	2	75.2	10	1637.8		917979
6	1	61.5	10			163761
7	1	62.8	10			405836
8	3	84.7	10	1316.3	1914.3	645864
9	2	82.9	10	1088.1		889298
10	3	95.4	10	1485.6	1633.6	133381
11	1	61.5	10			376131
12	2	68.8	10	1659.2		616825

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5496.407
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93	13	1638	1859	685035
2	2	74.2	13	1890.8		82980
3	1	50.9	13			276895
4	3	98.5	13	1537.5	1793.5	468709
5	1	54.5	13			664273
6	1	50.7	13			59342
7	1	62.7	13			253066
8	1	59.5	13			446421
9	2	71.9	13	1180.1		639657
10	3	98.5	13	1384.5	1257.5	35360
11	2	75.6	13	1097.4		228927
12	2	77.3	13	1908.7		421637
13	2	77.1	13	1025.9		615878
14	3	90.8	13	1596.2	1873.2	11577
15	2	78.8	13	1170.2		204885

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5495.207
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65	10			499096
2	2	82.4	10	1549.6		739679
3	3	95.7	10	926.3	1008.3	980680
4	3	91.1	10	1376.9	1843.9	226153
5	1	55.7	10			469113
6	3	94.9	10	989.1	1032.1	709339
7	1	57.9	10			953819
8	2	68.8	10	1604.2		196640
9	3	85	10	1598	1560	437576
10	2	77.2	10	1175.8		680223
11	2	83	10	1377		921794
12	2	71.1	10	1928.9		166864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		21		VSG Frequency(MHz):		5500.793
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.6	20	1399.4		244591
2	2	80.2	20	1495.8		389305
3	1	60.5	20			535564
4	3	87.9	20	991.1	1177.1	81985
5	1	56.5	20			227679
6	3	92.4	20	1206.6	1059.6	370956
7	1	50.4	20			517557
8	1	53	20			64506
9	3	91.8	20	1582.2	1898.2	208294
10	1	65.8	20			354704
11	2	73	20	1293		499033
12	1	57.1	20			46585
13	3	85.7	20	1877.3	916.3	190652
14	1	58.2	20			336744
15	3	87.1	20	1743.9	1642.9	479089
16	3	85.5	20	1584.5	1357.5	28543
17	2	79.6	20	1573.4		173365
18	1	53.5	20			319083
19	1	54.6	20			463924
20	3	84.7	20	1377.3	1549.3	10767

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		22		VSG Frequency(MHz):		5506.393
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84.4	6	1370.6	1660.6	346225
2	2	82.7	6	1853.3		669019
3	3	97.8	6	1566.2	1542.2	990710
4	1	52.2	6			1316435
5	3	87.3	6	1805.7	1153.7	306620
6	1	54.3	6			630460
7	1	55.8	6			953309
8	2	74	6	1831		1274842
9	3	85	6	1715	978	266942

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5501.993
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	17			312281
2	1	66	17			483407
3	2	71.2	17	1782.8		652715
4	2	71.6	17	942.4		120343
5	2	79.7	17	1134.3		290950
6	2	82.1	17	1515.9		461186
7	2	79.3	17	1018.7		632418
8	1	61.3	17			99405
9	1	60.5	17			270399
10	2	69	17	1006		440273
11	3	84.9	17	1200.1	1382.1	609351
12	2	76.6	17	924.4		78273
13	3	87.8	17	1693.2	1655.2	247964
14	3	87.1	17	1327.9	1768.9	418204
15	3	99.3	17	990.7	913.7	588824
16	1	59.4	17			57286
17	3	88.5	17	1567.5	1275.5	227243

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5503.993
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	12			522127
2	3	97.6	12	1520.4	1652.4	742586
3	1	57.8	12			47454
4	2	72.4	12	976.6		270739
5	3	89.2	12	1267.8	1322.8	493166
6	2	81.4	12	1118.6		716891
7	2	72.6	12	1157.4		19919
8	3	98.3	12	1158.7	1016.7	242810
9	3	86.7	12	1126.3	1002.3	465650
10	3	98	12	1367	1092	688343
11	2	82.5	12	1002.5		912901
12	1	58.3	12			216014
13	1	50.5	12			439635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5506.793
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	52.1	5			1078184
2	3	86.6	5	1859.4	1089.4	1438505
3	2	76.5	5	1102.5		305984
4	2	68	5	1630		668774
5	3	86.4	5	1743.6	1454.6	1031085
6	3	99.9	5	1008.1	930.1	1394462
7	1	51.8	5			261491
8	3	85.6	5	1498.4	1656.4	623788

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5505.993
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56	7			878766
2	2	76.2	7	1092.8		1200300
3	1	57.7	7			192680
4	2	74.1	7	1079.9		515089
5	2	69	7	1597		837632
6	3	84.5	7	1483.5	1772.5	1158393
7	2	69.7	7	1923.3		152615
8	1	58.1	7			476055
9	3	96.7	7	1809.3	1086.3	796868

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5506.393
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.7	6	1285.3	1645.3	1260017
2	3	98.5	6	1673.5	1504.5	126972
3	3	92.8	6	1609.2	1181.2	489737
4	3	98.9	6	1797.1	1036.1	852527
5	3	99.1	6	1880.9	1866.9	1214525
6	1	58.2	6			82504
7	1	66.2	6			445904
8	1	62.5	6			809293

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5501.193
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	19			493252
2	3	84.6	19	1445.4	1489.4	15783
3	3	98.6	19	1075.4	1753.4	167932
4	2	73.3	19	1521.7		320584
5	3	93	19	1055	1003	472880
6	3	84.1	19	1700.9	1548.9	623706
7	3	96.9	19	1649.1	1347.1	149079
8	1	53	19			302797
9	1	59.9	19			455277
10	2	66.8	19	1816.2		606699
11	3	98.4	19	1637.6	1884.6	130356
12	1	50	19			284040
13	2	69.7	19	1270.3		435964
14	1	50.6	19			589083
15	3	99.5	19	1053.5	1800.5	111728
16	1	57.5	19			265213
17	1	52.8	19			417900
18	3	99.3	19	1411.7	1784.7	567207
19	2	71.4	19	949.6		93211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5506.393
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50	6			520282
2	3	98.4	6	1227.6	1871.6	841006
3	2	70.2	6	1654.8		1164551
4	3	96.9	6	1491.1	1445.1	157201
5	1	52.9	6			480782
6	3	90.2	6	1206.8	1590.8	801582
7	3	90.1	6	1712.9	1102.9	1123823
8	1	52.3	6			117841
9	3	84	6	1520	1720	439566

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5506.793
Number of Bursts in Trial:		8		Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.5	5			859222
2	1	51.7	5			1222757
3	1	53.1	5			87783
4	2	78.3	5	1872.7		450781
5	1	60.2	5			814435
6	1	55.4	5			1178125
7	2	70.2	5	1790.8		42969
8	1	65.2	5			406559

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 6 for 5500 MHz:

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	No
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	No
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	No
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	No
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	No
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	No
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Statistical Performance Check: 5510 MHz:

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	96.67		60	Pass
2	30	96.67		60	Pass
3	30	86.67		60	Pass
4	30	93.33		60	Pass
Aggregate (Radar Types 1-4)	120	93.335		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	96.66666667	80	Pass
	Low Edge:10	100			
	High Edge:10	90			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 1 for 5510 MHz:

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI (msec)	Test A/B	Successful Detection (Yes/No)
		Number (1 to 23)	(Pulses Per Second)			
1	5510	14	1285.3	778	A	Yes
2	5510	8	1519.8	658	A	Yes
3	5510	7	1567.4	638	A	Yes
4	5510	10	1432.7	698	A	Yes
5	5510	4	1730.1	578	A	Yes
6	5510	17	1193.3	838	A	Yes
7	5510	13	1319.3	758	A	Yes
8	5510	11	1392.8	718	A	Yes
9	5510	3	1792.1	558	A	Yes
10	5510	21	1089.3	918	A	Yes
11	5510	23	326.2	3066	A	Yes
12	5510	2	1858.7	538	A	Yes
13	5510	20	1113.6	898	A	Yes
14	5510	9	1474.9	678	A	No
15	5510	16	1222.5	818	A	Yes
16	5510	-	1092.9	915	B	Yes
17	5510	-	444.8	2248	B	Yes
18	5510	-	569.8	1755	B	Yes
19	5510	-	630.5	1586	B	Yes
20	5510	-	531.9	1880	B	Yes
21	5510	-	615.8	1624	B	Yes
22	5510	-	1248.4	801	B	Yes
23	5510	-	984.3	1016	B	Yes
24	5510	-	742.4	1347	B	Yes
25	5510	-	375	2667	B	Yes
26	5510	-	585.5	1708	B	Yes
27	5510	-	918.3	1089	B	Yes
28	5510	-	1293.7	773	B	Yes
29	5510	-	453.9	2203	B	Yes
30	5510	-	425.9	2348	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 2 for 5510 MHz:

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	23	1	210	Yes
2	5510	28	4	205	Yes
3	5510	26	2.8	154	Yes
4	5510	23	1.3	173	Yes
5	5510	27	3.8	188	Yes
6	5510	24	1.8	226	Yes
7	5510	23	1.1	228	Yes
8	5510	28	4.2	216	Yes
9	5510	25	2.7	187	Yes
10	5510	27	3.7	191	Yes
11	5510	27	3.3	165	Yes
12	5510	26	3.1	176	Yes
13	5510	29	4.7	214	Yes
14	5510	26	2.9	186	Yes
15	5510	26	3.1	225	Yes
16	5510	29	4.9	193	Yes
17	5510	28	4.1	213	Yes
18	5510	25	2.4	198	Yes
19	5510	26	3.2	196	Yes
20	5510	25	2.3	209	Yes
21	5510	29	4.8	170	Yes
22	5510	23	1.4	184	No
23	5510	28	4.1	195	Yes
24	5510	26	2.8	152	Yes
25	5510	23	1.2	178	Yes
26	5510	24	1.6	220	Yes
27	5510	23	1.3	156	Yes
28	5510	29	4.6	171	Yes
29	5510	23	1.3	229	Yes
30	5510	23	1.2	215	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 3 for 5510 MHz:

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	16	6	320	Yes
2	5510	18	9	375	Yes
3	5510	17	7.8	411	Yes
4	5510	16	6.3	279	Yes
5	5510	18	8.8	431	Yes
6	5510	16	6.8	422	Yes
7	5510	16	6.1	287	No
8	5510	18	9.2	444	Yes
9	5510	17	7.7	476	Yes
10	5510	17	8.7	426	Yes
11	5510	17	8.3	329	Yes
12	5510	17	8.1	257	Yes
13	5510	18	9.7	216	Yes
14	5510	17	7.9	383	Yes
15	5510	17	8.1	392	Yes
16	5510	18	9.9	410	Yes
17	5510	18	9.1	318	Yes
18	5510	17	7.4	213	Yes
19	5510	17	8.2	405	Yes
20	5510	16	7.3	440	Yes
21	5510	18	9.8	458	Yes
22	5510	16	6.4	486	No
23	5510	18	9.1	402	Yes
24	5510	17	7.8	266	Yes
25	5510	16	6.2	395	No
26	5510	16	6.6	475	Yes
27	5510	16	6.3	215	No
28	5510	18	9.6	340	Yes
29	5510	16	6.3	226	Yes
30	5510	16	6.2	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 4 for 5510 MHz:

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5510	12	11.1	320	Yes
2	5510	15	17.8	375	Yes
3	5510	14	15.1	411	Yes
4	5510	12	11.7	279	Yes
5	5510	15	17.3	431	Yes
6	5510	13	12.9	422	Yes
7	5510	12	11.4	287	Yes
8	5510	15	18.2	444	Yes
9	5510	14	14.8	476	Yes
10	5510	15	17	426	Yes
11	5510	14	16.3	329	Yes
12	5510	14	15.7	257	Yes
13	5510	16	19.3	216	Yes
14	5510	14	15.2	383	Yes
15	5510	14	15.6	392	Yes
16	5510	16	19.8	410	Yes
17	5510	15	17.9	318	Yes
18	5510	13	14.3	213	No
19	5510	14	16	405	Yes
20	5510	13	13.9	440	Yes
21	5510	16	19.5	458	Yes
22	5510	12	11.9	486	Yes
23	5510	15	17.8	402	Yes
24	5510	14	15.1	266	Yes
25	5510	12	11.5	395	Yes
26	5510	12	12.3	475	Yes
27	5510	12	11.6	215	Yes
28	5510	16	19	340	Yes
29	5510	12	11.7	226	No
30	5510	12	11.5	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 5 for 5510 MHz:

Data Sheet for FCC Radar Type 5						
Trial Number:		1		VSG Frequency(MHz):		5510
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.8	5			387497
2	3	87.6	5	1513.4	1219.4	749506
3	2	72.6	5	1718.4		1112827
4	1	54.3	5			1478025
5	3	84.7	5	1149.3	1141.3	342269
6	1	60.7	5			706443
7	1	52.2	5			1069703
8	3	89.8	5	976.2	1851.2	1430155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		2		VSG Frequency(MHz):		5510
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.1	17	1710.9		139758
2	2	83.2	17	1723.8		310097
3	2	79.3	17	1484.7		480502
4	2	76.2	17	1509.8		651053
5	3	96.2	17	1085.8	1510.8	118657
6	2	73.4	17	1313.6		289387
7	2	75.7	17	1783.3		459787
8	3	98.6	17	1309.4	1337.4	628725
9	3	88.2	17	1792.8	1457.8	97620
10	2	68.2	17	1775.8		268107
11	2	78	17	1034		438731
12	1	66.3	17			610642
13	3	97	17	1305	1335	76641
14	1	54.9	17			247679
15	3	87.9	17	1680.1	1551.1	416855
16	2	72.8	17	1390.2		588357
17	1	52.9	17			55929

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.4	12			296867
2	1	53.7	12			520221
3	3	94.3	12	1903.7	1524.7	741017
4	1	54.1	12			45671
5	1	52.8	12			269302
6	2	73.4	12	1536.6		491799
7	3	87.5	12	1175.5	1289.5	714443
8	2	71.8	12	1912.2		18091
9	3	85.4	12	1101.6	1309.6	240878
10	1	58.6	12			465342
11	3	86.7	12	1608.3	1602.3	686185
12	1	65.3	12			912264
13	3	90.3	12	1316.7	1669.7	213431

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	6			632635
2	2	73.2	6	1723.8		954155
3	3	97.7	6	1824.3	1618.3	1274837
4	2	71.7	6	1583.3		269389
5	2	74	6	1188		592244
6	1	59.9	6			915980
7	1	52.7	6			1238473
8	1	60.4	6			229841
9	2	67	6	1690		552182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		5		VSG Frequency(MHz):		5510
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.8	16			463489
2	2	72.6	16	1205.4		633090
3	1	64.5	16			100499
4	3	89.7	16	993.3	1362.3	270194
5	3	83.4	16	1789.6	1627.6	440061
6	1	54.2	16			613410
7	3	100	16	1460	1358	79170
8	1	55	16			250320
9	3	95.9	16	1135.1	1198.1	419583
10	3	99.8	16	1816.2	1381.2	588842
11	3	99.8	16	1078.2	1135.2	58212
12	1	51.4	16			229363
13	2	77.3	16	1479.7		399398
14	1	57	16			570901
15	1	58	16			37390
16	3	85.6	16	1303.4	1005.4	207641
17	2	68.2	16	1276.8		378327

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.8	8			935803
2	3	91.9	8	913.1	962.1	27777
3	1	54.4	8			318593
4	1	60.7	8			609022
5	1	64.8	8			899614
6	3	89	8	1777	1258	1187136
7	2	83.2	8	1013.8		282427
8	3	97.9	8	1519.1	1735.1	571887
9	1	51.9	8			864300
10	1	54.7	8			1154717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	5	1458.4		308319
2	2	75.3	5	995.7		671643
3	2	81	5	1202		1034927
4	2	77.9	5	1909.1		1397297
5	2	70	5	1320		263648
6	3	92.6	5	922.4	1382.4	626217
7	3	90.4	5	1679.6	1456.6	988321
8	3	95.9	5	1584.1	1344.1	1351574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.6	17	1302.4		97079
2	3	89.7	17	1412.3	1364.3	257628
3	1	63.2	17			420227
4	3	90.1	17	1173.9	1115.9	578695
5	2	83.2	17	1432.8		77194
6	2	71.8	17	954.2		238534
7	2	80.4	17	1392.6		399097
8	1	62.7	17			561122
9	3	87	17	1650	1706	57260
10	1	65.5	17			218745
11	3	88.9	17	1785.1	1493.1	378364
12	3	89	17	1619	1317	538809
13	1	66.2	17			37668
14	3	89.7	17	1356.3	1738.3	197913
15	3	86.1	17	1535.9	1224.9	358895
16	1	55.7	17			521598
17	1	50.1	17			17804
18	1	60.9	17			179065

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5510
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	11			471900
2	1	56.3	11			694839
3	3	93	11	1063	1904	915738
4	3	83.7	11	1310.3	1825.3	219909
5	2	81.3	11	1421.7		443290
6	3	91.9	11	1245.1	1669.1	665345
7	2	81.4	11	1452.6		890046
8	3	99.5	11	1727.5	1219.5	192366
9	2	81.3	11	1425.7		415713
10	2	79.7	11	1247.3		639086
11	1	64.9	11			863321
12	2	71.8	11	1586.2		165247
13	2	79.8	11	1124.2		388424

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			10	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.9	15			497502
2	3	86.9	15	1533.1	1833.1	675605
3	1	61.1	15			112164
4	3	86.4	15	978.6	1500.6	292582
5	3	96	15	1656	1638	472855
6	1	55	15			656339
7	2	69.7	15	1421.3		89576
8	1	58.6	15			271345
9	2	82.6	15	1356.4		452037
10	2	80.3	15	1187.7		633546
11	1	52	15			67407
12	1	52	15			248798
13	2	67.6	15	1094.4		429701
14	1	58.9	15			611785
15	1	63	15			45019
16	3	88.6	15	1147.4	1047.4	225939

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5497.4665
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79	14	1793		434083
2	3	89.2	14	1588.8	1379.8	626513
3	2	75.2	14	1586.8		24126
4	2	77.7	14	1283.3		217529
5	1	59	14			411565
6	3	86.6	14	1064.4	1333.4	603052
7	3	84.1	14	1680.9	1039.9	329
8	1	52.9	14			194062
9	3	88	14	1564	1443	386007
10	1	58.3	14			581474
11	2	71.3	14	1757.7		773641
12	1	58.6	14			170231
13	3	83.8	14	1486.2	997.2	362450
14	3	90.5	14	1810.5	1862.5	554607
15	1	50.7	14			751200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5497.0665
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	97.9	13	937.1	1401.1	156269
2	1	65.1	13			364373
3	3	85.8	13	1407.2	1410.2	569469
4	2	80	13	1798		777835
5	1	52	13			131185
6	1	55.1	13			338749
7	1	53.2	13			545977
8	3	90.2	13	1773.8	1064.8	750920
9	1	50.7	13			105650
10	2	80.4	13	1026.6		312711
11	1	52.3	13			520617
12	2	73.4	13	1254.6		726801
13	2	76	13	1038		79992
14	3	91	13	1053	1387	286683

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5499.4665
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.7	19	1397.3		363735
2	1	63.7	19			517509
3	2	82.9	19	1842.1		40013
4	2	68.3	19	1603.7		192571
5	1	60.9	19			345898
6	1	52.3	19			498708
7	3	90.5	19	1342.5	1442.5	21215
8	3	89.7	19	1891.3	1200.3	173140
9	3	94.2	19	944.8	1004.8	326085
10	2	70.7	19	1113.3		478705
11	2	72.4	19	1562.6		2484
12	1	52.7	19			155187
13	1	58.2	19			307927
14	3	98.5	19	1667.5	1863.5	457856
15	3	87.7	19	1509.3	1527.3	610669
16	3	83.7	19	1806.3	1166.3	135765
17	1	61.1	19			289167
18	2	74.8	19	1330.2		441293
19	3	92.1	19	1606.9	1665.9	591713

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5496.6665
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.6	12	937.4		159559
2	1	54.1	12			367460
3	3	86.9	12	1034.1	1161.1	573367
4	2	81.8	12	1365.2		781365
5	2	79	12	1592		133903
6	1	61	12			341596
7	3	83.4	12	1680.6	1672.6	547004
8	2	75.7	12	1603.3		755232
9	3	99.1	12	1452.9	1479.9	108247
10	2	74.4	12	1780.6		315396
11	3	97.4	12	1831.6	1861.6	521501
12	1	56.6	12			731323
13	1	63.2	12			83112
14	1	58.1	12			290772

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5497.0665
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	13			498157
2	1	56.2	13			705909
3	3	94.7	13	1244.3	1763.3	57345
4	3	88.5	13	1500.5	1270.5	263988
5	3	90.3	13	1163.7	1058.7	471141
6	2	72.9	13	1675.1		678816
7	3	88.2	13	1617.8	1215.8	31865
8	1	60.2	13			239390
9	1	58.2	13			447023
10	2	71	13	1009		653721
11	1	65	13			6406
12	1	57.6	13			213871
13	3	99.3	13	1617.7	1258.7	420153
14	3	97	13	1424	985	627225

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5499.8665
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.8	20			584653
2	1	52.5	20			131720
3	2	67.1	20	1505.9		275985
4	2	69.3	20	1485.7		420752
5	2	77.5	20	1684.5		565866
6	2	81.3	20	1730.7		113612
7	3	96.4	20	1546.6	1739.6	257363
8	3	86.8	20	1840.2	1114.2	401781
9	3	94.8	20	1091.2	1181.2	547082
10	2	81.9	20	1673.1		95669
11	1	53.8	20			241061
12	1	57.3	20			386016
13	2	77.5	20	1199.5		530417
14	2	76.6	20	1862.4		77887
15	3	91.4	20	1183.6	1413.6	222332
16	1	65.2	20			368617
17	3	96.9	20	1502.1	1176.1	511436
18	1	64.1	20			60285
19	1	59.2	20			205280
20	3	94.7	20	1900.3	1470.3	348748

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5498.6665
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	17	1497.7	1147.7	580964
2	3	92.2	17	1320.8	1325.8	49631
3	3	93	17	1856	1616	219686
4	3	95.2	17	1212.8	1313.8	389823
5	2	70.8	17	1876.2		560524
6	1	51.9	17			28822
7	1	53.9	17			199513
8	2	69.3	17	968.7		369866
9	3	96	17	1017	1279	539227
10	1	65.9	17			7766
11	2	66.8	17	1447.2		178250
12	2	71.4	17	1557.6		348796
13	1	61.7	17			520248
14	3	86.5	17	1323.5	999.5	689019
15	2	70.9	17	1215.1		157335
16	3	96.6	17	1130.4	1515.4	327093
17	1	57.3	17			499278

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5495.8665
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78	10	1502		947940
2	2	79.1	10	1290.9		193169
3	2	82	10	1169		435195
4	1	61.7	10			677689
5	2	75.2	10	1637.8		917979
6	1	61.5	10			163761
7	1	62.8	10			405836
8	3	84.7	10	1316.3	1914.3	645864
9	2	82.9	10	1088.1		889298
10	3	95.4	10	1485.6	1633.6	133381
11	1	61.5	10			376131
12	2	68.8	10	1659.2		616825

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5497.0665
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93	13	1638	1859	685035
2	2	74.2	13	1890.8		82980
3	1	50.9	13			276895
4	3	98.5	13	1537.5	1793.5	468709
5	1	54.5	13			664273
6	1	50.7	13			59342
7	1	62.7	13			253066
8	1	59.5	13			446421
9	2	71.9	13	1180.1		639657
10	3	98.5	13	1384.5	1257.5	35360
11	2	75.6	13	1097.4		228927
12	2	77.3	13	1908.7		421637
13	2	77.1	13	1025.9		615878
14	3	90.8	13	1596.2	1873.2	11577
15	2	78.8	13	1170.2		204885

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5495.8665
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65	10			499096
2	2	82.4	10	1549.6		739679
3	3	95.7	10	926.3	1008.3	980680
4	3	91.1	10	1376.9	1843.9	226153
5	1	55.7	10			469113
6	3	94.9	10	989.1	1032.1	709339
7	1	57.9	10			953819
8	2	68.8	10	1604.2		196640
9	3	85	10	1598	1560	437576
10	2	77.2	10	1175.8		680223
11	2	83	10	1377		921794
12	2	71.1	10	1928.9		166864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5520.1335
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.6	20	1399.4		244591
2	2	80.2	20	1495.8		389305
3	1	60.5	20			535564
4	3	87.9	20	991.1	1177.1	81985
5	1	56.5	20			227679
6	3	92.4	20	1206.6	1059.6	370956
7	1	50.4	20			517557
8	1	53	20			64506
9	3	91.8	20	1582.2	1898.2	208294
10	1	65.8	20			354704
11	2	73	20	1293		499033
12	1	57.1	20			46585
13	3	85.7	20	1877.3	916.3	190652
14	1	58.2	20			336744
15	3	87.1	20	1743.9	1642.9	479089
16	3	85.5	20	1584.5	1357.5	28543
17	2	79.6	20	1573.4		173365
18	1	53.5	20			319083
19	1	54.6	20			463924
20	3	84.7	20	1377.3	1549.3	10767

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5525.7335
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84.4	6	1370.6	1660.6	346225
2	2	82.7	6	1853.3		669019
3	3	97.8	6	1566.2	1542.2	990710
4	1	52.2	6			1316435
5	3	87.3	6	1805.7	1153.7	306620
6	1	54.3	6			630460
7	1	55.8	6			953309
8	2	74	6	1831		1274842
9	3	85	6	1715	978	266942

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5521.3335
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	17			312281
2	1	66	17			483407
3	2	71.2	17	1782.8		652715
4	2	71.6	17	942.4		120343
5	2	79.7	17	1134.3		290950
6	2	82.1	17	1515.9		461186
7	2	79.3	17	1018.7		632418
8	1	61.3	17			99405
9	1	60.5	17			270399
10	2	69	17	1006		440273
11	3	84.9	17	1200.1	1382.1	609351
12	2	76.6	17	924.4		78273
13	3	87.8	17	1693.2	1655.2	247964
14	3	87.1	17	1327.9	1768.9	418204
15	3	99.3	17	990.7	913.7	588824
16	1	59.4	17			57286
17	3	88.5	17	1567.5	1275.5	227243

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5523.3335
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	12			522127
2	3	97.6	12	1520.4	1652.4	742586
3	1	57.8	12			47454
4	2	72.4	12	976.6		270739
5	3	89.2	12	1267.8	1322.8	493166
6	2	81.4	12	1118.6		716891
7	2	72.6	12	1157.4		19919
8	3	98.3	12	1158.7	1016.7	242810
9	3	86.7	12	1126.3	1002.3	465650
10	3	98	12	1367	1092	688343
11	2	82.5	12	1002.5		912901
12	1	58.3	12			216014
13	1	50.5	12			439635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5526.1335
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	52.1	5			1078184
2	3	86.6	5	1859.4	1089.4	1438505
3	2	76.5	5	1102.5		305984
4	2	68	5	1630		668774
5	3	86.4	5	1743.6	1454.6	1031085
6	3	99.9	5	1008.1	930.1	1394462
7	1	51.8	5			261491
8	3	85.6	5	1498.4	1656.4	623788

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5525.3335
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56	7			878766
2	2	76.2	7	1092.8		1200300
3	1	57.7	7			192680
4	2	74.1	7	1079.9		515089
5	2	69	7	1597		837632
6	3	84.5	7	1483.5	1772.5	1158393
7	2	69.7	7	1923.3		152615
8	1	58.1	7			476055
9	3	96.7	7	1809.3	1086.3	796868

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5525.7335
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.7	6	1285.3	1645.3	1260017
2	3	98.5	6	1673.5	1504.5	126972
3	3	92.8	6	1609.2	1181.2	489737
4	3	98.9	6	1797.1	1036.1	852527
5	3	99.1	6	1880.9	1866.9	1214525
6	1	58.2	6			82504
7	1	66.2	6			445904
8	1	62.5	6			809293

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5520.5335
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	19			493252
2	3	84.6	19	1445.4	1489.4	15783
3	3	98.6	19	1075.4	1753.4	167932
4	2	73.3	19	1521.7		320584
5	3	93	19	1055	1003	472880
6	3	84.1	19	1700.9	1548.9	623706
7	3	96.9	19	1649.1	1347.1	149079
8	1	53	19			302797
9	1	59.9	19			455277
10	2	66.8	19	1816.2		606699
11	3	98.4	19	1637.6	1884.6	130356
12	1	50	19			284040
13	2	69.7	19	1270.3		435964
14	1	50.6	19			589083
15	3	99.5	19	1053.5	1800.5	111728
16	1	57.5	19			265213
17	1	52.8	19			417900
18	3	99.3	19	1411.7	1784.7	567207
19	2	71.4	19	949.6		93211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5525.7335
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50	6			520282
2	3	98.4	6	1227.6	1871.6	841006
3	2	70.2	6	1654.8		1164551
4	3	96.9	6	1491.1	1445.1	157201
5	1	52.9	6			480782
6	3	90.2	6	1206.8	1590.8	801582
7	3	90.1	6	1712.9	1102.9	1123823
8	1	52.3	6			117841
9	3	84	6	1520	1720	439566

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5526.1335
Number of Bursts in Trial:			8	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.5	5			859222
2	1	51.7	5			1222757
3	1	53.1	5			87783
4	2	78.3	5	1872.7		450781
5	1	60.2	5			814435
6	1	55.4	5			1178125
7	2	70.2	5	1790.8		42969
8	1	65.2	5			406559

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 6 for 5510 MHz:

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Statistical Performance Check: 5530 MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	93.33		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	93.3325		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minmum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	90	80	Pass
	Low Edge:10	100			
	High Edge:10	70			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minmum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 1 for 5530 MHz:

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI (msec)	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)			
1	5530	8	1519.8	658	A	Yes
2	5530	4	1730.1	578	A	Yes
3	5530	12	1355	738	A	Yes
4	5530	18	1165.5	858	A	Yes
5	5530	5	1672.2	598	A	Yes
6	5530	1	1930.5	518	A	Yes
7	5530	21	1089.3	918	A	Yes
8	5530	22	1066.1	938	A	Yes
9	5530	3	1792.1	558	A	Yes
10	5530	11	1392.8	718	A	Yes
11	5530	7	1567.4	638	A	Yes
12	5530	15	1253.1	798	A	Yes
13	5530	10	1432.7	698	A	Yes
14	5530	13	1319.3	758	A	Yes
15	5530	23	326.2	3066	A	Yes
16	5530	-	1032	969	B	Yes
17	5530	-	401.9	2488	B	Yes
18	5530	-	363.5	2751	B	Yes
19	5530	-	403.4	2479	B	Yes
20	5530	-	520	1923	B	Yes
21	5530	-	389	2571	B	Yes
22	5530	-	474.8	2106	B	Yes
23	5530	-	387.1	2583	B	Yes
24	5530	-	675.7	1480	B	Yes
25	5530	-	419.3	2385	B	Yes
26	5530	-	841	1189	B	Yes
27	5530	-	544.7	1836	B	Yes
28	5530	-	357.7	2796	B	Yes
29	5530	-	332.7	3006	B	Yes
30	5530	-	1524.4	656	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 2 for 5530 MHz:

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	25	2.5	162	Yes
2	5530	28	4.1	167	Yes
3	5530	29	4.7	224	Yes
4	5530	25	2.4	158	Yes
5	5530	29	5	230	Yes
6	5530	28	4.2	223	Yes
7	5530	28	4.3	152	Yes
8	5530	29	4.5	222	Yes
9	5530	24	1.6	196	Yes
10	5530	24	1.8	186	Yes
11	5530	29	4.8	194	Yes
12	5530	24	1.8	191	Yes
13	5530	29	4.5	189	Yes
14	5530	27	3.3	164	Yes
15	5530	25	2.5	166	Yes
16	5530	25	2.6	212	Yes
17	5530	28	4.2	204	Yes
18	5530	24	1.9	170	Yes
19	5530	26	3	221	Yes
20	5530	29	4.6	183	Yes
21	5530	25	2.2	154	Yes
22	5530	27	3.7	178	Yes
23	5530	27	3.3	157	Yes
24	5530	23	1.2	229	Yes
25	5530	25	2.6	202	Yes
26	5530	27	3.4	185	Yes
27	5530	27	3.4	159	Yes
28	5530	28	4.3	207	Yes
29	5530	24	1.6	188	Yes
30	5530	23	1.1	171	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 3 for 5530 MHz:

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	17	7.5	224	Yes
2	5530	18	9.1	280	No
3	5530	18	9.7	402	No
4	5530	17	7.4	359	Yes
5	5530	18	10	292	Yes
6	5530	18	9.2	203	Yes
7	5530	18	9.3	287	Yes
8	5530	18	9.5	344	Yes
9	5530	16	6.6	439	Yes
10	5530	16	6.8	222	Yes
11	5530	18	9.8	446	Yes
12	5530	16	6.8	278	Yes
13	5530	18	9.5	494	Yes
14	5530	17	8.3	338	Yes
15	5530	17	7.5	228	Yes
16	5530	17	7.6	267	Yes
17	5530	18	9.2	235	Yes
18	5530	16	6.9	299	Yes
19	5530	17	8	247	Yes
20	5530	18	9.6	416	Yes
21	5530	16	7.2	237	Yes
22	5530	18	8.7	308	Yes
23	5530	17	8.3	496	Yes
24	5530	16	6.2	274	Yes
25	5530	17	7.6	311	Yes
26	5530	17	8.4	472	Yes
27	5530	17	8.4	453	Yes
28	5530	18	9.3	298	Yes
29	5530	16	6.6	217	Yes
30	5530	16	6.1	488	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 4 for 5530 MHz:

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5530	12	11.1	320	Yes
2	5530	15	17.8	375	Yes
3	5530	14	15.1	411	Yes
4	5530	12	11.7	279	Yes
5	5530	15	17.3	431	Yes
6	5530	13	12.9	422	Yes
7	5530	12	11.4	287	Yes
8	5530	15	18.2	444	Yes
9	5530	14	14.8	476	Yes
10	5530	15	17	426	Yes
11	5530	14	16.3	329	Yes
12	5530	14	15.7	257	Yes
13	5530	16	19.3	216	Yes
14	5530	14	15.2	383	No
15	5530	14	15.6	392	Yes
16	5530	16	19.8	410	No
17	5530	15	17.9	318	Yes
18	5530	13	14.3	213	No
19	5530	14	16	405	Yes
20	5530	13	13.9	440	No
21	5530	16	19.5	458	No
22	5530	12	11.9	486	Yes
23	5530	15	17.8	402	Yes
24	5530	14	15.1	266	Yes
25	5530	12	11.5	395	Yes
26	5530	12	12.3	475	Yes
27	5530	12	11.6	215	Yes
28	5530	16	19	340	Yes
29	5530	12	11.7	226	No
30	5530	12	11.5	430	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 5 for 5530 MHz:

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50.8	5			387497
2	3	87.6	5	1513.4	1219.4	749506
3	2	72.6	5	1718.4		1112827
4	1	54.3	5			1478025
5	3	84.7	5	1149.3	1141.3	342269
6	1	60.7	5			706443
7	1	52.2	5			1069703
8	3	89.8	5	976.2	1851.2	1430155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.1	17	1710.9		139758
2	2	83.2	17	1723.8		310097
3	2	79.3	17	1484.7		480502
4	2	76.2	17	1509.8		651053
5	3	96.2	17	1085.8	1510.8	118657
6	2	73.4	17	1313.6		289387
7	2	75.7	17	1783.3		459787
8	3	98.6	17	1309.4	1337.4	628725
9	3	88.2	17	1792.8	1457.8	97620
10	2	68.2	17	1775.8		268107
11	2	78	17	1034		438731
12	1	66.3	17			610642
13	3	97	17	1305	1335	76641
14	1	54.9	17			247679
15	3	87.9	17	1680.1	1551.1	416855
16	2	72.8	17	1390.2		588357
17	1	52.9	17			55929

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.4	12			296867
2	1	53.7	12			520221
3	3	94.3	12	1903.7	1524.7	741017
4	1	54.1	12			45671
5	1	52.8	12			269302
6	2	73.4	12	1536.6		491799
7	3	87.5	12	1175.5	1289.5	714443
8	2	71.8	12	1912.2		18091
9	3	85.4	12	1101.6	1309.6	240878
10	1	58.6	12			465342
11	3	86.7	12	1608.3	1602.3	686185
12	1	65.3	12			912264
13	3	90.3	12	1316.7	1669.7	213431

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	6			632635
2	2	73.2	6	1723.8		954155
3	3	97.7	6	1824.3	1618.3	1274837
4	2	71.7	6	1583.3		269389
5	2	74	6	1188		592244
6	1	59.9	6			915980
7	1	52.7	6			1238473
8	1	60.4	6			229841
9	2	67	6	1690		552182

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	57.8	16			463489
2	2	72.6	16	1205.4		633090
3	1	64.5	16			100499
4	3	89.7	16	993.3	1362.3	270194
5	3	83.4	16	1789.6	1627.6	440061
6	1	54.2	16			613410
7	3	100	16	1460	1358	79170
8	1	55	16			250320
9	3	95.9	16	1135.1	1198.1	419583
10	3	99.8	16	1816.2	1381.2	588842
11	3	99.8	16	1078.2	1135.2	58212
12	1	51.4	16			229363
13	2	77.3	16	1479.7		399398
14	1	57	16			570901
15	1	58	16			37390
16	3	85.6	16	1303.4	1005.4	207641
17	2	68.2	16	1276.8		378327

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.8	8			935803
2	3	91.9	8	913.1	962.1	27777
3	1	54.4	8			318593
4	1	60.7	8			609022
5	1	64.8	8			899614
6	3	89	8	1777	1258	1187136
7	2	83.2	8	1013.8		282427
8	3	97.9	8	1519.1	1735.1	571887
9	1	51.9	8			864300
10	1	54.7	8			1154717

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	68.6	5	1458.4		308319
2	2	75.3	5	995.7		671643
3	2	81	5	1202		1034927
4	2	77.9	5	1909.1		1397297
5	2	70	5	1320		263648
6	3	92.6	5	922.4	1382.4	626217
7	3	90.4	5	1679.6	1456.6	988321
8	3	95.9	5	1584.1	1344.1	1351574

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.6	17	1302.4		97079
2	3	89.7	17	1412.3	1364.3	257628
3	1	63.2	17			420227
4	3	90.1	17	1173.9	1115.9	578695
5	2	83.2	17	1432.8		77194
6	2	71.8	17	954.2		238534
7	2	80.4	17	1392.6		399097
8	1	62.7	17			561122
9	3	87	17	1650	1706	57260
10	1	65.5	17			218745
11	3	88.9	17	1785.1	1493.1	378364
12	3	89	17	1619	1317	538809
13	1	66.2	17			37668
14	3	89.7	17	1356.3	1738.3	197913
15	3	86.1	17	1535.9	1224.9	358895
16	1	55.7	17			521598
17	1	50.1	17			17804
18	1	60.9	17			179065

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		9		VSG Frequency(MHz):		5530
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.9	11			471900
2	1	56.3	11			694839
3	3	93	11	1063	1904	915738
4	3	83.7	11	1310.3	1825.3	219909
5	2	81.3	11	1421.7		443290
6	3	91.9	11	1245.1	1669.1	665345
7	2	81.4	11	1452.6		890046
8	3	99.5	11	1727.5	1219.5	192366
9	2	81.3	11	1425.7		415713
10	2	79.7	11	1247.3		639086
11	1	64.9	11			863321
12	2	71.8	11	1586.2		165247
13	2	79.8	11	1124.2		388424

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			10	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.9	15			497502
2	3	86.9	15	1533.1	1833.1	675605
3	1	61.1	15			112164
4	3	86.4	15	978.6	1500.6	292582
5	3	96	15	1656	1638	472855
6	1	55	15			656339
7	2	69.7	15	1421.3		89576
8	1	58.6	15			271345
9	2	82.6	15	1356.4		452037
10	2	80.3	15	1187.7		633546
11	1	52	15			67407
12	1	52	15			248798
13	2	67.6	15	1094.4		429701
14	1	58.9	15			611785
15	1	63	15			45019
16	3	88.6	15	1147.4	1047.4	225939

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5497.7315
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79	14	1793		434083
2	3	89.2	14	1588.8	1379.8	626513
3	2	75.2	14	1586.8		24126
4	2	77.7	14	1283.3		217529
5	1	59	14			411565
6	3	86.6	14	1064.4	1333.4	603052
7	3	84.1	14	1680.9	1039.9	329
8	1	52.9	14			194062
9	3	88	14	1564	1443	386007
10	1	58.3	14			581474
11	2	71.3	14	1757.7		773641
12	1	58.6	14			170231
13	3	83.8	14	1486.2	997.2	362450
14	3	90.5	14	1810.5	1862.5	554607
15	1	50.7	14			751200

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5497.3315
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	97.9	13	937.1	1401.1	156269
2	1	65.1	13			364373
3	3	85.8	13	1407.2	1410.2	569469
4	2	80	13	1798		777835
5	1	52	13			131185
6	1	55.1	13			338749
7	1	53.2	13			545977
8	3	90.2	13	1773.8	1064.8	750920
9	1	50.7	13			105650
10	2	80.4	13	1026.6		312711
11	1	52.3	13			520617
12	2	73.4	13	1254.6		726801
13	2	76	13	1038		79992
14	3	91	13	1053	1387	286683

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5499.7315
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81.7	19	1397.3		363735
2	1	63.7	19			517509
3	2	82.9	19	1842.1		40013
4	2	68.3	19	1603.7		192571
5	1	60.9	19			345898
6	1	52.3	19			498708
7	3	90.5	19	1342.5	1442.5	21215
8	3	89.7	19	1891.3	1200.3	173140
9	3	94.2	19	944.8	1004.8	326085
10	2	70.7	19	1113.3		478705
11	2	72.4	19	1562.6		2484
12	1	52.7	19			155187
13	1	58.2	19			307927
14	3	98.5	19	1667.5	1863.5	457856
15	3	87.7	19	1509.3	1527.3	610669
16	3	83.7	19	1806.3	1166.3	135765
17	1	61.1	19			289167
18	2	74.8	19	1330.2		441293
19	3	92.1	19	1606.9	1665.9	591713

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5496.9315
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.6	12	937.4		159559
2	1	54.1	12			367460
3	3	86.9	12	1034.1	1161.1	573367
4	2	81.8	12	1365.2		781365
5	2	79	12	1592		133903
6	1	61	12			341596
7	3	83.4	12	1680.6	1672.6	547004
8	2	75.7	12	1603.3		755232
9	3	99.1	12	1452.9	1479.9	108247
10	2	74.4	12	1780.6		315396
11	3	97.4	12	1831.6	1861.6	521501
12	1	56.6	12			731323
13	1	63.2	12			83112
14	1	58.1	12			290772

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5497.3315
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.9	13			498157
2	1	56.2	13			705909
3	3	94.7	13	1244.3	1763.3	57345
4	3	88.5	13	1500.5	1270.5	263988
5	3	90.3	13	1163.7	1058.7	471141
6	2	72.9	13	1675.1		678816
7	3	88.2	13	1617.8	1215.8	31865
8	1	60.2	13			239390
9	1	58.2	13			447023
10	2	71	13	1009		653721
11	1	65	13			6406
12	1	57.6	13			213871
13	3	99.3	13	1617.7	1258.7	420153
14	3	97	13	1424	985	627225

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5500.1315
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.8	20			584653
2	1	52.5	20			131720
3	2	67.1	20	1505.9		275985
4	2	69.3	20	1485.7		420752
5	2	77.5	20	1684.5		565866
6	2	81.3	20	1730.7		113612
7	3	96.4	20	1546.6	1739.6	257363
8	3	86.8	20	1840.2	1114.2	401781
9	3	94.8	20	1091.2	1181.2	547082
10	2	81.9	20	1673.1		95669
11	1	53.8	20			241061
12	1	57.3	20			386016
13	2	77.5	20	1199.5		530417
14	2	76.6	20	1862.4		77887
15	3	91.4	20	1183.6	1413.6	222332
16	1	65.2	20			368617
17	3	96.9	20	1502.1	1176.1	511436
18	1	64.1	20			60285
19	1	59.2	20			205280
20	3	94.7	20	1900.3	1470.3	348748

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5498.9315
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	96.3	17	1497.7	1147.7	580964
2	3	92.2	17	1320.8	1325.8	49631
3	3	93	17	1856	1616	219686
4	3	95.2	17	1212.8	1313.8	389823
5	2	70.8	17	1876.2		560524
6	1	51.9	17			28822
7	1	53.9	17			199513
8	2	69.3	17	968.7		369866
9	3	96	17	1017	1279	539227
10	1	65.9	17			7766
11	2	66.8	17	1447.2		178250
12	2	71.4	17	1557.6		348796
13	1	61.7	17			520248
14	3	86.5	17	1323.5	999.5	689019
15	2	70.9	17	1215.1		157335
16	3	96.6	17	1130.4	1515.4	327093
17	1	57.3	17			499278

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5496.1315
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	78	10	1502		947940
2	2	79.1	10	1290.9		193169
3	2	82	10	1169		435195
4	1	61.7	10			677689
5	2	75.2	10	1637.8		917979
6	1	61.5	10			163761
7	1	62.8	10			405836
8	3	84.7	10	1316.3	1914.3	645864
9	2	82.9	10	1088.1		889298
10	3	95.4	10	1485.6	1633.6	133381
11	1	61.5	10			376131
12	2	68.8	10	1659.2		616825

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5497.3315
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93	13	1638	1859	685035
2	2	74.2	13	1890.8		82980
3	1	50.9	13			276895
4	3	98.5	13	1537.5	1793.5	468709
5	1	54.5	13			664273
6	1	50.7	13			59342
7	1	62.7	13			253066
8	1	59.5	13			446421
9	2	71.9	13	1180.1		639657
10	3	98.5	13	1384.5	1257.5	35360
11	2	75.6	13	1097.4		228927
12	2	77.3	13	1908.7		421637
13	2	77.1	13	1025.9		615878
14	3	90.8	13	1596.2	1873.2	11577
15	2	78.8	13	1170.2		204885

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5496.1315
Number of Bursts in Trial:		12		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65	10			499096
2	2	82.4	10	1549.6		739679
3	3	95.7	10	926.3	1008.3	980680
4	3	91.1	10	1376.9	1843.9	226153
5	1	55.7	10			469113
6	3	94.9	10	989.1	1032.1	709339
7	1	57.9	10			953819
8	2	68.8	10	1604.2		196640
9	3	85	10	1598	1560	437576
10	2	77.2	10	1175.8		680223
11	2	83	10	1377		921794
12	2	71.1	10	1928.9		166864

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5559.8685
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.6	20	1399.4		244591
2	2	80.2	20	1495.8		389305
3	1	60.5	20			535564
4	3	87.9	20	991.1	1177.1	81985
5	1	56.5	20			227679
6	3	92.4	20	1206.6	1059.6	370956
7	1	50.4	20			517557
8	1	53	20			64506
9	3	91.8	20	1582.2	1898.2	208294
10	1	65.8	20			354704
11	2	73	20	1293		499033
12	1	57.1	20			46585
13	3	85.7	20	1877.3	916.3	190652
14	1	58.2	20			336744
15	3	87.1	20	1743.9	1642.9	479089
16	3	85.5	20	1584.5	1357.5	28543
17	2	79.6	20	1573.4		173365
18	1	53.5	20			319083
19	1	54.6	20			463924
20	3	84.7	20	1377.3	1549.3	10767

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5565.4685
Number of Bursts in Trial:			9	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	84.4	6	1370.6	1660.6	346225
2	2	82.7	6	1853.3		669019
3	3	97.8	6	1566.2	1542.2	990710
4	1	52.2	6			1316435
5	3	87.3	6	1805.7	1153.7	306620
6	1	54.3	6			630460
7	1	55.8	6			953309
8	2	74	6	1831		1274842
9	3	85	6	1715	978	266942

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5561.0685
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	17			312281
2	1	66	17			483407
3	2	71.2	17	1782.8		652715
4	2	71.6	17	942.4		120343
5	2	79.7	17	1134.3		290950
6	2	82.1	17	1515.9		461186
7	2	79.3	17	1018.7		632418
8	1	61.3	17			99405
9	1	60.5	17			270399
10	2	69	17	1006		440273
11	3	84.9	17	1200.1	1382.1	609351
12	2	76.6	17	924.4		78273
13	3	87.8	17	1693.2	1655.2	247964
14	3	87.1	17	1327.9	1768.9	418204
15	3	99.3	17	990.7	913.7	588824
16	1	59.4	17			57286
17	3	88.5	17	1567.5	1275.5	227243

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		24		VSG Frequency(MHz):		5563.0685
Number of Bursts in Trial:		13		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.3	12			522127
2	3	97.6	12	1520.4	1652.4	742586
3	1	57.8	12			47454
4	2	72.4	12	976.6		270739
5	3	89.2	12	1267.8	1322.8	493166
6	2	81.4	12	1118.6		716891
7	2	72.6	12	1157.4		19919
8	3	98.3	12	1158.7	1016.7	242810
9	3	86.7	12	1126.3	1002.3	465650
10	3	98	12	1367	1092	688343
11	2	82.5	12	1002.5		912901
12	1	58.3	12			216014
13	1	50.5	12			439635

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5565.8685
Number of Bursts in Trial:			8	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	52.1	5			1078184
2	3	86.6	5	1859.4	1089.4	1438505
3	2	76.5	5	1102.5		305984
4	2	68	5	1630		668774
5	3	86.4	5	1743.6	1454.6	1031085
6	3	99.9	5	1008.1	930.1	1394462
7	1	51.8	5			261491
8	3	85.6	5	1498.4	1656.4	623788

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		26		VSG Frequency(MHz):		5565.0685
Number of Bursts in Trial:		9		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56	7			878766
2	2	76.2	7	1092.8		1200300
3	1	57.7	7			192680
4	2	74.1	7	1079.9		515089
5	2	69	7	1597		837632
6	3	84.5	7	1483.5	1772.5	1158393
7	2	69.7	7	1923.3		152615
8	1	58.1	7			476055
9	3	96.7	7	1809.3	1086.3	796868

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5565.4685
Number of Bursts in Trial:			8	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	95.7	6	1285.3	1645.3	1260017
2	3	98.5	6	1673.5	1504.5	126972
3	3	92.8	6	1609.2	1181.2	489737
4	3	98.9	6	1797.1	1036.1	852527
5	3	99.1	6	1880.9	1866.9	1214525
6	1	58.2	6			82504
7	1	66.2	6			445904
8	1	62.5	6			809293

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5560.2685
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.1	19			493252
2	3	84.6	19	1445.4	1489.4	15783
3	3	98.6	19	1075.4	1753.4	167932
4	2	73.3	19	1521.7		320584
5	3	93	19	1055	1003	472880
6	3	84.1	19	1700.9	1548.9	623706
7	3	96.9	19	1649.1	1347.1	149079
8	1	53	19			302797
9	1	59.9	19			455277
10	2	66.8	19	1816.2		606699
11	3	98.4	19	1637.6	1884.6	130356
12	1	50	19			284040
13	2	69.7	19	1270.3		435964
14	1	50.6	19			589083
15	3	99.5	19	1053.5	1800.5	111728
16	1	57.5	19			265213
17	1	52.8	19			417900
18	3	99.3	19	1411.7	1784.7	567207
19	2	71.4	19	949.6		93211

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5565.4685
Number of Bursts in Trial:		9		Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	50	6			520282
2	3	98.4	6	1227.6	1871.6	841006
3	2	70.2	6	1654.8		1164551
4	3	96.9	6	1491.1	1445.1	157201
5	1	52.9	6			480782
6	3	90.2	6	1206.8	1590.8	801582
7	3	90.1	6	1712.9	1102.9	1123823
8	1	52.3	6			117841
9	3	84	6	1520	1720	439566

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Data Sheet for FCC Radar Type 5						
Trial Number:		30		VSG Frequency(MHz):		5565.8685
Number of Bursts in Trial:		8		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Loca- tion Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	65.5	5			859222
2	1	51.7	5			1222757
3	1	53.1	5			87783
4	2	78.3	5	1872.7		450781
5	1	60.2	5			814435
6	1	55.4	5			1178125
7	2	70.2	5	1790.8		42969
8	1	65.2	5			406559

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type 6 for 5530 MHz:

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

~End of Report~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.