

Appendix A: Restricted Band

Mode:	11B-2412 ANT 1
-------	----------------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.68	43.64	74.00	30.36	150	360	Horizontal
2	2374.16	7.45	49.10	74.00	24.90	150	212	Horizontal
3	2385.76	7.96	51.75	74.00	22.25	150	212	Horizontal
4	2386.4	8.00	53.05	74.00	20.95	150	212	Horizontal
5	2387.6	7.99	51.32	74.00	22.68	150	212	Horizontal
6	2390	8.15	53.19	74.00	20.81	150	218	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	6.68	44.34	74.00	29.66	150	273	Vertical
2	2383.36	7.83	47.64	74.00	26.36	150	164	Vertical
3	2385.92	7.97	50.77	74.00	23.23	150	117	Vertical
4	2386.64	8.01	50.53	74.00	23.47	150	114	Vertical
5	2389.04	8.12	50.12	74.00	23.88	150	114	Vertical
6	2390	8.15	50.47	74.00	23.53	150	120	Vertical

Mode:	11B-2462 ANT 1
-------	----------------

PK Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	53.59	74.00	20.41	150	212	Horizontal
2	2483.59	8.66	54.76	74.00	19.24	150	216	Horizontal
3	2484.55	8.58	53.55	74.00	20.45	150	219	Horizontal
4	2487.49	8.34	54.93	74.00	19.07	150	219	Horizontal
5	2488.33	8.28	54.68	74.00	19.32	150	219	Horizontal
6	2500	8.20	47.71	74.00	26.29	150	183	Horizontal

AV Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	50.99	54.00	3.01	150	212	Horizontal
2	2483.59	8.66	49.03	54.00	4.97	150	216	Horizontal
3	2484.55	8.58	51.79	54.00	2.21	150	219	Horizontal
4	2487.49	8.34	50.70	54.00	3.30	150	219	Horizontal
5	2488.33	8.28	50.94	54.00	3.06	150	219	Horizontal
6	2500	8.20	44.03	54.00	9.97	150	183	Horizontal

Mode:	11B-2462 ANT 1
-------	----------------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	50.55	74.00	23.45	150	86	Vertical
2	2486.68	8.41	50.94	74.00	23.06	150	118	Vertical
3	2487.46	8.34	51.58	74.00	22.42	150	91	Vertical
4	2487.74	8.30	52.23	74.00	21.77	150	120	Vertical
5	2488.26	8.28	52.35	74.00	21.65	150	120	Vertical
6	2500	8.20	45.52	74.00	28.48	150	123	Vertical

Mode:	11G-2412 ANT 1
-------	----------------

PK Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310.00	6.68	44.24	74.00	29.76	150	210	Horizontal
2	2378.48	7.59	69.32	74.00	4.68	150	216	Horizontal
3	2381.28	7.67	70.97	74.00	3.03	150	216	Horizontal
4	2383.52	7.84	70.69	74.00	3.31	150	204	Horizontal
5	2386.72	8.01	69.74	74.00	4.26	150	213	Horizontal
6	2390.00	8.15	68.10	74.00	5.90	150	228	Horizontal

AV Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310.00	6.68	41.24	54.00	12.76	150	210	Horizontal
2	2378.48	7.59	47.07	54.00	6.93	150	216	Horizontal
3	2381.28	7.67	45.54	54.00	8.46	150	216	Horizontal
4	2383.52	7.84	46.30	54.00	7.70	150	204	Horizontal
5	2386.72	8.01	47.15	54.00	6.85	150	213	Horizontal
6	2390.00	8.15	46.63	54.00	7.37	150	228	Horizontal

Mode:	11G-2412 ANT 1
-------	----------------

PK Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310.00	6.68	43.66	74.00	30.34	150	325	Vertical
2	2378.48	7.59	66.89	74.00	7.11	150	116	Vertical
3	2381.44	7.67	66.48	74.00	7.52	150	116	Vertical
4	2384.08	7.88	68.96	74.00	5.04	150	119	Vertical
5	2389.68	8.14	65.54	74.00	8.46	150	116	Vertical
6	2390.00	8.15	63.24	74.00	10.76	150	90	Vertical

AV Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310.00	6.68	41.86	54.00	12.14	150	325	Vertical
2	2378.48	7.59	44.27	54.00	9.73	150	116	Vertical
3	2381.44	7.67	45.21	54.00	8.79	150	116	Vertical
4	2384.08	7.88	44.00	54.00	10.00	150	119	Vertical
5	2389.68	8.14	46.03	54.00	7.97	150	116	Vertical
6	2390.00	8.15	45.71	54.00	8.29	150	90	Vertical

Mode:	11G-2462 ANT 1
-------	----------------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	64.64	74.00	9.36	150	192	Horizontal
2	2483.53	8.67	68.67	74.00	5.33	150	223	Horizontal
3	2485.66	8.47	67.44	74.00	6.56	150	216	Horizontal
4	2486.25	8.43	66.22	74.00	7.78	150	214	Horizontal
5	2492.32	8.49	61.53	74.00	12.47	150	219	Horizontal
6	2500	8.20	53.53	74.00	20.47	150	262	Horizontal

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	45.88	54.00	8.12	150	192	Horizontal
2	2483.53	8.67	45.96	54.00	8.04	150	223	Horizontal
3	2485.66	8.47	46.09	54.00	7.91	150	216	Horizontal
4	2486.25	8.43	46.62	54.00	7.38	150	214	Horizontal
5	2492.32	8.49	45.44	54.00	8.56	150	219	Horizontal
6	2500	8.20	40.95	54.00	13.05	150	262	Horizontal

Mode:	11G-2462 ANT 1
-------	----------------

PK Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	61.10	74.00	12.90	150	82	Vertical
2	2485.89	8.44	63.84	74.00	10.16	150	120	Vertical
3	2486.30	8.43	62.62	74.00	11.38	150	117	Vertical
4	2488.12	8.27	60.05	74.00	13.95	150	108	Vertical
5	2492.92	8.51	58.20	74.00	15.80	150	108	Vertical
6	2500	8.20	47.43	74.00	26.57	150	136	Vertical

AV Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	8.67	43.85	54.00	10.15	150	82	Vertical
2	2485.89	8.44	38.94	54.00	15.06	150	120	Vertical
3	2486.30	8.43	47.85	54.00	6.15	150	117	Vertical
4	2488.12	8.27	46.45	54.00	7.55	150	108	Vertical
5	2492.92	8.51	43.61	54.00	10.39	150	108	Vertical
6	2500	8.20	44.15	54.00	9.85	150	136	Vertical

Mode:

11B-2412 ANT2

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.69	44.64	74.00	29.36	41.46	54.00	12.54	150	213	Horizontal	PASS
2	2326.48	6.79	46.13	74.00	27.87	41.67	54.00	12.33	150	258	Horizontal	PASS
3	2350.48	6.94	46.10	74.00	27.90	42.39	54.00	11.61	150	231	Horizontal	PASS
4	2376.08	7.36	48.10	74.00	25.90	44.97	54.00	9.03	150	279	Horizontal	PASS
5	2385.84	8.22	49.10	74.00	24.90	46.84	54.00	7.16	150	213	Horizontal	PASS
6	2390	9.47	49.90	74.00	24.10	47.93	54.00	6.07	150	210	Horizontal	PASS

Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.69	44.78	74.00	29.22	42.13	54.00	11.87	150	141	Vertical	PASS
2	2330.16	6.85	45.50	74.00	28.50	42.16	54.00	11.84	150	189	Vertical	PASS
3	2365.76	7.10	47.53	74.00	26.47	45.04	54.00	8.96	150	49	Vertical	PASS
4	2377.2	7.42	47.85	74.00	26.15	45.54	54.00	8.46	150	213	Vertical	PASS
5	2388	8.38	51.04	74.00	22.96	47.55	54.00	6.45	150	213	Vertical	PASS
6	2390	9.47	49.02	74.00	24.98	45.52	54.00	8.48	150	213	Vertical	PASS

Mode:	11B-2462 ANT2
-------	---------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	48.33	74.00	25.67	46.30	54.00	7.70	150	213	Horizontal	PASS
2	2486.404	8.42	51.19	74.00	22.81	48.25	54.00	5.75	150	286	Horizontal	PASS
3	2487.13	8.38	51.08	74.00	22.92	46.47	54.00	7.53	150	213	Horizontal	PASS
4	2487.4765	8.34	51.50	74.00	22.50	47.10	54.00	6.90	150	213	Horizontal	PASS
5	2490.595	8.39	50.76	74.00	23.24	47.93	54.00	6.07	150	286	Horizontal	PASS
6	2500	8.20	46.00	74.00	28.00	43.48	54.00	10.52	150	172	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	49.94	74.00	24.06	48.48	54.00	5.52	150	197	Vertical	PASS
2	2484.8365	8.57	51.42	74.00	22.58	47.19	54.00	6.81	150	200	Vertical	PASS
3	2485.6285	8.48	51.58	74.00	22.42	47.85	54.00	6.15	150	200	Vertical	PASS
4	2486.635	8.41	53.31	74.00	20.69	39.34	54.00	14.66	150	195	Vertical	PASS
5	2488.0045	8.27	52.65	74.00	21.35	38.93	54.00	15.07	150	200	Vertical	PASS
6	2500	8.20	46.73	74.00	27.27	43.86	54.00	10.14	150	79	Vertical	PASS

Mode:	11G-2412 ANT2
-------	---------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.69	44.61	74.00	29.39	41.41	54.00	12.59	150	285	Horizontal	PASS
2	2378.16	7.41	55.89	74.00	18.11	42.56	54.00	11.44	150	232	Horizontal	PASS
3	2384.08	8.17	64.98	74.00	9.02	39.87	54.00	14.13	150	288	Horizontal	PASS
4	2386.56	8.30	67.96	74.00	6.04	43.64	54.00	10.36	150	282	Horizontal	PASS
5	2387.2	8.35	68.38	74.00	5.62	39.79	54.00	14.21	150	282	Horizontal	PASS
6	2390	9.47	64.88	74.00	9.12	41.68	54.00	12.32	150	232	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.69	46.27	74.00	27.73	41.75	54.00	12.25	150	205	Vertical	PASS
2	2378.72	7.44	56.38	74.00	17.62	41.16	54.00	12.84	150	232	Vertical	PASS
3	2382.24	7.93	59.67	74.00	14.33	42.08	54.00	11.92	150	214	Vertical	PASS
4	2383.84	8.15	61.56	74.00	12.44	41.77	54.00	12.23	150	72	Vertical	PASS
5	2387.12	8.34	68.90	74.00	5.10	42.71	54.00	11.29	150	214	Vertical	PASS
6	2390	9.47	67.10	74.00	6.90	43.45	54.00	10.55	150	232	Vertical	PASS

Mode:	11G-2462 ANT2
-------	---------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	55.71	74.00	18.29	42.99	54.00	11.01	150	214	Horizontal	PASS
2	2483.962	8.62	57.56	74.00	16.44	44.01	54.00	9.99	150	212	Horizontal	PASS
3	2484.457	8.59	58.12	74.00	15.88	43.50	54.00	10.50	150	214	Horizontal	PASS
4	2485.7275	8.47	57.64	74.00	16.36	44.53	54.00	9.47	150	214	Horizontal	PASS
5	2486.107	8.43	57.21	74.00	16.79	42.64	54.00	11.36	150	285	Horizontal	PASS
6	2500	8.20	47.02	74.00	26.98	42.78	54.00	11.22	150	287	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	57.51	74.00	16.49	44.03	54.00	9.97	150	195	Vertical	PASS
2	2484.3745	8.59	60.97	74.00	13.03	41.62	54.00	12.38	150	214	Vertical	PASS
3	2484.622	8.58	60.30	74.00	13.70	45.17	54.00	8.83	150	217	Vertical	PASS
4	2485.7275	8.47	60.18	74.00	13.82	43.33	54.00	10.67	150	217	Vertical	PASS
5	2486.3545	8.43	58.64	74.00	15.36	42.48	54.00	11.52	150	202	Vertical	PASS
6	2500	8.20	48.87	74.00	25.13	46.47	54.00	7.53	150	217	Vertical	PASS

Mode:	11N20-2412 MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.51	74.00	29.49	42.10	54.00	11.90	150	112	Horizontal	PASS
2	2370	7.22	59.66	74.00	14.34	46.00	54.00	8.00	150	94	Horizontal	PASS
3	2378.4	7.59	62.71	74.00	11.29	47.42	54.00	6.58	150	109	Horizontal	PASS
4	2382.88	7.79	67.48	74.00	6.52	42.79	54.00	11.21	150	103	Horizontal	PASS
5	2386.64	8.01	70.97	74.00	3.03	46.77	54.00	7.23	150	109	Horizontal	PASS
6	2390	8.15	70.60	74.00	3.40	46.02	54.00	7.98	150	46	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.50	74.00	30.50	40.49	54.00	13.51	150	336	Vertical	PASS
2	2377.28	7.60	54.28	74.00	19.72	48.01	54.00	5.99	150	123	Vertical	PASS
3	2382.88	7.79	59.31	74.00	14.69	45.28	54.00	8.72	150	56	Vertical	PASS
4	2386.56	8.01	63.10	74.00	10.90	45.88	54.00	8.12	150	88	Vertical	PASS
5	2389.52	8.14	63.39	74.00	10.61	46.41	54.00	7.59	150	56	Vertical	PASS
6	2390	8.15	60.94	74.00	13.06	46.13	54.00	7.87	150	360	Vertical	PASS

Mode:	11N20-2462 MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	62.74	74.00	11.26	47.45	54.00	6.55	150	38	Horizontal	PASS
2	2483.698	8.65	64.21	74.00	9.79	46.19	54.00	7.81	150	30	Horizontal	PASS
3	2484.0775	8.61	64.57	74.00	9.43	46.33	54.00	7.67	150	21	Horizontal	PASS
4	2484.3745	8.59	63.99	74.00	10.01	46.94	54.00	7.06	150	28	Horizontal	PASS
5	2485.843	8.45	61.76	74.00	12.24	48.14	54.00	5.86	150	21	Horizontal	PASS
6	2500.0000	8.20	51.09	74.00	22.91	47.60	54.00	6.40	150	353	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	57.37	74.00	16.63	43.19	54.00	10.81	150	126	Vertical	PASS
2	2484.0445	8.61	57.72	74.00	16.28	44.36	54.00	9.64	150	90	Vertical	PASS
3	2484.424	8.59	57.49	74.00	16.51	43.60	54.00	10.40	150	90	Vertical	PASS
4	2488.219	8.28	55.30	74.00	18.70	39.82	54.00	14.18	150	128	Vertical	PASS
5	2489.077	8.32	55.13	74.00	18.87	39.61	54.00	14.39	150	133	Vertical	PASS
6	2500	8.20	47.18	74.00	26.82	43.60	54.00	10.40	150	114	Vertical	PASS

Mode:	11N40-2422 MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.42	74.00	29.58	42.00	54.00	12.00	150	40	Horizontal	PASS
2	2367.44	7.17	58.73	74.00	15.27	45.87	54.00	8.13	150	31	Horizontal	PASS
3	2375.84	7.60	61.36	74.00	12.64	43.96	54.00	10.04	150	100	Horizontal	PASS
4	2384.24	7.88	64.35	74.00	9.65	44.93	54.00	9.07	150	93	Horizontal	PASS
5	2388.8	8.09	64.96	74.00	9.04	45.18	54.00	8.82	150	105	Horizontal	PASS
6	2390	8.15	63.59	74.00	10.41	46.76	54.00	7.24	150	75	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.62	74.00	29.38	41.68	54.00	12.32	150	103	Vertical	PASS
2	2375.6	7.58	56.10	74.00	17.90	43.02	54.00	10.98	150	133	Vertical	PASS
3	2379.92	7.62	55.11	74.00	18.89	42.90	54.00	11.10	150	133	Vertical	PASS
4	2384	7.88	56.75	74.00	17.25	43.55	54.00	10.45	150	127	Vertical	PASS
5	2388.88	8.10	57.85	74.00	16.15	42.55	54.00	11.45	150	130	Vertical	PASS
6	2390	8.15	53.42	74.00	20.58	39.67	54.00	14.33	150	130	Vertical	PASS

Mode:	11N40-2452 MIMO
-------	-----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	64.94	74.00	9.06	45.55	54.00	8.45	150	43	Horizontal	PASS
2	2483.698	8.65	70.50	74.00	3.50	44.10	54.00	9.90	150	28	Horizontal	PASS
3	2485.4965	8.50	70.30	74.00	3.70	42.81	54.00	11.19	150	26	Horizontal	PASS
4	2485.942	8.44	69.40	74.00	4.60	41.63	54.00	12.37	150	26	Horizontal	PASS
5	2488.252	8.28	69.99	74.00	4.01	45.04	54.00	8.96	150	28	Horizontal	PASS
6	2500	8.20	58.74	74.00	15.26	45.32	54.00	8.68	150	26	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	62.10	74.00	11.90	44.77	54.00	9.23	150	115	Vertical	PASS
2	2484.6385	8.58	62.29	74.00	11.71	47.54	54.00	6.46	150	140	Vertical	PASS
3	2484.919	8.56	62.29	74.00	11.71	46.00	54.00	8.00	150	132	Vertical	PASS
4	2487.7075	8.31	61.47	74.00	12.53	45.37	54.00	8.63	150	127	Vertical	PASS
5	2489.5885	8.33	62.57	74.00	11.43	46.64	54.00	7.36	150	137	Vertical	PASS
6	2500	8.20	57.66	74.00	16.34	43.92	54.00	10.08	150	147	Vertical	PASS

Mode:	11AC20-2412 MIMO
-------	------------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.37	74.00	29.63	40.93	54.00	13.07	150	111	Horizontal	PASS
2	2373.36	7.42	55.04	74.00	18.96	40.04	54.00	13.96	150	49	Horizontal	PASS
3	2380.4	7.64	55.21	74.00	18.79	42.37	54.00	11.63	150	60	Horizontal	PASS
4	2381.44	7.67	56.36	74.00	17.64	43.02	54.00	10.98	150	60	Horizontal	PASS
5	2386.64	8.01	61.17	74.00	12.83	44.05	54.00	9.95	150	49	Horizontal	PASS
6	2390	8.15	56.29	74.00	17.71	43.66	54.00	10.34	150	60	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.44	74.00	29.56	40.86	54.00	13.14	150	29	Vertical	PASS
2	2366.24	7.16	50.10	74.00	23.90	45.58	54.00	8.42	150	196	Vertical	PASS
3	2380.72	7.65	50.94	74.00	23.06	46.66	54.00	7.34	150	134	Vertical	PASS
4	2386.48	8.00	56.36	74.00	17.64	42.48	54.00	11.52	150	123	Vertical	PASS
5	2387.12	8.01	56.16	74.00	17.84	42.01	54.00	11.99	150	123	Vertical	PASS
6	2390	8.15	52.54	74.00	21.46	47.41	54.00	6.59	150	123	Vertical	PASS

Mode:	11AC20-2462 MIMO
-------	------------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	58.39	74.00	15.61	45.88	54.00	8.12	150	19	Horizontal	PASS
2	2483.6485	8.65	60.79	74.00	13.21	45.91	54.00	8.09	150	28	Horizontal	PASS
3	2484.2755	8.60	60.20	74.00	13.80	43.83	54.00	10.17	150	26	Horizontal	PASS
4	2485.084	8.55	58.45	74.00	15.55	44.90	54.00	9.10	150	28	Horizontal	PASS
5	2486.7505	8.41	57.09	74.00	16.91	44.13	54.00	9.87	150	24	Horizontal	PASS
6	2500	8.20	47.09	74.00	26.91	44.05	54.00	9.95	150	19	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	53.66	74.00	20.34	38.94	54.00	15.06	150	129	Vertical	PASS
2	2483.7145	8.64	56.31	74.00	17.69	41.86	54.00	12.14	150	131	Vertical	PASS
3	2484.094	8.61	57.05	74.00	16.95	42.04	54.00	11.96	150	124	Vertical	PASS
4	2485.513	8.49	55.95	74.00	18.05	42.91	54.00	11.09	150	129	Vertical	PASS
5	2486.734	8.41	54.09	74.00	19.91	41.33	54.00	12.67	150	134	Vertical	PASS
6	2500	8.20	46.00	74.00	28.00	42.98	54.00	11.02	150	225	Vertical	PASS

Mode:	AC40-2422 MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	43.53	74.00	30.47	41.89	54.00	12.11	150	179	Horizontal	PASS
2	2372.88	7.39	54.11	74.00	19.89	49.99	54.00	4.01	150	234	Horizontal	PASS
3	2377.28	7.60	54.16	74.00	19.84	47.49	54.00	6.51	150	234	Horizontal	PASS
4	2384.16	7.88	55.78	74.00	18.22	42.50	54.00	11.50	150	146	Horizontal	PASS
5	2385.12	7.90	55.88	74.00	18.12	42.13	54.00	11.87	150	149	Horizontal	PASS
6	2390	8.15	55.66	74.00	18.34	40.77	54.00	13.23	150	71	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.86	74.00	29.14	41.08	54.00	12.92	150	251	Vertical	PASS
2	2370.32	7.22	52.50	74.00	21.50	49.62	54.00	4.38	150	88	Vertical	PASS
3	2372.64	7.36	54.96	74.00	19.04	42.03	54.00	11.97	150	46	Vertical	PASS
4	2380	7.62	55.40	74.00	18.60	50.88	54.00	3.12	150	88	Vertical	PASS
5	2384.48	7.88	59.57	74.00	14.43	46.38	54.00	7.62	150	88	Vertical	PASS
6	2390	8.15	55.04	74.00	18.96	50.24	54.00	3.76	150	108	Vertical	PASS

Mode:	AC40-2452 MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5001	8.67	47.36	74.00	26.64	40.70	54.00	13.30	138.8	144.7	Horizontal	PASS
2	2487.5093	8.33	46.76	74.00	27.24	40.47	54.00	13.53	130.6	148.5	Horizontal	PASS
3	2489.06	8.32	46.95	74.00	27.05	40.66	54.00	13.34	129.6	142.1	Horizontal	PASS
4	2493.0704	8.51	44.71	74.00	29.29	38.97	54.00	15.03	149.6	215	Horizontal	PASS
5	2493.9779	8.59	44.85	74.00	29.15	39.10	54.00	14.90	148.1	205.4	Horizontal	PASS
6	2499.9997	8.20	43.96	74.00	30.04	38.62	54.00	15.38	171.6	133.9	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	55.52	74.00	18.48	43.41	54.00	10.59	150	97	Vertical	PASS
2	2484.358	8.59	59.37	74.00	14.63	45.90	54.00	8.10	150	112	Vertical	PASS
3	2486.1565	8.42	60.39	74.00	13.61	47.34	54.00	6.66	150	114	Vertical	PASS
4	2488.5985	8.29	60.48	74.00	13.52	46.67	54.00	7.33	150	83	Vertical	PASS
5	2493.532	8.55	58.98	74.00	15.02	45.04	54.00	8.96	150	100	Vertical	PASS
6	2500	8.20	50.31	74.00	23.69	46.48	54.00	7.52	150	100	Vertical	PASS

Mode:	AX20-2412
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.09	74.00	29.91	40.86	54.00	13.14	150	45	Horizontal	PASS
2	2377.44	7.60	52.14	74.00	21.86	39.29	54.00	14.71	150	217	Horizontal	PASS
3	2380.16	7.63	53.90	74.00	20.10	38.75	54.00	15.25	150	105	Horizontal	PASS
4	2384.8	7.89	56.36	74.00	17.64	39.93	54.00	14.07	150	217	Horizontal	PASS
5	2387.92	7.97	58.37	74.00	15.63	42.96	54.00	11.04	150	66	Horizontal	PASS
6	2390	8.15	58.09	74.00	15.91	43.29	54.00	10.71	150	102	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	6.68	42.92	74.00	31.08	40.76	54.00	13.24	150	114	Vertical	PASS
2	2376.8	7.61	53.95	74.00	20.05	41.08	54.00	12.92	150	114	Vertical	PASS
3	2380.56	7.64	57.27	74.00	16.73	44.23	54.00	9.77	150	114	Vertical	PASS
4	2386.08	7.98	59.66	74.00	14.34	44.47	54.00	9.53	150	114	Vertical	PASS
5	2387.92	7.97	61.20	74.00	12.80	47.30	54.00	6.70	150	99	Vertical	PASS
6	2390.0000	8.15	58.81	74.00	15.19	46.36	54.00	7.64	150	129	Vertical	PASS

Mode:	AX20-2462 MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	58.17	74.00	15.83	45.00	54.00	9.00	150	206	Horizontal	PASS
2	2483.9125	8.62	60.07	74.00	13.93	47.29	54.00	6.71	150	211	Horizontal	PASS
3	2485.0675	8.55	59.53	74.00	14.47	42.65	54.00	11.35	150	134	Horizontal	PASS
4	2485.8265	8.45	57.53	74.00	16.47	41.71	54.00	12.29	150	129	Horizontal	PASS
5	2488.417	8.29	55.15	74.00	18.85	42.58	54.00	11.42	150	213	Horizontal	PASS
6	2500	8.20	47.59	74.00	26.41	44.20	54.00	9.80	150	62	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	56.96	74.00	17.04	43.51	54.00	10.49	150	60	Vertical	PASS
2	2484.061	8.61	60.55	74.00	13.45	46.72	54.00	7.28	150	118	Vertical	PASS
3	2485.447	8.50	59.55	74.00	14.45	42.64	54.00	11.36	150	360	Vertical	PASS
4	2486.7175	8.41	56.94	74.00	17.06	42.08	54.00	11.92	150	125	Vertical	PASS
5	2488.252	8.28	55.67	74.00	18.33	43.53	54.00	10.47	150	110	Vertical	PASS
6	2500	8.20	47.41	74.00	26.59	44.29	54.00	9.71	150	14	Vertical	PASS

Mode:	AX40-2422 MIMO
-------	----------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.43	74.00	29.57	42.18	54.00	11.82	150	28	Horizontal	PASS
2	2371.52	7.26	52.87	74.00	21.13	39.03	54.00	14.97	150	200	Horizontal	PASS
3	2378.4	7.59	55.14	74.00	18.86	38.50	54.00	15.50	150	113	Horizontal	PASS
4	2380.08	7.62	55.50	74.00	18.50	41.90	54.00	12.10	150	141	Horizontal	PASS
5	2385.76	7.96	56.38	74.00	17.62	43.36	54.00	10.64	150	113	Horizontal	PASS
6	2390	8.15	53.28	74.00	20.72	41.05	54.00	12.95	150	132	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.33	74.00	29.67	40.11	54.00	13.89	150	10	Vertical	PASS
2	2371.52	7.26	54.38	74.00	19.62	40.00	54.00	14.00	150	87	Vertical	PASS
3	2380.4	7.64	55.79	74.00	18.21	41.14	54.00	12.86	150	90	Vertical	PASS
4	2384.56	7.89	57.21	74.00	16.79	42.92	54.00	11.08	150	81	Vertical	PASS
5	2387.2	8.01	57.60	74.00	16.40	43.04	54.00	10.96	150	117	Vertical	PASS
6	2390	8.15	53.24	74.00	20.76	39.38	54.00	14.62	150	81	Vertical	PASS

Mode:	AX40-2452
-------	-----------


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.71	74.00	27.29	40.29	54.00	13.71	143.3	212	Horizontal	PASS
2	2484.5394	8.58	46.70	74.00	27.30	40.09	54.00	13.91	151.4	204	Horizontal	PASS
3	2485.1166	8.54	47.18	74.00	26.82	40.34	54.00	13.66	152.7	201.6	Horizontal	PASS
4	2486.7343	8.41	48.35	74.00	25.65	41.59	54.00	12.41	126.3	142	Horizontal	PASS
5	2492.5584	8.50	45.62	74.00	28.38	39.53	54.00	14.47	126.6	131.6	Horizontal	PASS
6	2499.9997	8.20	44.81	74.00	29.19	38.91	54.00	15.09	171.1	137.3	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	60.84	74.00	13.16	45.28	54.00	8.72	150	97	Vertical	PASS
2	2484.589	8.58	64.96	74.00	9.04	40.14	54.00	13.86	150	109	Vertical	PASS
3	2485.1665	8.54	65.42	74.00	8.58	41.40	54.00	12.60	150	97	Vertical	PASS
4	2486.536	8.42	65.19	74.00	8.81	38.95	54.00	15.05	150	97	Vertical	PASS
5	2492.4265	8.49	60.98	74.00	13.02	46.36	54.00	7.64	150	97	Vertical	PASS
6	2500.0000	8.20	57.65	74.00	16.35	42.63	54.00	11.37	150	56	Vertical	PASS

Appendix B: Spurious emissions



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	55.2200	35.66	-16.33	40.00	4.34	100	83	Vertical	PASS
2	138.640	39.83	-16.55	43.50	3.67	100	281	Vertical	PASS
3	239.520	37.56	-17.16	46.00	8.44	100	264	Vertical	PASS
4	335.550	37.43	-15.13	46.00	8.57	100	45	Vertical	PASS
5	480.080	40.98	-11.25	46.00	5.02	100	298	Vertical	PASS
6	720.640	36.85	-6.63	46.00	9.15	100	317	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	57.1600	31.76	-16.42	40.00	8.24	100	348	Horizontal	PASS
2	139.610	35.80	-16.46	43.50	7.70	100	138	Horizontal	PASS
3	213.330	35.68	-18.59	43.50	7.82	100	304	Horizontal	PASS
4	313.240	40.00	-15.74	46.00	6.00	100	284	Horizontal	PASS
5	527.610	39.99	-10.27	46.00	6.01	100	149	Horizontal	PASS
6	672.140	39.90	-7.92	46.00	6.10	100	254	Horizontal	PASS

Mode:	11B-2412 ANT1
-------	---------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.85	1.82	74.00	26.15	150	223	Horizontal
2	3837	42.15	-17.23	74.00	31.85	150	93	Horizontal
3	4824	47.97	-15.02	74.00	26.03	150	282	Horizontal
4	7239	51.21	-11.95	74.00	22.79	150	250	Horizontal
5	9198	45.43	-8.71	74.00	28.57	150	221	Horizontal
6	11895	48.44	-4.34	74.00	25.56	150	221	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	43.52	2.28	74.00	30.48	150	217	Vertical
2	3939	44.65	-17.11	74.00	29.35	150	195	Vertical
3	4824	45.93	-15.02	74.00	28.07	150	183	Vertical
4	6432	49.53	-12.34	74.00	24.47	150	272	Vertical
5	7236	50.49	-11.99	74.00	23.51	150	269	Vertical
6	14343	49.67	-0.75	74.00	24.33	150	174	Vertical

Mode:	11B-2437 ANT 1
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	48.03	1.82	74.00	25.97	150	219	Horizontal
2	1344	45.20	2.11	74.00	28.80	150	224	Horizontal
3	3825	43.13	-17.10	74.00	30.87	150	315	Horizontal
4	4875	49.74	-14.76	74.00	24.26	150	289	Horizontal
5	7308	50.46	-11.71	74.00	23.54	150	250	Horizontal
6	12891	48.27	-3.15	74.00	25.73	150	330	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	42.92	1.93	74.00	31.08	150	141	Vertical
2	1842	44.96	5.28	74.00	29.04	150	276	Vertical
3	3939	44.78	-17.11	74.00	29.22	150	201	Vertical
4	5271	48.37	-13.96	74.00	25.63	150	172	Vertical
5	6498	49.08	-12.69	74.00	24.92	150	249	Vertical
6	7308	48.87	-11.71	74.00	25.13	150	272	Vertical

Mode:	11B-2462 ANT 1
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	44.88	2.11	74.00	29.12	150	223	Horizontal
2	1900	45.68	5.69	74.00	28.32	150	264	Horizontal
3	4923	51.74	-14.72	74.00	22.26	150	279	Horizontal
4	7386	50.93	-11.36	74.00	23.07	150	242	Horizontal
5	10434	46.93	-7.32	74.00	27.07	150	110	Horizontal
6	15156	49.94	-0.42	74.00	24.06	150	0	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	43.62	2.28	74.00	30.38	150	225	Vertical
2	3942	43.76	-17.16	74.00	30.24	150	227	Vertical
3	4923	49.76	-14.72	74.00	24.24	150	253	Vertical
4	6564	51.00	-12.17	74.00	23.00	150	259	Vertical
5	7383	48.67	-11.37	74.00	25.33	150	262	Vertical
6	12108	48.08	-3.83	74.00	25.92	150	308	Vertical

Mode:	11G-2412 ANT 1
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	44.86	2.11	74.00	29.14	150	226	Horizontal
2	1782	45.32	4.50	74.00	28.68	150	354	Horizontal
3	4830	45.46	-15.08	74.00	28.54	150	265	Horizontal
4	6432	48.09	-12.34	74.00	25.91	150	210	Horizontal
5	7239	51.13	-11.95	74.00	22.87	150	259	Horizontal
6	11460	48.14	-5.39	74.00	25.86	150	312	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1272	42.72	2.26	74.00	31.28	150	52	Vertical
2	1910	45.46	5.67	74.00	28.54	150	349	Vertical
3	4122	42.65	-16.55	74.00	31.35	150	78	Vertical
4	6432	49.61	-12.34	74.00	24.39	150	278	Vertical
5	7239	50.89	-11.95	74.00	23.11	150	266	Vertical
6	11151	47.56	-5.66	74.00	26.44	150	255	Vertical

Mode:	11G-2437 ANT 1
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	44.60	2.18	74.00	29.40	150	234	Horizontal
2	1782	45.26	4.50	74.00	28.74	150	332	Horizontal
3	4881	44.41	-14.63	74.00	29.59	150	303	Horizontal
4	7308	49.22	-11.71	74.00	24.78	150	260	Horizontal
5	10533	47.37	-7.11	74.00	26.63	150	22	Horizontal
6	15150	50.52	-0.26	74.00	23.48	150	229	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	42.79	2.27	74.00	31.21	150	211	Vertical
2	1808	43.96	4.93	74.00	30.04	150	208	Vertical
3	5028	44.42	-14.50	74.00	29.58	150	240	Vertical
4	6498	49.84	-12.69	74.00	24.16	150	273	Vertical
5	9771	47.04	-7.76	74.00	26.96	150	72	Vertical
6	15249	49.82	-0.85	74.00	24.18	150	81	Vertical

Mode:	11G-2462 ANT 1
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	48.68	1.82	74.00	25.32	150	249	Horizontal
2	4002	42.35	-16.49	74.00	31.65	150	318	Horizontal
3	4920	47.34	-14.66	74.00	26.66	150	315	Horizontal
4	7383	51.58	-11.37	74.00	22.42	150	255	Horizontal
5	10863	47.72	-6.52	74.00	26.28	150	165	Horizontal
6	13131	50.42	-2.86	74.00	23.58	150	249	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.95	1.93	74.00	30.05	150	161	Vertical
2	3954	45.72	-17.22	74.00	28.28	150	196	Vertical
3	6564	50.12	-12.17	74.00	23.88	150	257	Vertical
4	7992	47.06	-11.13	74.00	26.94	150	149	Vertical
5	9267	45.73	-9.22	74.00	28.27	150	263	Vertical
6	11853	49.31	-4.54	74.00	24.69	150	304	Vertical

Mode:	11B-2412 ANT 2
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1296	49.10	2.35	74.00	24.90	150	251	Horizontal
2	1536	45.58	1.78	74.00	28.42	150	217	Horizontal
3	4825.53	51.94	-15.04	74.00	22.06	150	308	Horizontal
4	6432.25	46.19	-12.34	74.00	27.81	150	143	Horizontal
5	9384.89	45.94	-9.20	74.00	28.06	150	88	Horizontal
6	11219.4	48.36	-5.73	74.00	25.64	150	85	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.56	2.11	74.00	26.44	150	321	Vertical
2	1782	46.29	4.50	74.00	27.71	150	318	Vertical
3	4822.54	53.44	-15.00	74.00	20.56	150	180	Vertical
4	6432.25	50.99	-12.34	74.00	23.01	150	108	Vertical
5	7232.61	45.53	-12.02	74.00	28.47	150	221	Vertical
6	11899.8	48.53	-4.32	74.00	25.47	150	24	Vertical

Mode:	11B-2437 ANT 2
-------	----------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	48.46	2.11	74.00	25.54	150	211	Horizontal
2	1920	46.25	5.66	74.00	27.75	150	221	Horizontal
3	4875	50.88	-14.76	74.00	23.12	150	311	Horizontal
4	6498	46.25	-12.69	74.00	27.75	150	143	Horizontal
5	9213	45.17	-8.83	74.00	28.83	150	248	Horizontal
6	14340	49.93	-0.77	74.00	24.07	150	166	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.21	2.11	74.00	26.79	150	96	Vertical
2	1782	46.40	4.50	74.00	27.60	150	33	Vertical
3	4875	51.33	-14.76	74.00	22.67	150	194	Vertical
4	6498	49.33	-12.69	74.00	24.67	150	106	Vertical
5	9486	45.85	-9.04	74.00	28.15	150	68	Vertical
6	11787	48.43	-4.59	74.00	25.57	150	356	Vertical

Mode:	11B-2462 ANT 2
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	48.18	2.11	74.00	25.82	150	214	Horizontal
2	1536	44.56	1.78	74.00	29.44	150	216	Horizontal
3	4752	43.03	-14.46	74.00	30.97	150	54	Horizontal
4	6564	46.94	-12.17	74.00	27.06	150	145	Horizontal
5	9648	46.51	-8.23	74.00	27.49	150	148	Horizontal
6	12096	49.67	-3.74	74.00	24.33	150	98	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1200	46.86	2.14	74.00	27.14	150	95	Vertical
2	1782	46.44	4.50	74.00	27.56	150	40	Vertical
3	4923	47.45	-14.72	74.00	26.55	150	281	Vertical
4	6564	49.33	-12.17	74.00	24.67	150	106	Vertical
5	9999	46.54	-7.60	74.00	27.46	150	118	Vertical
6	13131	49.23	-2.86	74.00	24.77	150	73	Vertical

Mode:	11G-2412 ANT 2
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.91	2.11	74.00	26.09	150	216	Horizontal
2	4830	47.20	-15.08	74.00	26.80	150	309	Horizontal
3	6432	45.98	-12.34	74.00	28.02	150	147	Horizontal
4	7236	46.42	-11.99	74.00	27.58	150	48	Horizontal
5	10995	47.32	-6.45	74.00	26.68	150	262	Horizontal
6	14358	50.34	-0.82	74.00	23.66	150	212	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.93	2.11	74.00	27.07	150	99	Vertical
2	1782	46.44	4.50	74.00	27.56	150	324	Vertical
3	4821	49.05	-14.99	74.00	24.95	150	76	Vertical
4	6432	50.22	-12.34	74.00	23.78	150	108	Vertical
5	7239	47.62	-11.95	74.00	26.38	150	229	Vertical
6	10200	46.19	-7.72	74.00	27.81	150	270	Vertical

Mode:	11G-2437 ANT 2
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.69	2.11	74.00	26.31	150	205	Horizontal
2	1898	45.55	5.67	74.00	28.45	150	0	Horizontal
3	4872	45.12	-14.82	74.00	28.88	150	59	Horizontal
4	6498	44.58	-12.69	74.00	29.42	150	152	Horizontal
5	10032	46.23	-7.62	74.00	27.77	150	59	Horizontal
6	13197	48.57	-2.26	74.00	25.43	150	130	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	48.08	2.11	74.00	25.92	150	98	Vertical
2	1782	46.27	4.50	74.00	27.73	150	351	Vertical
3	4875	46.82	-14.76	74.00	27.18	150	168	Vertical
4	6498	49.58	-12.69	74.00	24.42	150	114	Vertical
5	9975	46.60	-7.90	74.00	27.40	150	74	Vertical
6	17235	52.39	2.06	74.00	21.61	150	19	Vertical

Mode:	11G-2462 ANT 2
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.82	2.11	74.00	26.18	150	205	Horizontal
2	3366	41.40	-18.36	74.00	32.60	150	96	Horizontal
3	4926	46.55	-14.79	74.00	27.45	150	184	Horizontal
4	6564	47.10	-12.17	74.00	26.90	150	180	Horizontal
5	9153	45.40	-9.68	74.00	28.60	150	199	Horizontal
6	13131	48.72	-2.86	74.00	25.28	150	232	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.68	2.11	74.00	27.32	150	211	Vertical
2	1782	46.36	4.50	74.00	27.64	150	32	Vertical
3	3948	45.04	-17.25	74.00	28.96	150	203	Vertical
4	5235	46.52	-14.08	74.00	27.48	150	289	Vertical
5	6564	49.83	-12.17	74.00	24.17	150	109	Vertical
6	8955	46.49	-9.60	74.00	27.51	150	289	Vertical

Mode:	11N20-2412 MIMO
-------	-----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.13	1.82	74.00	26.87	150	98	Horizontal
2	1440	43.37	1.93	74.00	30.63	150	187	Horizontal
3	4431	42.53	-15.76	74.00	31.47	150	291	Horizontal
4	6432	47.42	-12.34	74.00	26.58	150	57	Horizontal
5	7239	48.42	-11.95	74.00	25.58	150	51	Horizontal
6	12090	48.06	-3.86	74.00	25.94	150	92	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.23	1.93	74.00	29.77	150	57	Vertical
2	3951	45.22	-17.26	74.00	28.78	150	138	Vertical
3	6432	50.47	-12.34	74.00	23.53	150	360	Vertical
4	7233	50.22	-12.02	74.00	23.78	150	347	Vertical
5	10911	47.34	-6.64	74.00	26.66	150	188	Vertical
6	12864	49.85	-3.62	74.00	24.15	150	34	Vertical

Mode:	11N20-2437 MIMO
-------	-----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.70	1.93	74.00	30.30	150	30	Horizontal
2	1818	45.53	5.03	74.00	28.47	150	291	Horizontal
3	5205	43.24	-14.01	74.00	30.76	150	312	Horizontal
4	6498	48.95	-12.69	74.00	25.05	150	53	Horizontal
5	7308	49.79	-11.71	74.00	24.21	150	26	Horizontal
6	11379	48.49	-5.68	74.00	25.51	150	298	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.66	1.93	74.00	30.34	150	172	Vertical
2	1840	45.19	5.25	74.00	28.81	150	40	Vertical
3	3945	46.63	-17.20	74.00	27.37	150	201	Vertical
4	6498	50.48	-12.69	74.00	23.52	150	14	Vertical
5	7317	49.15	-11.67	74.00	24.85	150	29	Vertical
6	11892	48.43	-4.36	74.00	25.57	150	271	Vertical

Mode:	11N20-2462 MIMO
-------	-----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	45.23	2.11	74.00	28.77	150	235	Horizontal
2	2010	45.87	5.94	74.00	28.13	150	283	Horizontal
3	4905	44.43	-14.34	74.00	29.57	150	58	Horizontal
4	6564	48.31	-12.17	74.00	25.69	150	58	Horizontal
5	7380	50.26	-11.39	74.00	23.74	150	353	Horizontal
6	11880	48.54	-4.41	74.00	25.46	150	61	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.87	1.93	74.00	30.13	150	66	Vertical
2	1866	45.14	5.45	74.00	28.86	150	197	Vertical
3	4284	43.32	-16.39	74.00	30.68	150	221	Vertical
4	6564	51.88	-12.17	74.00	22.12	150	18	Vertical
5	8355	45.67	-10.01	74.00	28.33	150	54	Vertical
6	12750	48.83	-3.44	74.00	25.17	150	132	Vertical

Mode:	11N40-2422 MIMO
-------	-----------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.56	1.82	74.00	26.44	150	78	Horizontal
2	1344	46.05	2.11	74.00	27.95	150	242	Horizontal
3	4884	44.26	-14.57	74.00	29.74	150	223	Horizontal
4	6459	48.84	-12.56	74.00	25.16	150	59	Horizontal
5	7272	47.95	-11.80	74.00	26.05	150	4	Horizontal
6	9750	45.92	-7.65	74.00	28.08	150	33	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.12	1.93	74.00	29.88	150	164	Vertical
2	1898	45.11	5.67	74.00	28.89	150	74	Vertical
3	3951	45.43	-17.26	74.00	28.57	150	136	Vertical
4	5250	45.12	-14.12	74.00	28.88	150	187	Vertical
5	6459	49.58	-12.56	74.00	24.42	150	4	Vertical
6	8553	45.41	-10.51	74.00	28.59	150	360	Vertical

Mode:	11N40-2437 MIMO
-------	-----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.38	1.82	74.00	26.62	150	99	Horizontal
2	1840	45.15	5.25	74.00	28.85	150	196	Horizontal
3	4446	42.94	-15.63	74.00	31.06	150	25	Horizontal
4	6498	49.00	-12.69	74.00	25.00	150	67	Horizontal
5	7320	48.45	-11.65	74.00	25.55	150	25	Horizontal
6	11715	48.40	-5.06	74.00	25.60	150	305	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.86	1.93	74.00	30.14	150	130	Vertical
2	1868	45.21	5.47	74.00	28.79	150	233	Vertical
3	4725	47.67	-14.85	74.00	26.33	150	124	Vertical
4	6498	49.84	-12.69	74.00	24.16	150	359	Vertical
5	7119	47.36	-11.87	74.00	26.64	150	270	Vertical
6	11457	48.42	-5.34	74.00	25.58	150	322	Vertical

Mode:	11N40-2452 MIMO
-------	-----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	45.16	2.11	74.00	28.84	150	63	Horizontal
2	1910	45.57	5.67	74.00	28.43	150	322	Horizontal
3	4917	43.71	-14.59	74.00	30.29	150	264	Horizontal
4	6540	48.09	-12.19	74.00	25.91	150	60	Horizontal
5	7365	48.03	-11.44	74.00	25.97	150	31	Horizontal
6	11427	48.04	-5.35	74.00	25.96	150	253	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.09	1.93	74.00	29.91	150	58	Vertical
2	1888	45.19	5.61	74.00	28.81	150	233	Vertical
3	3948	46.44	-17.25	74.00	27.56	150	209	Vertical
4	6540	50.38	-12.19	74.00	23.62	150	16	Vertical
5	10602	46.94	-6.63	74.00	27.06	150	119	Vertical
6	14322	50.36	-0.88	74.00	23.64	150	284	Vertical

Mode:	11AC20-2412 MIMO
-------	------------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	46.71	1.82	74.00	27.29	150	96	Horizontal
2	4920	44.17	-14.66	74.00	29.83	150	234	Horizontal
3	6432	47.78	-12.34	74.00	26.22	150	328	Horizontal
4	7239	47.99	-11.95	74.00	26.01	150	0	Horizontal
5	10587	46.63	-6.69	74.00	27.37	150	2	Horizontal
6	13896	49.50	-2.33	74.00	24.50	150	311	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	43.77	1.93	74.00	30.23	150	99	Vertical
2	1900	45.44	5.69	74.00	28.56	150	178	Vertical
3	3948	45.51	-17.25	74.00	28.49	150	212	Vertical
4	6432	50.81	-12.34	74.00	23.19	150	353	Vertical
5	9183	45.13	-9.03	74.00	28.87	150	239	Vertical
6	13107	48.63	-2.88	74.00	25.37	150	198	Vertical

Mode:	11AC20-2437 MIMO
-------	------------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.05	1.82	74.00	26.95	150	105	Horizontal
2	1440	43.11	1.93	74.00	30.89	150	356	Horizontal
3	5658	44.41	-13.25	74.00	29.59	150	304	Horizontal
4	6498	48.53	-12.69	74.00	25.47	150	56	Horizontal
5	7308	46.07	-11.71	74.00	27.93	150	24	Horizontal
6	13617	48.39	-2.83	74.00	25.61	150	141	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.11	1.93	74.00	29.89	150	24	Vertical
2	3945	46.38	-17.20	74.00	27.62	150	210	Vertical
3	6498	50.77	-12.69	74.00	23.23	150	9	Vertical
4	7314	45.16	-11.68	74.00	28.84	150	0	Vertical
5	11421	46.96	-5.39	74.00	27.04	150	158	Vertical
6	14370	48.94	-0.98	74.00	25.06	150	9	Vertical

Mode:	11AC20-2462 MIMO
-------	------------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.14	1.82	74.00	26.86	150	113	Horizontal
2	3678	43.26	-17.54	74.00	30.74	150	182	Horizontal
3	5022	43.29	-14.59	74.00	30.71	150	310	Horizontal
4	6564	49.19	-12.17	74.00	24.81	150	52	Horizontal
5	7374	47.92	-11.41	74.00	26.08	150	42	Horizontal
6	13170	49.53	-2.59	74.00	24.47	150	350	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	44.11	1.93	74.00	29.89	150	102	Vertical
2	1772	44.76	4.30	74.00	29.24	150	54	Vertical
3	4173	42.29	-16.25	74.00	31.71	150	26	Vertical
4	6564	50.76	-12.17	74.00	23.24	150	15	Vertical
5	11394	47.76	-5.55	74.00	26.24	150	55	Vertical
6	14340	50.29	-0.77	74.00	23.71	150	264	Vertical

Mode:	AC40-2422 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	46.30	2.18	74.00	27.70	150	144	Horizontal
2	1344	46.04	2.11	74.00	27.96	150	138	Horizontal
3	4848	44.98	-15.27	74.00	29.02	150	12	Horizontal
4	6459	46.00	-12.56	74.00	28.00	150	266	Horizontal
5	7788	44.23	-11.14	74.00	29.77	150	102	Horizontal
6	11547	47.00	-5.52	74.00	27.00	150	202	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.55	2.11	74.00	27.45	150	162	Vertical
2	1782	46.29	4.50	74.00	27.71	150	262	Vertical
3	3942	41.81	-17.16	74.00	32.19	150	78	Vertical
4	4842	44.79	-15.21	74.00	29.21	150	1	Vertical
5	6459	50.11	-12.56	74.00	23.89	150	17	Vertical
6	12918	49.64	-3.08	74.00	24.36	150	137	Vertical

Mode:	AC40-2437 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	46.49	2.18	74.00	27.51	150	142	Horizontal
2	1720	42.67	3.49	74.00	31.33	150	82	Horizontal
3	4440	42.97	-15.68	74.00	31.03	150	132	Horizontal
4	6498	45.75	-12.69	74.00	28.25	150	32	Horizontal
5	8154	45.23	-11.20	74.00	28.77	150	66	Horizontal
6	12078	48.02	-4.11	74.00	25.98	150	180	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.67	2.11	74.00	27.33	150	128	Vertical
2	1782	45.47	4.50	74.00	28.53	150	240	Vertical
3	3939	46.27	-17.11	74.00	27.73	150	227	Vertical
4	6498	49.56	-12.69	74.00	24.44	150	9	Vertical
5	8367	45.52	-10.08	74.00	28.48	150	174	Vertical
6	11931	48.79	-4.65	74.00	25.21	150	95	Vertical

Mode:	AC40-2452 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	45.85	2.11	74.00	28.15	150	148	Horizontal
2	1744	43.04	3.80	74.00	30.96	150	148	Horizontal
3	4911	43.67	-14.47	74.00	30.33	150	109	Horizontal
4	6540	46.33	-12.19	74.00	27.67	150	33	Horizontal
5	9303	44.78	-9.12	74.00	29.22	150	260	Horizontal
6	13797	48.44	-2.45	74.00	25.56	150	109	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.48	2.11	74.00	27.52	150	126	Vertical
2	1782	45.51	4.50	74.00	28.49	150	237	Vertical
3	3942	45.46	-17.16	74.00	28.54	150	236	Vertical
4	6540	49.80	-12.19	74.00	24.20	150	19	Vertical
5	8025	45.10	-11.31	74.00	28.90	150	182	Vertical
6	13077	49.30	-3.17	74.00	24.70	150	131	Vertical

Mode:	AX20-2412 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	46.58	2.18	74.00	27.42	150	147	Horizontal
2	1786	43.90	4.59	74.00	30.10	150	267	Horizontal
3	4830	49.23	-15.08	74.00	24.77	150	106	Horizontal
4	6432	46.58	-12.34	74.00	27.42	150	159	Horizontal
5	10155	45.70	-7.08	74.00	28.30	150	159	Horizontal
6	14346	49.88	-0.74	74.00	24.12	150	24	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.34	2.11	74.00	27.66	150	115	Vertical
2	1782	46.78	4.50	74.00	27.22	150	259	Vertical
3	4830	47.99	-15.08	74.00	26.01	150	54	Vertical
4	6432	50.08	-12.34	74.00	23.92	150	21	Vertical
5	7221	46.86	-12.16	74.00	27.14	150	96	Vertical
6	12864	49.26	-3.62	74.00	24.74	150	36	Vertical

Mode:	AX20-2437 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1152	47.03	1.82	74.00	26.97	150	109	Horizontal
2	1440	44.80	1.93	74.00	29.20	150	143	Horizontal
3	4881	45.23	-14.63	74.00	28.77	150	51	Horizontal
4	6498	45.84	-12.69	74.00	28.16	150	39	Horizontal
5	7311	46.79	-11.70	74.00	27.21	150	45	Horizontal
6	11835	48.47	-4.52	74.00	25.53	150	92	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.01	2.11	74.00	26.99	150	55	Vertical
2	1782	46.18	4.50	74.00	27.82	150	278	Vertical
3	4866	45.33	-14.95	74.00	28.67	150	80	Vertical
4	6498	49.09	-12.69	74.00	24.91	150	94	Vertical
5	7308	47.06	-11.71	74.00	26.94	150	74	Vertical
6	11748	48.03	-5.02	74.00	25.97	150	342	Vertical

Mode:	AX20-2462 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	45.05	2.11	74.00	28.95	150	22	Horizontal
2	1930	45.33	5.64	74.00	28.67	150	344	Horizontal
3	4929	45.41	-14.85	74.00	28.59	150	324	Horizontal
4	6567	45.81	-12.20	74.00	28.19	150	272	Horizontal
5	9459	45.19	-8.78	74.00	28.81	150	93	Horizontal
6	14343	50.00	-0.75	74.00	24.00	150	322	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.62	2.11	74.00	27.38	150	157	Vertical
2	1782	46.86	4.50	74.00	27.14	150	292	Vertical
3	3951	45.63	-17.26	74.00	28.37	150	137	Vertical
4	5259	47.23	-14.05	74.00	26.77	150	87	Vertical
5	6564	49.30	-12.17	74.00	24.70	150	102	Vertical
6	11133	46.97	-5.65	74.00	27.03	150	49	Vertical

Mode:	AX40-2422 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	44.97	2.11	74.00	29.03	150	146	Horizontal
2	1760	45.34	4.07	74.00	28.66	150	24	Horizontal
3	3825	42.26	-17.10	74.00	31.74	150	120	Horizontal
4	6459	45.50	-12.56	74.00	28.50	150	161	Horizontal
5	8415	44.89	-10.47	74.00	29.11	150	302	Horizontal
6	11826	48.71	-4.50	74.00	25.29	150	46	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.17	2.11	74.00	27.83	150	35	Vertical
2	1782	46.22	4.50	74.00	27.78	150	256	Vertical
3	4728	44.61	-14.80	74.00	29.39	150	82	Vertical
4	6459	49.26	-12.56	74.00	24.74	150	91	Vertical
5	11079	47.46	-5.70	74.00	26.54	150	18	Vertical
6	12918	49.00	-3.08	74.00	25.00	150	132	Vertical

Mode:	AX40-2437 MIMO
-------	----------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	45.83	2.18	74.00	28.17	150	161	Horizontal
2	1874	45.17	5.52	74.00	28.83	150	305	Horizontal
3	4920	43.84	-14.66	74.00	30.16	150	108	Horizontal
4	6498	45.13	-12.69	74.00	28.87	150	52	Horizontal
5	10143	46.38	-7.04	74.00	27.62	150	277	Horizontal
6	13554	49.04	-2.26	74.00	24.96	150	189	Horizontal


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	46.97	2.11	74.00	27.03	150	51	Vertical
2	1782	45.91	4.50	74.00	28.09	150	242	Vertical
3	3942	42.80	-17.16	74.00	31.20	150	61	Vertical
4	5268	46.16	-13.98	74.00	27.84	150	276	Vertical
5	6498	49.65	-12.69	74.00	24.35	150	16	Vertical
6	10179	46.63	-7.42	74.00	27.37	150	40	Vertical

Mode:	AX40-2452 MIMO
-------	----------------


NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	44.99	2.18	74.00	29.01	150	114	Horizontal
2	1920	46.26	5.66	74.00	27.74	150	346	Horizontal
3	5028	43.64	-14.50	74.00	30.36	150	115	Horizontal
4	6540	46.21	-12.19	74.00	27.79	150	278	Horizontal
5	8934	45.91	-9.72	74.00	28.09	150	322	Horizontal
6	14358	48.97	-0.82	74.00	25.03	150	168	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1344	47.17	2.11	74.00	26.83	150	167	Vertical
2	1782	46.57	4.50	74.00	27.43	150	264	Vertical
3	4728	46.67	-14.80	74.00	27.33	150	298	Vertical
4	5256	47.80	-14.07	74.00	26.20	150	269	Vertical
5	6540	49.54	-12.19	74.00	24.46	150	27	Vertical
6	11607	47.31	-5.15	74.00	26.69	150	136	Vertical

Appendix C: Conducted Emission



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.1971	11.65	47.59	63.73	16.14	29.44	53.73	24.29	L1	PASS
2	0.2518	11.65	39.32	61.70	22.38	20.66	51.70	31.04	L1	PASS
3	0.3297	11.65	37.50	59.46	21.96	18.19	49.46	31.27	L1	PASS
4	1.7756	11.68	30.93	56.00	25.07	21.35	46.00	24.65	L1	PASS
5	7.2529	11.83	30.36	60.00	29.64	25.38	50.00	24.62	L1	PASS
6	22.2689	12.06	18.25	60.00	41.75	17.04	50.00	32.96	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.1955	11.65	43.85	63.80	19.95	22.69	53.80	31.11	N	PASS
2	0.4217	11.66	33.72	57.41	23.69	19.48	47.41	27.93	N	PASS
3	0.8879	11.66	26.35	56.00	29.65	18.82	46.00	27.18	N	PASS
4	2.0414	11.69	27.84	56.00	28.16	20.79	46.00	25.21	N	PASS
5	4.1198	11.80	26.88	56.00	29.12	22.65	46.00	23.35	N	PASS
6	7.2381	11.83	30.75	60.00	29.25	25.49	50.00	24.51	N	PASS