


Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	41.85	14.21	56.06	74.00	-17.94	peak	
2		5460.000	32.78	14.21	46.99	54.00	-7.01	AVG	
3		5470.000	41.63	14.22	55.85	68.20	-12.35	peak	
4	*	5711.500	104.36	14.96	119.32	68.20	51.12	peak	No Limit
5	X	5711.500	97.35	14.96	112.31	68.20	44.11	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11414.750	40.09	9.61	49.70	74.00	-24.30	peak	
2	*	11422.350	31.13	9.60	40.73	54.00	-13.27	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5457.800	44.29	14.20	58.49	74.00	-15.51	peak	
2		5457.800	38.02	14.20	52.22	54.00	-1.78	AVG	
3		5460.000	47.17	14.21	61.38	74.00	-12.62	peak	
4		5460.000	37.82	14.21	52.03	54.00	-1.97	AVG	
5		5470.000	45.77	14.22	59.99	68.20	-8.21	peak	
6	*	5691.200	100.10	14.89	114.99	68.20	46.79	peak	No Limit
7	X	5691.500	93.13	14.90	108.03	68.20	39.83	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11380.150	29.58	9.57	39.15	54.00	-14.85	AVG	
2		11402.650	37.73	9.59	47.32	74.00	-26.68	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	39.30	14.21	53.51	74.00	-20.49	peak	
2		5460.000	32.55	14.21	46.76	54.00	-7.24	AVG	
3		5470.000	40.76	14.22	54.98	68.20	-13.22	peak	
4	*	5721.200	106.84	14.99	121.83	68.20	53.63	peak	No Limit
5	X	5721.200	98.14	14.99	113.13	68.20	44.93	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11443.850	32.61	9.63	42.24	54.00	-11.76	AVG	
2		11444.350	40.64	9.63	50.27	74.00	-23.73	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	41.73	14.21	55.94	74.00	-18.06	peak	
2		5460.000	32.84	14.21	47.05	54.00	-6.95	AVG	
3		5470.000	41.67	14.22	55.89	68.20	-12.31	peak	
4	X	5709.100	95.68	14.95	110.63	68.20	42.43	AVG	No Limit
5	*	5711.800	102.86	14.96	117.82	68.20	49.62	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11414.050	30.60	9.61	40.21	54.00	-13.79	AVG	
2		11436.850	43.96	9.62	53.58	74.00	-20.42	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	47.11	14.21	61.32	74.00	-12.68	peak	
2		5460.000	38.21	14.21	52.42	54.00	-1.58	AVG	
3		5470.000	48.37	14.22	62.59	68.20	-5.61	peak	
4	X	5692.100	92.25	14.90	107.15	68.20	38.95	AVG	No Limit
5	*	5693.000	100.12	14.90	115.02	68.20	46.82	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11383.050	29.31	9.58	38.89	54.00	-15.11	AVG	
2		11383.650	37.91	9.58	47.49	74.00	-26.51	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT20) Mode Channel 149 (UNII-3)	Polarization	Vertical
-----------	--	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38999.000	50.94	14.06	65.00	83.50	-18.50	peak	
2	*	38999.000	41.85	14.06	55.91	63.50	-7.59	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT20) Mode Channel 149 (UNII-3)	Polarization	Horizontal
-----------	--	--------------	------------



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		38999.000	51.79	14.06	65.85	83.50	-17.65	peak	
2	*	38999.000	42.90	14.06	56.96	63.50	-6.54	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIXE -BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.799	16.500
40	5200	20.890	16.500
48	5240	20.100	16.400

CH36




Date: 23.OCT.2024 17:26:21

CH40
26 dB Bandwidth




Date: 23.OCT.2024 17:27:34

CH48




Date: 25.OCT.2024 10:42:38


99 % Occupied Bandwidth



Date: 23.OCT.2024 17:25:39



Date: 23.OCT.2024 17:26:49




Date: 23.OCT.2024 17:27:44

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.090	17.600
40	5200	20.900	17.600
48	5240	20.850	17.600

CH36




Date: 23.OCT.2024 17:43:59

CH40
26 dB Bandwidth




Date: 23.OCT.2024 17:44:52

CH48




Date: 23.OCT.2024 17:45:51


99 % Occupied Bandwidth



Date: 23.OCT.2024 17:43:59



Date: 23.OCT.2024 17:44:09




Date: 23.OCT.2024 17:45:08

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.300	36.200
46	5230	39.698	36.200

CH38




Date: 23.OCT.2024 18:35:21

CH46
26 dB Bandwidth




Date: 23.OCT.2024 18:37:08

99 % Occupied Bandwidth



Date: 23.OCT.2024 18:34:36




Date: 23.OCT.2024 18:36:22

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.398	75.600

CH42 26 dB Bandwidth



Date: 23.OCT.2024 18:46:53

99 % Occupied Bandwidth




Date: 23.OCT.2024 18:46:01

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.307	19.000
40	5200	21.200	18.900
48	5240	22.159	18.900

CH36




Date: 25.OCT.2024 09:46:02

CH40
26 dB Bandwidth




Date: 25.OCT.2024 09:47:02

CH48




Date: 25.OCT.2024 09:48:04


99 % Occupied Bandwidth



Date: 25.OCT.2024 09:45:29



Date: 25.OCT.2024 09:46:26




Date: 25.OCT.2024 09:47:30

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.400	38.000
46	5230	40.200	38.000

CH38




Date: 25.OCT.2024 10:04:16

CH46
26 dB Bandwidth




Date: 25.OCT.2024 10:05:15

99 % Occupied Bandwidth



Date: 25.OCT.2024 10:04:40




Date: 25.OCT.2024 10:04:37

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.390	76.800

CH42 26 dB Bandwidth



Date: 25.OCT.2024 10:14:27

99 % Occupied Bandwidth




Date: 25.OCT.2024 10:13:42

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.390	16.400
60	5300	20.150	16.400
64	5320	20.390	16.400

CH52




Date: 23.OCT.2024 17:29:37

CH60
26 dB Bandwidth




Date: 23.OCT.2024 17:31:13

CH64




Date: 23.OCT.2024 17:32:14


99 % Occupied Bandwidth



Date: 23.OCT.2024 17:29:54



Date: 23.OCT.2024 17:30:30




Date: 23.OCT.2024 17:31:32

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.598	36.200
62	5310	39.390	36.200

CH54




Date: 23.OCT.2024 18:38:30

CH62
26 dB Bandwidth




Date: 23.OCT.2024 18:39:49

99 % Occupied Bandwidth



Date: 23.OCT.2024 18:37:45




Date: 23.OCT.2024 18:39:03

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.400	75.600

CH58 26 dB Bandwidth



Date: 23.OCT.2024 18:49:01

99 % Occupied Bandwidth




Date: 23.OCT.2024 18:48:07

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.150	19.000
60	5300	21.000	18.900
64	5320	21.300	19.000

CH52




Date: 25.OCT.2024 09:48:49

CH60
26 dB Bandwidth




Date: 25.OCT.2024 09:50:49

CH64




Date: 25.OCT.2024 09:52:26


99 % Occupied Bandwidth



Date: 25.OCT.2024 09:48:15



Date: 25.OCT.2024 09:50:13




Date: 25.OCT.2024 09:51:51

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.100	37.800
62	5310	40.100	38.000

CH54




Date: 25.OCT.2024 10:06:13

CH62
26 dB Bandwidth




Date: 25.OCT.2024 10:07:14

99 % Occupied Bandwidth



Date: 25.OCT.2024 10:06:35




Date: 25.OCT.2024 10:06:38

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.400	77.200

CH58 26 dB Bandwidth



Date: 25.OCT.2024 10:15:22

99 % Occupied Bandwidth




Date: 25.OCT.2024 10:14:36

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.396	155.200

CH50 26 dB Bandwidth



Date: 23.OCT.2024 18:56:20

99 % Occupied Bandwidth




Date: 23.OCT.2024 18:55:27

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	162.800	155.200

CH50 26 dB Bandwidth



Date: 25.OCT.2024 10:30:43

99 % Occupied Bandwidth




Date: 25.OCT.2024 10:29:59

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.389	16.400
116	5580	20.450	16.400
140	5700	20.389	16.400
144	5720	15.649	17.000

CH100




Date: 23.OCT.2024 17:33:19

CH116
26 dB Bandwidth




Date: 23.OCT.2024 17:35:13

CH140




Date: 25.OCT.2024 10:47:12


99 % Occupied Bandwidth



Date: 23.OCT.2024 17:32:37




Date: 23.OCT.2024 17:34:31




Date: 23.OCT.2024 17:36:56

CH144
26 dB Bandwidth



Date: 7.NOV.2024 10:19:15

CH144
99 % Occupied Bandwidth




Date: 7.NOV.2024 10:17:32

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.750	17.600
116	5580	20.950	17.600
140	5700	20.599	17.600
144	5720	15.448	17.000

CH100




Date: 23.OCT.2024 17:49:44

CH116
26 dB Bandwidth




Date: 23.OCT.2024 17:50:44

CH140




Date: 23.OCT.2024 17:51:49


99 % Occupied Bandwidth



Date: 23.OCT.2024 17:49:01




Date: 23.OCT.2024 17:50:01




Date: 23.OCT.2024 17:51:05

CH144
26 dB Bandwidth



Date: 7.NOV.2024 10:21:20

CH144
99 % Occupied Bandwidth




Date: 7.NOV.2024 10:20:34

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.400	36.200
110	5550	40.100	36.200
134	5670	39.500	36.200
142	5710	35.506	36.200


CH102



Date: 23.OCT.2024 18:40:56


CH110

26 dB Bandwidth




Date: 23.OCT.2024 18:42:32

CH134




Date: 23.OCT.2024 18:43:30


99 % Occupied Bandwidth



Date: 23.OCT.2024 18:40:07




Date: 23.OCT.2024 18:41:50




Date: 23.OCT.2024 18:42:46

CH142
26 dB Bandwidth



Date: 7.NOV.2024 10:23:44

CH142
99 % Occupied Bandwidth




Date: 7.NOV.2024 10:22:10

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.400	75.200
122	5610	81.000	75.200
138	5690	75.606	75.200

CH106




Date: 23.OCT.2024 18:59:39

CH122
26 dB Bandwidth




Date: 23.OCT.2024 18:52:10

CH138




Date: 7.NOV.2024 10:29:17


99 % Occupied Bandwidth



Date: 23.OCT.2024 18:49:48



Date: 23.OCT.2024 18:51:15




Date: 7.NOV.2024 10:24:38


Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	163.600	154.400

CH114 26 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	21.450	18.900
116	5580	21.050	18.900
140	5700	21.200	18.900
144	5720	16.350	19.000


CH100



Date: 25.OCT.2024 09:53:16


CH116

26 dB Bandwidth




Date: 25.OCT.2024 09:55:31

CH140




Date: 25.OCT.2024 09:56:23


99 % Occupied Bandwidth



Date: 25.OCT.2024 09:52:42




Date: 25.OCT.2024 09:54:56




Date: 25.OCT.2024 09:55:48

CH144
26 dB Bandwidth



Date: 7.NOV.2024 10:31:07

CH144
99 % Occupied Bandwidth




Date: 7.NOV.2024 10:30:08

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.100	37.800
110	5550	40.700	37.800
134	5670	40.000	38.000
142	5710	36.100	38.000

CH102




Date: 25.OCT.2024 10:07:59

CH110
26 dB Bandwidth




Date: 25.OCT.2024 10:08:53

CH134




Date: 25.OCT.2024 10:09:50


99 % Occupied Bandwidth



Date: 25.OCT.2024 10:07:22




Date: 25.OCT.2024 10:08:17




Date: 25.OCT.2024 10:09:12

CH142
26 dB Bandwidth



Date: 7.NOV.2024 10:33:05

CH14
99 % Occupied Bandwidth




Date: 7.NOV.2024 10:31:53

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.800	76.800
122	5610	83.000	76.800
138	5690	76.400	77.200

CH106




Date: 25.OCT.2024 10:18:37

CH122
26 dB Bandwidth




Date: 25.OCT.2024 10:25:58

CH138




Date: 7.NOV.2024 10:35:15


99 % Occupied Bandwidth



Date: 25.OCT.2024 10:19:52



Date: 25.OCT.2024 10:25:13




Date: 7.NOV.2024 10:33:51

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	163.200	156.800

CH114 26 dB Bandwidth



99 % Occupied Bandwidth

