


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.38	-13	Pass	2986
30	500	0.1	Peak	465.3	-43	-13	Pass	4701
500	1000	0.1	Peak	824.1	33.62	-13	N/A	5001
1000	10000	1	Peak	9996	-20.72	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.87	-13	Pass	401
0.15	30	0.01	Peak	0.4	-52.38	-13	Pass	2986
30	500	0.1	Peak	366.4	-42.93	-13	Pass	4701
500	1000	0.1	Peak	836.7	33.71	-13	N/A	5001
1000	10000	1	Peak	9311	-20.66	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.75	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.16	-13	Pass	2986
30	500	0.1	Peak	341	-43.27	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.75	-13	N/A	5001
1000	10000	1	Peak	6975	-20.29	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.94	-13	Pass	401
0.15	30	0.01	Peak	23.69	-55.77	-13	Pass	2986
30	1000	0.1	Peak	894.73	-43.3	-13	Pass	9701
1000	3000	1	Peak	1850	24.34	-13	N/A	2001
3000	20000	1	Peak	19781	-35.29	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.18	-13	Pass	401
0.15	30	0.01	Peak	0.84	-54.94	-13	Pass	2986
30	1000	0.1	Peak	252.8	-43.72	-13	Pass	9701
1000	3000	1	Peak	1880	26.49	-13	N/A	2001
3000	20000	1	Peak	19577	-36.04	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.37	-13	Pass	401
0.15	30	0.01	Peak	17.95	-55.79	-13	Pass	2986
30	1000	0.1	Peak	844.7	-43.49	-13	Pass	9701
1000	3000	1	Peak	1909	27.81	-13	N/A	2001
3000	20000	1	Peak	19617	-35.51	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.72	-13	Pass	401
0.15	30	0.01	Peak	0.17	-51.93	-13	Pass	2986
30	500	0.1	Peak	477	-43.19	-13	Pass	4701
500	1000	0.1	Peak	824.2	23.58	-13	N/A	5001
1000	10000	1	Peak	7354	-19.94	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.87	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.61	-13	Pass	2986
30	500	0.1	Peak	483.2	-43.47	-13	Pass	4701
500	1000	0.1	Peak	836.5	26.47	-13	N/A	5001
1000	10000	1	Peak	6655	-20.13	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-53.89	-13	Pass	401
0.15	30	0.01	Peak	0.18	-52.66	-13	Pass	2986
30	500	0.1	Peak	498.4	-43.45	-13	Pass	4701
500	1000	0.1	Peak	848.7	20.98	-13	N/A	5001
1000	10000	1	Peak	7434	-20.25	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.34	-13	Pass	401
0.15	30	0.01	Peak	1.01	-56.26	-13	Pass	2986
30	1000	0.1	Peak	871.715	-44.37	-13	Pass	9701
1000	3000	1	Peak	1851	26.82	-13	N/A	2001
3000	20000	1	Peak	13519	-35.84	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.031	-61.27	-13	Pass	401
0.15	30	0.01	Peak	27.77	-56.06	-13	Pass	2986
30	1000	0.1	Peak	972.682	-43.97	-13	Pass	9701
1000	3000	1	Peak	1880	27.17	-13	N/A	2001
3000	20000	1	Peak	19570	-36.67	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.32	-13	Pass	401
0.15	30	0.01	Peak	27.13	-55.74	-13	Pass	2986
30	1000	0.1	Peak	471.1	-43.27	-13	Pass	9701
1000	3000	1	Peak	1910	27.33	-13	N/A	2001
3000	20000	1	Peak	19561	-36.29	-13	Pass	17003



5. LTE_Band2


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.54	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1850.2	22.7	60	Pass	401
1920	3000	1	RMS	2650	-46.6	-13	Pass	1081
3000	12000	1	RMS	11876	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.92	-13	Pass	2986
30	1000	0.1	RMS	955.2	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.09	-13	Pass	841
1840	1920	1	RMS	1850.2	21.77	60	Pass	401
1920	3000	1	RMS	2648	-46.64	-13	Pass	1081
3000	12000	1	RMS	11945	-40.1	-13	Pass	9001
12000	20000	1	RMS	19997	-27.74	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.26	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.1	-13	Pass	9701
1000	1840	1	RMS	1837	-50.62	-13	Pass	841
1840	1920	1	RMS	1879.6	21.93	60	Pass	401
1920	3000	1	RMS	2649	-46.6	-13	Pass	1081
3000	12000	1	RMS	11965	-40.09	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.03	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.12	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1920	1	RMS	1879.6	21.12	60	Pass	401
1920	3000	1	RMS	2644	-46.62	-13	Pass	1081
3000	12000	1	RMS	11976	-40.13	-13	Pass	9001
12000	20000	1	RMS	19999	-27.69	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.68	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.01	-13	Pass	9701
1000	1840	1	RMS	1836	-50.62	-13	Pass	841
1840	1920	1	RMS	1908.8	21.93	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11965	-40.09	-13	Pass	9001
12000	20000	1	RMS	20000	-27.72	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.51	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.1	-13	Pass	9701
1000	1840	1	RMS	1837	-50.56	-13	Pass	841
1840	1920	1	RMS	1908.8	20.99	60	Pass	401
1920	3000	1	RMS	2651	-46.58	-13	Pass	1081
3000	12000	1	RMS	11943	-40.1	-13	Pass	9001
12000	20000	1	RMS	19992	-27.78	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-50.13	-13	Pass	841
1840	1920	1	RMS	1850.2	22.66	60	Pass	401
1920	3000	1	RMS	2652	-46.61	-13	Pass	1081
3000	12000	1	RMS	11971	-40.13	-13	Pass	9001
12000	20000	1	RMS	19996	-27.75	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.48	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.18	-13	Pass	841
1840	1920	1	RMS	1850.2	21.8	60	Pass	401
1920	3000	1	RMS	2648	-46.58	-13	Pass	1081
3000	12000	1	RMS	11949	-40.12	-13	Pass	9001
12000	20000	1	RMS	19989	-27.69	-13	Pass	8001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1878.8	21.79	60	Pass	401
1920	3000	1	RMS	2652	-46.56	-13	Pass	1081
3000	12000	1	RMS	11948	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.71	-13	Pass	8001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.34	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.12	-13	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	Pass	841
1840	1920	1	RMS	1878.8	20.84	60	Pass	401
1920	3000	1	RMS	2655	-46.58	-13	Pass	1081
3000	12000	1	RMS	11967	-40.12	-13	Pass	9001
12000	20000	1	RMS	20000	-27.73	-13	Pass	8001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-48.9	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1907.2	21.58	60	Pass	401
1920	3000	1	RMS	2655	-46.62	-13	Pass	1081
3000	12000	1	RMS	11876	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.73	-13	Pass	8001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.48	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.12	-13	Pass	9701
1000	1840	1	RMS	1835	-50.58	-13	Pass	841
1840	1920	1	RMS	1907.2	20.81	60	Pass	401
1920	3000	1	RMS	2646	-46.64	-13	Pass	1081
3000	12000	1	RMS	11857	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.35	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1920	1	RMS	1850.4	22.69	60	Pass	401
1920	3000	1	RMS	2652	-46.59	-13	Pass	1081
3000	12000	1	RMS	11946	-40.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.72	-13	Pass	8001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	910	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.11	-13	Pass	841
1840	1920	1	RMS	1850.4	21.75	60	Pass	401
1920	3000	1	RMS	2660	-46.61	-13	Pass	1081
3000	12000	1	RMS	11959	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.55	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.03	-13	Pass	9701
1000	1840	1	RMS	1838	-50.56	-13	Pass	841
1840	1920	1	RMS	1877.8	21.8	60	Pass	401
1920	3000	1	RMS	2651	-46.61	-13	Pass	1081
3000	12000	1	RMS	11973	-40.09	-13	Pass	9001
12000	20000	1	RMS	19998	-27.64	-13	Pass	8001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.06	-13	Pass	2986
30	1000	0.1	RMS	949.9	-62.04	-13	Pass	9701
1000	1840	1	RMS	1836	-50.65	-13	Pass	841
1840	1920	1	RMS	1877.8	21.01	60	Pass	401
1920	3000	1	RMS	2652	-46.61	-13	Pass	1081
3000	12000	1	RMS	11850	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.61	-13	Pass	8001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.06	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.12	-13	Pass	9701
1000	1840	1	RMS	1838	-50.61	-13	Pass	841
1840	1920	1	RMS	1905.4	21.94	60	Pass	401
1920	3000	1	RMS	2658	-46.53	-13	Pass	1081
3000	12000	1	RMS	11964	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1835	-50.57	-13	Pass	841
1840	1920	1	RMS	1905.4	21.25	60	Pass	401
1920	3000	1	RMS	2648	-46.63	-13	Pass	1081
3000	12000	1	RMS	11847	-40.14	-13	Pass	9001
12000	20000	1	RMS	19999	-27.74	-13	Pass	8001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.94	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1837	-49.72	-13	Pass	841
1840	1920	1	RMS	1850.6	22.75	60	Pass	401
1920	3000	1	RMS	2654	-46.63	-13	Pass	1081
3000	12000	1	RMS	11866	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-27.69	-13	Pass	8001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.79	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.09	-13	Pass	9701
1000	1840	1	RMS	1837	-49.9	-13	Pass	841
1840	1920	1	RMS	1850.6	21.94	60	Pass	401
1920	3000	1	RMS	2648	-46.61	-13	Pass	1081
3000	12000	1	RMS	11949	-40.02	-13	Pass	9001
12000	20000	1	RMS	19993	-27.7	-13	Pass	8001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-48.51	-13	Pass	2986
30	1000	0.1	RMS	951.4	-62.09	-13	Pass	9701
1000	1840	1	RMS	1838	-50.6	-13	Pass	841
1840	1920	1	RMS	1875.6	21.8	60	Pass	401
1920	3000	1	RMS	2655	-46.63	-13	Pass	1081
3000	12000	1	RMS	11900	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.09	-13	Pass	9701
1000	1840	1	RMS	1837	-50.62	-13	Pass	841
1840	1920	1	RMS	1875.6	20.95	60	Pass	401
1920	3000	1	RMS	2652	-46.56	-13	Pass	1081
3000	12000	1	RMS	11933	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.37	-13	Pass	2986
30	1000	0.1	RMS	903.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1835	-50.63	-13	Pass	841
1840	1920	1	RMS	1900.6	22.26	60	Pass	401
1920	3000	1	RMS	2642	-46.63	-13	Pass	1081
3000	12000	1	RMS	11959	-40.08	-13	Pass	9001
12000	20000	1	RMS	19997	-27.78	-13	Pass	8001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.7	-13	Pass	2986
30	1000	0.1	RMS	900.1	-61.95	-13	Pass	9701
1000	1840	1	RMS	1833	-50.6	-13	Pass	841
1840	1920	1	RMS	1900.6	21.45	60	Pass	401
1920	3000	1	RMS	2653	-46.59	-13	Pass	1081
3000	12000	1	RMS	11957	-40.12	-13	Pass	9001
12000	20000	1	RMS	19997	-27.69	-13	Pass	8001



5.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.11	-13	Pass	9701
1000	1840	1	RMS	1838	-43.85	-13	Pass	841
1840	1920	1	RMS	1850.8	22.57	60	Pass	401
1920	3000	1	RMS	2652	-46.64	-13	Pass	1081
3000	12000	1	RMS	11933	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001



5.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.25	-13	Pass	2986
30	1000	0.1	RMS	934.8	-62.14	-13	Pass	9701
1000	1840	1	RMS	1838	-43.27	-13	Pass	841
1840	1920	1	RMS	1850.8	21.8	60	Pass	401
1920	3000	1	RMS	2658	-46.58	-13	Pass	1081
3000	12000	1	RMS	11953	-40.09	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001



5.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.17	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1873.4	21.66	60	Pass	401
1920	3000	1	RMS	2637	-46.61	-13	Pass	1081
3000	12000	1	RMS	11978	-40.05	-13	Pass	9001
12000	20000	1	RMS	19996	-27.69	-13	Pass	8001



5.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.74	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.17	-13	Pass	9701
1000	1840	1	RMS	1837	-50.63	-13	Pass	841
1840	1920	1	RMS	1873.4	20.74	60	Pass	401
1920	3000	1	RMS	2650	-46.64	-13	Pass	1081
3000	12000	1	RMS	11938	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.66	-13	Pass	8001



5.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.22	-13	Pass	2986
30	1000	0.1	RMS	923.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1835	-50.62	-13	Pass	841
1840	1920	1	RMS	1895.8	22.9	60	Pass	401
1920	3000	1	RMS	2651	-46.58	-13	Pass	1081
3000	12000	1	RMS	11843	-40.18	-13	Pass	9001
12000	20000	1	RMS	19998	-27.75	-13	Pass	8001



5.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.02	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-50.6	-13	Pass	841
1840	1920	1	RMS	1895.8	22.11	60	Pass	401
1920	3000	1	RMS	2649	-46.59	-13	Pass	1081
3000	12000	1	RMS	11951	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.73	-13	Pass	8001



5.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.66	-13	Pass	2986
30	1000	0.1	RMS	960.2	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-49.85	-13	Pass	841
1840	1920	1	RMS	1851	22.39	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11948	-40.08	-13	Pass	9001
12000	20000	1	RMS	19997	-27.69	-13	Pass	8001



5.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.65	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-49.97	-13	Pass	841
1840	1920	1	RMS	1851	21.47	60	Pass	401
1920	3000	1	RMS	2657	-46.49	-13	Pass	1081
3000	12000	1	RMS	11849	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001



5.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.87	-13	Pass	2986
30	1000	0.1	RMS	968	-62	-13	Pass	9701
1000	1840	1	RMS	1836	-48.11	-13	Pass	841
1840	1920	1	RMS	1871	21.79	60	Pass	401
1920	3000	1	RMS	2649	-46.64	-13	Pass	1081
3000	12000	1	RMS	11932	-40.05	-13	Pass	9001
12000	20000	1	RMS	19996	-27.75	-13	Pass	8001



5.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.58	-13	Pass	2986
30	1000	0.1	RMS	948.4	-61.94	-13	Pass	9701
1000	1840	1	RMS	1836	-48.72	-13	Pass	841
1840	1920	1	RMS	1871	21.02	60	Pass	401
1920	3000	1	RMS	2653	-46.56	-13	Pass	1081
3000	12000	1	RMS	11950	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-27.69	-13	Pass	8001



5.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.1	-13	Pass	2986
30	1000	0.1	RMS	931.1	-61.81	-13	Pass	9701
1000	1840	1	RMS	1834	-50.6	-13	Pass	841
1840	1920	1	RMS	1891	22.28	60	Pass	401
1920	3000	1	RMS	2652	-46.55	-13	Pass	1081
3000	12000	1	RMS	11837	-40.1	-13	Pass	9001
12000	20000	1	RMS	19996	-27.74	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.02	-13	Pass	9701
1000	1840	1	RMS	1837	-50.58	-13	Pass	841
1840	1920	1	RMS	1891	21.47	60	Pass	401
1920	3000	1	RMS	2656	-46.64	-13	Pass	1081
3000	12000	1	RMS	11954	-40.08	-13	Pass	9001
12000	20000	1	RMS	19996	-27.66	-13	Pass	8001



6. LTE_Band4


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.35	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.3	-13	Pass	701
1700	1765	1	RMS	1710.238	22.11	60	Pass	401
1765	3000	1	RMS	2651	-46.49	-13	Pass	1236
3000	12000	1	RMS	11846	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.53	-13	Pass	8001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.29	-13	Pass	2986
30	1000	0.1	RMS	947	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.49	-13	Pass	701
1700	1765	1	RMS	1710.238	21.15	60	Pass	401
1765	3000	1	RMS	2652	-46.55	-13	Pass	1236
3000	12000	1	RMS	11845	-39.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.52	-13	Pass	8001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.94	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.03	-13	Pass	9701
1000	1700	1	RMS	1697	-51.14	-13	Pass	701
1700	1765	1	RMS	1732.013	22.12	60	Pass	401
1765	3000	1	RMS	2645	-46.55	-13	Pass	1236
3000	12000	1	RMS	11952	-40.02	-13	Pass	9001
12000	20000	1	RMS	19994	-27.68	-13	Pass	8001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.92	-13	Pass	2986
30	1000	0.1	RMS	921.5	-61.96	-13	Pass	9701
1000	1700	1	RMS	1590	-51.11	-13	Pass	701
1700	1765	1	RMS	1732.013	21.13	60	Pass	401
1765	3000	1	RMS	2657	-46.5	-13	Pass	1236
3000	12000	1	RMS	11961	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.59	-13	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.31	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1648	-51.17	-13	Pass	701
1700	1765	1	RMS	1753.788	22.01	60	Pass	401
1765	3000	1	RMS	2651	-46.52	-13	Pass	1236
3000	12000	1	RMS	11960	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.67	-13	Pass	8001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.21	-13	Pass	2986
30	1000	0.1	RMS	897.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1693	-51.12	-13	Pass	701
1700	1765	1	RMS	1753.788	21.08	60	Pass	401
1765	3000	1	RMS	2655	-46.52	-13	Pass	1236
3000	12000	1	RMS	11963	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.64	-13	Pass	8001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.67	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.24	-13	Pass	701
1700	1765	1	RMS	1710.238	22.04	60	Pass	401
1765	3000	1	RMS	2650	-46.48	-13	Pass	1236
3000	12000	1	RMS	11945	-39.97	-13	Pass	9001
12000	20000	1	RMS	19993	-27.65	-13	Pass	8001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.7	-13	Pass	2986
30	1000	0.1	RMS	931.8	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	Pass	701
1700	1765	1	RMS	1710.238	21.21	60	Pass	401
1765	3000	1	RMS	2659	-46.51	-13	Pass	1236
3000	12000	1	RMS	11939	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.24	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1618	-51.12	-13	Pass	701
1700	1765	1	RMS	1731.2	22.06	60	Pass	401
1765	3000	1	RMS	2643	-46.48	-13	Pass	1236
3000	12000	1	RMS	11965	-40.04	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.6	-13	Pass	2986
30	1000	0.1	RMS	917.5	-62.18	-13	Pass	9701
1000	1700	1	RMS	1617	-51.12	-13	Pass	701
1700	1765	1	RMS	1731.2	21.1	60	Pass	401
1765	3000	1	RMS	2662	-46.58	-13	Pass	1236
3000	12000	1	RMS	11948	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.72	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1691	-51.09	-13	Pass	701
1700	1765	1	RMS	1752.163	22.03	60	Pass	401
1765	3000	1	RMS	2646	-46.52	-13	Pass	1236
3000	12000	1	RMS	11951	-40.05	-13	Pass	9001
12000	20000	1	RMS	19993	-27.65	-13	Pass	8001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.4	-13	Pass	2986
30	1000	0.1	RMS	912	-62.08	-13	Pass	9701
1000	1700	1	RMS	1581	-51.15	-13	Pass	701
1700	1765	1	RMS	1752.163	21.01	60	Pass	401
1765	3000	1	RMS	2650	-46.53	-13	Pass	1236
3000	12000	1	RMS	11864	-39.95	-13	Pass	9001
12000	20000	1	RMS	19999	-27.44	-13	Pass	8001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.52	-13	Pass	2986
30	1000	0.1	RMS	901.9	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.32	-13	Pass	701
1700	1765	1	RMS	1710.4	22.12	60	Pass	401
1765	3000	1	RMS	2652	-46.5	-13	Pass	1236
3000	12000	1	RMS	11953	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.91	-13	Pass	2986
30	1000	0.1	RMS	927.8	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1765	1	RMS	1710.4	21.15	60	Pass	401
1765	3000	1	RMS	2656	-46.55	-13	Pass	1236
3000	12000	1	RMS	11951	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.58	-13	Pass	8001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	1000	0.1	RMS	917	-62.04	-13	Pass	9701
1000	1700	1	RMS	1614	-51.11	-13	Pass	701
1700	1765	1	RMS	1730.388	22.1	60	Pass	401
1765	3000	1	RMS	2646	-46.52	-13	Pass	1236
3000	12000	1	RMS	11920	-40	-13	Pass	9001
12000	20000	1	RMS	20000	-27.41	-13	Pass	8001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.06	-13	Pass	2986
30	1000	0.1	RMS	946.9	-62.06	-13	Pass	9701
1000	1700	1	RMS	1697	-51.11	-13	Pass	701
1700	1765	1	RMS	1730.388	21.28	60	Pass	401
1765	3000	1	RMS	2649	-46.48	-13	Pass	1236
3000	12000	1	RMS	11945	-39.99	-13	Pass	9001
12000	20000	1	RMS	19996	-27.57	-13	Pass	8001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.85	-13	Pass	2986
30	1000	0.1	RMS	927.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1606	-51.12	-13	Pass	701
1700	1765	1	RMS	1750.375	22.2	60	Pass	401
1765	3000	1	RMS	2644	-46.52	-13	Pass	1236
3000	12000	1	RMS	11949	-39.95	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2986
30	1000	0.1	RMS	947.8	-61.96	-13	Pass	9701
1000	1700	1	RMS	1686	-51.11	-13	Pass	701
1700	1765	1	RMS	1750.375	21.42	60	Pass	401
1765	3000	1	RMS	2647	-46.53	-13	Pass	1236
3000	12000	1	RMS	11946	-39.95	-13	Pass	9001
12000	20000	1	RMS	19998	-27.63	-13	Pass	8001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.15	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.04	-13	Pass	9701
1000	1700	1	RMS	1693	-47.78	-13	Pass	701
1700	1765	1	RMS	1710.563	22.08	60	Pass	401
1765	3000	1	RMS	2649	-46.51	-13	Pass	1236
3000	12000	1	RMS	11942	-40.02	-13	Pass	9001
12000	20000	1	RMS	19997	-27.64	-13	Pass	8001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.21	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-48.01	-13	Pass	701
1700	1765	1	RMS	1710.563	21.23	60	Pass	401
1765	3000	1	RMS	2647	-46.5	-13	Pass	1236
3000	12000	1	RMS	11944	-39.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.63	-13	Pass	8001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.09	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	Pass	701
1700	1765	1	RMS	1728.113	22.12	60	Pass	401
1765	3000	1	RMS	2654	-46.5	-13	Pass	1236
3000	12000	1	RMS	11941	-39.98	-13	Pass	9001
12000	20000	1	RMS	19998	-27.59	-13	Pass	8001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.62	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.02	-13	Pass	9701
1000	1700	1	RMS	1619	-51.15	-13	Pass	701
1700	1765	1	RMS	1728.113	21.13	60	Pass	401
1765	3000	1	RMS	2652	-46.51	-13	Pass	1236
3000	12000	1	RMS	11997	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.63	-13	Pass	8001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.06	-13	Pass	2986
30	1000	0.1	RMS	937.1	-61.95	-13	Pass	9701
1000	1700	1	RMS	1634	-51.12	-13	Pass	701
1700	1765	1	RMS	1745.663	22.25	60	Pass	401
1765	3000	1	RMS	2650	-46.55	-13	Pass	1236
3000	12000	1	RMS	11951	-39.96	-13	Pass	9001
12000	20000	1	RMS	19997	-27.58	-13	Pass	8001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.89	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.03	-13	Pass	9701
1000	1700	1	RMS	1697	-51.12	-13	Pass	701
1700	1765	1	RMS	1745.5	21.33	60	Pass	401
1765	3000	1	RMS	2655	-46.52	-13	Pass	1236
3000	12000	1	RMS	11940	-39.98	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-13	Pass	2986
30	1000	0.1	RMS	916.6	-62.05	-13	Pass	9701
1000	1700	1	RMS	1698	-46.28	-13	Pass	701
1700	1765	1	RMS	1710.888	22.06	60	Pass	401
1765	3000	1	RMS	2652	-46.44	-13	Pass	1236
3000	12000	1	RMS	11950	-40.01	-13	Pass	9001
12000	20000	1	RMS	19993	-27.61	-13	Pass	8001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.1	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.91	-13	Pass	9701
1000	1700	1	RMS	1698	-46.68	-13	Pass	701
1700	1765	1	RMS	1710.888	21.15	60	Pass	401
1765	3000	1	RMS	2650	-46.47	-13	Pass	1236
3000	12000	1	RMS	11855	-39.96	-13	Pass	9001
12000	20000	1	RMS	19996	-27.62	-13	Pass	8001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.08	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-45.69	-13	Pass	701
1700	1765	1	RMS	1725.838	22	60	Pass	401
1765	3000	1	RMS	2650	-46.47	-13	Pass	1236
3000	12000	1	RMS	11960	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.65	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.1	-13	Pass	9701
1000	1700	1	RMS	1699	-47.22	-13	Pass	701
1700	1765	1	RMS	1725.838	21	60	Pass	401
1765	3000	1	RMS	2647	-46.54	-13	Pass	1236
3000	12000	1	RMS	11935	-40	-13	Pass	9001
12000	20000	1	RMS	19997	-27.64	-13	Pass	8001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.65	-13	Pass	2986
30	1000	0.1	RMS	897.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1605	-51.12	-13	Pass	701
1700	1765	1	RMS	1740.788	22.05	60	Pass	401
1765	3000	1	RMS	1767	-32.9	-13	Pass	1236
3000	12000	1	RMS	11961	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.61	-13	Pass	8001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.71	-13	Pass	2986
30	1000	0.1	RMS	889.5	-62.16	-13	Pass	9701
1000	1700	1	RMS	1594	-51.17	-13	Pass	701
1700	1765	1	RMS	1740.788	21.21	60	Pass	401
1765	3000	1	RMS	1767	-34.24	-13	Pass	1236
3000	12000	1	RMS	11947	-39.96	-13	Pass	9001
12000	20000	1	RMS	19996	-27.55	-13	Pass	8001



6.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-13	Pass	2986
30	1000	0.1	RMS	939.9	-61.92	-13	Pass	9701
1000	1700	1	RMS	1693	-49.66	-13	Pass	701
1700	1765	1	RMS	1711.05	21.91	60	Pass	401
1765	3000	1	RMS	2654	-46.49	-13	Pass	1236
3000	12000	1	RMS	11941	-40	-13	Pass	9001
12000	20000	1	RMS	19997	-27.6	-13	Pass	8001



6.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	937.8	-62.1	-13	Pass	9701
1000	1700	1	RMS	1693	-49.84	-13	Pass	701
1700	1765	1	RMS	1711.05	20.9	60	Pass	401
1765	3000	1	RMS	2652	-46.55	-13	Pass	1236
3000	12000	1	RMS	11954	-40.03	-13	Pass	9001
12000	20000	1	RMS	19997	-27.57	-13	Pass	8001



6.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.04	-13	Pass	9701
1000	1700	1	RMS	1697	-50.99	-13	Pass	701
1700	1765	1	RMS	1723.563	21.9	60	Pass	401
1765	3000	1	RMS	2653	-46.5	-13	Pass	1236
3000	12000	1	RMS	11977	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001



6.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.51	-13	Pass	2986
30	1000	0.1	RMS	898.7	-62.04	-13	Pass	9701
1000	1700	1	RMS	1697	-51.06	-13	Pass	701
1700	1765	1	RMS	1723.563	21.05	60	Pass	401
1765	3000	1	RMS	2652	-46.53	-13	Pass	1236
3000	12000	1	RMS	11964	-39.93	-13	Pass	9001
12000	20000	1	RMS	19994	-27.62	-13	Pass	8001



6.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.66	-13	Pass	2986
30	1000	0.1	RMS	913.3	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-46.69	-13	Pass	701
1700	1765	1	RMS	1736.075	22.03	60	Pass	401
1765	3000	1	RMS	1772	-31.52	-13	Pass	1236
3000	12000	1	RMS	11851	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.54	-13	Pass	8001



6.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.37	-13	Pass	2986
30	1000	0.1	RMS	884	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-47.94	-13	Pass	701
1700	1765	1	RMS	1736.075	21.08	60	Pass	401
1765	3000	1	RMS	1772	-33.18	-13	Pass	1236
3000	12000	1	RMS	11935	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.53	-13	Pass	8001



7. LTE_Band5


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.17	-13	Pass	2986
30	814	0.1	RMS	786.3	-62.39	-13	Pass	7841
814	860	0.1	RMS	824.3	18.87	60	Pass	461
860	1000	0.1	RMS	923.1	-62.31	-13	Pass	1401
1000	3000	1	RMS	2646	-46.5	-13	Pass	2001
3000	10000	1	RMS	7732	-41.79	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	814	0.1	RMS	807.3	-62.43	-13	Pass	7841
814	860	0.1	RMS	824.2	17.81	60	Pass	461
860	1000	0.1	RMS	924.2	-62.33	-13	Pass	1401
1000	3000	1	RMS	2651	-46.51	-13	Pass	2001
3000	10000	1	RMS	7730	-41.75	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.07	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.3	-13	Pass	7841
814	860	0.1	RMS	836	19.02	60	Pass	461
860	1000	0.1	RMS	885.2	-62.31	-13	Pass	1401
1000	3000	1	RMS	2649	-46.47	-13	Pass	2001
3000	10000	1	RMS	7735	-41.73	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.69	-13	Pass	2986
30	814	0.1	RMS	809.5	-62.3	-13	Pass	7841
814	860	0.1	RMS	836.1	18.01	60	Pass	461
860	1000	0.1	RMS	909.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2651	-46.49	-13	Pass	2001
3000	10000	1	RMS	9547	-41.79	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.7	-13	Pass	2986
30	814	0.1	RMS	804.5	-62.36	-13	Pass	7841
814	860	0.1	RMS	847.9	18.85	60	Pass	461
860	1000	0.1	RMS	896.9	-62.34	-13	Pass	1401
1000	3000	1	RMS	2650	-46.49	-13	Pass	2001
3000	10000	1	RMS	9545	-41.82	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-44.23	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.35	-13	Pass	7841
814	860	0.1	RMS	847.9	17.75	60	Pass	461
860	1000	0.1	RMS	928.7	-62.38	-13	Pass	1401
1000	3000	1	RMS	2649	-46.51	-13	Pass	2001
3000	10000	1	RMS	7735	-41.76	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.28	-13	Pass	7841
814	860	0.1	RMS	824.2	18.94	60	Pass	461
860	1000	0.1	RMS	932.1	-62.39	-13	Pass	1401
1000	3000	1	RMS	2653	-46.5	-13	Pass	2001
3000	10000	1	RMS	7737	-41.7	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.38	-13	Pass	2986
30	814	0.1	RMS	793.6	-62.34	-13	Pass	7841
814	860	0.1	RMS	824.2	18.05	60	Pass	461
860	1000	0.1	RMS	940.3	-62.35	-13	Pass	1401
1000	3000	1	RMS	2650	-46.51	-13	Pass	2001
3000	10000	1	RMS	7737	-41.75	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-13	Pass	2986
30	814	0.1	RMS	789.4	-62.41	-13	Pass	7841
814	860	0.1	RMS	835.2	19.23	60	Pass	461
860	1000	0.1	RMS	925.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.45	-13	Pass	2001
3000	10000	1	RMS	7725	-41.73	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.35	-13	Pass	2986
30	814	0.1	RMS	804.3	-62.37	-13	Pass	7841
814	860	0.1	RMS	835.2	18.27	60	Pass	461
860	1000	0.1	RMS	909.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	7730	-41.71	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-13	Pass	2986
30	814	0.1	RMS	807.4	-62.32	-13	Pass	7841
814	860	0.1	RMS	846.2	19.15	60	Pass	461
860	1000	0.1	RMS	891.3	-62.38	-13	Pass	1401
1000	3000	1	RMS	2652	-46.45	-13	Pass	2001
3000	10000	1	RMS	7732	-41.71	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.16	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.42	-13	Pass	7841
814	860	0.1	RMS	846.2	17.97	60	Pass	461
860	1000	0.1	RMS	968.4	-62.37	-13	Pass	1401
1000	3000	1	RMS	2651	-46.5	-13	Pass	2001
3000	10000	1	RMS	7746	-41.77	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-13	Pass	2986
30	814	0.1	RMS	812	-62.37	-13	Pass	7841
814	860	0.1	RMS	824.3	19.15	60	Pass	461
860	1000	0.1	RMS	919.4	-62.35	-13	Pass	1401
1000	3000	1	RMS	2654	-46.52	-13	Pass	2001
3000	10000	1	RMS	7729	-41.74	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.2	-13	Pass	2986
30	814	0.1	RMS	779.2	-62.49	-13	Pass	7841
814	860	0.1	RMS	824.3	18	60	Pass	461
860	1000	0.1	RMS	930.1	-62.33	-13	Pass	1401
1000	3000	1	RMS	2652	-46.49	-13	Pass	2001
3000	10000	1	RMS	7736	-41.73	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.99	-13	Pass	2986
30	814	0.1	RMS	804	-62.38	-13	Pass	7841
814	860	0.1	RMS	834.3	19.25	60	Pass	461
860	1000	0.1	RMS	953.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2652	-46.48	-13	Pass	2001
3000	10000	1	RMS	7745	-41.77	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	814	0.1	RMS	795.3	-62.38	-13	Pass	7841
814	860	0.1	RMS	834.3	18.48	60	Pass	461
860	1000	0.1	RMS	937.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	7735	-41.73	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.55	-13	Pass	2986
30	814	0.1	RMS	791.3	-62.29	-13	Pass	7841
814	860	0.1	RMS	844.3	19.11	60	Pass	461
860	1000	0.1	RMS	891.4	-62.3	-13	Pass	1401
1000	3000	1	RMS	2655	-46.52	-13	Pass	2001
3000	10000	1	RMS	7732	-41.8	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.41	-13	Pass	7841
814	860	0.1	RMS	844.3	18.3	60	Pass	461
860	1000	0.1	RMS	929.4	-62.38	-13	Pass	1401
1000	3000	1	RMS	2646	-46.52	-13	Pass	2001
3000	10000	1	RMS	7728	-41.75	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.48	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.6	19.7	60	Pass	461
860	1000	0.1	RMS	927.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2652	-46.53	-13	Pass	2001
3000	10000	1	RMS	7733	-41.75	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.98	-13	Pass	2986
30	814	0.1	RMS	808.1	-62.36	-13	Pass	7841
814	860	0.1	RMS	824.6	18.69	60	Pass	461
860	1000	0.1	RMS	922.7	-62.29	-13	Pass	1401
1000	3000	1	RMS	2647	-46.49	-13	Pass	2001
3000	10000	1	RMS	7733	-41.73	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2986
30	814	0.1	RMS	805.5	-62.37	-13	Pass	7841
814	860	0.1	RMS	832.1	19.75	60	Pass	461
860	1000	0.1	RMS	923.7	-62.32	-13	Pass	1401
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	7731	-41.72	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.86	-13	Pass	2986
30	814	0.1	RMS	786.8	-62.33	-13	Pass	7841
814	860	0.1	RMS	832.1	18.57	60	Pass	461
860	1000	0.1	RMS	925.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	7739	-41.68	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-13	Pass	2986
30	814	0.1	RMS	795.3	-62.38	-13	Pass	7841
814	860	0.1	RMS	839.6	19.76	60	Pass	461
860	1000	0.1	RMS	935.9	-62.37	-13	Pass	1401
1000	3000	1	RMS	2653	-46.53	-13	Pass	2001
3000	10000	1	RMS	7735	-41.72	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	814	0.1	RMS	789.5	-62.49	-13	Pass	7841
814	860	0.1	RMS	839.6	18.87	60	Pass	461
860	1000	0.1	RMS	906.2	-62.35	-13	Pass	1401
1000	3000	1	RMS	2651	-46.5	-13	Pass	2001
3000	10000	1	RMS	7749	-41.76	-13	Pass	7001



8. LTE_Band7


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.29	-25	Pass	2986
30	1000	0.1	RMS	938.6	-62.06	-25	Pass	9701
1000	2490	1	RMS	2490	-46.85	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.25	60	Pass	401
2580	3000	1	RMS	2649	-46.54	-25	Pass	421
3000	12000	1	RMS	11857	-63.38	-25	Pass	9001
12000	26000	1	RMS	25015	-45.33	-25	Pass	14001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.63	-25	Pass	2986
30	1000	0.1	RMS	917	-61.95	-25	Pass	9701
1000	2490	1	RMS	2490	-46.97	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.41	60	Pass	401
2580	3000	1	RMS	2654	-46.53	-25	Pass	421
3000	12000	1	RMS	11860	-63.4	-25	Pass	9001
12000	26000	1	RMS	25012	-40.7	-25	Pass	14001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.91	-25	Pass	2986
30	1000	0.1	RMS	899	-62.18	-25	Pass	9701
1000	2490	1	RMS	2484	-47.74	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.8	60	Pass	401
2580	3000	1	RMS	2647	-46.5	-25	Pass	421
3000	12000	1	RMS	11848	-63.34	-25	Pass	9001
12000	26000	1	RMS	25013	-40.77	-25	Pass	14001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-25	Pass	2986
30	1000	0.1	RMS	914.8	-62.08	-25	Pass	9701
1000	2490	1	RMS	2487	-47.81	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.06	60	Pass	401
2580	3000	1	RMS	2653	-46.53	-25	Pass	421
3000	12000	1	RMS	11880	-63.49	-25	Pass	9001
12000	26000	1	RMS	25012	-40.79	-25	Pass	14001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.42	-25	Pass	2986
30	1000	0.1	RMS	896.2	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.84	60	Pass	401
2580	3000	1	RMS	2650	-46.54	-25	Pass	421
3000	12000	1	RMS	11841	-63.41	-25	Pass	9001
12000	26000	1	RMS	25013	-40.71	-25	Pass	14001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.1	-25	Pass	2986
30	1000	0.1	RMS	915.6	-62.1	-25	Pass	9701
1000	2490	1	RMS	2489	-47.78	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.21	60	Pass	401
2580	3000	1	RMS	2657	-46.57	-25	Pass	421
3000	12000	1	RMS	11847	-63.37	-25	Pass	9001
12000	26000	1	RMS	25015	-40.66	-25	Pass	14001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.11	-25	Pass	2986
30	1000	0.1	RMS	894.4	-62.11	-25	Pass	9701
1000	2490	1	RMS	2490	-46.72	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.22	60	Pass	401
2580	3000	1	RMS	2649	-46.55	-25	Pass	421
3000	12000	1	RMS	11852	-63.46	-25	Pass	9001
12000	26000	1	RMS	25012	-40.7	-25	Pass	14001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-25	Pass	2986
30	1000	0.1	RMS	912.4	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-46.97	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.51	60	Pass	401
2580	3000	1	RMS	2652	-46.53	-25	Pass	421
3000	12000	1	RMS	11837	-63.42	-25	Pass	9001
12000	26000	1	RMS	25017	-40.61	-25	Pass	14001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.25	-25	Pass	2986
30	1000	0.1	RMS	925.4	-61.98	-25	Pass	9701
1000	2490	1	RMS	2488	-47.7	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.83	60	Pass	401
2580	3000	1	RMS	2649	-46.53	-25	Pass	421
3000	12000	1	RMS	11849	-63.31	-25	Pass	9001
12000	26000	1	RMS	25017	-40.71	-25	Pass	14001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-25	Pass	2986
30	1000	0.1	RMS	969.1	-62.09	-25	Pass	9701
1000	2490	1	RMS	2489	-47.78	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.85	60	Pass	401
2580	3000	1	RMS	2654	-46.53	-25	Pass	421
3000	12000	1	RMS	11853	-63.44	-25	Pass	9001
12000	26000	1	RMS	25013	-40.66	-25	Pass	14001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-25	Pass	2986
30	1000	0.1	RMS	938.1	-62.13	-25	Pass	9701
1000	2490	1	RMS	2488	-47.78	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.05	60	Pass	401
2580	3000	1	RMS	2650	-46.52	-25	Pass	421
3000	12000	1	RMS	11855	-63.33	-25	Pass	9001
12000	26000	1	RMS	25017	-40.72	-25	Pass	14001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.34	-25	Pass	2986
30	1000	0.1	RMS	890.6	-62.11	-25	Pass	9701
1000	2490	1	RMS	2488	-47.82	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.23	60	Pass	401
2580	3000	1	RMS	2646	-46.58	-25	Pass	421
3000	12000	1	RMS	11858	-63.39	-25	Pass	9001
12000	26000	1	RMS	25011	-40.76	-25	Pass	14001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.4	-25	Pass	2986
30	1000	0.1	RMS	916.5	-62.16	-25	Pass	9701
1000	2490	1	RMS	2487	-43.51	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.12	60	Pass	401
2580	3000	1	RMS	2655	-46.53	-25	Pass	421
3000	12000	1	RMS	11854	-63.4	-25	Pass	9001
12000	26000	1	RMS	25012	-40.73	-25	Pass	14001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.02	-25	Pass	2986
30	1000	0.1	RMS	960.2	-62.17	-25	Pass	9701
1000	2490	1	RMS	2487	-43.36	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.39	60	Pass	401
2580	3000	1	RMS	2658	-46.55	-25	Pass	421
3000	12000	1	RMS	11847	-63.43	-25	Pass	9001
12000	26000	1	RMS	25013	-40.68	-25	Pass	14001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-25	Pass	2986
30	1000	0.1	RMS	933.8	-62.12	-25	Pass	9701
1000	2490	1	RMS	2490	-47.78	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.64	60	Pass	401
2580	3000	1	RMS	2653	-46.54	-25	Pass	421
3000	12000	1	RMS	11856	-63.43	-25	Pass	9001
12000	26000	1	RMS	25013	-40.64	-25	Pass	14001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.53	-25	Pass	2986
30	1000	0.1	RMS	932.2	-62.04	-25	Pass	9701
1000	2490	1	RMS	2486	-47.74	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.73	60	Pass	401
2580	3000	1	RMS	2653	-46.53	-25	Pass	421
3000	12000	1	RMS	11849	-63.44	-25	Pass	9001
12000	26000	1	RMS	25014	-40.66	-25	Pass	14001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-25	Pass	2986
30	1000	0.1	RMS	914.6	-62.01	-25	Pass	9701
1000	2490	1	RMS	2489	-47.76	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.05	60	Pass	401
2595	3000	1	RMS	2649	-46.55	-25	Pass	406
3000	12000	1	RMS	11845	-63.35	-25	Pass	9001
12000	26000	1	RMS	25018	-40.73	-25	Pass	14001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.01	-25	Pass	2986
30	1000	0.1	RMS	941.4	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-47.76	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.36	60	Pass	401
2595	3000	1	RMS	2650	-46.52	-25	Pass	406
3000	12000	1	RMS	11851	-63.4	-25	Pass	9001
12000	26000	1	RMS	25015	-40.72	-25	Pass	14001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.72	-25	Pass	2986
30	1000	0.1	RMS	932.8	-62.02	-25	Pass	9701
1000	2490	1	RMS	2483	-46.14	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.99	60	Pass	401
2580	3000	1	RMS	2649	-46.52	-25	Pass	421
3000	12000	1	RMS	11848	-63.39	-25	Pass	9001
12000	26000	1	RMS	25013	-40.72	-25	Pass	14001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.34	-25	Pass	2986
30	1000	0.1	RMS	938.5	-62.02	-25	Pass	9701
1000	2490	1	RMS	2483	-46.19	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.31	60	Pass	401
2580	3000	1	RMS	2644	-46.56	-25	Pass	421
3000	12000	1	RMS	11852	-63.41	-25	Pass	9001
12000	26000	1	RMS	25015	-40.73	-25	Pass	14001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.63	-25	Pass	2986
30	1000	0.1	RMS	922.1	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-46.55	-25	Pass	1491
2490	2580	1	RMS	2526	21.53	60	Pass	401
2580	3000	1	RMS	2650	-46.48	-25	Pass	421
3000	12000	1	RMS	11848	-63.44	-25	Pass	9001
12000	26000	1	RMS	25010	-40.75	-25	Pass	14001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.14	-25	Pass	2986
30	1000	0.1	RMS	914.9	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.35	-25	Pass	1491
2490	2580	1	RMS	2526	20.71	60	Pass	401
2580	3000	1	RMS	2648	-46.54	-25	Pass	421
3000	12000	1	RMS	11852	-63.4	-25	Pass	9001
12000	26000	1	RMS	25014	-40.6	-25	Pass	14001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.43	-25	Pass	2986
30	1000	0.1	RMS	924.4	-62.07	-25	Pass	9701
1000	2490	1	RMS	2489	-47.74	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.09	60	Pass	401
2595	3000	1	RMS	2649	-46.56	-25	Pass	406
3000	12000	1	RMS	11848	-63.41	-25	Pass	9001
12000	26000	1	RMS	25013	-40.71	-25	Pass	14001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-25	Pass	2986
30	1000	0.1	RMS	922.5	-62.08	-25	Pass	9701
1000	2490	1	RMS	2488	-47.78	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.15	60	Pass	401
2595	3000	1	RMS	2647	-46.53	-25	Pass	406
3000	12000	1	RMS	11851	-63.34	-25	Pass	9001
12000	26000	1	RMS	25010	-40.64	-25	Pass	14001



9. LTE_Band12


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.7	-13	Pass	2986
30	689	0.1	RMS	686.7	-63.34	-13	Pass	6591
689	726	0.1	RMS	699.268	19.77	60	Pass	401
726	1000	0.1	RMS	910.3	-61.92	-13	Pass	2741
1000	3000	1	RMS	2651	-46.47	-13	Pass	2001
3000	10000	1	RMS	7730	-41.77	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	689	0.1	RMS	679	-63.35	-13	Pass	6591
689	726	0.1	RMS	699.268	18.85	60	Pass	401
726	1000	0.1	RMS	915.2	-62.11	-13	Pass	2741
1000	3000	1	RMS	2655	-46.49	-13	Pass	2001
3000	10000	1	RMS	7724	-41.76	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.66	-13	Pass	2986
30	689	0.1	RMS	682.4	-63.29	-13	Pass	6591
689	726	0.1	RMS	707.038	20.03	60	Pass	401
726	1000	0.1	RMS	914.1	-62.21	-13	Pass	2741
1000	3000	1	RMS	1414	-45.87	-13	Pass	2001
3000	10000	1	RMS	7731	-41.78	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.84	-13	Pass	2986
30	689	0.1	RMS	671	-63.37	-13	Pass	6591
689	726	0.1	RMS	707.038	19.06	60	Pass	401
726	1000	0.1	RMS	887.6	-62.11	-13	Pass	2741
1000	3000	1	RMS	2657	-46.51	-13	Pass	2001
3000	10000	1	RMS	7731	-41.72	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.85	-13	Pass	2986
30	689	0.1	RMS	519.5	-63.41	-13	Pass	6591
689	726	0.1	RMS	714.808	18.79	60	Pass	401
726	1000	0.1	RMS	921.3	-62.05	-13	Pass	2741
1000	3000	1	RMS	2651	-46.52	-13	Pass	2001
3000	10000	1	RMS	7733	-41.75	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.55	-13	Pass	2986
30	689	0.1	RMS	685.1	-63.37	-13	Pass	6591
689	726	0.1	RMS	714.808	17.91	60	Pass	401
726	1000	0.1	RMS	893.5	-62.08	-13	Pass	2741
1000	3000	1	RMS	2651	-46.51	-13	Pass	2001
3000	10000	1	RMS	7730	-41.73	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-13	Pass	2986
30	689	0.1	RMS	674.6	-63.38	-13	Pass	6591
689	726	0.1	RMS	699.268	19.59	60	Pass	401
726	1000	0.1	RMS	866	-62.16	-13	Pass	2741
1000	3000	1	RMS	2650	-46.5	-13	Pass	2001
3000	10000	1	RMS	7724	-41.76	-13	Pass	7001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.06	-13	Pass	2986
30	689	0.1	RMS	504.4	-63.45	-13	Pass	6591
689	726	0.1	RMS	699.268	18.76	60	Pass	401
726	1000	0.1	RMS	922.7	-62.1	-13	Pass	2741
1000	3000	1	RMS	2650	-46.54	-13	Pass	2001
3000	10000	1	RMS	7738	-41.75	-13	Pass	7001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.74	-13	Pass	2986
30	689	0.1	RMS	683.1	-63.33	-13	Pass	6591
689	726	0.1	RMS	706.205	19.67	60	Pass	401
726	1000	0.1	RMS	907	-62.02	-13	Pass	2741
1000	3000	1	RMS	2652	-46.52	-13	Pass	2001
3000	10000	1	RMS	7740	-41.77	-13	Pass	7001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	689	0.1	RMS	685.4	-63.39	-13	Pass	6591
689	726	0.1	RMS	706.205	18.68	60	Pass	401
726	1000	0.1	RMS	924	-62.17	-13	Pass	2741
1000	3000	1	RMS	2656	-46.54	-13	Pass	2001
3000	10000	1	RMS	7743	-41.72	-13	Pass	7001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.45	-13	Pass	2986
30	689	0.1	RMS	677.4	-63.3	-13	Pass	6591
689	726	0.1	RMS	713.235	19.27	60	Pass	401
726	1000	0.1	RMS	926.8	-62.13	-13	Pass	2741
1000	3000	1	RMS	2651	-46.54	-13	Pass	2001
3000	10000	1	RMS	7730	-41.69	-13	Pass	7001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-13	Pass	2986
30	689	0.1	RMS	677.4	-63.4	-13	Pass	6591
689	726	0.1	RMS	713.235	18.38	60	Pass	401
726	1000	0.1	RMS	902.8	-62.22	-13	Pass	2741
1000	3000	1	RMS	2657	-46.56	-13	Pass	2001
3000	10000	1	RMS	7735	-41.75	-13	Pass	7001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.29	-13	Pass	2986
30	689	0.1	RMS	679.3	-63.39	-13	Pass	6591
689	726	0.1	RMS	699.36	19.49	60	Pass	401
726	1000	0.1	RMS	938.9	-62.23	-13	Pass	2741
1000	3000	1	RMS	2649	-46.49	-13	Pass	2001
3000	10000	1	RMS	9546	-41.76	-13	Pass	7001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.36	18.75	60	Pass	401
726	1000	0.1	RMS	945.7	-62.15	-13	Pass	2741
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	7747	-41.78	-13	Pass	7001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.13	-13	Pass	2986
30	689	0.1	RMS	507.7	-63.39	-13	Pass	6591
689	726	0.1	RMS	705.373	19.75	60	Pass	401
726	1000	0.1	RMS	947.4	-62.15	-13	Pass	2741
1000	3000	1	RMS	2650	-46.51	-13	Pass	2001
3000	10000	1	RMS	7733	-41.76	-13	Pass	7001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-13	Pass	2986
30	689	0.1	RMS	688.1	-63.31	-13	Pass	6591
689	726	0.1	RMS	705.373	18.96	60	Pass	401
726	1000	0.1	RMS	922.4	-62.09	-13	Pass	2741
1000	3000	1	RMS	2646	-46.57	-13	Pass	2001
3000	10000	1	RMS	7732	-41.76	-13	Pass	7001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.6	-13	Pass	2986
30	689	0.1	RMS	668.8	-63.46	-13	Pass	6591
689	726	0.1	RMS	711.293	18.86	60	Pass	401
726	1000	0.1	RMS	850.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	2650	-46.59	-13	Pass	2001
3000	10000	1	RMS	7727	-41.79	-13	Pass	7001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-13	Pass	2986
30	689	0.1	RMS	686	-63.42	-13	Pass	6591
689	726	0.1	RMS	711.385	18.14	60	Pass	401
726	1000	0.1	RMS	911.8	-62.14	-13	Pass	2741
1000	3000	1	RMS	2650	-46.53	-13	Pass	2001
3000	10000	1	RMS	9546	-41.77	-13	Pass	7001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-13	Pass	2986
30	689	0.1	RMS	682.1	-62.92	-13	Pass	6591
689	726	0.1	RMS	699.545	19.19	60	Pass	401
726	1000	0.1	RMS	946.1	-62.26	-13	Pass	2741
1000	3000	1	RMS	2649	-46.54	-13	Pass	2001
3000	10000	1	RMS	7736	-41.75	-13	Pass	7001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-13	Pass	2986
30	689	0.1	RMS	688.1	-63.26	-13	Pass	6591
689	726	0.1	RMS	699.638	18.34	60	Pass	401
726	1000	0.1	RMS	908.2	-61.99	-13	Pass	2741
1000	3000	1	RMS	2654	-46.52	-13	Pass	2001
3000	10000	1	RMS	7739	-41.79	-13	Pass	7001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-13	Pass	2986
30	689	0.1	RMS	685.5	-62.13	-13	Pass	6591
689	726	0.1	RMS	703.06	19.71	60	Pass	401
726	1000	0.1	RMS	806.1	-62.11	-13	Pass	2741
1000	3000	1	RMS	2650	-46.53	-13	Pass	2001
3000	10000	1	RMS	7739	-41.76	-13	Pass	7001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-13	Pass	2986
30	689	0.1	RMS	685.4	-62.65	-13	Pass	6591
689	726	0.1	RMS	703.06	18.73	60	Pass	401
726	1000	0.1	RMS	948.1	-62.01	-13	Pass	2741
1000	3000	1	RMS	2652	-46.54	-13	Pass	2001
3000	10000	1	RMS	7718	-41.79	-13	Pass	7001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-13	Pass	2986
30	689	0.1	RMS	689	-47.28	-13	Pass	6591
689	726	0.1	RMS	706.575	19.89	60	Pass	401
726	1000	0.1	RMS	929.7	-62.29	-13	Pass	2741
1000	3000	1	RMS	1413	-46.16	-13	Pass	2001
3000	10000	1	RMS	7748	-41.79	-13	Pass	7001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.16	-13	Pass	2986
30	689	0.1	RMS	689	-49.24	-13	Pass	6591
689	726	0.1	RMS	706.575	19.04	60	Pass	401
726	1000	0.1	RMS	927.7	-62.24	-13	Pass	2741
1000	3000	1	RMS	2659	-46.57	-13	Pass	2001
3000	10000	1	RMS	9546	-41.74	-13	Pass	7001



10. LTE_Band38


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-66.08	-25	Pass	401
0.15	30	0.01	RMS	27.67	-64.61	-25	Pass	2986
30	1000	0.1	RMS	923.049	-55.39	-25	Pass	9701
1000	2560	1	RMS	2491	-42.64	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.34	60	Pass	401
2630	3000	1	RMS	2947.275	-41.69	-25	Pass	401
3000	12000	1	RMS	7148	-34.85	-25	Pass	9002
12000	26500	1	RMS	20051	-28.12	-25	Pass	14502




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-66.88	-25	Pass	401
0.15	30	0.01	RMS	15.92	-64.69	-25	Pass	2986
30	1000	0.1	RMS	990.994	-55.55	-25	Pass	9701
1000	2560	1	RMS	2514	-42.55	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.1	60	Pass	401
2630	3000	1	RMS	2963	-41.72	-25	Pass	401
3000	12000	1	RMS	10369	-42.55	-25	Pass	9002
12000	26500	1	RMS	25110	-35.3	-25	Pass	14502




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-66.57	-25	Pass	401
0.15	30	0.01	RMS	10.69	-64.43	-25	Pass	2986
30	1000	0.1	RMS	973.582	-55.23	-25	Pass	9701
1000	2560	1	RMS	2499	-42.51	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.02	60	Pass	401
2630	3000	1	RMS	2967.625	-41.76	-25	Pass	401
3000	12000	1	RMS	10373	-42.47	-25	Pass	9002
12000	26500	1	RMS	24101	-35.32	-25	Pass	14502




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-64.03	-25	Pass	2986
30	1000	0.1	RMS	913.743	-55.25	-25	Pass	9701
1000	2560	1	RMS	2508	-42.62	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.69	60	Pass	401
2630	3000	1	RMS	2973.175	-41.71	-25	Pass	401
3000	12000	1	RMS	10356	-42.5	-25	Pass	9002
12000	26500	1	RMS	25100	-35.23	-25	Pass	14502




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-66.77	-25	Pass	401
0.15	30	0.01	RMS	0.42	-64.53	-25	Pass	2986
30	1000	0.1	RMS	908.339	-55.55	-25	Pass	9701
1000	2560	1	RMS	2512	-42.62	-25	Pass	1561
2560	2630	1	RMS	2615.125	22.37	60	Pass	401
2630	3000	1	RMS	2973.175	-41.75	-25	Pass	401
3000	12000	1	RMS	10348	-42.43	-25	Pass	9002
12000	26500	1	RMS	25092	-35.2	-25	Pass	14502




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.84	-25	Pass	401
0.15	30	0.01	RMS	24.01	-64.33	-25	Pass	2986
30	1000	0.1	RMS	880.02	-55.42	-25	Pass	9701
1000	2560	1	RMS	2509	-42.51	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.2	60	Pass	401
2630	3000	1	RMS	2950.975	-41.63	-25	Pass	401
3000	12000	1	RMS	11714	-34.34	-25	Pass	9002
12000	26500	1	RMS	25091	-35.18	-25	Pass	14502




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-64.34	-25	Pass	2986
30	1000	0.1	RMS	881.321	-55.43	-25	Pass	9701
1000	2560	1	RMS	2553	-42.09	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.73	60	Pass	401
2630	3000	1	RMS	2970.4	-41.72	-25	Pass	401
3000	12000	1	RMS	3530	-39.43	-25	Pass	9002
12000	26500	1	RMS	20019	-28.39	-25	Pass	14502




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.27	-25	Pass	401
0.15	30	0.01	RMS	0.18	-64.8	-25	Pass	2986
30	1000	0.1	RMS	866.111	-55.59	-25	Pass	9701
1000	2560	1	RMS	2553	-41.59	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.67	60	Pass	401
2630	3000	1	RMS	2964.85	-41.72	-25	Pass	401
3000	12000	1	RMS	10353	-42.56	-25	Pass	9002
12000	26500	1	RMS	24106	-35.27	-25	Pass	14502




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-67.96	-25	Pass	401
0.15	30	0.01	RMS	23.06	-64.15	-25	Pass	2986
30	1000	0.1	RMS	990.894	-55.36	-25	Pass	9701
1000	2560	1	RMS	2493	-42.76	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.11	60	Pass	401
2630	3000	1	RMS	2955.6	-41.77	-25	Pass	401
3000	12000	1	RMS	10399	-42.45	-25	Pass	9002
12000	26500	1	RMS	24103	-35.21	-25	Pass	14502




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.8	-25	Pass	401
0.15	30	0.01	RMS	27.18	-64.8	-25	Pass	2986
30	1000	0.1	RMS	894.93	-55.35	-25	Pass	9701
1000	2560	1	RMS	2504	-42.54	-25	Pass	1561
2560	2630	1	RMS	2590.625	21.49	60	Pass	401
2630	3000	1	RMS	2952.825	-41.67	-25	Pass	401
3000	12000	1	RMS	11868	-42.51	-25	Pass	9002
12000	26500	1	RMS	24106	-35.15	-25	Pass	14502




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.61	-25	Pass	401
0.15	30	0.01	RMS	0.27	-64.37	-25	Pass	2986
30	1000	0.1	RMS	997.498	-55.28	-25	Pass	9701
1000	2560	1	RMS	2499	-42.7	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.01	60	Pass	401
2630	3000	1	RMS	2962.075	-41.73	-25	Pass	401
3000	12000	1	RMS	10402	-42.42	-25	Pass	9002
12000	26500	1	RMS	24110	-35.23	-25	Pass	14502




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.99	-25	Pass	401
0.15	30	0.01	RMS	4.95	-64.66	-25	Pass	2986
30	1000	0.1	RMS	855.104	-55.27	-25	Pass	9701
1000	2560	1	RMS	2495	-42.6	-25	Pass	1561
2560	2630	1	RMS	2610.575	21.32	60	Pass	401
2630	3000	1	RMS	2961.15	-41.7	-25	Pass	401
3000	12000	1	RMS	7130	-34.71	-25	Pass	9002
12000	26500	1	RMS	25096	-35.18	-25	Pass	14502




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-68.16	-25	Pass	401
0.15	30	0.01	RMS	16.41	-64.28	-25	Pass	2986
30	1000	0.1	RMS	916.044	-55.3	-25	Pass	9701
1000	2560	1	RMS	2558	-40.92	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.28	60	Pass	401
2630	3000	1	RMS	2967.625	-41.71	-25	Pass	401
3000	12000	1	RMS	3530	-39.21	-25	Pass	9002
12000	26500	1	RMS	20022	-28.42	-25	Pass	14502




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.04	-25	Pass	401
0.15	30	0.01	RMS	4.76	-64.77	-25	Pass	2986
30	1000	0.1	RMS	999.9	-55.45	-25	Pass	9701
1000	2560	1	RMS	2557	-39.39	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.95	60	Pass	401
2630	3000	1	RMS	2979.65	-41.72	-25	Pass	401
3000	12000	1	RMS	10386	-42.39	-25	Pass	9002
12000	26500	1	RMS	24124	-35.22	-25	Pass	14502




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.7	-25	Pass	401
0.15	30	0.01	RMS	10.02	-64.86	-25	Pass	2986
30	1000	0.1	RMS	878.92	-55.39	-25	Pass	9701
1000	2560	1	RMS	2508	-42.52	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.34	60	Pass	401
2630	3000	1	RMS	2963.925	-41.7	-25	Pass	401
3000	12000	1	RMS	10352	-42.43	-25	Pass	9002
12000	26500	1	RMS	24095	-35.15	-25	Pass	14502




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.54	-25	Pass	2986
30	1000	0.1	RMS	879.32	-55.48	-25	Pass	9701
1000	2560	1	RMS	2493	-42.53	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.65	60	Pass	401
2630	3000	1	RMS	2948.2	-41.69	-25	Pass	401
3000	12000	1	RMS	10381	-42.52	-25	Pass	9002
12000	26500	1	RMS	25101	-35.19	-25	Pass	14502




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.42	-25	Pass	401
0.15	30	0.01	RMS	15.25	-64.53	-25	Pass	2986
30	1000	0.1	RMS	871.215	-55.41	-25	Pass	9701
1000	2560	1	RMS	2494	-42.51	-25	Pass	1561
2560	2630	1	RMS	2605.675	22.32	60	Pass	401
2630	3000	1	RMS	2631.85	-35.42	-25	Pass	401
3000	12000	1	RMS	11699	-33.44	-25	Pass	9002
12000	26500	1	RMS	24092	-35.26	-25	Pass	14502




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.54	-25	Pass	401
0.15	30	0.01	RMS	25.38	-64.94	-25	Pass	2986
30	1000	0.1	RMS	986.991	-55.38	-25	Pass	9701
1000	2560	1	RMS	2497	-42.66	-25	Pass	1561
2560	2630	1	RMS	2605.85	21.86	60	Pass	401
2630	3000	1	RMS	2631.85	-33.31	-25	Pass	401
3000	12000	1	RMS	10375	-42.46	-25	Pass	9002
12000	26500	1	RMS	25095	-34.97	-25	Pass	14502




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.97	-25	Pass	401
0.15	30	0.01	RMS	26.69	-64.56	-25	Pass	2986
30	1000	0.1	RMS	478.6	-55.23	-25	Pass	9701
1000	2560	1	RMS	2553	-39.83	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.61	60	Pass	401
2630	3000	1	RMS	2964.85	-41.71	-25	Pass	401
3000	12000	1	RMS	3518	-38.64	-25	Pass	9002
12000	26500	1	RMS	19997	-29.37	-25	Pass	14502




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.11	-25	Pass	401
0.15	30	0.01	RMS	0.49	-63.72	-25	Pass	2986
30	1000	0.1	RMS	834.2	-55.6	-25	Pass	9701
1000	2560	1	RMS	2553	-40.55	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.56	60	Pass	401
2630	3000	1	RMS	2964.85	-41.67	-25	Pass	401
3000	12000	1	RMS	10357	-42.43	-25	Pass	9002
12000	26500	1	RMS	25084	-35.19	-25	Pass	14502




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.128	-67.55	-25	Pass	401
0.15	30	0.01	RMS	10.44	-64.42	-25	Pass	2986
30	1000	0.1	RMS	998.699	-55.52	-25	Pass	9701
1000	2560	1	RMS	2494	-42.64	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.76	60	Pass	401
2630	3000	1	RMS	2948.2	-41.73	-25	Pass	401
3000	12000	1	RMS	10382	-42.39	-25	Pass	9002
12000	26500	1	RMS	25103	-35.21	-25	Pass	14502




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-66.55	-25	Pass	401
0.15	30	0.01	RMS	15.75	-64.46	-25	Pass	2986
30	1000	0.1	RMS	995.897	-55.16	-25	Pass	9701
1000	2560	1	RMS	2512	-42.54	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.7	60	Pass	401
2630	3000	1	RMS	2950.05	-41.66	-25	Pass	401
3000	12000	1	RMS	11999	-42.55	-25	Pass	9002
12000	26500	1	RMS	25092	-35.12	-25	Pass	14502




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-67.5	-25	Pass	401
0.15	30	0.01	RMS	0.22	-64.28	-25	Pass	2986
30	1000	0.1	RMS	892.229	-55.33	-25	Pass	9701
1000	2560	1	RMS	2493	-42.63	-25	Pass	1561
2560	2630	1	RMS	2601.125	22.8	60	Pass	401
2630	3000	1	RMS	2636.475	-34.37	-25	Pass	401
3000	12000	1	RMS	7101	-33.85	-25	Pass	9002
12000	26500	1	RMS	24104	-35.05	-25	Pass	14502



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.17	-25	Pass	401
0.15	30	0.01	RMS	24.67	-64.39	-25	Pass	2986
30	1000	0.1	RMS	890.928	-55.33	-25	Pass	9701
1000	2560	1	RMS	2487	-42.69	-25	Pass	1561
2560	2630	1	RMS	2601.125	21.65	60	Pass	401
2630	3000	1	RMS	2636.475	-32.87	-25	Pass	401
3000	12000	1	RMS	10367	-42.54	-25	Pass	9002
12000	26500	1	RMS	24135	-35.17	-25	Pass	14502



11. LTE_Band41 120M


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.64	-25	Pass	2986
30	1000	0.1	RMS	919	-58.11	-25	Pass	9701
1000	2525	1	RMS	2525	-42.91	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.93	60	Pass	401
2665	3000	1	RMS	2999.163	-42.68	-25	Pass	401
3000	12000	1	RMS	11847	-59.37	-25	Pass	9001
12000	27000	1	RMS	25011	-36.65	-25	Pass	15001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.96	-25	Pass	2986
30	1000	0.1	RMS	923.3	-58.07	-25	Pass	9701
1000	2525	1	RMS	2525	-43.4	-25	Pass	1526
2525	2665	1	RMS	2535.15	21.72	60	Pass	401
2665	3000	1	RMS	2665	-42.66	-25	Pass	401
3000	12000	1	RMS	11855	-59.38	-25	Pass	9001
12000	27000	1	RMS	25011	-36.68	-25	Pass	15001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.54	-25	Pass	2986
30	1000	0.1	RMS	920.8	-58.01	-25	Pass	9701
1000	2525	1	RMS	2525	-43.6	-25	Pass	1526
2525	2665	1	RMS	2592.9	22.13	60	Pass	401
2665	3000	1	RMS	3000	-42.65	-25	Pass	401
3000	12000	1	RMS	11845	-59.31	-25	Pass	9001
12000	27000	1	RMS	25011	-36.63	-25	Pass	15001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-36.94	-25	Pass	2986
30	1000	0.1	RMS	916.5	-58.02	-25	Pass	9701
1000	2525	1	RMS	2518	-43.62	-25	Pass	1526
2525	2665	1	RMS	2592.55	21.49	60	Pass	401
2665	3000	1	RMS	2665	-42.64	-25	Pass	401
3000	12000	1	RMS	11844	-59.38	-25	Pass	9001
12000	27000	1	RMS	25012	-36.68	-25	Pass	15001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.56	-25	Pass	401
0.15	30	0.01	RMS	0.16	-37.38	-25	Pass	2986
30	1000	0.1	RMS	899.5	-58.02	-25	Pass	9701
1000	2525	1	RMS	2512	-43.6	-25	Pass	1526
2525	2665	1	RMS	2650.3	22.92	60	Pass	401
2665	3000	1	RMS	2665	-42.54	-25	Pass	401
3000	12000	1	RMS	10601	-58.2	-25	Pass	9001
12000	27000	1	RMS	25019	-36.63	-25	Pass	15001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.87	-25	Pass	2986
30	1000	0.1	RMS	920.5	-57.95	-25	Pass	9701
1000	2525	1	RMS	2516	-43.48	-25	Pass	1526
2525	2665	1	RMS	2650.65	21.51	60	Pass	401
2665	3000	1	RMS	3000	-42.62	-25	Pass	401
3000	12000	1	RMS	11846	-59.27	-25	Pass	9001
12000	27000	1	RMS	25010	-36.6	-25	Pass	15001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.61	-25	Pass	2986
30	1000	0.1	RMS	901.5	-58.04	-25	Pass	9701
1000	2525	1	RMS	2518	-41.56	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.64	60	Pass	401
2665	3000	1	RMS	3000	-42.68	-25	Pass	401
3000	12000	1	RMS	11854	-59.32	-25	Pass	9001
12000	27000	1	RMS	25012	-36.66	-25	Pass	15001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.76	-25	Pass	2986
30	1000	0.1	RMS	910.6	-57.97	-25	Pass	9701
1000	2525	1	RMS	2518	-41.21	-25	Pass	1526
2525	2665	1	RMS	2535.5	21.72	60	Pass	401
2665	3000	1	RMS	2998.325	-42.63	-25	Pass	401
3000	12000	1	RMS	11857	-59.37	-25	Pass	9001
12000	27000	1	RMS	25011	-36.62	-25	Pass	15001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-41.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.69	-25	Pass	2986
30	1000	0.1	RMS	943.4	-58.13	-25	Pass	9701
1000	2525	1	RMS	2503	-43.64	-25	Pass	1526
2525	2665	1	RMS	2590.45	22.86	60	Pass	401
2665	3000	1	RMS	2997.488	-42.67	-25	Pass	401
3000	12000	1	RMS	11858	-59.39	-25	Pass	9001
12000	27000	1	RMS	25009	-36.69	-25	Pass	15001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.38	-25	Pass	2986
30	1000	0.1	RMS	915.3	-57.99	-25	Pass	9701
1000	2525	1	RMS	2513	-43.63	-25	Pass	1526
2525	2665	1	RMS	2590.8	22.04	60	Pass	401
2665	3000	1	RMS	3000	-42.69	-25	Pass	401
3000	12000	1	RMS	11850	-59.4	-25	Pass	9001
12000	27000	1	RMS	25012	-36.6	-25	Pass	15001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.12	-25	Pass	2986
30	1000	0.1	RMS	952.1	-58.12	-25	Pass	9701
1000	2525	1	RMS	2521	-43.55	-25	Pass	1526
2525	2665	1	RMS	2645.75	22.87	60	Pass	401
2665	3000	1	RMS	2665	-42.64	-25	Pass	401
3000	12000	1	RMS	10583	-59.01	-25	Pass	9001
12000	27000	1	RMS	25013	-36.73	-25	Pass	15001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.99	-25	Pass	2986
30	1000	0.1	RMS	929.2	-58.11	-25	Pass	9701
1000	2525	1	RMS	2507	-43.6	-25	Pass	1526
2525	2665	1	RMS	2645.75	22.42	60	Pass	401
2665	3000	1	RMS	2665	-42.6	-25	Pass	401
3000	12000	1	RMS	11854	-59.4	-25	Pass	9001
12000	27000	1	RMS	25011	-36.59	-25	Pass	15001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.49	-25	Pass	2986
30	1000	0.1	RMS	961.2	-58.13	-25	Pass	9701
1000	2525	1	RMS	2523	-38.37	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.08	60	Pass	401
2665	3000	1	RMS	3000	-42.69	-25	Pass	401
3000	12000	1	RMS	11851	-59.34	-25	Pass	9001
12000	27000	1	RMS	25011	-36.73	-25	Pass	15001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.31	-25	Pass	2986
30	1000	0.1	RMS	909	-58.11	-25	Pass	9701
1000	2525	1	RMS	2522	-38.08	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.69	60	Pass	401
2665	3000	1	RMS	3000	-42.66	-25	Pass	401
3000	12000	1	RMS	11849	-59.36	-25	Pass	9001
12000	27000	1	RMS	25014	-36.69	-25	Pass	15001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.69	-25	Pass	2986
30	1000	0.1	RMS	841.1	-58.13	-25	Pass	9701
1000	2525	1	RMS	2510	-43.63	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.29	60	Pass	401
2665	3000	1	RMS	3000	-42.67	-25	Pass	401
3000	12000	1	RMS	11855	-59.42	-25	Pass	9001
12000	27000	1	RMS	25012	-36.68	-25	Pass	15001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.06	-25	Pass	2986
30	1000	0.1	RMS	931.3	-57.88	-25	Pass	9701
1000	2525	1	RMS	2518	-43.63	-25	Pass	1526
2525	2665	1	RMS	2588.35	21.98	60	Pass	401
2665	3000	1	RMS	3000	-42.64	-25	Pass	401
3000	12000	1	RMS	11853	-59.4	-25	Pass	9001
12000	27000	1	RMS	25011	-36.53	-25	Pass	15001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.37	-25	Pass	2986
30	1000	0.1	RMS	897.8	-58.09	-25	Pass	9701
1000	2525	1	RMS	2523	-43.53	-25	Pass	1526
2525	2680	1	RMS	2640.863	22.09	60	Pass	401
2680	3000	1	RMS	3000	-42.69	-25	Pass	401
3000	12000	1	RMS	11836	-59.36	-25	Pass	9001
12000	27000	1	RMS	25015	-36.67	-25	Pass	15001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.06	-25	Pass	2986
30	1000	0.1	RMS	920.6	-58.12	-25	Pass	9701
1000	2525	1	RMS	2509	-43.61	-25	Pass	1526
2525	2680	1	RMS	2640.475	21.12	60	Pass	401
2680	3000	1	RMS	3000	-42.62	-25	Pass	401
3000	12000	1	RMS	11850	-59.38	-25	Pass	9001
12000	27000	1	RMS	25017	-36.61	-25	Pass	15001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.8	-25	Pass	2986
30	1000	0.1	RMS	929.7	-58.17	-25	Pass	9701
1000	2525	1	RMS	2519	-40.09	-25	Pass	1526
2525	2665	1	RMS	2536.2	22.76	60	Pass	401
2665	3000	1	RMS	3000	-42.63	-25	Pass	401
3000	12000	1	RMS	11846	-59.38	-25	Pass	9001
12000	27000	1	RMS	25014	-36.57	-25	Pass	15001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.83	-25	Pass	2986
30	1000	0.1	RMS	886.5	-58.13	-25	Pass	9701
1000	2525	1	RMS	2518	-40.38	-25	Pass	1526
2525	2665	1	RMS	2535.85	21.67	60	Pass	401
2665	3000	1	RMS	3000	-42.68	-25	Pass	401
3000	12000	1	RMS	11874	-59.39	-25	Pass	9001
12000	27000	1	RMS	25014	-36.73	-25	Pass	15001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.89	-25	Pass	2986
30	1000	0.1	RMS	934.2	-58.12	-25	Pass	9701
1000	2525	1	RMS	2522	-43.62	-25	Pass	1526
2525	2665	1	RMS	2585.9	22.79	60	Pass	401
2665	3000	1	RMS	2999.163	-42.63	-25	Pass	401
3000	12000	1	RMS	11849	-59.36	-25	Pass	9001
12000	27000	1	RMS	25012	-36.6	-25	Pass	15001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.65	-25	Pass	2986
30	1000	0.1	RMS	928.9	-58.09	-25	Pass	9701
1000	2525	1	RMS	2512	-43.69	-25	Pass	1526
2525	2665	1	RMS	2586.25	22.03	60	Pass	401
2665	3000	1	RMS	2999.163	-42.69	-25	Pass	401
3000	12000	1	RMS	11850	-59.39	-25	Pass	9001
12000	27000	1	RMS	25011	-36.69	-25	Pass	15001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.56	-25	Pass	2986
30	1000	0.1	RMS	943.3	-57.99	-25	Pass	9701
1000	2525	1	RMS	2505	-43.6	-25	Pass	1526
2525	2680	1	RMS	2635.825	22.7	60	Pass	401
2680	3000	1	RMS	3000	-42.66	-25	Pass	401
3000	12000	1	RMS	11847	-59.37	-25	Pass	9001
12000	27000	1	RMS	25017	-36.79	-25	Pass	15001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-36.8	-25	Pass	2986
30	1000	0.1	RMS	951.6	-58.09	-25	Pass	9701
1000	2525	1	RMS	2497	-43.61	-25	Pass	1526
2525	2680	1	RMS	2636.213	21.69	60	Pass	401
2680	3000	1	RMS	3000	-42.66	-25	Pass	401
3000	12000	1	RMS	11859	-59.34	-25	Pass	9001
12000	27000	1	RMS	25010	-36.65	-25	Pass	15001



12. LTE_Band66


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-49.46	-13	Pass	701
1700	1790	1	RMS	1710.35	24.08	60	Pass	401
1790	3000	1	RMS	2652	-46.5	-13	Pass	1211
3000	12000	1	RMS	11847	-40.02	-13	Pass	9001
12000	20000	1	RMS	19997	-27.65	-13	Pass	8001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.27	-13	Pass	2986
30	1000	0.1	RMS	917.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-49.42	-13	Pass	701
1700	1790	1	RMS	1710.35	24.09	60	Pass	401
1790	3000	1	RMS	2661	-46.49	-13	Pass	1211
3000	12000	1	RMS	11843	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.27	-13	Pass	2986
30	1000	0.1	RMS	929.2	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1790	1	RMS	1744.55	24.76	60	Pass	401
1790	3000	1	RMS	2657	-46.48	-13	Pass	1211
3000	12000	1	RMS	11948	-39.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.55	-13	Pass	8001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.46	-13	Pass	2986
30	1000	0.1	RMS	916.6	-62.03	-13	Pass	9701
1000	1700	1	RMS	1696	-51.05	-13	Pass	701
1700	1790	1	RMS	1744.55	24.72	60	Pass	401
1790	3000	1	RMS	2650	-46.49	-13	Pass	1211
3000	12000	1	RMS	11848	-40.05	-13	Pass	9001
12000	20000	1	RMS	19997	-27.56	-13	Pass	8001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.8	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1790	1	RMS	1778.75	24.3	60	Pass	401
1790	3000	1	RMS	2651	-46.52	-13	Pass	1211
3000	12000	1	RMS	11921	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.11	-13	Pass	2986
30	1000	0.1	RMS	942.3	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1778.75	24.3	60	Pass	401
1790	3000	1	RMS	2648	-46.52	-13	Pass	1211
3000	12000	1	RMS	11853	-40	-13	Pass	9001
12000	20000	1	RMS	20000	-27.56	-13	Pass	8001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.78	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-49.54	-13	Pass	701
1700	1790	1	RMS	1710.125	23.91	60	Pass	401
1790	3000	1	RMS	2653	-46.44	-13	Pass	1211
3000	12000	1	RMS	11846	-39.98	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.73	-13	Pass	2986
30	1000	0.1	RMS	922.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-49.37	-13	Pass	701
1700	1790	1	RMS	1710.125	24	60	Pass	401
1790	3000	1	RMS	2650	-46.47	-13	Pass	1211
3000	12000	1	RMS	11933	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-43.95	-13	Pass	2986
30	1000	0.1	RMS	924.8	-61.94	-13	Pass	9701
1000	1700	1	RMS	1698	-51.08	-13	Pass	701
1700	1790	1	RMS	1743.65	24.61	60	Pass	401
1790	3000	1	RMS	2650	-46.52	-13	Pass	1211
3000	12000	1	RMS	11968	-39.98	-13	Pass	9001
12000	20000	1	RMS	20000	-27.62	-13	Pass	8001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.4	-13	Pass	2986
30	1000	0.1	RMS	954.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1680	-51.09	-13	Pass	701
1700	1790	1	RMS	1743.65	24.62	60	Pass	401
1790	3000	1	RMS	2650	-46.46	-13	Pass	1211
3000	12000	1	RMS	11941	-39.98	-13	Pass	9001
12000	20000	1	RMS	19995	-27.57	-13	Pass	8001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.93	-13	Pass	2986
30	1000	0.1	RMS	910.6	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1777.175	24.33	60	Pass	401
1790	3000	1	RMS	2650	-46.47	-13	Pass	1211
3000	12000	1	RMS	11853	-39.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1790	1	RMS	1777.175	24.41	60	Pass	401
1790	3000	1	RMS	2656	-46.48	-13	Pass	1211
3000	12000	1	RMS	11934	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.4	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-49.56	-13	Pass	701
1700	1790	1	RMS	1710.35	23.98	60	Pass	401
1790	3000	1	RMS	2652	-46.49	-13	Pass	1211
3000	12000	1	RMS	11952	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-49.44	-13	Pass	701
1700	1790	1	RMS	1710.35	23.99	60	Pass	401
1790	3000	1	RMS	2650	-46.53	-13	Pass	1211
3000	12000	1	RMS	11952	-39.99	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.77	-13	Pass	2986
30	1000	0.1	RMS	914.3	-62.04	-13	Pass	9701
1000	1700	1	RMS	1692	-51.07	-13	Pass	701
1700	1790	1	RMS	1742.75	24.54	60	Pass	401
1790	3000	1	RMS	2646	-46.49	-13	Pass	1211
3000	12000	1	RMS	11936	-39.99	-13	Pass	9001
12000	20000	1	RMS	19996	-27.55	-13	Pass	8001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	1000	0.1	RMS	909.6	-61.99	-13	Pass	9701
1000	1700	1	RMS	1658	-51.08	-13	Pass	701
1700	1790	1	RMS	1742.75	24.64	60	Pass	401
1790	3000	1	RMS	2647	-46.44	-13	Pass	1211
3000	12000	1	RMS	11962	-39.93	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.79	-13	Pass	2986
30	1000	0.1	RMS	898.6	-61.98	-13	Pass	9701
1000	1700	1	RMS	1696	-51.09	-13	Pass	701
1700	1790	1	RMS	1775.375	24.1	60	Pass	401
1790	3000	1	RMS	2650	-46.49	-13	Pass	1211
3000	12000	1	RMS	11925	-39.98	-13	Pass	9001
12000	20000	1	RMS	20000	-27.67	-13	Pass	8001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.97	-13	Pass	2986
30	1000	0.1	RMS	942	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1775.375	24.35	60	Pass	401
1790	3000	1	RMS	2645	-46.55	-13	Pass	1211
3000	12000	1	RMS	11854	-40.09	-13	Pass	9001
12000	20000	1	RMS	19994	-27.54	-13	Pass	8001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.4	-13	Pass	2986
30	1000	0.1	RMS	958.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1693	-46.66	-13	Pass	701
1700	1790	1	RMS	1710.575	23.65	60	Pass	401
1790	3000	1	RMS	2651	-46.5	-13	Pass	1211
3000	12000	1	RMS	11849	-40	-13	Pass	9001
12000	20000	1	RMS	19998	-27.52	-13	Pass	8001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.82	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.12	-13	Pass	9701
1000	1700	1	RMS	1693	-45.78	-13	Pass	701
1700	1790	1	RMS	1710.575	23.78	60	Pass	401
1790	3000	1	RMS	2649	-46.48	-13	Pass	1211
3000	12000	1	RMS	11930	-40	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.59	-13	Pass	2986
30	1000	0.1	RMS	919.2	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1740.5	24.34	60	Pass	401
1790	3000	1	RMS	2655	-46.49	-13	Pass	1211
3000	12000	1	RMS	11951	-39.97	-13	Pass	9001
12000	20000	1	RMS	19999	-27.56	-13	Pass	8001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.11	-13	Pass	2986
30	1000	0.1	RMS	951.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1683	-51.11	-13	Pass	701
1700	1790	1	RMS	1740.5	24.33	60	Pass	401
1790	3000	1	RMS	2648	-46.48	-13	Pass	1211
3000	12000	1	RMS	11945	-40.02	-13	Pass	9001
12000	20000	1	RMS	19991	-27.61	-13	Pass	8001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-13	Pass	2986
30	1000	0.1	RMS	935.5	-62.03	-13	Pass	9701
1000	1700	1	RMS	1573	-51.08	-13	Pass	701
1700	1790	1	RMS	1770.65	23.42	60	Pass	401
1790	3000	1	RMS	2645	-46.54	-13	Pass	1211
3000	12000	1	RMS	11843	-39.99	-13	Pass	9001
12000	20000	1	RMS	19997	-27.62	-13	Pass	8001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.54	-13	Pass	2986
30	1000	0.1	RMS	933.2	-62	-13	Pass	9701
1000	1700	1	RMS	1683	-51.12	-13	Pass	701
1700	1790	1	RMS	1770.65	23.5	60	Pass	401
1790	3000	1	RMS	2653	-46.51	-13	Pass	1211
3000	12000	1	RMS	11931	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.58	-13	Pass	8001



12.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.27	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-44.11	-13	Pass	701
1700	1790	1	RMS	1710.8	23.83	60	Pass	401
1790	3000	1	RMS	2649	-46.51	-13	Pass	1211
3000	12000	1	RMS	11943	-39.98	-13	Pass	9001
12000	20000	1	RMS	20000	-27.64	-13	Pass	8001



12.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	1000	0.1	RMS	940	-62.08	-13	Pass	9701
1000	1700	1	RMS	1698	-41.68	-13	Pass	701
1700	1790	1	RMS	1710.8	23.91	60	Pass	401
1790	3000	1	RMS	2643	-46.53	-13	Pass	1211
3000	12000	1	RMS	11958	-40.03	-13	Pass	9001
12000	20000	1	RMS	19994	-27.66	-13	Pass	8001



12.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-13	Pass	2986
30	1000	0.1	RMS	903.2	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1738.25	24.48	60	Pass	401
1790	3000	1	RMS	2656	-46.48	-13	Pass	1211
3000	12000	1	RMS	11866	-39.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001



12.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.82	-13	Pass	2986
30	1000	0.1	RMS	923.2	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1738.25	24.55	60	Pass	401
1790	3000	1	RMS	2649	-46.46	-13	Pass	1211
3000	12000	1	RMS	11854	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001



12.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.96	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62	-13	Pass	9701
1000	1700	1	RMS	1676	-51.09	-13	Pass	701
1700	1790	1	RMS	1765.925	23.49	60	Pass	401
1790	3000	1	RMS	1792	-34.45	-13	Pass	1211
3000	12000	1	RMS	11955	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.61	-13	Pass	8001



12.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.03	-13	Pass	2986
30	1000	0.1	RMS	915.2	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1790	1	RMS	1765.925	23.65	60	Pass	401
1790	3000	1	RMS	1792	-33.29	-13	Pass	1211
3000	12000	1	RMS	11851	-40.05	-13	Pass	9001
12000	20000	1	RMS	19993	-27.66	-13	Pass	8001



12.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-13	Pass	2986
30	1000	0.1	RMS	954.2	-62.03	-13	Pass	9701
1000	1700	1	RMS	1693	-49.08	-13	Pass	701
1700	1790	1	RMS	1711.025	23.59	60	Pass	401
1790	3000	1	RMS	2657	-46.53	-13	Pass	1211
3000	12000	1	RMS	11958	-40.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001



12.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.82	-13	Pass	2986
30	1000	0.1	RMS	907.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-47.87	-13	Pass	701
1700	1790	1	RMS	1711.025	23.74	60	Pass	401
1790	3000	1	RMS	2653	-46.52	-13	Pass	1211
3000	12000	1	RMS	11894	-40	-13	Pass	9001
12000	20000	1	RMS	20000	-27.61	-13	Pass	8001



12.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.72	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-45.38	-13	Pass	701
1700	1790	1	RMS	1736	24.26	60	Pass	401
1790	3000	1	RMS	2651	-46.51	-13	Pass	1211
3000	12000	1	RMS	11851	-39.95	-13	Pass	9001
12000	20000	1	RMS	19996	-27.62	-13	Pass	8001



12.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.92	-13	Pass	2986
30	1000	0.1	RMS	948.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-44.78	-13	Pass	701
1700	1790	1	RMS	1736	24.24	60	Pass	401
1790	3000	1	RMS	2650	-46.45	-13	Pass	1211
3000	12000	1	RMS	11851	-39.97	-13	Pass	9001
12000	20000	1	RMS	19996	-27.64	-13	Pass	8001



12.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.53	-13	Pass	2986
30	1000	0.1	RMS	975.1	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1790	1	RMS	1760.975	23.04	60	Pass	401
1790	3000	1	RMS	1797	-34.69	-13	Pass	1211
3000	12000	1	RMS	11849	-40.04	-13	Pass	9001
12000	20000	1	RMS	19995	-27.59	-13	Pass	8001



12.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.81	-13	Pass	2986
30	1000	0.1	RMS	925.6	-61.77	-13	Pass	9701
1000	1700	1	RMS	1602	-51.11	-13	Pass	701
1700	1790	1	RMS	1761.2	23.09	60	Pass	401
1790	3000	1	RMS	1797	-33.67	-13	Pass	1211
3000	12000	1	RMS	11888	-40.01	-13	Pass	9001
12000	20000	1	RMS	19999	-27.56	-13	Pass	8001



--BLANK BELOW--