



802.11n-HT40 Out-of-Band Emissions – Ant 1

Channel 09 (2452MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11ax-HE20 Out-of-Band Emissions – Ant 1

Channel 01 (2412MHz)


100kHz PSD Reference Level



Low Band Edge




Spurious Emission



Channel 06 (2437MHz)

100kHz PSD Reference Level




Spurious Emission




802.11ax-HE20 Out-of-Band Emissions – Ant 1

Channel 11 (2462MHz)


100kHz PSD Reference Level



High Band Edge




Spurious Emission




802.11ax-HE40 Out-of-Band Emissions – Ant 1

Channel 03 (2422MHz)


100kHz PSD Reference Level



Low Band Edge




Spurious Emission




Channel 06 (2437MHz)

100kHz PSD Reference Level




Spurious Emission




802.11ax-HE40 Out-of-Band Emissions – Ant 1

Channel 09 (2452MHz)


100kHz PSD Reference Level



High Band Edge



Spurious Emission



A.6 Radiated Spurious Emission Test Result

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-06-16	Test Mode:	802.11b
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4230.0	34.4	0.9	35.3	74.0	-38.7	Peak	Horizontal
	4825.0	39.3	3.3	42.6	74.0	-31.4	Peak	Horizontal
	10877.0	29.8	16.0	45.8	74.0	-28.2	Peak	Horizontal
	3949.5	35.6	-0.2	35.4	74.0	-38.6	Peak	Vertical
	4825.0	46.9	3.3	50.2	74.0	-23.8	Peak	Vertical
	11225.5	29.7	16.8	46.5	74.0	-27.5	Peak	Vertical
06	3949.5	36.8	-0.2	36.6	74.0	-37.4	Peak	Horizontal
	4876.0	42.2	3.0	45.2	74.0	-28.8	Peak	Horizontal
	11030.0	32.3	16.1	48.4	74.0	-25.6	Peak	Horizontal
	3745.5	34.9	-0.6	34.3	74.0	-39.7	Peak	Vertical
	4876.0	51.1	3.0	54.1	74.0	-19.9	Peak	Vertical
	4876.0	48.3	3.0	51.3	54.0	-2.7	Average	Vertical
	11633.5	30.6	17.7	48.3	74.0	-25.7	Peak	Vertical
11	4187.5	35.8	0.9	36.7	74.0	-37.3	Peak	Horizontal
	4927.0	40.7	3.2	43.9	74.0	-30.1	Peak	Horizontal
	11846.0	29.7	17.0	46.7	74.0	-27.3	Peak	Horizontal
	3983.5	36.3	-0.2	36.1	74.0	-37.9	Peak	Vertical
	4927.0	46.5	3.2	49.7	74.0	-24.3	Peak	Vertical
	11684.5	31.9	17.3	49.2	74.0	-24.8	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-06-17	Test Mode:	802.11g
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	3796.5	34.6	-0.3	34.3	74.0	-39.7	Peak	Horizontal
	5080.0	33.5	3.5	37.0	74.0	-37.0	Peak	Horizontal
	11829.0	32.2	17.4	49.6	74.0	-24.4	Peak	Horizontal
	3975.0	37.2	-0.2	37.0	74.0	-37.0	Peak	Vertical
	4825.0	37.9	3.3	41.2	74.0	-32.8	Peak	Vertical
	11642.0	30.4	17.9	48.3	74.0	-25.7	Peak	Vertical
06	4043.0	35.1	0.2	35.3	74.0	-38.7	Peak	Horizontal
	4833.5	33.3	3.3	36.6	74.0	-37.4	Peak	Horizontal
	11310.5	30.8	17.2	48.0	74.0	-26.0	Peak	Horizontal
	3915.5	34.1	-0.4	33.7	74.0	-40.3	Peak	Vertical
	4867.5	43.1	3.2	46.3	74.0	-27.7	Peak	Vertical
	11327.5	29.2	17.3	46.5	74.0	-27.5	Peak	Vertical
11	3881.5	37.0	-0.2	36.8	74.0	-37.2	Peak	Horizontal
	4901.5	34.0	3.1	37.1	74.0	-36.9	Peak	Horizontal
	11744.0	31.0	17.5	48.5	74.0	-25.5	Peak	Horizontal
	3907.0	36.9	-0.4	36.5	74.0	-37.5	Peak	Vertical
	4927.0	37.8	3.2	41.0	74.0	-33.0	Peak	Vertical
	11608.0	31.8	17.1	48.9	74.0	-25.1	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-06-17	Test Mode:	802.11n-HT20
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	4043.0	37.2	0.2	37.4	74.0	-36.6	Peak	Horizontal
	4774.0	33.3	3.8	37.1	74.0	-36.9	Peak	Horizontal
	11378.5	30.5	17.2	47.7	74.0	-26.3	Peak	Horizontal
	4009.0	36.1	-0.1	36.0	74.0	-38.0	Peak	Vertical
	4825.0	36.5	3.3	39.8	74.0	-34.2	Peak	Vertical
	11327.5	30.1	17.3	47.4	74.0	-26.6	Peak	Vertical
06	4051.5	35.1	0.2	35.3	74.0	-38.7	Peak	Horizontal
	4952.5	35.2	3.1	38.3	74.0	-35.7	Peak	Horizontal
	11506.0	31.2	17.4	48.6	74.0	-25.4	Peak	Horizontal
	3915.5	34.6	-0.4	34.2	74.0	-39.8	Peak	Vertical
	4672.0	36.2	3.7	39.9	74.0	-34.1	Peak	Vertical
	11684.5	29.2	17.3	46.5	74.0	-27.5	Peak	Vertical
11	3873.0	37.5	-0.2	37.3	74.0	-36.7	Peak	Horizontal
	4672.0	36.2	3.7	39.9	74.0	-34.1	Peak	Horizontal
	11463.5	31.9	17.4	49.3	74.0	-24.7	Peak	Horizontal
	3864.5	34.6	-0.2	34.4	74.0	-39.6	Peak	Vertical
	4672.0	36.2	3.7	39.9	74.0	-34.1	Peak	Vertical
	11633.5	32.1	17.7	49.8	74.0	-24.2	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m) Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)								

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-06-17	Test Mode:	802.11n-HT40
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
03	4187.5	36.5	0.9	37.4	74.0	-36.6	Peak	Horizontal
	4842.0	38.0	3.3	41.3	74.0	-32.7	Peak	Horizontal
	11650.5	30.8	17.8	48.6	74.0	-25.4	Peak	Horizontal
	4170.5	34.2	0.7	34.9	74.0	-39.1	Peak	Vertical
	4867.5	39.9	3.2	43.1	74.0	-30.9	Peak	Vertical
	11387.0	31.5	17.3	48.8	74.0	-25.2	Peak	Vertical
06	4944.0	33.5	3.2	36.7	74.0	-37.3	Peak	Horizontal
	7647.0	33.6	11.3	44.9	74.0	-29.1	Peak	Horizontal
	11183.0	29.9	17.0	46.9	74.0	-27.1	Peak	Horizontal
	4170.5	36.5	0.7	37.2	74.0	-36.8	Peak	Vertical
	4867.5	36.2	3.2	39.4	74.0	-34.6	Peak	Vertical
	11803.5	30.7	17.6	48.3	74.0	-25.7	Peak	Vertical
09	3898.5	36.5	-0.3	36.2	74.0	-37.8	Peak	Horizontal
	5071.5	36.1	3.5	39.6	74.0	-34.4	Peak	Horizontal
	11506.0	30.6	17.4	48.0	74.0	-26.0	Peak	Horizontal
	4043.0	34.7	0.2	34.9	74.0	-39.1	Peak	Vertical
	4986.5	33.5	3.1	36.6	74.0	-37.4	Peak	Vertical
	11480.5	31.1	17.5	48.6	74.0	-25.4	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m) Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)								

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-06-17	Test Mode:	802.11ax-HE20
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		

Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
01	3847.5	34.7	-0.3	34.4	74.0	-39.6	Peak	Horizontal
	4825.0	39.2	3.3	42.5	74.0	-31.5	Peak	Horizontal
	12169.0	29.4	17.3	46.7	74.0	-27.3	Peak	Horizontal
	4026.0	34.3	0.1	34.4	74.0	-39.6	Peak	Vertical
	4816.5	41.6	3.3	44.9	74.0	-29.1	Peak	Vertical
	11531.5	30.3	17.3	47.6	74.0	-26.4	Peak	Vertical
06	4094.0	34.0	0.5	34.5	74.0	-39.5	Peak	Horizontal
	4876.0	39.2	3.0	42.2	74.0	-31.8	Peak	Horizontal
	10970.5	31.7	16.0	47.7	74.0	-26.3	Peak	Horizontal
	3881.5	36.0	-0.2	35.8	74.0	-38.2	Peak	Vertical
	4876.0	46.0	3.0	49.0	74.0	-25.0	Peak	Vertical
	11480.5	29.6	17.5	47.1	74.0	-26.9	Peak	Vertical
11	4077.0	33.5	0.3	33.8	74.0	-40.2	Peak	Horizontal
	4604.0	34.2	3.3	37.5	74.0	-36.5	Peak	Horizontal
	10928.0	30.3	16.5	46.8	74.0	-27.2	Peak	Horizontal
	3881.5	34.9	-0.2	34.7	74.0	-39.3	Peak	Vertical
	4927.0	37.5	3.2	40.7	74.0	-33.3	Peak	Vertical
	11378.5	29.3	17.2	46.5	74.0	-27.5	Peak	Vertical
Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m) Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)								

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2023-06-17	Test Mode:	802.11ax-HE40
Remark:	1. Average measurement was not performed if peak level lower than average limit. 2. Other frequency was 20dB below limit line within 1-18GHz, there is not show in the report.		


Test Channel	Frequency (MHz)	Reading Level (dBμV)	Factor (dB/m)	Measure Level (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
03	3992.0	34.3	-0.2	34.1	74.0	-39.9	Peak	Horizontal
	4850.5	37.5	3.3	40.8	74.0	-33.2	Peak	Horizontal
	11633.5	31.9	17.7	49.6	74.0	-24.4	Peak	Horizontal
	4009.0	34.4	-0.1	34.3	74.0	-39.7	Peak	Vertical
	4867.5	41.3	3.2	44.5	74.0	-29.5	Peak	Vertical
	11276.5	29.8	16.9	46.7	74.0	-27.3	Peak	Vertical
06	3830.5	34.6	-0.4	34.2	74.0	-39.8	Peak	Horizontal
	4731.5	33.8	3.7	37.5	74.0	-36.5	Peak	Horizontal
	11659.0	31.3	17.7	49.0	74.0	-25.0	Peak	Horizontal
	3881.5	35.3	-0.2	35.1	74.0	-38.9	Peak	Vertical
	4867.5	38.7	3.2	41.9	74.0	-32.1	Peak	Vertical
	11582.5	30.9	17.5	48.4	74.0	-25.6	Peak	Vertical
09	4077.0	33.6	0.3	33.9	74.0	-40.1	Peak	Horizontal
	4791.0	32.4	3.6	36.0	74.0	-38.0	Peak	Horizontal
	11531.5	29.7	17.3	47.0	74.0	-27.0	Peak	Horizontal
	4043.0	34.5	0.2	34.7	74.0	-39.3	Peak	Vertical
	4876.0	32.9	3.0	35.9	74.0	-38.1	Peak	Vertical
	11557.0	30.7	17.8	48.5	74.0	-25.5	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m) - Pre_Amplifier Gain (dB)

The Result of Radiated Emission below 1GHz:

Site: WZ-AC2	Test Date: 2023-07-13
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: VULB9162_30-7000MHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2437MHz	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1		49.885	24.314	3.873	-15.686	40.000	20.442	PK
2		118.755	21.399	4.706	-22.101	43.500	16.693	PK
3		156.585	31.516	15.948	-11.984	43.500	15.568	PK
4		171.135	28.755	12.649	-14.745	43.500	16.106	PK
5		287.535	29.376	8.538	-16.624	46.000	20.838	PK
6	*	391.810	40.862	17.700	-5.138	46.000	23.162	QP

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).


Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Note 4: Quasi-Peak measurement was not performed when peak measure level was lower than the quasi-peak limit.

Note 5: The amplitude of radiated emissions (frequency range from 9kHz to 30MHz and 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

Site: WZ-AC2	Test Date: 2023-07-13
Limit: FCC_2.4G_RE(3m)	Engineer: Bob Zhang
Probe: VULB9162_30-7000MHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2437MHz	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Margin (dB)	Limit (dBuV/m)	Factor (dB/m)	Type
1	*	43.580	34.972	15.239	-5.028	40.000	19.733	PK
2		50.855	32.649	12.190	-7.351	40.000	20.459	PK
3		66.375	30.354	12.336	-9.646	40.000	18.018	PK
4		147.855	32.335	17.038	-11.165	43.500	15.297	PK
5		392.295	38.163	14.998	-7.837	46.000	23.165	PK
6		559.135	35.924	9.684	-10.076	46.000	26.241	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).


Note 4: Quasi-Peak measurement was not performed when peak measure level was lower than the quasi-peak limit.

Note 5: The amplitude of radiated emissions (frequency range from 9kHz to 30MHz and 18GHz to 25GHz) is that proximity to ambient noise, which also are attenuated more than 20 dB below the permissible value.

Therefore, the data is not presented in the report.

A.7 Radiated Restricted Band Edge Test Result

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2367.008	55.926	24.243	-18.074	74.000	31.683	PK
2		2390.000	53.158	21.543	-20.842	74.000	31.615	PK
3		2411.080	101.583	70.060	N/A	N/A	31.523	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2354.520	41.504	9.994	-12.496	54.000	31.511	AV
2		2390.000	40.331	8.716	-13.669	54.000	31.615	AV
3		2411.136	99.185	67.662	N/A	N/A	31.523	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2362.808	56.019	24.331	-17.981	74.000	31.687	PK
2		2390.000	54.594	22.979	-19.406	74.000	31.615	PK
3		2411.136	118.643	87.282	N/A	N/A	31.362	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2388.960	46.587	14.965	-7.413	54.000	31.621	AV
2		2390.000	43.779	12.164	-10.221	54.000	31.615	AV
3		2412.536	115.530	84.012	N/A	N/A	31.518	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2359.495	64.314	32.623	-9.686	74.000	31.692	PK
2		2390.000	63.694	32.079	-10.306	74.000	31.615	PK
3		2437.775	99.128	67.637	N/A	N/A	31.491	PK
4		2483.500	62.469	30.969	-11.531	74.000	31.500	PK
5	*	2493.350	64.606	33.099	-9.394	74.000	31.507	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	50.141	18.526	-3.859	54.000	31.615	AV
2		2437.870	97.093	65.602	N/A	N/A	31.491	AV
3		2483.500	49.403	17.903	-4.597	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2350.090	64.700	32.997	-9.300	74.000	31.703	PK
2		2390.000	63.718	32.103	-10.282	74.000	31.615	PK
3		2437.870	120.308	88.817	N/A	N/A	31.491	PK
4		2483.500	62.990	31.490	-11.010	74.000	31.500	PK
5	*	2487.935	65.147	33.645	-8.853	74.000	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	49.646	18.031	-4.354	54.000	31.615	AV
2		2437.870	118.295	86.804	N/A	N/A	31.491	AV
3	*	2483.500	49.661	18.161	-4.339	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.872	101.959	70.471	N/A	N/A	31.488	PK
2		2483.500	62.001	30.501	-11.999	74.000	31.500	PK
3	*	2486.920	65.822	34.320	-8.178	74.000	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.872	100.246	68.758	N/A	N/A	31.488	AV
2		2483.500	49.335	17.835	-4.665	54.000	31.500	AV
3	*	2486.272	50.349	18.847	-3.651	54.000	31.502	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2462MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.872	120.176	89.087	N/A	N/A	31.089	PK
2		2483.500	58.708	27.615	-15.292	74.000	31.093	PK
3	*	2490.736	62.418	31.319	-11.582	74.000	31.099	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11b at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2461.216	117.685	86.595	N/A	N/A	31.090	AV
2		2483.500	45.739	14.646	-8.261	54.000	31.093	AV
3	*	2490.712	53.240	22.141	-0.760	54.000	31.099	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2368.856	65.543	33.863	-8.457	74.000	31.680	PK
2		2390.000	62.494	30.879	-11.506	74.000	31.615	PK
3		2414.888	102.858	71.347	N/A	N/A	31.511	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	48.121	16.506	-5.879	54.000	31.615	AV
2		2415.728	94.714	63.206	N/A	N/A	31.509	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2377.144	66.221	34.554	-7.779	74.000	31.667	PK
2		2390.000	63.391	31.776	-10.609	74.000	31.615	PK
3		2408.952	120.230	88.701	N/A	N/A	31.530	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	51.546	19.931	-2.454	54.000	31.615	AV
2		2414.328	110.882	79.369	N/A	N/A	31.513	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.911	64.805	33.647	-9.195	74.000	31.158	PK
2		2390.000	63.264	32.106	-10.736	74.000	31.158	PK
3		2420.214	121.730	90.606	N/A	N/A	31.125	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	51.149	19.991	-2.851	54.000	31.158	AV
2		2419.921	112.717	81.592	N/A	N/A	31.125	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2367.285	65.939	34.256	-8.061	74.000	31.682	PK
2		2390.000	61.949	30.334	-12.051	74.000	31.615	PK
3		2429.985	105.345	73.856	N/A	N/A	31.488	PK
4		2483.500	61.178	29.678	-12.822	74.000	31.500	PK
5		2492.685	64.830	33.325	-9.170	74.000	31.505	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	47.739	16.124	-6.261	54.000	31.615	AV
2		2430.080	97.608	66.119	N/A	N/A	31.489	AV
3	*	2483.500	47.839	16.339	-6.161	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2370.990	65.113	33.436	-8.887	74.000	31.677	PK
2		2390.000	62.602	30.987	-11.398	74.000	31.615	PK
3		2433.690	121.832	90.342	N/A	N/A	31.490	PK
4		2483.500	62.676	31.176	-11.324	74.000	31.500	PK
5	*	2487.745	65.288	33.786	-8.712	74.000	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	48.287	16.672	-5.713	54.000	31.615	AV
2		2439.770	113.441	81.951	N/A	N/A	31.490	AV
3	*	2483.500	49.590	18.090	-4.410	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2459.614	121.093	90.002	N/A	N/A	31.091	PK
2		2483.500	62.936	31.843	-11.064	74.000	31.093	PK
3	*	2484.021	64.951	33.858	-9.049	74.000	31.094	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2457.892	112.393	81.301	N/A	N/A	31.092	AV
2		2483.500	52.548	21.455	-1.452	54.000	31.093	AV
3	*	2483.623	52.618	21.525	-1.382	54.000	31.093	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2464.912	103.826	72.335	N/A	N/A	31.490	PK
2		2483.500	62.308	30.808	-11.692	74.000	31.500	PK
3	*	2489.440	65.142	33.639	-8.858	74.000	31.503	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2464.888	95.584	64.093	N/A	N/A	31.490	AV
2		2483.500	47.958	16.458	-6.042	54.000	31.500	AV
3	*	2487.424	48.637	17.135	-5.363	54.000	31.502	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2461.312	117.574	86.243	N/A	N/A	31.331	PK
2		2483.500	63.300	31.985	-10.700	74.000	31.315	PK
3	*	2491.120	65.186	33.858	-8.814	74.000	31.328	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11g at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2468.032	109.379	77.885	N/A	N/A	31.494	AV
2	*	2483.500	52.633	21.133	-1.367	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2376.696	66.131	34.463	-7.869	74.000	31.668	PK
2		2390.000	62.090	30.475	-11.910	74.000	31.615	PK
3		2408.336	102.940	71.409	N/A	N/A	31.531	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	47.938	16.323	-6.062	54.000	31.615	AV
2		2418.808	95.696	64.197	N/A	N/A	31.499	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2354.856	65.937	34.240	-8.063	74.000	31.697	PK
2		2390.000	64.876	33.261	-9.124	74.000	31.615	PK
3		2408.728	119.868	88.338	N/A	N/A	31.530	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	53.577	21.962	-0.423	54.000	31.615	AV
2		2417.744	110.437	78.935	N/A	N/A	31.502	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.794	61.360	30.202	-12.640	74.000	31.158	PK
2		2390.000	60.637	29.479	-13.363	74.000	31.158	PK
3		2415.183	120.560	89.430	N/A	N/A	31.130	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	48.329	17.171	-5.671	54.000	31.158	AV
2		2420.156	112.124	81.000	N/A	N/A	31.125	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	62.354	30.739	-11.646	74.000	31.615	PK
2		2433.025	106.126	74.636	N/A	N/A	31.490	PK
3	*	2483.500	63.919	32.419	-10.081	74.000	31.500	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	47.428	15.813	-6.572	54.000	31.615	AV
2		2432.645	97.251	65.761	N/A	N/A	31.490	AV
3		2483.500	47.291	15.791	-6.709	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2384.195	66.561	34.909	-7.439	74.000	31.651	PK
2		2390.000	62.957	31.342	-11.043	74.000	31.615	PK
3		2438.155	121.799	90.308	N/A	N/A	31.491	PK
4		2483.500	63.565	32.065	-10.435	74.000	31.500	PK
5		2486.415	66.152	34.650	-7.848	74.000	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	47.723	16.108	-6.277	54.000	31.615	AV
2		2438.155	112.803	81.312	N/A	N/A	31.491	AV
3	*	2483.500	48.807	17.307	-5.193	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2455.904	121.080	89.986	N/A	N/A	31.094	PK
2		2483.500	64.455	33.362	-9.545	74.000	31.093	PK
3	*	2485.266	65.975	34.881	-8.025	74.000	31.095	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2455.851	111.859	80.765	N/A	N/A	31.094	AV
2	*	2483.500	52.723	21.630	-1.277	54.000	31.093	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2459.032	103.473	71.989	N/A	N/A	31.484	PK
2		2483.500	61.977	30.477	-12.023	74.000	31.500	PK
3	*	2492.008	65.164	33.660	-8.836	74.000	31.504	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2467.360	93.870	62.376	N/A	N/A	31.494	AV
2	*	2483.500	47.329	15.829	-6.671	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2460.736	117.897	86.411	N/A	N/A	31.486	PK
2		2483.500	66.051	34.551	-7.949	74.000	31.500	PK
3	*	2483.680	67.773	36.272	-6.227	74.000	31.501	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2463.616	108.878	77.389	N/A	N/A	31.489	AV
2		2483.500	53.582	22.082	-0.418	54.000	31.500	AV
3	*	2483.704	53.593	22.092	-0.407	54.000	31.501	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2380.224	65.371	33.710	-8.629	74.000	31.660	PK
2		2390.000	63.913	32.298	-10.087	74.000	31.615	PK
3		2429.196	103.512	72.023	N/A	N/A	31.489	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	48.939	17.324	-5.061	54.000	31.615	AV
2		2429.856	91.656	60.167	N/A	N/A	31.489	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2370.720	65.181	33.504	-8.819	74.000	31.677	PK
2		2390.000	63.943	32.328	-10.057	74.000	31.615	PK
3		2417.514	118.026	86.523	N/A	N/A	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	52.777	21.162	-1.223	54.000	31.615	AV
2		2432.166	109.373	77.883	N/A	N/A	31.489	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2362.535	65.443	33.755	-8.557	74.000	31.688	PK
2		2390.000	62.659	31.044	-11.341	74.000	31.615	PK
3		2432.835	99.676	68.186	N/A	N/A	31.490	PK
4		2483.500	61.763	30.263	-12.237	74.000	31.500	PK
5		2488.410	65.022	33.519	-8.978	74.000	31.503	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	47.247	15.632	-6.753	54.000	31.615	AV
2		2433.120	91.457	59.967	N/A	N/A	31.490	AV
3	*	2483.500	47.255	15.755	-6.745	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2343.725	64.743	33.027	-9.257	74.000	31.716	PK
2		2390.000	62.821	31.206	-11.179	74.000	31.615	PK
3		2446.420	114.835	83.351	N/A	N/A	31.484	PK
4		2483.500	63.035	31.535	-10.965	74.000	31.500	PK
5	*	2490.405	65.229	33.726	-8.771	74.000	31.503	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	48.206	16.591	-5.794	54.000	31.615	AV
2		2447.560	106.571	75.087	N/A	N/A	31.484	AV
3	*	2483.500	52.317	20.817	-1.683	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2438.206	112.585	81.514	N/A	N/A	31.071	PK
2	*	2483.500	66.260	35.167	-7.740	74.000	31.093	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2447MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2437.950	103.772	72.701	N/A	N/A	31.071	AV
2	*	2483.500	53.539	22.446	-0.461	54.000	31.093	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2458.894	95.791	64.307	N/A	N/A	31.484	PK
2		2483.500	61.553	30.053	-12.447	74.000	31.500	PK
3	*	2486.196	65.416	33.914	-8.584	74.000	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2458.622	87.317	55.833	N/A	N/A	31.484	AV
2	*	2483.500	46.932	15.432	-7.068	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.056	110.920	79.433	N/A	N/A	31.487	PK
2		2483.500	64.363	32.863	-9.637	74.000	31.500	PK
3	*	2485.584	65.893	34.392	-8.107	74.000	31.501	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11n-HT40 at 2452MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.328	101.677	70.189	N/A	N/A	31.488	AV
2	*	2483.500	52.507	21.007	-1.493	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2344.160	65.347	33.632	-8.653	74.000	31.716	PK
2		2390.000	62.280	30.665	-11.720	74.000	31.615	PK
3		2408.392	105.093	73.562	N/A	N/A	31.531	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	47.624	16.009	-6.376	54.000	31.615	AV
2		2418.640	93.528	62.029	N/A	N/A	31.499	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2328.648	65.897	34.136	-8.103	74.000	31.761	PK
2		2390.000	64.895	33.280	-9.105	74.000	31.615	PK
3		2409.512	121.947	90.419	N/A	N/A	31.528	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2412MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	53.341	21.726	-0.659	54.000	31.615	AV
2		2417.800	109.996	78.494	N/A	N/A	31.502	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2389.794	62.091	30.933	-11.909	74.000	31.158	PK
2		2390.000	61.305	30.147	-12.695	74.000	31.158	PK
3		2416.002	123.796	92.667	N/A	N/A	31.130	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2417MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	49.057	17.899	-4.943	54.000	31.158	AV
2		2415.417	111.243	80.113	N/A	N/A	31.130	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2372.700	65.584	33.910	-8.416	74.000	31.674	PK
2	*	2389.420	65.638	34.019	-8.362	74.000	31.618	PK
3		2433.120	108.899	77.409	N/A	N/A	31.490	PK
4		2483.500	63.173	31.673	-10.827	74.000	31.500	PK
5		2487.745	64.455	32.953	-9.545	74.000	31.502	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	47.059	15.444	-6.941	54.000	31.615	AV
2		2433.120	96.752	65.262	N/A	N/A	31.490	AV
3	*	2483.500	47.147	15.647	-6.853	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2343.440	66.125	34.408	-7.875	74.000	31.717	PK
2		2390.000	63.113	31.498	-10.887	74.000	31.615	PK
3		2437.965	124.473	92.982	N/A	N/A	31.492	PK
4		2483.500	62.746	31.246	-11.254	74.000	31.500	PK
5		2488.505	65.419	33.916	-8.581	74.000	31.503	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	47.220	15.605	-6.780	54.000	31.615	AV
2		2438.725	112.340	80.849	N/A	N/A	31.490	AV
3	*	2483.500	48.758	17.258	-5.242	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2455.851	122.885	91.791	N/A	N/A	31.094	PK
2		2483.500	62.608	31.515	-11.392	74.000	31.093	PK
3	*	2485.611	64.657	33.562	-9.343	74.000	31.095	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2457MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2455.771	110.604	79.510	N/A	N/A	31.094	AV
2	*	2483.500	51.843	20.750	-2.157	54.000	31.093	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2468.128	105.053	73.559	N/A	N/A	31.494	PK
2		2483.500	61.414	29.914	-12.586	74.000	31.500	PK
3	*	2494.984	64.064	32.554	-9.936	74.000	31.510	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2468.176	93.764	62.269	N/A	N/A	31.494	AV
2	*	2483.500	46.966	15.466	-7.034	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2463.280	120.392	88.903	N/A	N/A	31.489	PK
2		2483.500	63.991	32.491	-10.009	74.000	31.500	PK
3	*	2485.840	66.239	34.738	-7.761	74.000	31.501	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE20 at 2462MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2462.824	108.576	77.088	N/A	N/A	31.488	AV
2		2483.500	53.195	21.695	-0.805	54.000	31.500	AV
3	*	2483.680	53.304	21.803	-0.696	54.000	31.501	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2358.246	65.396	33.703	-8.604	74.000	31.693	PK
2		2390.000	62.607	30.992	-11.393	74.000	31.615	PK
3		2428.734	105.074	73.586	N/A	N/A	31.489	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	48.492	16.877	-5.508	54.000	31.615	AV
2		2428.206	93.289	61.801	N/A	N/A	31.489	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2364.318	64.657	32.971	-9.343	74.000	31.686	PK
2		2390.000	63.980	32.365	-10.020	74.000	31.615	PK
3		2420.946	119.133	87.639	N/A	N/A	31.494	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2422MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	51.023	19.408	-2.977	54.000	31.615	AV
2		2420.286	107.823	76.328	N/A	N/A	31.495	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2353.890	65.794	34.096	-8.206	74.000	31.698	PK
2		2390.000	62.447	30.832	-11.553	74.000	31.615	PK
3		2433.595	100.678	69.188	N/A	N/A	31.490	PK
4		2483.500	63.209	31.709	-10.791	74.000	31.500	PK
5		2484.135	65.375	33.874	-8.625	74.000	31.501	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Horizontal
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1	*	2390.000	47.322	15.707	-6.678	54.000	31.615	AV
2		2432.740	90.124	58.634	N/A	N/A	31.489	AV
3		2483.500	47.152	15.652	-6.848	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2370.325	65.677	33.999	-8.323	74.000	31.678	PK
2		2390.000	63.353	31.738	-10.647	74.000	31.615	PK
3		2442.905	117.268	85.781	N/A	N/A	31.487	PK
4		2483.500	65.076	33.576	-8.924	74.000	31.500	PK
5	*	2485.085	67.148	35.647	-6.852	74.000	31.501	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC2	Test Date: 2023-06-16
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1457_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2437MHz	




No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2390.000	47.926	16.311	-6.074	54.000	31.615	AV
2		2438.535	105.986	74.495	N/A	N/A	31.491	AV
3	*	2483.500	52.994	21.494	-1.006	54.000	31.500	AV

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).

Site: WZ-AC1	Test Date: 2023-06-27
Limit: FCC_2.4G_RE(3m)	Engineer: Edith Yu
Probe: BBHA9120D_1167_1-18GHz	Polarity: Vertical
EUT: Wi-Fi 6 Outdoor AP	Power: By PoE
Test Mode: Transmit by 802.11ax-HE40 at 2447MHz	



No	Mark	Frequency (MHz)	Measure Level (dBμV/m)	Reading Level (dBμV)	Margin (dB)	Limit (dBμV/m)	Factor (dB/m)	Type
1		2445.396	116.427	85.348	N/A	N/A	31.080	PK
2		2483.500	62.757	31.664	-11.243	74.000	31.093	PK
3	*	2484.926	66.605	35.511	-7.395	74.000	31.094	PK

Note 1: " * ", means this data is the worst emission level.

Note 2: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m).

Note 3: Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m).