





Test Graphs B4






11A_Ant1_5805




11A_Ant1_5825






11N20SISO_Ant1_5745



Date: 10.JUL.2023 15:59:14


11N20SISO_Ant1_5785



Date: 10.JUL.2023 16:00:19




11N20SISO_Ant1_5825




Date: 10.JUL.2023 16:01:09

11N40SISO_Ant1_5755



Date: 10.JUL.2023 16:10:42





Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	7.09	≤11.00	PASS
		5220	5.39	≤11.00	PASS
		5240	5.6	≤11.00	PASS
		5260	5.52	≤11.00	PASS
		5300	7.01	≤11.00	PASS
		5320	7.16	≤11.00	PASS
		5500	6.87	≤11.00	PASS
		5580	7.31	≤11.00	PASS
		5700	5.86	≤11.00	PASS
		5745	2.11	≤30.00	PASS
		5785	4.93	≤30.00	PASS
		5805	5.16	≤30.00	PASS
		5825	0.4	≤30.00	PASS
11N20SISO	Ant1	5180	6.86	≤11.00	PASS
		5220	6.79	≤11.00	PASS
		5240	6.09	≤11.00	PASS
		5260	5.83	≤11.00	PASS
		5300	6.59	≤11.00	PASS
		5320	6.67	≤11.00	PASS
		5500	6.5	≤11.00	PASS
		5580	6.9	≤11.00	PASS
		5700	5.9	≤11.00	PASS
		5745	4.39	≤30.00	PASS
		5785	4.45	≤30.00	PASS
		5825	2.27	≤30.00	PASS
11N40SISO	Ant1	5190	1.57	≤11.00	PASS
		5230	4.03	≤11.00	PASS
		5270	3.49	≤11.00	PASS
		5310	1.37	≤11.00	PASS
		5510	4.18	≤11.00	PASS
		5550	4.12	≤11.00	PASS
		5670	4.55	≤11.00	PASS
		5755	1.65	≤30.00	PASS



		5795	1.84	≤30.00	PASS
--	--	------	------	--------	------

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11A_Ant1_5240




11A_Ant1_5260






11A_Ant1_5300




11A_Ant1_5320






11A_Ant1_5500




11A_Ant1_5580






11A_Ant1_5700




11A_Ant1_5745






11A_Ant1_5785




11A_Ant1_5805






11A_Ant1_5825




11N20SISO_Ant1_5180






11N20SISO_Ant1_5220



11N20SISO_Ant1_5240






11N20SISO_Ant1_5260



11N20SISO_Ant1_5300






11N20SISO_Ant1_5320




11N20SISO_Ant1_5500







11N20SISO_Ant1_5580




11N20SISO_Ant1_5700








11N20SISO_Ant1_5825




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11N40SISO_Ant1_5270






11N40SISO_Ant1_5310




11N40SISO_Ant1_5510






11N40SISO_Ant1_5550




Date: 10.JUL.2023 16:06:41

11N40SISO_Ant1_5670




Date: 10.JUL.2023 16:07:21





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.151	55.38	-10.58	65.96	44.90	0.05	10.43	QP
2	0.151	39.08	-16.88	55.96	28.60	0.05	10.43	Average
3	0.168	52.07	-13.01	65.08	41.60	0.04	10.43	QP
4	0.168	32.77	-22.31	55.08	22.30	0.04	10.43	Average
5	0.187	48.96	-15.19	64.15	38.51	0.03	10.42	QP
6	0.187	29.26	-24.89	54.15	18.81	0.03	10.42	Average
7	0.207	45.94	-17.38	63.32	35.50	0.03	10.41	QP
8	0.207	25.74	-27.58	53.32	15.30	0.03	10.41	Average
9	0.258	40.91	-20.60	61.51	30.49	0.04	10.38	QP
10	0.258	19.71	-31.80	51.51	9.29	0.04	10.38	Average
11	0.502	33.68	-22.32	56.00	23.50	-0.03	10.21	QP
12	0.502	28.38	-17.62	46.00	18.20	-0.03	10.21	Average

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.154	53.97	-11.81	65.78	43.50	0.04	10.43	QP
2	0.154	35.67	-20.11	55.78	25.20	0.04	10.43	Average
3	0.165	51.37	-13.84	65.21	40.90	0.04	10.43	QP
4	0.165	30.77	-24.44	55.21	20.30	0.04	10.43	Average
5	0.179	48.67	-15.88	64.55	38.20	0.05	10.42	QP
6	0.179	27.97	-26.58	54.55	17.50	0.05	10.42	Average
7	0.200	46.07	-17.55	63.62	35.60	0.05	10.42	QP
8	0.200	27.97	-25.65	53.62	17.50	0.05	10.42	Average
9	0.220	43.93	-18.90	62.83	33.50	0.03	10.40	QP
10	0.220	24.93	-27.90	52.83	14.50	0.03	10.40	Average
11	0.237	40.90	-21.32	62.22	30.50	0.01	10.39	QP
12	0.237	22.60	-29.62	52.22	12.20	0.01	10.39	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Chris Chen	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	1	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	1	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	1	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	1	802.11n HT40	46	5230	MCS0	-	-



Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 21	U-NII-2A	5.25-5.35	1	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11n HT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11n HT40	134	5670	MCS0	-	-
Mode 26	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11n HT20	149	5745	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	1	802.11n HT20	157	5785	MCS0	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11n HT20	165	5825	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11n HT40	151	5755	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11n HT40	159	5795	MCS0	-	-
Mode 34	U-NII-3	5.725-5.85	1	802.11a	161	5805	6Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.92	45.73	54.00	-8.27	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	50.89	54.00	-3.11	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	50.06	54.00	-3.94	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	50.86	54.00	-3.14	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	-15780.00	50.60	54.00	-3.40	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.01	49.94	54.00	-4.06	V	Average	Pass	Harmonic
6	802.11a	64	5351.64	49.64	54.00	-4.36	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	48.12	54.00	-5.88	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5465.68	60.02	68.20	-8.18	H	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	48.25	54.00	-5.75	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	50.11	54.00	-3.89	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5729.00	60.22	68.20	-7.98	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	49.55	54.00	-4.45	V	AVERAGE	Pass	Harmonic
10	802.11n HT20	36	5149.40	47.90	54.00	-6.10	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	15540.00	48.53	54.00	-5.47	V	AVERAGE	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	15660.00	50.46	54.00	-3.54	V	AVERAGE	Pass	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	15720.00	50.44	54.00	-3.56	V	AVERAGE	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	15780.00	49.75	54.00	-4.25	V	AVERAGE	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	50.83	54.00	-3.17	V	AVERAGE	Pass	Harmonic
15	802.11n HT20	64	5350.38	48.88	54.00	-5.12	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	46.13	54.00	-7.87	V	AVERAGE	Pass	Harmonic
16	802.11n HT20	100	5466.64	62.20	68.20	-6.00	V	PEAK	Pass	Band Edge
16	802.11n HT20	100	11000.00	49.23	54.00	-4.77	V	AVERAGE	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	11160.00	50.83	54.00	-3.17	V	AVERAGE	Pass	Harmonic
18	802.11n HT20	140	5728.04	68.20	68.20	-3.03	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	65.07	68.20	-3.13	V	PEAK	Pass	Harmonic
19	802.11n HT40	38	5149.92	49.70	54.00	-4.30	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	15570.00	46.00	54.00	-8.00	V	AVERAGE	Pass	Harmonic
20	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11n HT40	46	15690.00	48.16	54.00	-5.84	V	AVERAGE	Pass	Harmonic
21	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11n HT40	54	15810.00	49.17	54.00	-4.83	V	AVERAGE	Pass	Harmonic
22	802.11n HT40	62	5351.20	50.81	54.00	-3.19	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	15930.00	43.66	54.00	-10.34	V	AVERAGE	Pass	Harmonic



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg. Quasi-Peak	Result	Remark
23	802.11n HT40	102	5469.68	65.02	68.20	-3.18	H	PEAK	Pass	Band Edge
23	802.11n HT40	102	11020.0 0	46.24	54.00	-7.76	V	AVERAGE	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	11100.00	46.94	54.00	-7.06	V	AVERAGE	Pass	Harmonic
25	802.11n HT40	134	5730.68	64.46	68.20	-3.74	H	PEAK	Pass	Band Edge
25	802.11n HT40	134	17010.0 0	64.44	68.20	-3.76	H	PEAK	Pass	Harmonic
18	802.11n HT20	140	76.56	36.09	40.00	-3.91	H	Quasi-Peak	Pass	LF

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg. Quasi-Peak	Result	Remark
26	802.11a	149	5606.00	50.40	68.20	-17.80	H	PEAK	Pass	Band Edge
26	802.11a	149	17235.00	64.74	68.20	-3.46	V	PEAK	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	11570.00	50.76	54.00	-3.24	V	AVERAGE	Pass	Harmonic
28	802.11a	165	5928.80	51.10	68.20	-17.10	H	PEAK	Pass	Band Edge
28	802.11a	165	11650.00	50.65	54.00	-3.35	H	AVERAGE	Pass	Harmonic
29	802.11n HT20	149	5620.00	50.54	68.20	-17.66	H	PEAK	Pass	Band Edge
29	802.11n HT20	149	17238.80	62.50	68.20	-5.70	V	Peak	Pass	Harmonic
30	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
30	802.11n HT20	157	11570.00	50.35	54.00	-3.65	H	AVERAGE	Pass	Harmonic







31	802.11n HT20	165	5955.60	51.47	68.20	-16.73	H	PEAK	Pass	Band Edge
31	802.11n HT20	165	11650.00	50.89	54.00	-3.11	V	AVERAGE	Pass	Harmonic
32	802.11n HT40	151	5646.19	52.26	68.20	-15.94	H	PEAK	Pass	Band Edge
32	802.11n HT40	151	17265.20	58.76	68.20	-9.44	H	Peak	Pass	Harmonic
33	802.11n HT40	159	5632.40	50.41	68.20	-17.79	H	PEAK	Pass	Band Edge
33	802.11n HT40	159	11590.00	49.42	54.00	-4.58	V	AVERAGE	Pass	Harmonic
34	802.11a	161	5968.40	50.52	68.20	-17.68	H	PEAK	Pass	Band Edge
	802.11a	161	17415.00	57.94	68.20	-10.26	V	PEAK	Pass	Harmonic
31	802.11n HT20	165	168.71	30.01	43.50	-13.49	H	Quasi-Peak	Pass	LF



Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>43.04</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>100</td><td>359</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	55.23	74.00	-18.77	43.04	34.20	9.79	31.00	0.00	100	359	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.05</td><td>-----</td><td>-----</td><td>98.73</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>100</td><td>359</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.05	-----	-----	98.73	34.33	9.81	31.82	0.00	100	359
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5148.96	55.23	74.00	-18.77	43.04	34.20	9.79	31.00	0.00	100	359	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	111.05	-----	-----	98.73	34.33	9.81	31.82	0.00	100	359	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>33.54</td><td>34.20</td><td>9.79</td><td>31.00</td><td>0.00</td><td>100</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	45.73	54.00	-8.27	33.54	34.20	9.79	31.00	0.00	100	359	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.54</td><td>-----</td><td>-----</td><td>90.22</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>100</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.54	-----	-----	90.22	34.33	9.81	31.82	0.00	100	359
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.92	45.73	54.00	-8.27	33.54	34.20	9.79	31.00	0.00	100	359	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	102.54	-----	-----	90.22	34.33	9.81	31.82	0.00	100	359	AVERAGE																																																																																											





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.28</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>42.38</td><td>34.20</td><td>9.76</td><td>31.78</td><td>0.00</td><td>351 86 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.28	54.56	74.00	-19.44	42.38	34.20	9.76	31.78	0.00	351 86 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.66</td><td>-----</td><td>-----</td><td>95.34</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>351 86 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.66	-----	-----	95.34	34.33	9.81	31.82	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5117.28	54.56	74.00	-19.44	42.38	34.20	9.76	31.78	0.00	351 86 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	107.66	-----	-----	95.34	34.33	9.81	31.82	0.00	351 86 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.32</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>31.32</td><td>34.20</td><td>9.74</td><td>31.77</td><td>0.00</td><td>351 86 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.32	43.49	54.00	-10.51	31.32	34.20	9.74	31.77	0.00	351 86 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.29</td><td>-----</td><td>-----</td><td>86.97</td><td>34.33</td><td>9.81</td><td>31.82</td><td>0.00</td><td>351 86 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.29	-----	-----	86.97	34.33	9.81	31.82	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5100.32	43.49	54.00	-10.51	31.32	34.20	9.74	31.77	0.00	351 86 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	99.29	-----	-----	86.97	34.33	9.81	31.82	0.00	351 86 AVERAGE																																																																																								





Mode	1																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>52.58</td><td>68.20</td><td>-15.62</td><td>61.89</td><td>37.46</td><td>14.13</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15540.00</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>55.56</td><td>40.28</td><td>17.52</td><td>59.56</td><td>0.00</td><td>101</td><td>59</td><td>---</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>48.78</td><td>40.28</td><td>17.52</td><td>59.56</td><td>0.00</td><td>101</td><td>59</td><td>---</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10360.00	52.58	68.20	-15.62	61.89	37.46	14.13	60.90	0.00	---	---	---	Peak	2 15540.00	53.80	74.00	-20.20	55.56	40.28	17.52	59.56	0.00	101	59	---	PEAK	3 15540.00	47.02	54.00	-6.98	48.78	40.28	17.52	59.56	0.00	101	59	---	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>51.54</td><td>68.20</td><td>-16.66</td><td>60.85</td><td>37.46</td><td>14.13</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>58.35</td><td>74.00</td><td>-15.65</td><td>60.11</td><td>40.28</td><td>17.52</td><td>59.56</td><td>0.00</td><td>345</td><td>352</td><td>---</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>52.66</td><td>40.28</td><td>17.51</td><td>59.56</td><td>0.00</td><td>345</td><td>352</td><td>---</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10360.00	51.54	68.20	-16.66	60.85	37.46	14.13	60.90	0.00	---	---	---	PEAK	2 15540.00	58.35	74.00	-15.65	60.11	40.28	17.52	59.56	0.00	345	352	---	PEAK	3 15540.00	50.89	54.00	-3.11	52.66	40.28	17.51	59.56	0.00	345	352	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1 10360.00	52.58	68.20	-15.62	61.89	37.46	14.13	60.90	0.00	---	---	---	Peak																																																																																																																																																									
2 15540.00	53.80	74.00	-20.20	55.56	40.28	17.52	59.56	0.00	101	59	---	PEAK																																																																																																																																																									
3 15540.00	47.02	54.00	-6.98	48.78	40.28	17.52	59.56	0.00	101	59	---	AVERAGE																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1 10360.00	51.54	68.20	-16.66	60.85	37.46	14.13	60.90	0.00	---	---	---	PEAK																																																																																																																																																									
2 15540.00	58.35	74.00	-15.65	60.11	40.28	17.52	59.56	0.00	345	352	---	PEAK																																																																																																																																																									
3 15540.00	50.89	54.00	-3.11	52.66	40.28	17.51	59.56	0.00	345	352	---	AVERAGE																																																																																																																																																									





Mode	2																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10440.00</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>63.07</td><td>37.58</td><td>14.18</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15660.00</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>54.26</td><td>40.46</td><td>17.58</td><td>59.40</td><td>0.00</td><td>102</td><td>101</td><td>101</td><td>PEAK</td></tr><tr><td>3 15660.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>46.57</td><td>40.46</td><td>17.58</td><td>59.40</td><td>0.00</td><td>102</td><td>101</td><td>101</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10440.00	53.93	68.20	-14.27	63.07	37.58	14.18	60.90	0.00	---	---	---	Peak	2 15660.00	52.90	74.00	-21.10	54.26	40.46	17.58	59.40	0.00	102	101	101	PEAK	3 15660.00	45.21	54.00	-8.79	46.57	40.46	17.58	59.40	0.00	102	101	101	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10440.00</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>60.76</td><td>37.58</td><td>14.18</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15660.00</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>58.29</td><td>40.46</td><td>17.58</td><td>59.40</td><td>0.00</td><td>101</td><td>226</td><td>226</td><td>PEAK</td></tr><tr><td>3 15660.00</td><td>50.06</td><td>54.00</td><td>-3.94</td><td>51.42</td><td>40.46</td><td>17.58</td><td>59.40</td><td>0.00</td><td>101</td><td>226</td><td>226</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10440.00	51.62	68.20	-16.58	60.76	37.58	14.18	60.90	0.00	---	---	---	PEAK	2 15660.00	56.93	74.00	-17.07	58.29	40.46	17.58	59.40	0.00	101	226	226	PEAK	3 15660.00	50.06	54.00	-3.94	51.42	40.46	17.58	59.40	0.00	101	226	226
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1 10440.00	53.93	68.20	-14.27	63.07	37.58	14.18	60.90	0.00	---	---	---	Peak																																																																																																																																																									
2 15660.00	52.90	74.00	-21.10	54.26	40.46	17.58	59.40	0.00	102	101	101	PEAK																																																																																																																																																									
3 15660.00	45.21	54.00	-8.79	46.57	40.46	17.58	59.40	0.00	102	101	101	AVERAGE																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1 10440.00	51.62	68.20	-16.58	60.76	37.58	14.18	60.90	0.00	---	---	---	PEAK																																																																																																																																																									
2 15660.00	56.93	74.00	-17.07	58.29	40.46	17.58	59.40	0.00	101	226	226	PEAK																																																																																																																																																									
3 15660.00	50.06	54.00	-3.94	51.42	40.46	17.58	59.40	0.00	101	226	226	AVERAGE																																																																																																																																																									





Mode	3																																																																																		
	Harmonic																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal																																																																																		
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>54.61</td><td>68.20</td><td>-13.59</td><td>63.63</td><td>37.66</td><td>14.21</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>52.53</td><td>40.56</td><td>17.61</td><td>59.32</td><td>0.00</td><td>101</td><td>99</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>45.32</td><td>40.56</td><td>17.61</td><td>59.32</td><td>0.00</td><td>101</td><td>99</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	54.61	68.20	-13.59	63.63	37.66	14.21	60.89	0.00	---	---	Peak	2	15720.00	51.38	74.00	-22.62	52.53	40.56	17.61	59.32	0.00	101	99	PEAK	3	15720.00	44.17	54.00	-9.83	45.32	40.56	17.61	59.32	0.00	101	99	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	10480.00	54.61	68.20	-13.59	63.63	37.66	14.21	60.89	0.00	---	---	Peak																																																																							
2	15720.00	51.38	74.00	-22.62	52.53	40.56	17.61	59.32	0.00	101	99	PEAK																																																																							
3	15720.00	44.17	54.00	-9.83	45.32	40.56	17.61	59.32	0.00	101	99	AVERAGE																																																																							
Vertical																																																																																			
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>57.90</td><td>68.20</td><td>-10.30</td><td>66.92</td><td>37.66</td><td>14.21</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>59.87</td><td>40.56</td><td>17.61</td><td>59.32</td><td>0.00</td><td>306</td><td>213</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>50.86</td><td>54.00</td><td>-3.14</td><td>52.01</td><td>40.56</td><td>17.61</td><td>59.32</td><td>0.00</td><td>306</td><td>213</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	57.90	68.20	-10.30	66.92	37.66	14.21	60.89	0.00	---	---	PEAK	2	15720.00	58.72	74.00	-15.28	59.87	40.56	17.61	59.32	0.00	306	213	PEAK	3	15720.00	50.86	54.00	-3.14	52.01	40.56	17.61	59.32	0.00	306	213	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	10480.00	57.90	68.20	-10.30	66.92	37.66	14.21	60.89	0.00	---	---	PEAK																																																																							
2	15720.00	58.72	74.00	-15.28	59.87	40.56	17.61	59.32	0.00	306	213	PEAK																																																																							
3	15720.00	50.86	54.00	-3.14	52.01	40.56	17.61	59.32	0.00	306	213	AVERAGE																																																																							



Mode	4																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10520.00</td><td>54.09</td><td>68.20</td><td>-14.11</td><td>63.00</td><td>37.74</td><td>14.24</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15780.00</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>52.50</td><td>40.74</td><td>17.64</td><td>59.24</td><td>0.00</td><td>101</td><td>107</td><td>---</td><td>PEAK</td></tr><tr><td>3 15780.00</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>44.75</td><td>40.74</td><td>17.64</td><td>59.24</td><td>0.00</td><td>101</td><td>107</td><td>---</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 10520.00	54.09	68.20	-14.11	63.00	37.74	14.24	60.89	0.00	---	---	---	Peak	2 15780.00	51.64	74.00	-22.36	52.50	40.74	17.64	59.24	0.00	101	107	---	PEAK	3 15780.00	43.89	54.00	-10.11	44.75	40.74	17.64	59.24	0.00	101	107	---	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10520.00	54.09	68.20	-14.11	63.00	37.74	14.24	60.89	0.00	---	---	---	Peak																																																																												
2 15780.00	51.64	74.00	-22.36	52.50	40.74	17.64	59.24	0.00	101	107	---	PEAK																																																																												
3 15780.00	43.89	54.00	-10.11	44.75	40.74	17.64	59.24	0.00	101	107	---	AVERAGE																																																																												
Vertical																																																																																								
																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10520.00</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>63.63</td><td>37.74</td><td>14.24</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15780.00</td><td>58.03</td><td>74.00</td><td>-15.97</td><td>58.89</td><td>40.74</td><td>17.64</td><td>59.24</td><td>0.00</td><td>303</td><td>221</td><td>---</td><td>PEAK</td></tr><tr><td>3 15780.00</td><td>50.60</td><td>54.00</td><td>-3.40</td><td>51.46</td><td>40.74</td><td>17.64</td><td>59.24</td><td>0.00</td><td>303</td><td>221</td><td>---</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 10520.00	54.72	68.20	-13.48	63.63	37.74	14.24	60.89	0.00	---	---	---	PEAK	2 15780.00	58.03	74.00	-15.97	58.89	40.74	17.64	59.24	0.00	303	221	---	PEAK	3 15780.00	50.60	54.00	-3.40	51.46	40.74	17.64	59.24	0.00	303	221	---	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10520.00	54.72	68.20	-13.48	63.63	37.74	14.24	60.89	0.00	---	---	---	PEAK																																																																												
2 15780.00	58.03	74.00	-15.97	58.89	40.74	17.64	59.24	0.00	303	221	---	PEAK																																																																												
3 15780.00	50.60	54.00	-3.40	51.46	40.74	17.64	59.24	0.00	303	221	---	AVERAGE																																																																												







Mode	5																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																										
ANT	1																																																																																																																										
Pol.	Horizontal																																																																																																																										
Peak Avg																																																																																																																											
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1	10600.01	56.15	74.00	-17.85	64.85	37.90	14.29	60.89	0.00	100	73	PEAK						2	10600.01	46.99	54.00	-7.01	55.69	37.90	14.29	60.89	0.00	100	73	AVERAGE						3	15900.00	51.52	74.00	-22.48	52.00	40.90	17.70	59.08	0.00	100	103	PEAK						4	15900.00	44.99	54.00	-9.01	45.48	40.90	17.70	59.09	0.00	100	103	AVERAGE				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																														
1	10600.01	56.15	74.00	-17.85	64.85	37.90	14.29	60.89	0.00	100	73	PEAK																																																																																																															
2	10600.01	46.99	54.00	-7.01	55.69	37.90	14.29	60.89	0.00	100	73	AVERAGE																																																																																																															
3	15900.00	51.52	74.00	-22.48	52.00	40.90	17.70	59.08	0.00	100	103	PEAK																																																																																																															
4	15900.00	44.99	54.00	-9.01	45.48	40.90	17.70	59.09	0.00	100	103	AVERAGE																																																																																																															
Peak Avg																																																																																																																											
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg					1	10600.01	58.05	74.00	-15.95	66.75	37.90	14.29	60.89	0.00	273	191	Peak						2	10600.01	49.94	54.00	-4.06	58.64	37.90	14.29	60.89	0.00	273	191	Average						3	15900.00	55.72	74.00	-18.28	56.20	40.90	17.70	59.08	0.00	243	208	PEAK						4	15900.00	48.89	54.00	-5.11	49.37	40.90	17.70	59.08	0.00	243	208	AVERAGE				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																														
1	10600.01	58.05	74.00	-15.95	66.75	37.90	14.29	60.89	0.00	273	191	Peak																																																																																																															
2	10600.01	49.94	54.00	-4.06	58.64	37.90	14.29	60.89	0.00	273	191	Average																																																																																																															
3	15900.00	55.72	74.00	-18.28	56.20	40.90	17.70	59.08	0.00	243	208	PEAK																																																																																																															
4	15900.00	48.89	54.00	-5.11	49.37	40.90	17.70	59.08	0.00	243	208	AVERAGE																																																																																																															



Mode	6																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>61.81</td><td>74.00</td><td>-12.19</td><td>49.32</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	61.81	74.00	-12.19	49.32	34.50	9.91	31.92	0.00	100	124 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>111.28</td><td>-----</td><td>-----</td><td>98.73</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.28	-----	-----	98.73	34.56	9.90	31.91	0.00	100	124 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.24	61.81	74.00	-12.19	49.32	34.50	9.91	31.92	0.00	100	124 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	111.28	-----	-----	98.73	34.56	9.90	31.91	0.00	100	124 PEAK																																																																																										
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.64</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>37.15</td><td>34.51</td><td>9.91</td><td>31.93</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.64	49.64	54.00	-4.36	37.15	34.51	9.91	31.93	0.00	100	124 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.88</td><td>-----</td><td>-----</td><td>90.33</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.88	-----	-----	90.33	34.56	9.90	31.91	0.00	100	124 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5351.64	49.64	54.00	-4.36	37.15	34.51	9.91	31.93	0.00	100	124 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	102.88	-----	-----	90.33	34.56	9.90	31.91	0.00	100	124 AVERAGE																																																																																										



Mode	6																																																																																																				
	Band Edge																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.38</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>43.91</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>339</td><td>65 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.38	56.40	74.00	-17.60	43.91	34.50	9.91	31.92	0.00	339	65 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.77</td><td>-----</td><td>-----</td><td>95.22</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>339</td><td>65 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.77	-----	-----	95.22	34.56	9.90	31.91	0.00	339
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.38	56.40	74.00	-17.60	43.91	34.50	9.91	31.92	0.00	339	65 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	107.77	-----	-----	95.22	34.56	9.90	31.91	0.00	339	65 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.52</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>33.38</td><td>34.50</td><td>9.91</td><td>31.92</td><td>0.00</td><td>339</td><td>65 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.52	45.87	54.00	-8.13	33.38	34.50	9.91	31.92	0.00	339	65 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>99.36</td><td>-----</td><td>-----</td><td>86.81</td><td>34.56</td><td>9.90</td><td>31.91</td><td>0.00</td><td>339</td><td>65 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.36	-----	-----	86.81	34.56	9.90	31.91	0.00	339
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5350.52	45.87	54.00	-8.13	33.38	34.50	9.91	31.92	0.00	339	65 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5320.00	99.36	-----	-----	86.81	34.56	9.90	31.91	0.00	339	65 AVERAGE																																																																																										







Mode	6																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>62.53</td><td>37.90</td><td>14.32</td><td>60.89</td><td>0.00</td><td>123 255 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>53.88</td><td>37.90</td><td>14.32</td><td>60.89</td><td>0.00</td><td>123 255 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>50.74</td><td>40.96</td><td>17.73</td><td>59.00</td><td>0.00</td><td>101 107 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>42.42</td><td>40.96</td><td>17.73</td><td>59.00</td><td>0.00</td><td>101 107 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	53.86	74.00	-20.14	62.53	37.90	14.32	60.89	0.00	123 255 PEAK	2	10640.00	45.21	54.00	-8.79	53.88	37.90	14.32	60.89	0.00	123 255 AVERAGE	3	15960.00	50.43	74.00	-23.57	50.74	40.96	17.73	59.00	0.00	101 107 PEAK	4	15960.00	42.11	54.00	-11.89	42.42	40.96	17.73	59.00	0.00	101 107 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>57.72</td><td>74.00</td><td>-16.28</td><td>66.39</td><td>37.90</td><td>14.32</td><td>60.89</td><td>0.00</td><td>275 194 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>56.79</td><td>37.90</td><td>14.32</td><td>60.89</td><td>0.00</td><td>275 194 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>53.66</td><td>74.00</td><td>-20.34</td><td>53.97</td><td>40.96</td><td>17.73</td><td>59.00</td><td>0.00</td><td>322 220 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>47.88</td><td>40.96</td><td>17.73</td><td>59.00</td><td>0.00</td><td>322 220 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	57.72	74.00	-16.28	66.39	37.90	14.32	60.89	0.00	275 194 PEAK	2	10640.00	48.12	54.00	-5.88	56.79	37.90	14.32	60.89	0.00	275 194 AVERAGE	3	15960.00	53.66	74.00	-20.34	53.97	40.96	17.73	59.00	0.00	322 220 PEAK	4	15960.00	47.57	54.00	-6.43	47.88	40.96	17.73	59.00	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	10640.00	53.86	74.00	-20.14	62.53	37.90	14.32	60.89	0.00	123 255 PEAK																																																																																																																																																											
2	10640.00	45.21	54.00	-8.79	53.88	37.90	14.32	60.89	0.00	123 255 AVERAGE																																																																																																																																																											
3	15960.00	50.43	74.00	-23.57	50.74	40.96	17.73	59.00	0.00	101 107 PEAK																																																																																																																																																											
4	15960.00	42.11	54.00	-11.89	42.42	40.96	17.73	59.00	0.00	101 107 AVERAGE																																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	10640.00	57.72	74.00	-16.28	66.39	37.90	14.32	60.89	0.00	275 194 PEAK																																																																																																																																																											
2	10640.00	48.12	54.00	-5.88	56.79	37.90	14.32	60.89	0.00	275 194 AVERAGE																																																																																																																																																											
3	15960.00	53.66	74.00	-20.34	53.97	40.96	17.73	59.00	0.00	322 220 PEAK																																																																																																																																																											
4	15960.00	47.57	54.00	-6.43	47.88	40.96	17.73	59.00	0.00	322 220 AVERAGE																																																																																																																																																											





Mode	7																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>46.32</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>60.02</td><td>68.20</td><td>-8.18</td><td>51.23</td><td>34.87</td><td>10.98</td><td>37.06</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	55.11	74.00	-18.89	46.32	34.88	10.97	37.06	0.00	100	234 PEAK	2	5465.68	60.02	68.20	-8.18	51.23	34.87	10.98	37.06	0.00	100	234 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.60</td><td>-----</td><td>102.83</td><td>34.80</td><td>11.02</td><td>37.05</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.60	-----	102.83	34.80	11.02	37.05	0.00	100	234 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	55.11	74.00	-18.89	46.32	34.88	10.97	37.06	0.00	100	234 PEAK																																																																																																					
2	5465.68	60.02	68.20	-8.18	51.23	34.87	10.98	37.06	0.00	100	234 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	111.60	-----	102.83	34.80	11.02	37.05	0.00	100	234 PEAK																																																																																																						
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>32.82</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	41.61	54.00	-12.39	32.82	34.88	10.97	37.06	0.00	100	234 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.63</td><td>-----</td><td>94.86</td><td>34.80</td><td>11.02</td><td>37.05</td><td>0.00</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.63	-----	94.86	34.80	11.02	37.05	0.00	100	234 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.12	41.61	54.00	-12.39	32.82	34.88	10.97	37.06	0.00	100	234 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	103.63	-----	94.86	34.80	11.02	37.05	0.00	100	234 AVERAGE																																																																																																						

Note: The higher Signals which are no mark are within frequency band can be ignored.





Mode	7																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5402.80</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>40.19</td><td>34.99</td><td>10.89</td><td>37.06</td><td>0.00</td><td>397</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>48.91</td><td>34.06</td><td>10.98</td><td>37.05</td><td>0.00</td><td>397</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.80	49.01	74.00	-24.99	40.19	34.99	10.89	37.06	0.00	397	246	PEAK	2	5468.56	57.70	68.20	-10.50	48.91	34.06	10.98	37.05	0.00	397	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.62</td><td>-----</td><td>-----</td><td>101.85</td><td>34.80</td><td>11.02</td><td>37.05</td><td>0.00</td><td>397</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.62	-----	-----	101.85	34.80	11.02	37.05	0.00	397	246
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5402.80	49.01	74.00	-24.99	40.19	34.99	10.89	37.06	0.00	397	246	PEAK																																																																																																								
2	5468.56	57.70	68.20	-10.50	48.91	34.06	10.98	37.05	0.00	397	246	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	110.62	-----	-----	101.85	34.80	11.02	37.05	0.00	397	246	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>31.39</td><td>34.08</td><td>10.97</td><td>37.06</td><td>0.00</td><td>397</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	40.18	54.00	-13.82	31.39	34.08	10.97	37.06	0.00	397	246	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.26</td><td>-----</td><td>-----</td><td>93.49</td><td>34.80</td><td>11.02</td><td>37.05</td><td>0.00</td><td>397</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.26	-----	-----	93.49	34.80	11.02	37.05	0.00	397	246	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.76	40.18	54.00	-13.82	31.39	34.08	10.97	37.06	0.00	397	246	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	102.26	-----	-----	93.49	34.80	11.02	37.05	0.00	397	246	AVERAGE																																																																																																								






Mode	7																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>58.81</td><td>74.00</td><td>-15.19</td><td>67.13</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>257</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>55.00</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>257</td><td>127</td><td>AVERAGE</td></tr><tr><td>3</td><td>16504.00</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>56.65</td><td>41.40</td><td>17.98</td><td>58.89</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	58.81	74.00	-15.19	67.13	38.00	14.56	60.88	0.00	257	127	PEAK	2	11000.00	46.68	54.00	-7.32	55.00	38.00	14.56	60.88	0.00	257	127	AVERAGE	3	16504.00	57.14	68.20	-11.06	56.65	41.40	17.98	58.89	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>58.70</td><td>74.00</td><td>-15.30</td><td>67.02</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>370</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>56.57</td><td>38.00</td><td>14.56</td><td>60.88</td><td>0.00</td><td>370</td><td>266</td><td>AVERAGE</td></tr><tr><td>3</td><td>16504.00</td><td>64.27</td><td>68.20</td><td>-3.93</td><td>63.78</td><td>41.40</td><td>17.98</td><td>58.89</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	58.70	74.00	-15.30	67.02	38.00	14.56	60.88	0.00	370	266	PEAK	2	11000.00	48.25	54.00	-5.75	56.57	38.00	14.56	60.88	0.00	370	266	AVERAGE	3	16504.00	64.27	68.20	-3.93	63.78	41.40	17.98	58.89	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11000.00	58.81	74.00	-15.19	67.13	38.00	14.56	60.88	0.00	257	127	PEAK																																																																																																																																												
2	11000.00	46.68	54.00	-7.32	55.00	38.00	14.56	60.88	0.00	257	127	AVERAGE																																																																																																																																												
3	16504.00	57.14	68.20	-11.06	56.65	41.40	17.98	58.89	0.00	---	---	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11000.00	58.70	74.00	-15.30	67.02	38.00	14.56	60.88	0.00	370	266	PEAK																																																																																																																																												
2	11000.00	48.25	54.00	-5.75	56.57	38.00	14.56	60.88	0.00	370	266	AVERAGE																																																																																																																																												
3	16504.00	64.27	68.20	-3.93	63.78	41.40	17.98	58.89	0.00	---	---	Peak																																																																																																																																												



Mode	8																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																												
ANT	1																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>68.47</td><td>37.89</td><td>15.88</td><td>63.27</td><td>0.00</td><td>300</td><td>9</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>47.80</td><td>54.00</td><td>-6.20</td><td>57.29</td><td>37.90</td><td>15.88</td><td>63.27</td><td>0.00</td><td>300</td><td>9</td><td>AVERAGE</td></tr><tr><td>3</td><td>16744.90</td><td>59.76</td><td>68.20</td><td>-8.44</td><td>61.69</td><td>42.15</td><td>19.84</td><td>63.92</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11160.00	58.97	74.00	-15.03	68.47	37.89	15.88	63.27	0.00	300	9	PEAK	2	11160.00	47.80	54.00	-6.20	57.29	37.90	15.88	63.27	0.00	300	9	AVERAGE	3	16744.90	59.76	68.20	-8.44	61.69	42.15	19.84	63.92	0.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>59.81</td><td>74.00</td><td>-14.19</td><td>69.31</td><td>37.89</td><td>15.88</td><td>63.27</td><td>0.00</td><td>101</td><td>29</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>59.62</td><td>37.89</td><td>15.88</td><td>63.28</td><td>0.00</td><td>101</td><td>29</td><td>AVERAGE</td></tr><tr><td>3</td><td>16741.60</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>59.27</td><td>42.14</td><td>19.84</td><td>63.92</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11160.00	59.81	74.00	-14.19	69.31	37.89	15.88	63.27	0.00	101	29	PEAK	2	11160.00	50.11	54.00	-3.89	59.62	37.89	15.88	63.28	0.00	101	29	AVERAGE	3	16741.60	57.33	68.20	-10.87	59.27	42.14	19.84	63.92	0.00	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11160.00	58.97	74.00	-15.03	68.47	37.89	15.88	63.27	0.00	300	9	PEAK																																																																																																																																	
2	11160.00	47.80	54.00	-6.20	57.29	37.90	15.88	63.27	0.00	300	9	AVERAGE																																																																																																																																	
3	16744.90	59.76	68.20	-8.44	61.69	42.15	19.84	63.92	0.00	---	---	Peak																																																																																																																																	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11160.00	59.81	74.00	-14.19	69.31	37.89	15.88	63.27	0.00	101	29	PEAK																																																																																																																																	
2	11160.00	50.11	54.00	-3.89	59.62	37.89	15.88	63.28	0.00	101	29	AVERAGE																																																																																																																																	
3	16741.60	57.33	68.20	-10.87	59.27	42.14	19.84	63.92	0.00	---	---	Peak																																																																																																																																	





Mode	9																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) 5G U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.32</td><td>60.22</td><td>68.20</td><td>-7.98</td><td>50.67</td><td>35.36</td><td>11.34</td><td>37.15</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.32	60.22	68.20	-7.98	50.67	35.36	11.34	37.15	0.00	100	236 PEAK	 Level (dBuV/m) Frequency (MHz) 5G U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.14</td><td>-----</td><td>101.65</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.14	-----	101.65	35.31	11.30	37.12	0.00	100	236 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5729.32	60.22	68.20	-7.98	50.67	35.36	11.34	37.15	0.00	100	236 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	111.14	-----	101.65	35.31	11.30	37.12	0.00	100	236 PEAK																																																																																											
Avg	Blank						 Level (dBuV/m) Frequency (MHz) 5G U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.31</td><td>-----</td><td>93.82</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.31	-----	93.82	35.31	11.30	37.12	0.00	100	236 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	103.31	-----	93.82	35.31	11.30	37.12	0.00	100	236 AVERAGE																																																																																											







Mode	9																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.32</td><td>53.88</td><td>68.20</td><td>-14.32</td><td>44.35</td><td>35.35</td><td>11.33</td><td>37.15</td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	53.88	68.20	-14.32	44.35	35.35	11.33	37.15	0.00	300											PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.28</td><td>-----</td><td>-----</td><td>96.79</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.28	-----	-----	96.79	35.31	11.30	37.12	0.00	300											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5725.32	53.88	68.20	-14.32	44.35	35.35	11.33	37.15	0.00	300																																																																																																																
										PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5700.00	106.28	-----	-----	96.79	35.31	11.30	37.12	0.00	300																																																																																																																
										PEAK																																																																																																																
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.17</td><td>-----</td><td>-----</td><td>87.68</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.17	-----	-----	87.68	35.31	11.30	37.12	0.00	300											AVERAGE																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5700.00	97.17	-----	-----	87.68	35.31	11.30	37.12	0.00	300																																																																																																																
										AVERAGE																																																																																																																







Mode	9																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>65.87</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>300</td><td></td><td>4 PEAK</td></tr><tr><td>2 11400.00</td><td>47.85</td><td>54.00</td><td>-6.15</td><td>56.63</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>300</td><td></td><td>4 AVERAGE</td></tr><tr><td>3 17094.70</td><td>61.79</td><td>68.20</td><td>-6.41</td><td>63.68</td><td>42.20</td><td>20.06</td><td>64.15</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	57.09	74.00	-16.91	65.87	38.18	16.05	63.01	0.00	300		4 PEAK	2 11400.00	47.85	54.00	-6.15	56.63	38.18	16.05	63.01	0.00	300		4 AVERAGE	3 17094.70	61.79	68.20	-6.41	63.68	42.20	20.06	64.15	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>65.98</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td></td><td>28 PEAK</td></tr><tr><td>2 11400.00</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>55.29</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td></td><td>28 AVERAGE</td></tr><tr><td>3 17098.00</td><td>65.09</td><td>68.20</td><td>-3.11</td><td>66.98</td><td>42.19</td><td>20.07</td><td>64.15</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	57.20	74.00	-16.80	65.98	38.18	16.05	63.01	0.00	100		28 PEAK	2 11400.00	46.51	54.00	-7.49	55.29	38.18	16.05	63.01	0.00	100		28 AVERAGE	3 17098.00	65.09	68.20	-3.11	66.98	42.19	20.07	64.15	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 11400.00	57.09	74.00	-16.91	65.87	38.18	16.05	63.01	0.00	300		4 PEAK																																																																																																																																														
2 11400.00	47.85	54.00	-6.15	56.63	38.18	16.05	63.01	0.00	300		4 AVERAGE																																																																																																																																														
3 17094.70	61.79	68.20	-6.41	63.68	42.20	20.06	64.15	0.00	---	---	Peak																																																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 11400.00	57.20	74.00	-16.80	65.98	38.18	16.05	63.01	0.00	100		28 PEAK																																																																																																																																														
2 11400.00	46.51	54.00	-7.49	55.29	38.18	16.05	63.01	0.00	100		28 AVERAGE																																																																																																																																														
3 17098.00	65.09	68.20	-3.11	66.98	42.19	20.07	64.15	0.00	---	---	Peak																																																																																																																																														





Mode	10																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.10</td><td>62.58</td><td>74.00</td><td>-11.42</td><td>54.29</td><td>34.74</td><td>10.65</td><td>37.10</td><td>0.00</td><td>100</td><td>184</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.10	62.58	74.00	-11.42	54.29	34.74	10.65	37.10	0.00	100	184	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.64</td><td>-----</td><td>-----</td><td>103.20</td><td>34.85</td><td>10.69</td><td>37.10</td><td>0.00</td><td>100</td><td>184</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.64	-----	-----	103.20	34.85	10.69	37.10	0.00	100	184
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5145.10	62.58	74.00	-11.42	54.29	34.74	10.65	37.10	0.00	100	184	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	111.64	-----	-----	103.20	34.85	10.69	37.10	0.00	100	184	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>47.90</td><td>54.00</td><td>-6.10</td><td>39.60</td><td>34.75</td><td>10.65</td><td>37.10</td><td>0.00</td><td>100</td><td>184</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.40	47.90	54.00	-6.10	39.60	34.75	10.65	37.10	0.00	100	184	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.96</td><td>-----</td><td>-----</td><td>94.52</td><td>34.85</td><td>10.69</td><td>37.10</td><td>0.00</td><td>100</td><td>184</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.96	-----	-----	94.52	34.85	10.69	37.10	0.00	100	184
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.40	47.90	54.00	-6.10	39.60	34.75	10.65	37.10	0.00	100	184	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	102.96	-----	-----	94.52	34.85	10.69	37.10	0.00	100	184	AVERAGE																																																																																											





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.00</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>49.01</td><td>34.75</td><td>10.65</td><td>37.10</td><td>0.00</td><td>300</td><td>279 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.00	57.31	74.00	-16.69	49.01	34.75	10.65	37.10	0.00	300	279 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.19</td><td>-----</td><td>-----</td><td>97.75</td><td>34.85</td><td>10.69</td><td>37.10</td><td>0.00</td><td>300</td><td>279 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.19	-----	-----	97.75	34.85	10.69	37.10	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.00	57.31	74.00	-16.69	49.01	34.75	10.65	37.10	0.00	300	279 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	106.19	-----	-----	97.75	34.85	10.69	37.10	0.00	300	279 PEAK																																																																																								
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>34.53</td><td>34.75</td><td>10.65</td><td>37.10</td><td>0.00</td><td>300</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	42.83	54.00	-11.17	34.53	34.75	10.65	37.10	0.00	300	279 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.00</td><td>-----</td><td>-----</td><td>89.64</td><td>34.85</td><td>10.69</td><td>37.10</td><td>0.00</td><td>300</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.00	-----	-----	89.64	34.85	10.69	37.10	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	42.83	54.00	-11.17	34.53	34.75	10.65	37.10	0.00	300	279 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	98.00	-----	-----	89.64	34.85	10.69	37.10	0.00	300	279 AVERAGE																																																																																								





Mode	10																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal					Vertical																																																																																																																																														
Peak Avg																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.29</td><td>68.20</td><td>-21.91</td><td>57.76</td><td>37.38</td><td>15.30</td><td>64.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>57.24</td><td>74.00</td><td>-16.76</td><td>60.09</td><td>40.83</td><td>19.08</td><td>62.76</td><td>0.00</td><td>119</td><td>14 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>48.81</td><td>40.83</td><td>19.08</td><td>62.77</td><td>0.00</td><td>119</td><td>14 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	46.29	68.20	-21.91	57.76	37.38	15.30	64.15	0.00	---	PEAK	2	15540.00	57.24	74.00	-16.76	60.09	40.83	19.08	62.76	0.00	119	14 PEAK	3	15540.00	45.95	54.00	-8.05	48.81	40.83	19.08	62.77	0.00	119	14 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>62.53</td><td>37.38</td><td>15.30</td><td>64.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>59.32</td><td>74.00</td><td>-14.68</td><td>62.17</td><td>40.83</td><td>19.08</td><td>62.76</td><td>0.00</td><td>300</td><td>328 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>51.40</td><td>40.82</td><td>19.07</td><td>62.76</td><td>0.00</td><td>300</td><td>328 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	51.06	68.20	-17.14	62.53	37.38	15.30	64.15	0.00	---	PEAK	2	15540.00	59.32	74.00	-14.68	62.17	40.83	19.08	62.76	0.00	300	328 PEAK	3	15540.00	48.53	54.00	-5.47	51.40	40.82	19.07	62.76	0.00	300	328 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	10360.00	46.29	68.20	-21.91	57.76	37.38	15.30	64.15	0.00	---	PEAK																																																																																																																																									
2	15540.00	57.24	74.00	-16.76	60.09	40.83	19.08	62.76	0.00	119	14 PEAK																																																																																																																																									
3	15540.00	45.95	54.00	-8.05	48.81	40.83	19.08	62.77	0.00	119	14 AVERAGE																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																										
1	10360.00	51.06	68.20	-17.14	62.53	37.38	15.30	64.15	0.00	---	PEAK																																																																																																																																									
2	15540.00	59.32	74.00	-14.68	62.17	40.83	19.08	62.76	0.00	300	328 PEAK																																																																																																																																									
3	15540.00	48.53	54.00	-5.47	51.40	40.82	19.07	62.76	0.00	300	328 AVERAGE																																																																																																																																									





Mode	11																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>48.46</td><td>68.20</td><td>-19.74</td><td>59.75</td><td>37.42</td><td>15.36</td><td>64.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15660.00</td><td>58.50</td><td>74.00</td><td>-15.50</td><td>61.19</td><td>41.05</td><td>19.17</td><td>62.91</td><td>0.00</td><td>100</td><td>306</td><td>PEAK</td></tr><tr><td>3 15660.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>49.71</td><td>41.05</td><td>19.16</td><td>62.90</td><td>0.00</td><td>100</td><td>306</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	48.46	68.20	-19.74	59.75	37.42	15.36	64.07	0.00	---	---	PEAK	2 15660.00	58.50	74.00	-15.50	61.19	41.05	19.17	62.91	0.00	100	306	PEAK	3 15660.00	47.02	54.00	-6.98	49.71	41.05	19.16	62.90	0.00	100	306	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10440.00	48.46	68.20	-19.74	59.75	37.42	15.36	64.07	0.00	---	---	PEAK																																																																					
2 15660.00	58.50	74.00	-15.50	61.19	41.05	19.17	62.91	0.00	100	306	PEAK																																																																					
3 15660.00	47.02	54.00	-6.98	49.71	41.05	19.16	62.90	0.00	100	306	AVERAGE																																																																					
Vertical																																																																																
																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>47.36</td><td>68.20</td><td>-20.84</td><td>58.65</td><td>37.42</td><td>15.36</td><td>64.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15660.00</td><td>61.90</td><td>74.00</td><td>-12.10</td><td>64.59</td><td>41.05</td><td>19.17</td><td>62.91</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>3 15660.00</td><td>50.46</td><td>54.00</td><td>-3.54</td><td>53.15</td><td>41.05</td><td>19.16</td><td>62.90</td><td>0.00</td><td>100</td><td>45</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	47.36	68.20	-20.84	58.65	37.42	15.36	64.07	0.00	---	---	PEAK	2 15660.00	61.90	74.00	-12.10	64.59	41.05	19.17	62.91	0.00	100	45	PEAK	3 15660.00	50.46	54.00	-3.54	53.15	41.05	19.16	62.90	0.00	100	45	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10440.00	47.36	68.20	-20.84	58.65	37.42	15.36	64.07	0.00	---	---	PEAK																																																																					
2 15660.00	61.90	74.00	-12.10	64.59	41.05	19.17	62.91	0.00	100	45	PEAK																																																																					
3 15660.00	50.46	54.00	-3.54	53.15	41.05	19.16	62.90	0.00	100	45	AVERAGE																																																																					



Mode	12																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>49.43</td><td>68.20</td><td>-18.77</td><td>60.62</td><td>37.44</td><td>15.39</td><td>64.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>56.01</td><td>41.17</td><td>19.21</td><td>62.98</td><td>0.00</td><td>100</td><td>312</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>46.01</td><td>41.16</td><td>19.21</td><td>62.98</td><td>0.00</td><td>100</td><td>312</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	49.43	68.20	-18.77	60.62	37.44	15.39	64.02	0.00	---	---	PEAK	2	15720.00	53.41	74.00	-20.59	56.01	41.17	19.21	62.98	0.00	100	312	PEAK	3	15720.00	43.40	54.00	-10.60	46.01	41.16	19.21	62.98	0.00	100	312	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>64.21</td><td>37.44</td><td>15.39</td><td>64.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>61.99</td><td>74.00</td><td>-12.01</td><td>64.59</td><td>41.17</td><td>19.21</td><td>62.98</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>50.44</td><td>54.00</td><td>-3.56</td><td>53.04</td><td>41.17</td><td>19.21</td><td>62.98</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	53.02	68.20	-15.18	64.21	37.44	15.39	64.02	0.00	---	---	PEAK	2	15720.00	61.99	74.00	-12.01	64.59	41.17	19.21	62.98	0.00	100	43	PEAK	3	15720.00	50.44	54.00	-3.56	53.04	41.17	19.21	62.98	0.00	100	43	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10480.00	49.43	68.20	-18.77	60.62	37.44	15.39	64.02	0.00	---	---	PEAK																																																																																																																																																
2	15720.00	53.41	74.00	-20.59	56.01	41.17	19.21	62.98	0.00	100	312	PEAK																																																																																																																																																
3	15720.00	43.40	54.00	-10.60	46.01	41.16	19.21	62.98	0.00	100	312	AVERAGE																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10480.00	53.02	68.20	-15.18	64.21	37.44	15.39	64.02	0.00	---	---	PEAK																																																																																																																																																
2	15720.00	61.99	74.00	-12.01	64.59	41.17	19.21	62.98	0.00	100	43	PEAK																																																																																																																																																
3	15720.00	50.44	54.00	-3.56	53.04	41.17	19.21	62.98	0.00	100	43	AVERAGE																																																																																																																																																







Mode	13																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>47.69</td><td>68.20</td><td>-20.51</td><td>58.80</td><td>37.46</td><td>15.41</td><td>63.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15780.00</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>61.97</td><td>41.28</td><td>19.25</td><td>63.05</td><td>0.00</td><td>360</td><td>328</td><td>PEAK</td></tr><tr><td>3 15780.00</td><td>47.66</td><td>54.00</td><td>-6.34</td><td>50.18</td><td>41.28</td><td>19.25</td><td>63.05</td><td>0.00</td><td>360</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	47.69	68.20	-20.51	58.80	37.46	15.41	63.98	0.00	---	---	PEAK	2 15780.00	59.45	74.00	-14.55	61.97	41.28	19.25	63.05	0.00	360	328	PEAK	3 15780.00	47.66	54.00	-6.34	50.18	41.28	19.25	63.05	0.00	360	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>52.92</td><td>68.20</td><td>-15.28</td><td>64.03</td><td>37.46</td><td>15.41</td><td>63.98</td><td>0.00</td><td>300</td><td>37</td><td>PEAK</td></tr><tr><td>2 15780.00</td><td>61.54</td><td>74.00</td><td>-12.46</td><td>64.06</td><td>41.28</td><td>19.25</td><td>63.05</td><td>0.00</td><td>300</td><td>47</td><td>PEAK</td></tr><tr><td>3 15780.00</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>52.27</td><td>41.28</td><td>19.25</td><td>63.05</td><td>0.00</td><td>300</td><td>47</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	52.92	68.20	-15.28	64.03	37.46	15.41	63.98	0.00	300	37	PEAK	2 15780.00	61.54	74.00	-12.46	64.06	41.28	19.25	63.05	0.00	300	47	PEAK	3 15780.00	49.75	54.00	-4.25	52.27	41.28	19.25	63.05	0.00	300	47	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 10520.00	47.69	68.20	-20.51	58.80	37.46	15.41	63.98	0.00	---	---	PEAK																																																																																																																																											
2 15780.00	59.45	74.00	-14.55	61.97	41.28	19.25	63.05	0.00	360	328	PEAK																																																																																																																																											
3 15780.00	47.66	54.00	-6.34	50.18	41.28	19.25	63.05	0.00	360	328	AVERAGE																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 10520.00	52.92	68.20	-15.28	64.03	37.46	15.41	63.98	0.00	300	37	PEAK																																																																																																																																											
2 15780.00	61.54	74.00	-12.46	64.06	41.28	19.25	63.05	0.00	300	47	PEAK																																																																																																																																											
3 15780.00	49.75	54.00	-4.25	52.27	41.28	19.25	63.05	0.00	300	47	AVERAGE																																																																																																																																											







Mode	14																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																													
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 PEAK</td></tr><tr><td>2 10600.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>59.99</td><td>37.50</td><td>15.47</td><td>63.89</td><td>0.00</td><td>105</td><td>293 AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>62.29</td><td>41.51</td><td>19.34</td><td>63.20</td><td>0.00</td><td>100</td><td>308 PEAK</td></tr><tr><td>4 15900.00</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>50.39</td><td>41.51</td><td>19.35</td><td>63.20</td><td>0.00</td><td>100</td><td>308 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK	2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE	3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK	4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.89	0.00	105	293 PEAK																																																																														
2 10600.00	49.07	54.00	-4.93	59.99	37.50	15.47	63.89	0.00	105	293 AVERAGE																																																																														
3 15900.00	59.94	74.00	-14.06	62.29	41.51	19.34	63.20	0.00	100	308 PEAK																																																																														
4 15900.00	48.05	54.00	-5.95	50.39	41.51	19.35	63.20	0.00	100	308 AVERAGE																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>70.09</td><td>37.50</td><td>15.47</td><td>63.</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10600.00	59.17	68.20	-9.03	70.09	37.50	15.47	63.																																																																																	



Mode	15																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>60.73</td><td>74.00</td><td>-13.27</td><td>52.01</td><td>34.95</td><td>10.84</td><td>37.07</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	60.73	74.00	-13.27	52.01	34.95	10.84	37.07	0.00	100	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>110.02</td><td>-----</td><td>-----</td><td>101.37</td><td>34.92</td><td>10.81</td><td>37.08</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.02	-----	-----	101.37	34.92	10.81	37.08	0.00	100	180
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.24	60.73	74.00	-13.27	52.01	34.95	10.84	37.07	0.00	100	180	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	110.02	-----	-----	101.37	34.92	10.81	37.08	0.00	100	180	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.38</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>40.16</td><td>34.95</td><td>10.84</td><td>37.07</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.38	48.88	54.00	-5.12	40.16	34.95	10.84	37.07	0.00	100	180	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.01</td><td>-----</td><td>-----</td><td>93.34</td><td>34.93</td><td>10.82</td><td>37.08</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.01	-----	-----	93.34	34.93	10.82	37.08	0.00	100	180
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.38	48.88	54.00	-5.12	40.16	34.95	10.84	37.07	0.00	100	180	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	102.01	-----	-----	93.34	34.93	10.82	37.08	0.00	100	180	AVERAGE																																																																																											







Mode	15																																																																																																	
	Band Edge																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.62</td><td>61.85</td><td>74.00</td><td>-12.15</td><td>53.13</td><td>34.95</td><td>10.84</td><td>37.07</td><td>0.00</td><td>400 268 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.62	61.85	74.00	-12.15	53.13	34.95	10.84	37.07	0.00	400 268 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>109.48</td><td>-----</td><td>-----</td><td>100.81</td><td>34.93</td><td>10.82</td><td>37.08</td><td>0.00</td><td>400 268 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.48	-----	-----	100.81	34.93	10.82	37.08	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5352.62	61.85	74.00	-12.15	53.13	34.95	10.84	37.07	0.00	400 268 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	109.48	-----	-----	100.81	34.93	10.82	37.08	0.00	400 268 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>37.68</td><td>34.95</td><td>10.84</td><td>37.07</td><td>0.00</td><td>400 268 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	46.40	54.00	-7.60	37.68	34.95	10.84	37.07	0.00	400 268 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>101.14</td><td>-----</td><td>-----</td><td>92.47</td><td>34.93</td><td>10.82</td><td>37.08</td><td>0.00</td><td>400 268 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.14	-----	-----	92.47	34.93	10.82	37.08	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5350.24	46.40	54.00	-7.60	37.68	34.95	10.84	37.07	0.00	400 268 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5320.00	101.14	-----	-----	92.47	34.93	10.82	37.08	0.00	400 268 AVERAGE																																																																																								







Mode	15																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg																																																																																		
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10641.00</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>64.53</td><td>37.52</td><td>15.50</td><td>63.84</td><td>0.00</td><td>300</td><td>8 Peak</td></tr><tr><td>2</td><td>10641.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>54.89</td><td>37.52</td><td>15.50</td><td>63.84</td><td>0.00</td><td>300</td><td>8 Average</td></tr><tr><td>3</td><td>15960.00</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>59.00</td><td>41.62</td><td>19.39</td><td>63.27</td><td>0.00</td><td>103</td><td>59 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>47.48</td><td>41.62</td><td>19.39</td><td>63.27</td><td>0.00</td><td>103</td><td>59 AVERAGE</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10641.00	53.71	74.00	-20.29	64.53	37.52	15.50	63.84	0.00	300	8 Peak	2	10641.00	44.07	54.00	-9.93	54.89	37.52	15.50	63.84	0.00	300	8 Average	3	15960.00	56.74	74.00	-17.26	59.00	41.62	19.39	63.27	0.00	103	59 PEAK	4	15960.00	45.22	54.00	-8.78	47.48	41.62	19.39	63.27	0.00	103
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10641.00	53.71	74.00	-20.29	64.53	37.52	15.50	63.84	0.00	300	8 Peak																																																																							
2	10641.00	44.07	54.00	-9.93	54.89	37.52	15.50	63.84	0.00	300	8 Average																																																																							
3	15960.00	56.74	74.00	-17.26	59.00	41.62	19.39	63.27	0.00	103	59 PEAK																																																																							
4	15960.00	45.22	54.00	-8.78	47.48	41.62	19.39	63.27	0.00	103	59 AVERAGE																																																																							
Vertical																																																																																		
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>51.92</td><td>74.00</td><td>-22.08</td><td>62.75</td><td>37.52</td><td>15.50</td><td>63.85</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>53.71</td><td>37.52</td><td>15.50</td><td>63.85</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>57.75</td><td>74.00</td><td>-16.25</td><td>60.01</td><td>41.62</td><td>19.39</td><td>63.27</td><td>0.00</td><td>239</td><td>162 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>48.38</td><td>41.63</td><td>19.39</td><td>63.27</td><td>0.00</td><td>239</td><td>162 AVERAGE</td></tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	51.92	74.00	-22.08	62.75	37.52	15.50	63.85	0.00	300	0 PEAK	2	10640.00	42.88	54.00	-11.12	53.71	37.52	15.50	63.85	0.00	300	0 AVERAGE	3	15960.00	57.75	74.00	-16.25	60.01	41.62	19.39	63.27	0.00	239	162 PEAK	4	15960.00	46.13	54.00	-7.87	48.38	41.63	19.39	63.27	0.00	239
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10640.00	51.92	74.00	-22.08	62.75	37.52	15.50	63.85	0.00	300	0 PEAK																																																																							
2	10640.00	42.88	54.00	-11.12	53.71	37.52	15.50	63.85	0.00	300	0 AVERAGE																																																																							
3	15960.00	57.75	74.00	-16.25	60.01	41.62	19.39	63.27	0.00	239	162 PEAK																																																																							
4	15960.00	46.13	54.00	-7.87	48.38	41.63	19.39	63.27	0.00	239	162 AVERAGE																																																																							



Mode	16																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>52.75</td><td>74.00</td><td>-21.25</td><td>43.96</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>60.31</td><td>68.20</td><td>-7.89</td><td>51.52</td><td>34.86</td><td>10.98</td><td>37.05</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	52.75	74.00	-21.25	43.96	34.88	10.97	37.06	0.00	100	233 PEAK	2	5468.56	60.31	68.20	-7.89	51.52	34.86	10.98	37.05	0.00	100	233 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.39</td><td>-----</td><td>-----</td><td>103.62</td><td>34.80</td><td>11.02</td><td>37.05</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.39	-----	-----	103.62	34.80	11.02	37.05	0.00	100	233 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	52.75	74.00	-21.25	43.96	34.88	10.97	37.06	0.00	100	233 PEAK																																																																																																						
2	5468.56	60.31	68.20	-7.89	51.52	34.86	10.98	37.05	0.00	100	233 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	112.39	-----	-----	103.62	34.80	11.02	37.05	0.00	100	233 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.48</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>33.37</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	42.16	54.00	-11.84	33.37	34.88	10.97	37.06	0.00	100	233 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.50</td><td>-----</td><td>-----</td><td>94.70</td><td>34.82</td><td>11.03</td><td>37.05</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.50	-----	-----	94.70	34.82	11.03	37.05	0.00	100	233 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.48	42.16	54.00	-11.84	33.37	34.88	10.97	37.06	0.00	100	233 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	103.50	-----	-----	94.70	34.82	11.03	37.05	0.00	100	233 AVERAGE																																																																																																						

Note: The higher Signals which are no mark are within frequency band can be ignored.





Mode	16																																																																																																											
	Band Edge																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>44.30</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>375 244 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>62.20</td><td>68.20</td><td>-6.00</td><td>53.41</td><td>34.87</td><td>10.98</td><td>37.06</td><td>0.00</td><td>375 244 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	53.09	74.00	-20.91	44.30	34.88	10.97	37.06	0.00	375 244 PEAK	2	5466.64	62.20	68.20	-6.00	53.41	34.87	10.98	37.06	0.00	375 244 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.26</td><td>-----</td><td>-----</td><td>101.46</td><td>34.82</td><td>11.03</td><td>37.05</td><td>0.00</td><td>375 244 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.26	-----	-----	101.46	34.82	11.03	37.05	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5458.32	53.09	74.00	-20.91	44.30	34.88	10.97	37.06	0.00	375 244 PEAK																																																																																																		
2	5466.64	62.20	68.20	-6.00	53.41	34.87	10.98	37.06	0.00	375 244 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	110.26	-----	-----	101.46	34.82	11.03	37.05	0.00	375 244 PEAK																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>31.44</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>375 244 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	40.23	54.00	-13.77	31.44	34.88	10.97	37.06	0.00	375 244 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.50</td><td>-----</td><td>-----</td><td>92.70</td><td>34.82</td><td>11.03</td><td>37.05</td><td>0.00</td><td>375 244 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.50	-----	-----	92.70	34.82	11.03	37.05	0.00	375 244 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5459.92	40.23	54.00	-13.77	31.44	34.88	10.97	37.06	0.00	375 244 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	101.50	-----	-----	92.70	34.82	11.03	37.05	0.00	375 244 AVERAGE																																																																																																		

Note: The higher Signals which are no mark are within frequency band can be ignored.






Mode	16																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																																			
ANT	1																																																																																																																																																			
Pol.	Horizontal										Vertical																																																																																																																																									
Peak Avg																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.70</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>65.98</td><td>37.70</td><td>15.76</td><td>63.45</td><td>0.00</td><td>100</td><td>75 Peak</td></tr><tr><td>2 11000.70</td><td>45.88</td><td>54.00</td><td>-8.12</td><td>55.87</td><td>37.70</td><td>15.76</td><td>63.45</td><td>0.00</td><td>100</td><td>75 Average</td></tr><tr><td>3 16500.00</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>58.59</td><td>41.99</td><td>19.69</td><td>63.72</td><td>0.00</td><td>100</td><td>28 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.70	55.99	74.00	-18.01	65.98	37.70	15.76	63.45	0.00	100	75 Peak	2 11000.70	45.88	54.00	-8.12	55.87	37.70	15.76	63.45	0.00	100	75 Average	3 16500.00	56.55	68.20	-11.65	58.59	41.99	19.69	63.72	0.00	100	28 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>60.59</td><td>74.00</td><td>-13.41</td><td>70.58</td><td>37.70</td><td>15.76</td><td>63.45</td><td>0.00</td><td>284</td><td>352 PEAK</td></tr><tr><td>2 11000.00</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>59.22</td><td>37.70</td><td>15.76</td><td>63.45</td><td>0.00</td><td>284</td><td>352 AVERAGE</td></tr><tr><td>3 16500.00</td><td>59.56</td><td>68.20</td><td>-8.64</td><td>61.59</td><td>42.00</td><td>19.70</td><td>63.73</td><td>0.00</td><td>300</td><td>200 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	60.59	74.00	-13.41	70.58	37.70	15.76	63.45	0.00	284	352 PEAK	2 11000.00	49.23	54.00	-4.77	59.22	37.70	15.76	63.45	0.00	284	352 AVERAGE	3 16500.00	59.56	68.20	-8.64	61.59	42.00	19.70	63.73	0.00	300	200 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1 11000.70	55.99	74.00	-18.01	65.98	37.70	15.76	63.45	0.00	100	75 Peak																																																																																																																																										
2 11000.70	45.88	54.00	-8.12	55.87	37.70	15.76	63.45	0.00	100	75 Average																																																																																																																																										
3 16500.00	56.55	68.20	-11.65	58.59	41.99	19.69	63.72	0.00	100	28 PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1 11000.00	60.59	74.00	-13.41	70.58	37.70	15.76	63.45	0.00	284	352 PEAK																																																																																																																																										
2 11000.00	49.23	54.00	-4.77	59.22	37.70	15.76	63.45	0.00	284	352 AVERAGE																																																																																																																																										
3 16500.00	59.56	68.20	-8.64	61.59	42.00	19.70	63.73	0.00	300	200 PEAK																																																																																																																																										






Mode	17																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																																																
ANT	1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>66.51</td><td>37.89</td><td>15.88</td><td>63.27</td><td>0.00</td><td>388</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>56.31</td><td>37.89</td><td>15.88</td><td>63.27</td><td>0.00</td><td>388</td><td>352</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	57.01	74.00	-16.99	66.51	37.89	15.88	63.27	0.00	388	352	PEAK	2	11160.00	46.81	54.00	-7.19	56.31	37.89	15.88	63.27	0.00	388	352	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>61.75</td><td>74.00</td><td>-12.25</td><td>71.25</td><td>37.89</td><td>15.88</td><td>63.27</td><td>0.00</td><td>388</td><td>219</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>60.33</td><td>37.89</td><td>15.88</td><td>63.27</td><td>0.00</td><td>388</td><td>219</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>59.00</td><td>68.20</td><td>-9.20</td><td>60.93</td><td>42.15</td><td>19.84</td><td>63.92</td><td>0.00</td><td>388</td><td>219</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	61.75	74.00	-12.25	71.25	37.89	15.88	63.27	0.00	388	219	PEAK	2	11160.00	50.83	54.00	-3.17	60.33	37.89	15.88	63.27	0.00	388	219	AVERAGE	3	16740.00	59.00	68.20	-9.20	60.93	42.15	19.84	63.92	0.00	388	219
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11160.00	57.01	74.00	-16.99	66.51	37.89	15.88	63.27	0.00	388	352	PEAK																																																																																																																																					
2	11160.00	46.81	54.00	-7.19	56.31	37.89	15.88	63.27	0.00	388	352	AVERAGE																																																																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	11160.00	61.75	74.00	-12.25	71.25	37.89	15.88	63.27	0.00	388	219	PEAK																																																																																																																																					
2	11160.00	50.83	54.00	-3.17	60.33	37.89	15.88	63.27	0.00	388	219	AVERAGE																																																																																																																																					
3	16740.00	59.00	68.20	-9.20	60.93	42.15	19.84	63.92	0.00	388	219	PEAK																																																																																																																																					







Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.04</td><td>65.17</td><td>68.20</td><td>-3.03</td><td>55.63</td><td>35.36</td><td>11.33</td><td>37.15</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.04	65.17	68.20	-3.03	55.63	35.36	11.33	37.15	0.00	100	239 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.18</td><td>-----</td><td>-----</td><td>101.69</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.18	-----	-----	101.69	35.31	11.30	37.12	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5728.04	65.17	68.20	-3.03	55.63	35.36	11.33	37.15	0.00	100	239 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	111.18	-----	-----	101.69	35.31	11.30	37.12	0.00	100	239 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.00</td><td>-----</td><td>-----</td><td>93.51</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.00	-----	-----	93.51	35.31	11.30	37.12	0.00	100	239 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	103.00	-----	-----	93.51	35.31	11.30	37.12	0.00	100	239 AVERAGE																																																																																									





Mode	18																																																																																																								
	Band Edge																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.40</td><td>61.73</td><td>68.20</td><td>-6.47</td><td>52.20</td><td>35.35</td><td>11.33</td><td>37.15</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.40	61.73	68.20	-6.47	52.20	35.35	11.33	37.15	0.00	300	300	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.79</td><td>-----</td><td>-----</td><td>98.30</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.79	-----	-----	98.30	35.31	11.30	37.12	0.00	300	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5725.40	61.73	68.20	-6.47	52.20	35.35	11.33	37.15	0.00	300	300	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	107.79	-----	-----	98.30	35.31	11.30	37.12	0.00	300	300	PEAK																																																																																													
Avg	Blank																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.62</td><td>-----</td><td>-----</td><td>90.13</td><td>35.31</td><td>11.30</td><td>37.12</td><td>0.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.62	-----	-----	90.13	35.31	11.30	37.12	0.00	300	300	AVERAGE																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5700.00	99.62	-----	-----	90.13	35.31	11.30	37.12	0.00	300	300	AVERAGE																																																																																													







Mode	18																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>58.14</td><td>74.00</td><td>-15.86</td><td>66.92</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>57.37</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>64.60</td><td>68.20</td><td>-3.60</td><td>66.49</td><td>42.19</td><td>20.07</td><td>64.15</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	58.14	74.00	-15.86	66.92	38.18	16.05	63.01	0.00	100	288	PEAK	2	11400.00	48.59	54.00	-5.41	57.37	38.18	16.05	63.01	0.00	100	288	AVERAGE	3	17100.00	64.60	68.20	-3.60	66.49	42.19	20.07	64.15	0.00	100	258	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>59.05</td><td>74.00</td><td>-14.95</td><td>67.83</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>268</td><td>214</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>58.24</td><td>38.18</td><td>16.05</td><td>63.01</td><td>0.00</td><td>100</td><td>268</td><td>214</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>66.96</td><td>42.19</td><td>20.07</td><td>64.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	59.05	74.00	-14.95	67.83	38.18	16.05	63.01	0.00	100	268	214	PEAK	2	11400.00	49.46	54.00	-4.54	58.24	38.18	16.05	63.01	0.00	100	268	214	AVERAGE	3	17100.00	65.07	68.20	-3.13	66.96	42.19	20.07	64.15	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	11400.00	58.14	74.00	-15.86	66.92	38.18	16.05	63.01	0.00	100	288	PEAK																																																																																																																																																	
2	11400.00	48.59	54.00	-5.41	57.37	38.18	16.05	63.01	0.00	100	288	AVERAGE																																																																																																																																																	
3	17100.00	64.60	68.20	-3.60	66.49	42.19	20.07	64.15	0.00	100	258	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	11400.00	59.05	74.00	-14.95	67.83	38.18	16.05	63.01	0.00	100	268	214	PEAK																																																																																																																																																
2	11400.00	49.46	54.00	-4.54	58.24	38.18	16.05	63.01	0.00	100	268	214	AVERAGE																																																																																																																																																
3	17100.00	65.07	68.20	-3.13	66.96	42.19	20.07	64.15	0.00	---	---	PEAK																																																																																																																																																	
Peak																																																																																																																																																													

Note: Only the worst case has assessed 18G ~40GHz to test.





Mode	18																																																																																																																																																																																																					
	LF																																																																																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																																																																																					
ANT	1																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><td>1 p</td><td>77.53</td><td>36.99</td><td>-3.01</td><td>40.00</td><td>55.25</td><td>13.14</td><td>1.25</td><td>32.65</td><td>150</td><td>251 Peak</td></tr><tr><td>2</td><td>170.65</td><td>39.05</td><td>-4.45</td><td>43.50</td><td>54.50</td><td>15.38</td><td>1.90</td><td>32.73</td><td>121</td><td>102 Peak</td></tr><tr><td>3</td><td>250.19</td><td>36.66</td><td>-9.34</td><td>46.00</td><td>49.27</td><td>18.37</td><td>2.10</td><td>33.08</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>480.08</td><td>37.54</td><td>-8.46</td><td>46.00</td><td>44.24</td><td>23.43</td><td>3.14</td><td>33.27</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>721.61</td><td>31.37</td><td>-14.63</td><td>46.00</td><td>33.62</td><td>27.19</td><td>4.00</td><td>33.44</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>985.45</td><td>32.55</td><td>-21.45</td><td>54.00</td><td>28.92</td><td>30.44</td><td>4.66</td><td>31.47</td><td>---</td><td>--- Peak</td></tr></table>							Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	Level Factor	Loss	Factor				1 p	77.53	36.99	-3.01	40.00	55.25	13.14	1.25	32.65	150	251 Peak	2	170.65	39.05	-4.45	43.50	54.50	15.38	1.90	32.73	121	102 Peak	3	250.19	36.66	-9.34	46.00	49.27	18.37	2.10	33.08	---	--- Peak	4	480.08	37.54	-8.46	46.00	44.24	23.43	3.14	33.27	---	--- Peak	5	721.61	31.37	-14.63	46.00	33.62	27.19	4.00	33.44	---	--- Peak	6	985.45	32.55	-21.45	54.00	28.92	30.44	4.66	31.47	---	--- Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><td>1 p</td><td>76.56</td><td>37.20</td><td>-2.80</td><td>40.00</td><td>55.59</td><td>13.03</td><td>1.23</td><td>32.65</td><td>200</td><td>260 Peak</td></tr><tr><td>2 q</td><td>76.56</td><td>36.09</td><td>-3.91</td><td>40.00</td><td>54.48</td><td>13.03</td><td>1.23</td><td>32.65</td><td>200</td><td>260 QP</td></tr><tr><td>3</td><td>170.65</td><td>39.32</td><td>-4.18</td><td>43.50</td><td>54.77</td><td>15.38</td><td>1.90</td><td>32.73</td><td>100</td><td>223 Peak</td></tr><tr><td>4</td><td>249.22</td><td>38.10</td><td>-7.90</td><td>46.00</td><td>50.85</td><td>18.24</td><td>2.09</td><td>33.08</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>480.08</td><td>38.40</td><td>-7.60</td><td>46.00</td><td>45.10</td><td>23.43</td><td>3.14</td><td>33.27</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>719.67</td><td>32.18</td><td>-13.82</td><td>46.00</td><td>34.57</td><td>27.07</td><td>4.00</td><td>33.46</td><td>---</td><td>--- Peak</td></tr><tr><td>7</td><td>962.17</td><td>33.38</td><td>-20.62</td><td>54.00</td><td>29.63</td><td>30.92</td><td>4.61</td><td>31.78</td><td>---</td><td>--- Peak</td></tr></table>							Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	Level Factor	Loss	Factor				1 p	76.56	37.20	-2.80	40.00	55.59	13.03	1.23	32.65	200	260 Peak	2 q	76.56	36.09	-3.91	40.00	54.48	13.03	1.23	32.65	200	260 QP	3	170.65	39.32	-4.18	43.50	54.77	15.38	1.90	32.73	100	223 Peak	4	249.22	38.10	-7.90	46.00	50.85	18.24	2.09	33.08	---	--- Peak	5	480.08	38.40	-7.60	46.00	45.10	23.43	3.14	33.27	---	--- Peak	6	719.67	32.18	-13.82	46.00	34.57	27.07	4.00	33.46	---	--- Peak	7	962.17	33.38	-20.62	54.00	29.63	30.92	4.61	31.78	---
	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	Level Factor	Loss	Factor																																																																																																																																																																																															
1 p	77.53	36.99	-3.01	40.00	55.25	13.14	1.25	32.65	150	251 Peak																																																																																																																																																																																												
2	170.65	39.05	-4.45	43.50	54.50	15.38	1.90	32.73	121	102 Peak																																																																																																																																																																																												
3	250.19	36.66	-9.34	46.00	49.27	18.37	2.10	33.08	---	--- Peak																																																																																																																																																																																												
4	480.08	37.54	-8.46	46.00	44.24	23.43	3.14	33.27	---	--- Peak																																																																																																																																																																																												
5	721.61	31.37	-14.63	46.00	33.62	27.19	4.00	33.44	---	--- Peak																																																																																																																																																																																												
6	985.45	32.55	-21.45	54.00	28.92	30.44	4.66	31.47	---	--- Peak																																																																																																																																																																																												
	Freq	Level	Over Limit	Limit Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	Level Factor	Loss	Factor																																																																																																																																																																																															
1 p	76.56	37.20	-2.80	40.00	55.59	13.03	1.23	32.65	200	260 Peak																																																																																																																																																																																												
2 q	76.56	36.09	-3.91	40.00	54.48	13.03	1.23	32.65	200	260 QP																																																																																																																																																																																												
3	170.65	39.32	-4.18	43.50	54.77	15.38	1.90	32.73	100	223 Peak																																																																																																																																																																																												
4	249.22	38.10	-7.90	46.00	50.85	18.24	2.09	33.08	---	--- Peak																																																																																																																																																																																												
5	480.08	38.40	-7.60	46.00	45.10	23.43	3.14	33.27	---	--- Peak																																																																																																																																																																																												
6	719.67	32.18	-13.82	46.00	34.57	27.07	4.00	33.46	---	--- Peak																																																																																																																																																																																												
7	962.17	33.38	-20.62	54.00	29.63	30.92	4.61	31.78	---	--- Peak																																																																																																																																																																																												







Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>52.38</td><td>34.75</td><td>10.65</td><td>37.10</td><td>0.00</td><td>107 181 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	60.68	74.00	-13.32	52.38	34.75	10.65	37.10	0.00	107 181 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.14</td><td>-----</td><td>-----</td><td>98.65</td><td>34.88</td><td>10.70</td><td>37.09</td><td>0.00</td><td>107 181 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.14	-----	-----	98.65	34.88	10.70	37.09	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.76	60.68	74.00	-13.32	52.38	34.75	10.65	37.10	0.00	107 181 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	107.14	-----	-----	98.65	34.88	10.70	37.09	0.00	107 181 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>49.70</td><td>54.00</td><td>-4.30</td><td>41.40</td><td>34.75</td><td>10.65</td><td>37.10</td><td>0.00</td><td>107 181 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	49.70	54.00	-4.30	41.40	34.75	10.65	37.10	0.00	107 181 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.32</td><td>-----</td><td>-----</td><td>90.83</td><td>34.88</td><td>10.70</td><td>37.09</td><td>0.00</td><td>107 181 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.32	-----	-----	90.83	34.88	10.70	37.09	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	49.70	54.00	-4.30	41.40	34.75	10.65	37.10	0.00	107 181 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	99.32	-----	-----	90.83	34.88	10.70	37.09	0.00	107 181 AVERAGE																																																																																									

Note: The higher Signals which are no mark are within frequency band can be ignored.





Mode	19																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																												
ANT	1																																												
Pol.	Horizontal						Fundamental																																						
Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5458.11</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>40.33</td><td>34.88</td><td>10.97</td><td>37.06</td><td>0.00</td><td>107</td><td>181 PEAK</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5458.11	49.12	74.00	-24.88	40.33	34.88	10.97	37.06	0.00	107	181 PEAK	Blank					
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5458.11	49.12	74.00	-24.88	40.33	34.88	10.97	37.06	0.00	107	181 PEAK																																			
Avg	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5423.82</td><td>39.62</td><td>54.00</td><td>-14.38</td><td>30.81</td><td>34.95</td><td>10.92</td><td>37.06</td><td>0.00</td><td>107</td><td>181 AVERAGE</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5423.82	39.62	54.00	-14.38	30.81	34.95	10.92	37.06	0.00	107	181 AVERAGE	Blank					
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5423.82	39.62	54.00	-14.38	30.81	34.95	10.92	37.06	0.00	107	181 AVERAGE																																			



Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.92</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>46.44</td><td>34.74</td><td>10.65</td><td>37.10</td><td>0.00</td><td>357 257 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.92	54.73	74.00	-19.27	46.44	34.74	10.65	37.10	0.00	357 257 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.17</td><td>-----</td><td>-----</td><td>92.68</td><td>34.88</td><td>10.70</td><td>37.09</td><td>0.00</td><td>357 257 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.17	-----	-----	92.68	34.88	10.70	37.09	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.92	54.73	74.00	-19.27	46.44	34.74	10.65	37.10	0.00	357 257 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	101.17	-----	-----	92.68	34.88	10.70	37.09	0.00	357 257 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>35.58</td><td>34.75</td><td>10.65</td><td>37.10</td><td>0.00</td><td>357 257 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	43.88	54.00	-10.12	35.58	34.75	10.65	37.10	0.00	357 257 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>94.39</td><td>-----</td><td>-----</td><td>85.93</td><td>34.86</td><td>10.70</td><td>37.10</td><td>0.00</td><td>357 257 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.39	-----	-----	85.93	34.86	10.70	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	43.88	54.00	-10.12	35.58	34.75	10.65	37.10	0.00	357 257 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	94.39	-----	-----	85.93	34.86	10.70	37.10	0.00	357 257 AVERAGE																																																																																									

Note: The higher Signals which are no mark are within frequency band can be ignored.





Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.01</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>39.98</td><td>34.95</td><td>10.92</td><td>37.06</td><td>0.00</td><td>357</td><td>257 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.01	48.79	74.00	-25.21	39.98	34.95	10.92	37.06	0.00	357	257 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5423.01	48.79	74.00	-25.21	39.98	34.95	10.92	37.06	0.00	357	257 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.73</td><td>39.02</td><td>54.00</td><td>-14.98</td><td>30.22</td><td>34.93</td><td>10.93</td><td>37.06</td><td>0.00</td><td>357</td><td>257 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.73	39.02	54.00	-14.98	30.22	34.93	10.93	37.06	0.00	357	257 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5432.73	39.02	54.00	-14.98	30.22	34.93	10.93	37.06	0.00	357	257 AVERAGE																																													



Mode	19																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>46.88</td><td>68.20</td><td>-21.32</td><td>58.31</td><td>37.39</td><td>15.31</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15570.00</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>57.55</td><td>40.88</td><td>19.10</td><td>62.80</td><td>0.00</td><td>363</td><td>333</td><td>PEAK</td></tr><tr><td>3 15570.00</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>48.63</td><td>40.88</td><td>19.10</td><td>62.80</td><td>0.00</td><td>363</td><td>333</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	46.88	68.20	-21.32	58.31	37.39	15.31	64.13	0.00	---	---	PEAK	2 15570.00	54.73	74.00	-19.27	57.55	40.88	19.10	62.80	0.00	363	333	PEAK	3 15570.00	45.81	54.00	-8.19	48.63	40.88	19.10	62.80	0.00	363	333	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>56.05</td><td>37.39</td><td>15.31</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15570.00</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>57.45</td><td>40.88</td><td>19.10</td><td>62.80</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>3 15570.00</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>48.82</td><td>40.88</td><td>19.10</td><td>62.80</td><td>0.00</td><td>100</td><td>54</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	44.62	68.20	-23.58	56.05	37.39	15.31	64.13	0.00	---	---	PEAK	2 15570.00	54.63	74.00	-19.37	57.45	40.88	19.10	62.80	0.00	100	54	PEAK	3 15570.00	46.00	54.00	-8.00	48.82	40.88	19.10	62.80	0.00	100	54
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 10380.00	46.88	68.20	-21.32	58.31	37.39	15.31	64.13	0.00	---	---	PEAK																																																																																																																																										
2 15570.00	54.73	74.00	-19.27	57.55	40.88	19.10	62.80	0.00	363	333	PEAK																																																																																																																																										
3 15570.00	45.81	54.00	-8.19	48.63	40.88	19.10	62.80	0.00	363	333	AVERAGE																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 10380.00	44.62	68.20	-23.58	56.05	37.39	15.31	64.13	0.00	---	---	PEAK																																																																																																																																										
2 15570.00	54.63	74.00	-19.37	57.45	40.88	19.10	62.80	0.00	100	54	PEAK																																																																																																																																										
3 15570.00	46.00	54.00	-8.00	48.82	40.88	19.10	62.80	0.00	100	54	AVERAGE																																																																																																																																										







Mode	20																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>47.06</td><td>68.20</td><td>-21.14</td><td>58.30</td><td>37.43</td><td>15.37</td><td>64.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>57.11</td><td>41.11</td><td>19.19</td><td>62.94</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>47.14</td><td>41.11</td><td>19.19</td><td>62.94</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	47.06	68.20	-21.14	58.30	37.43	15.37	64.04	0.00	---	---	PEAK	2	15690.00	54.47	74.00	-19.53	57.11	41.11	19.19	62.94	0.00	100	302	PEAK	3	15690.00	44.50	54.00	-9.50	47.14	41.11	19.19	62.94	0.00	100	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.27</td><td>68.20</td><td>-22.93</td><td>56.51</td><td>37.43</td><td>15.37</td><td>64.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>58.54</td><td>74.00</td><td>-15.46</td><td>61.18</td><td>41.11</td><td>19.19</td><td>62.94</td><td>0.00</td><td>316</td><td>47</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>50.80</td><td>41.12</td><td>19.19</td><td>62.95</td><td>0.00</td><td>316</td><td>47</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	45.27	68.20	-22.93	56.51	37.43	15.37	64.04	0.00	---	---	PEAK	2	15690.00	58.54	74.00	-15.46	61.18	41.11	19.19	62.94	0.00	316	47	PEAK	3	15690.00	48.16	54.00	-5.84	50.80	41.12	19.19	62.95	0.00	316	47	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10460.00	47.06	68.20	-21.14	58.30	37.43	15.37	64.04	0.00	---	---	PEAK																																																																																																																																																
2	15690.00	54.47	74.00	-19.53	57.11	41.11	19.19	62.94	0.00	100	302	PEAK																																																																																																																																																
3	15690.00	44.50	54.00	-9.50	47.14	41.11	19.19	62.94	0.00	100	302	AVERAGE																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10460.00	45.27	68.20	-22.93	56.51	37.43	15.37	64.04	0.00	---	---	PEAK																																																																																																																																																
2	15690.00	58.54	74.00	-15.46	61.18	41.11	19.19	62.94	0.00	316	47	PEAK																																																																																																																																																
3	15690.00	48.16	54.00	-5.84	50.80	41.12	19.19	62.95	0.00	316	47	AVERAGE																																																																																																																																																



Mode	21																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10540.00</td><td>45.76</td><td>68.20</td><td>-22.44</td><td>56.82</td><td>37.47</td><td>15.43</td><td>63.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15810.00</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>58.07</td><td>41.34</td><td>19.28</td><td>63.09</td><td>0.00</td><td>396</td><td>332</td><td>PEAK</td></tr><tr><td>3 15810.00</td><td>45.34</td><td>54.00</td><td>-8.66</td><td>47.81</td><td>41.34</td><td>19.28</td><td>63.09</td><td>0.00</td><td>396</td><td>332</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	45.76	68.20	-22.44	56.82	37.47	15.43	63.96	0.00	---	---	PEAK	2 15810.00	55.60	74.00	-18.40	58.07	41.34	19.28	63.09	0.00	396	332	PEAK	3 15810.00	45.34	54.00	-8.66	47.81	41.34	19.28	63.09	0.00	396	332	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10540.00	45.76	68.20	-22.44	56.82	37.47	15.43	63.96	0.00	---	---	PEAK																																																																					
2 15810.00	55.60	74.00	-18.40	58.07	41.34	19.28	63.09	0.00	396	332	PEAK																																																																					
3 15810.00	45.34	54.00	-8.66	47.81	41.34	19.28	63.09	0.00	396	332	AVERAGE																																																																					
Vertical																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10540.00</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>55.74</td><td>37.47</td><td>15.43</td><td>63.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15810.00</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>61.95</td><td>41.34</td><td>19.28</td><td>63.09</td><td>0.00</td><td>354</td><td>37</td><td>PEAK</td></tr><tr><td>3 15810.00</td><td>49.17</td><td>54.00</td><td>-4.83</td><td>51.64</td><td>41.34</td><td>19.28</td><td>63.09</td><td>0.00</td><td>354</td><td>37</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	44.68	68.20	-23.52	55.74	37.47	15.43	63.96	0.00	---	---	PEAK	2 15810.00	59.48	74.00	-14.52	61.95	41.34	19.28	63.09	0.00	354	37	PEAK	3 15810.00	49.17	54.00	-4.83	51.64	41.34	19.28	63.09	0.00	354	37	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10540.00	44.68	68.20	-23.52	55.74	37.47	15.43	63.96	0.00	---	---	PEAK																																																																					
2 15810.00	59.48	74.00	-14.52	61.95	41.34	19.28	63.09	0.00	354	37	PEAK																																																																					
3 15810.00	49.17	54.00	-4.83	51.64	41.34	19.28	63.09	0.00	354	37	AVERAGE																																																																					



Mode	22																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.20</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>42.77</td><td>34.62</td><td>10.61</td><td>37.11</td><td>0.00</td><td>112</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.20	50.89	74.00	-23.11	42.77	34.62	10.61	37.11	0.00	112	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>107.02</td><td>-----</td><td>-----</td><td>98.39</td><td>34.91</td><td>10.80</td><td>37.08</td><td>0.00</td><td>112</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	107.02	-----	-----	98.39	34.91	10.80	37.08	0.00	112	178
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5107.20	50.89	74.00	-23.11	42.77	34.62	10.61	37.11	0.00	112	178	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5310.00	107.02	-----	-----	98.39	34.91	10.80	37.08	0.00	112	178	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.92</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>32.39</td><td>34.73</td><td>10.65</td><td>37.10</td><td>0.00</td><td>112</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.92	40.67	54.00	-13.33	32.39	34.73	10.65	37.10	0.00	112	178	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>98.93</td><td>-----</td><td>-----</td><td>90.30</td><td>34.91</td><td>10.80</td><td>37.08</td><td>0.00</td><td>112</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.93	-----	-----	90.30	34.91	10.80	37.08	0.00	112	178
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5141.92	40.67	54.00	-13.33	32.39	34.73	10.65	37.10	0.00	112	178	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5310.00	98.93	-----	-----	90.30	34.91	10.80	37.08	0.00	112	178	AVERAGE																																																																																											



Mode	22																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.00</td><td>69.70</td><td>74.00</td><td>-4.30</td><td>60.98</td><td>34.95</td><td>10.84</td><td>37.07</td><td>0.00</td><td>112</td><td>178 PEAK</td></tr></table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5350.00	69.70	74.00	-4.30	60.98	34.95	10.84	37.07	0.00	112	178 PEAK	Blank
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	5350.00	69.70	74.00	-4.30	60.98	34.95	10.84	37.07	0.00	112	178 PEAK																											
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5351.20</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>42.09</td><td>34.95</td><td>10.84</td><td>37.07</td><td>0.00</td><td>112</td><td>178 AVERAGE</td></tr></table>	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5351.20	50.81	54.00	-3.19	42.09	34.95	10.84	37.07	0.00	112	178 AVERAGE	Blank
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																												
1	5351.20	50.81	54.00	-3.19	42.09	34.95	10.84	37.07	0.00	112	178 AVERAGE																											



Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5116.80</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>41.36</td><td>34.65</td><td>10.62</td><td>37.11</td><td>0.00</td><td>300 253 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.80	49.52	74.00	-24.48	41.36	34.65	10.62	37.11	0.00	300 253 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>103.93</td><td>-----</td><td>-----</td><td>95.30</td><td>34.91</td><td>10.80</td><td>37.08</td><td>0.00</td><td>300 253 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.93	-----	-----	95.30	34.91	10.80	37.08	0.00	300 253 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5116.80	49.52	74.00	-24.48	41.36	34.65	10.62	37.11	0.00	300 253 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	103.93	-----	-----	95.30	34.91	10.80	37.08	0.00	300 253 PEAK																																																																																									
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.16</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>31.61</td><td>34.74</td><td>10.65</td><td>37.10</td><td>0.00</td><td>300 253 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	39.90	54.00	-14.10	31.61	34.74	10.65	37.10	0.00	300 253 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>96.19</td><td>-----</td><td>-----</td><td>87.56</td><td>34.91</td><td>10.80</td><td>37.08</td><td>0.00</td><td>300 253 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.19	-----	-----	87.56	34.91	10.80	37.08	0.00	300 253 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.16	39.90	54.00	-14.10	31.61	34.74	10.65	37.10	0.00	300 253 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	96.19	-----	-----	87.56	34.91	10.80	37.08	0.00	300 253 AVERAGE																																																																																									