

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2358.000	41.04	-8.95	74.0	-32.96	Peak	76.00	150	Horizontal	Pass
1**	2358.000	33.37	-8.95	54.0	-20.63	AV	76.00	150	Horizontal	Pass
2	3983.250	47.66	-2.78	74.0	-26.34	Peak	0.00	150	Horizontal	Pass
2**	3983.250	39.42	-2.78	54.0	-14.58	AV	0.00	150	Horizontal	Pass
3	5498.500	100.49	0.76	--	-47.51	Peak	148.00	150	Horizontal	N/A
3**	5498.500	90.45	0.76	--	90.45	AV	148.00	150	Horizontal	N/A
4	8383.563	50.31	-0.34	74.0	-23.69	Peak	274.00	150	Horizontal	Pass
4**	8383.563	40.20	-0.34	54.0	-13.80	AV	274.00	150	Horizontal	Pass
5	11305.287	53.43	3.48	74.0	-20.57	Peak	105.00	150	Horizontal	Pass
5**	11305.287	45.59	3.48	54.0	-8.41	AV	105.00	150	Horizontal	Pass
6	15753.525	53.42	2.45	74.0	-20.58	Peak	261.00	150	Horizontal	Pass
6**	15753.525	44.70	2.45	54.0	-9.30	AV	261.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2355.500	41.51	-8.87	74.0	-32.49	Peak	360.00	150	Vertical	Pass
1**	2355.500	33.09	-8.87	54.0	-20.91	AV	360.00	150	Vertical	Pass
2	4008.250	48.04	-2.50	74.0	-25.96	Peak	358.00	150	Vertical	Pass
2**	4008.250	39.11	-2.50	54.0	-14.89	AV	358.00	150	Vertical	Pass
3	5502.750	99.33	0.82	--	-56.67	Peak	156.00	150	Vertical	N/A
3**	5502.750	91.06	0.82	--	91.06	AV	156.00	150	Vertical	N/A
4	8123.025	51.15	0.19	74.0	-22.85	Peak	46.00	150	Vertical	Pass
4**	8123.025	41.80	0.19	54.0	-12.20	AV	46.00	150	Vertical	Pass
5	11449.213	53.88	2.83	74.0	-20.12	Peak	356.00	150	Vertical	Pass
5**	11449.213	44.82	2.83	54.0	-9.18	AV	356.00	150	Vertical	Pass
6	15952.500	52.63	2.29	74.0	-21.37	Peak	312.00	150	Vertical	Pass
6**	15952.500	44.09	2.29	54.0	-9.91	AV	312.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1321.500	36.22	-15.49	74.0	-37.78	Peak	144.00	150	Horizontal	Pass
1**	1321.500	27.41	-15.49	54.0	-26.59	AV	144.00	150	Horizontal	Pass
2	2816.000	43.03	-6.53	74.0	-30.97	Peak	140.00	150	Horizontal	Pass
2**	2816.000	34.98	-6.53	54.0	-19.02	AV	140.00	150	Horizontal	Pass
3	4042.000	47.87	-1.74	74.0	-26.13	Peak	142.00	150	Horizontal	Pass
3**	4042.000	38.75	-1.74	54.0	-15.25	AV	142.00	150	Horizontal	Pass
4	5581.250	95.47	0.98	--	-60.53	Peak	156.00	150	Horizontal	N/A
4**	5581.250	85.97	0.98	--	85.97	AV	156.00	150	Horizontal	N/A
5	9361.112	52.77	3.25	74.0	-21.23	Peak	105.00	150	Horizontal	Pass
5**	9361.112	44.42	3.25	54.0	-9.58	AV	105.00	150	Horizontal	Pass
6	15749.588	53.17	2.46	74.0	-20.83	Peak	312.00	150	Horizontal	Pass
6**	15749.588	44.50	2.46	54.0	-9.50	AV	312.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2737.700	44.33	-7.61	74.0	-29.67	Peak	230.00	150	Vertical	Pass
1**	2737.700	34.43	-7.61	54.0	-19.57	AV	230.00	150	Vertical	Pass
2	3998.500	48.06	-2.92	74.0	-25.94	Peak	336.00	150	Vertical	Pass
2**	3998.500	37.95	-2.92	54.0	-16.05	AV	336.00	150	Vertical	Pass
3	5575.250	98.67	1.33	--	-195.33	Peak	294.00	150	Vertical	N/A
3**	5575.250	89.04	1.33	--	89.04	AV	294.00	150	Vertical	N/A
4	9468.937	52.47	2.66	74.0	-21.53	Peak	295.00	150	Vertical	Pass
4**	9468.937	43.87	2.66	54.0	-10.13	AV	295.00	150	Vertical	Pass
5	11296.500	53.35	3.59	74.0	-20.65	Peak	360.00	150	Vertical	Pass
5**	11296.500	45.18	3.59	54.0	-8.82	AV	360.00	150	Vertical	Pass
6	15885.563	53.12	1.72	74.0	-20.88	Peak	177.00	150	Vertical	Pass
6**	15885.563	42.62	1.72	54.0	-11.38	AV	177.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2826.800	43.63	-6.55	74.0	-30.37	Peak	144.00	150	Horizontal	Pass
1**	2826.800	35.08	-6.55	54.0	-18.92	AV	144.00	150	Horizontal	Pass
2	4045.000	48.20	-1.91	74.0	-25.80	Peak	322.00	150	Horizontal	Pass
2**	4045.000	39.12	-1.91	54.0	-14.88	AV	322.00	150	Horizontal	Pass
3	5699.000	97.74	1.49	--	-184.26	Peak	282.00	150	Horizontal	N/A
3**	5699.000	86.63	1.49	--	86.63	AV	282.00	150	Horizontal	N/A
4	9136.912	52.70	1.71	74.0	-21.30	Peak	314.00	150	Horizontal	Pass
4**	9136.912	42.90	1.71	54.0	-11.10	AV	314.00	150	Horizontal	Pass
5	11969.338	53.87	3.88	74.0	-20.13	Peak	154.00	150	Horizontal	Pass
5**	11969.338	45.22	3.88	54.0	-8.78	AV	154.00	150	Horizontal	Pass
6	15748.275	52.96	2.44	74.0	-21.04	Peak	343.00	150	Horizontal	Pass
6**	15748.275	45.41	2.44	54.0	-8.59	AV	343.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2731.300	42.92	-7.87	74.0	-31.08	Peak	297.00	150	Vertical	Pass
1**	2731.300	34.33	-7.87	54.0	-19.67	AV	297.00	150	Vertical	Pass
2	4045.250	48.54	-1.93	74.0	-25.46	Peak	260.00	150	Vertical	Pass
2**	4045.250	39.44	-1.93	54.0	-14.56	AV	260.00	150	Vertical	Pass
3	5696.750	96.70	1.38	--	-211.30	Peak	308.00	150	Vertical	N/A
3**	5696.750	87.25	1.38	--	87.25	AV	308.00	150	Vertical	N/A
4	9354.463	52.58	3.30	74.0	-21.42	Peak	205.00	150	Vertical	Pass
4**	9354.463	44.50	3.30	54.0	-9.50	AV	205.00	150	Vertical	Pass
5	11306.713	54.41	3.44	74.0	-19.59	Peak	255.00	150	Vertical	Pass
5**	11306.713	45.45	3.44	54.0	-8.55	AV	255.00	150	Vertical	Pass
6	15736.724	53.21	2.30	74.0	-20.79	Peak	26.00	150	Vertical	Pass
6**	15736.724	44.03	2.30	54.0	-9.97	AV	26.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2216.900	41.67	-9.78	74.0	-32.33	Peak	182.00	150	Horizontal	Pass
1**	2216.900	32.22	-9.78	54.0	-21.78	AV	182.00	150	Horizontal	Pass
2	3997.750	47.72	-2.98	74.0	-26.28	Peak	0.00	150	Horizontal	Pass
2**	3997.750	38.43	-2.98	54.0	-15.57	AV	0.00	150	Horizontal	Pass
3	5078.250	52.11	0.90	74.0	-21.89	Peak	184.00	150	Horizontal	Pass
3**	5078.250	42.63	0.90	54.0	-11.37	AV	184.00	150	Horizontal	Pass
4	5497.000	95.58	0.77	--	-53.42	Peak	149.00	150	Horizontal	N/A
4**	5497.000	85.82	0.77	--	85.82	AV	149.00	150	Horizontal	N/A
5	11313.362	53.80	3.25	74.0	-20.20	Peak	314.00	150	Horizontal	Pass
5**	11313.362	44.98	3.25	54.0	-9.02	AV	314.00	150	Horizontal	Pass
6	15757.200	52.66	2.44	74.0	-21.34	Peak	251.00	150	Horizontal	Pass
6**	15757.200	44.86	2.44	54.0	-9.14	AV	251.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2807.700	42.86	-6.86	74.0	-31.14	Peak	137.00	150	Vertical	Pass
1**	2807.700	34.76	-6.86	54.0	-19.24	AV	137.00	150	Vertical	Pass
2	4196.500	48.48	-1.95	74.0	-25.52	Peak	268.00	150	Vertical	Pass
2**	4196.500	40.08	-1.95	54.0	-13.92	AV	268.00	150	Vertical	Pass
3	5504.500	98.34	0.90	--	-189.66	Peak	288.00	150	Vertical	N/A
3**	5504.500	89.38	0.90	--	89.38	AV	288.00	150	Vertical	N/A
4	8204.250	50.04	-0.17	74.0	-23.96	Peak	304.00	150	Vertical	Pass
4**	8204.250	40.39	-0.17	54.0	-13.61	AV	304.00	150	Vertical	Pass
5	11702.862	53.62	2.52	74.0	-20.38	Peak	115.00	150	Vertical	Pass
5**	11702.862	44.32	2.52	54.0	-9.68	AV	115.00	150	Vertical	Pass
6	15786.338	52.70	2.34	74.0	-21.30	Peak	96.00	150	Vertical	Pass
6**	15786.338	43.77	2.34	54.0	-10.23	AV	96.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2256.200	41.17	-9.90	74.0	-32.83	Peak	359.00	150	Horizontal	Pass
1**	2256.200	32.82	-9.90	54.0	-21.18	AV	359.00	150	Horizontal	Pass
2	3869.750	48.70	-3.58	74.0	-25.30	Peak	287.00	150	Horizontal	Pass
2**	3869.750	38.18	-3.58	54.0	-15.82	AV	287.00	150	Horizontal	Pass
3	4669.500	52.07	-0.58	74.0	-21.93	Peak	253.00	150	Horizontal	Pass
3**	4669.500	40.87	-0.58	54.0	-13.13	AV	253.00	150	Horizontal	Pass
4	5602.250	91.43	0.85	--	-57.57	Peak	149.00	150	Horizontal	N/A
4**	5602.250	81.66	0.85	--	81.66	AV	149.00	150	Horizontal	N/A
5	11453.963	53.58	2.76	74.0	-20.42	Peak	226.00	150	Horizontal	Pass
5**	11453.963	44.81	2.76	54.0	-9.19	AV	226.00	150	Horizontal	Pass
6	15752.738	53.37	2.45	74.0	-20.63	Peak	4.00	150	Horizontal	Pass
6**	15752.738	43.98	2.45	54.0	-10.02	AV	4.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1409.000	35.93	-15.11	74.0	-38.07	Peak	262.00	150	Vertical	Pass
1**	1409.000	27.85	-15.11	54.0	-26.15	AV	262.00	150	Vertical	Pass
2	2868.900	43.14	-6.23	74.0	-30.86	Peak	50.00	150	Vertical	Pass
2**	2868.900	34.30	-6.23	54.0	-19.70	AV	50.00	150	Vertical	Pass
3	4037.500	47.74	-1.54	74.0	-26.26	Peak	253.00	150	Vertical	Pass
3**	4037.500	39.11	-1.54	54.0	-14.89	AV	253.00	150	Vertical	Pass
4	5576.250	94.36	1.30	--	-199.64	Peak	294.00	150	Vertical	N/A
4**	5576.250	84.90	1.30	--	84.90	AV	294.00	150	Vertical	N/A
5	9325.725	52.75	3.36	74.0	-21.25	Peak	235.00	150	Vertical	Pass
5**	9325.725	44.27	3.36	54.0	-9.73	AV	235.00	150	Vertical	Pass
6	15907.088	53.54	1.91	74.0	-20.46	Peak	13.00	150	Vertical	Pass
6**	15907.088	44.31	1.91	54.0	-9.69	AV	13.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.500	35.81	-15.50	74.0	-38.19	Peak	280.00	150	Horizontal	Pass
1**	1474.500	28.33	-15.50	54.0	-25.67	AV	280.00	150	Horizontal	Pass
2	2255.700	41.31	-9.93	74.0	-32.69	Peak	109.00	150	Horizontal	Pass
2**	2255.700	32.64	-9.93	54.0	-21.36	AV	109.00	150	Horizontal	Pass
3	4201.250	48.81	-1.36	74.0	-25.19	Peak	197.00	150	Horizontal	Pass
3**	4201.250	39.58	-1.36	54.0	-14.42	AV	197.00	150	Horizontal	Pass
4	5660.500	89.37	0.94	--	-58.63	Peak	148.00	150	Horizontal	N/A
4**	5660.500	81.28	0.94	--	81.28	AV	148.00	150	Horizontal	N/A
5	10793.713	53.44	3.22	74.0	-20.56	Peak	336.00	150	Horizontal	Pass
5**	10793.713	45.43	3.22	54.0	-8.57	AV	336.00	150	Horizontal	Pass
6	15755.362	53.37	2.45	74.0	-20.63	Peak	127.00	150	Horizontal	Pass
6**	15755.362	44.82	2.45	54.0	-9.18	AV	127.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2270.000	41.72	-9.36	74.0	-32.28	Peak	264.00	150	Vertical	Pass
1**	2270.000	32.58	-9.36	54.0	-21.42	AV	264.00	150	Vertical	Pass
2	3955.000	47.68	-3.00	74.0	-26.32	Peak	274.00	150	Vertical	Pass
2**	3955.000	36.79	-3.00	54.0	-17.21	AV	274.00	150	Vertical	Pass
3	5676.500	93.92	0.78	--	-201.08	Peak	295.00	150	Vertical	N/A
3**	5676.500	84.46	0.78	--	84.46	AV	295.00	150	Vertical	N/A
4	9333.088	53.20	3.36	74.0	-20.80	Peak	265.00	150	Vertical	Pass
4**	9333.088	44.53	3.36	54.0	-9.47	AV	265.00	150	Vertical	Pass
5	10767.350	53.14	2.30	74.0	-20.86	Peak	325.00	150	Vertical	Pass
5**	10767.350	43.67	2.30	54.0	-10.33	AV	325.00	150	Vertical	Pass
6	15760.349	53.95	2.43	74.0	-20.05	Peak	127.00	150	Vertical	Pass
6**	15760.349	45.47	2.43	54.0	-8.53	AV	127.00	150	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2364.900	41.40	-9.84	74.0	-32.60	Peak	107.00	150	Horizontal	Pass
1**	2364.900	33.06	-9.84	54.0	-20.94	AV	107.00	150	Horizontal	Pass
2	3876.250	49.41	-2.79	74.0	-24.59	Peak	260.00	150	Horizontal	Pass
2**	3876.250	37.88	-2.79	54.0	-16.12	AV	260.00	150	Horizontal	Pass
3	5527.250	92.44	1.53	--	-63.56	Peak	156.00	150	Horizontal	N/A
3**	5527.250	84.27	1.53	--	84.27	AV	156.00	150	Horizontal	N/A
4	9138.813	52.32	1.72	74.0	-21.68	Peak	286.00	150	Horizontal	Pass
4**	9138.813	42.62	1.72	54.0	-11.38	AV	286.00	150	Horizontal	Pass
5	11285.100	53.76	3.45	74.0	-20.24	Peak	185.00	150	Horizontal	Pass
5**	11285.100	45.76	3.45	54.0	-8.24	AV	185.00	150	Horizontal	Pass
6	15960.112	54.09	2.24	74.0	-19.91	Peak	198.00	150	Horizontal	Pass
6**	15960.112	44.60	2.24	54.0	-9.40	AV	198.00	150	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2830.900	43.18	-6.38	74.0	-30.82	Peak	158.00	150	Vertical	Pass
1**	2830.900	34.46	-6.38	54.0	-19.54	AV	158.00	150	Vertical	Pass
2	3849.250	47.75	-3.28	74.0	-26.25	Peak	116.00	150	Vertical	Pass
2**	3849.250	38.05	-3.28	54.0	-15.95	AV	116.00	150	Vertical	Pass
3	5519.750	94.50	1.54	--	-213.50	Peak	308.00	150	Vertical	N/A
3**	5519.750	86.04	1.54	--	86.04	AV	308.00	150	Vertical	N/A
4	9329.526	53.72	3.36	74.0	-20.28	Peak	106.00	150	Vertical	Pass
4**	9329.526	45.23	3.36	54.0	-8.77	AV	106.00	150	Vertical	Pass
5	11280.349	54.35	3.39	74.0	-19.65	Peak	285.00	150	Vertical	Pass
5**	11280.349	45.51	3.39	54.0	-8.49	AV	285.00	150	Vertical	Pass
6	15759.037	53.08	2.43	74.0	-20.92	Peak	0.00	150	Vertical	Pass
6**	15759.037	44.66	2.43	54.0	-9.34	AV	0.00	150	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2770.600	42.71	-7.47	74.0	-31.29	Peak	110.00	150	Horizontal	Pass
1**	2770.600	34.23	-7.47	54.0	-19.77	AV	110.00	150	Horizontal	Pass
2	4220.500	49.29	-1.55	74.0	-24.71	Peak	343.00	150	Horizontal	Pass
2**	4220.500	39.04	-1.55	54.0	-14.96	AV	343.00	150	Horizontal	Pass
3	5595.000	88.32	0.72	--	56.32	Peak	32.00	150	Horizontal	N/A
3**	5595.000	79.30	0.72	--	79.30	AV	32.00	150	Horizontal	N/A
4	9339.025	52.72	3.35	74.0	-21.28	Peak	124.00	150	Horizontal	Pass
4**	9339.025	44.67	3.35	54.0	-9.33	AV	124.00	150	Horizontal	Pass
5	12010.188	54.55	3.58	74.0	-19.45	Peak	105.00	150	Horizontal	Pass
5**	12010.188	45.80	3.58	54.0	-8.20	AV	105.00	150	Horizontal	Pass
6	15935.700	54.03	2.18	74.0	-19.97	Peak	220.00	150	Horizontal	Pass
6**	15935.700	44.73	2.18	54.0	-9.27	AV	220.00	150	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2741.400	42.53	-7.41	74.0	-31.47	Peak	301.00	150	Vertical	Pass
1**	2741.400	34.17	-7.41	54.0	-19.83	AV	301.00	150	Vertical	Pass
2	4142.750	48.53	-2.80	74.0	-25.47	Peak	219.00	150	Vertical	Pass
2**	4142.750	38.97	-2.80	54.0	-15.03	AV	219.00	150	Vertical	Pass
3	5606.000	90.71	0.95	--	-184.29	Peak	275.00	150	Vertical	N/A
3**	5606.000	82.20	0.95	--	82.20	AV	275.00	150	Vertical	N/A
4	8248.425	49.30	0.01	74.0	-24.70	Peak	254.00	150	Vertical	Pass
4**	8248.425	41.35	0.01	54.0	-12.65	AV	254.00	150	Vertical	Pass
5	10780.412	54.12	2.76	74.0	-19.88	Peak	360.00	150	Vertical	Pass
5**	10780.412	45.18	2.76	54.0	-8.82	AV	360.00	150	Vertical	Pass
6	15736.988	52.92	2.30	74.0	-21.08	Peak	117.00	150	Vertical	Pass
6**	15736.988	45.03	2.30	54.0	-8.97	AV	117.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3741.500	47.28	-2.31	74.0	-26.72	Peak	360.00	150	Horizontal	Pass
1**	3741.500	38.42	-2.31	54.0	-15.58	AV	360.00	150	Horizontal	Pass
2	4932.250	51.68	0.82	74.0	-22.32	Peak	301.00	150	Horizontal	Pass
2**	4932.250	41.86	0.82	54.0	-12.14	AV	301.00	150	Horizontal	Pass
3	5749.500	93.57	1.61	--	-61.43	Peak	155.00	150	Horizontal	N/A
3**	5749.500	86.93	1.61	--	86.93	AV	155.00	150	Horizontal	N/A
4	8258.162	50.10	0.16	74.0	-23.90	Peak	315.00	150	Horizontal	Pass
4**	8258.162	41.45	0.16	54.0	-12.55	AV	315.00	150	Horizontal	Pass
5	11746.800	53.05	3.06	74.0	-20.95	Peak	264.00	150	Horizontal	Pass
5**	11746.800	44.38	3.06	54.0	-9.62	AV	264.00	150	Horizontal	Pass
6	15543.788	53.40	2.16	74.0	-20.60	Peak	28.00	150	Horizontal	Pass
6**	15543.788	43.80	2.16	54.0	-10.20	AV	28.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.800	36.51	-15.36	74.0	-37.49	Peak	26.00	150	Vertical	Pass
1**	1611.800	28.04	-15.36	54.0	-25.96	AV	26.00	150	Vertical	Pass
2	3703.000	47.47	-4.31	74.0	-26.53	Peak	246.00	150	Vertical	Pass
2**	3703.000	37.95	-4.31	54.0	-16.05	AV	246.00	150	Vertical	Pass
3	5741.500	97.31	1.43	--	-205.69	Peak	303.00	150	Vertical	N/A
3**	5741.500	90.39	1.43	--	90.39	AV	303.00	150	Vertical	N/A
4	8193.563	49.88	-0.09	74.0	-24.12	Peak	203.00	150	Vertical	Pass
4**	8193.563	41.01	-0.09	54.0	-12.99	AV	203.00	150	Vertical	Pass
5	10758.799	53.12	2.00	74.0	-20.88	Peak	304.00	150	Vertical	Pass
5**	10758.799	44.85	2.00	54.0	-9.15	AV	304.00	150	Vertical	Pass
6	15768.487	53.34	2.40	74.0	-20.66	Peak	38.00	150	Vertical	Pass
6**	15768.487	44.14	2.40	54.0	-9.86	AV	38.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2258.500	41.62	-9.69	74.0	-32.38	Peak	20.00	150	Horizontal	Pass
1**	2258.500	33.00	-9.69	54.0	-21.00	AV	20.00	150	Horizontal	Pass
2	4209.000	49.12	-0.57	74.0	-24.88	Peak	24.00	150	Horizontal	Pass
2**	4209.000	39.80	-0.57	54.0	-14.20	AV	24.00	150	Horizontal	Pass
3	5781.750	95.02	1.41	--	22.02	Peak	73.00	150	Horizontal	N/A
3**	5781.750	86.59	1.41	--	86.59	AV	73.00	150	Horizontal	N/A
4	9147.837	51.44	1.74	74.0	-22.56	Peak	93.00	150	Horizontal	Pass
4**	9147.837	42.66	1.74	54.0	-11.34	AV	93.00	150	Horizontal	Pass
5	11739.437	53.40	2.97	74.0	-20.60	Peak	93.00	150	Horizontal	Pass
5**	11739.437	44.46	2.97	54.0	-9.54	AV	93.00	150	Horizontal	Pass
6	15731.738	53.46	2.24	74.0	-20.54	Peak	264.00	150	Horizontal	Pass
6**	15731.738	44.15	2.24	54.0	-9.85	AV	264.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2716.100	43.53	-7.30	74.0	-30.47	Peak	271.00	150	Vertical	Pass
1**	2716.100	33.51	-7.30	54.0	-20.49	AV	271.00	150	Vertical	Pass
2	5110.500	52.76	0.45	74.0	-21.24	Peak	213.00	150	Vertical	Pass
2**	5110.500	42.12	0.45	54.0	-11.88	AV	213.00	150	Vertical	Pass
3	5783.500	97.92	1.51	--	-190.08	Peak	288.00	150	Vertical	N/A
3**	5783.500	91.10	1.51	--	91.10	AV	288.00	150	Vertical	N/A
4	8279.300	50.33	-0.29	74.0	-23.67	Peak	203.00	150	Vertical	Pass
4**	8279.300	41.46	-0.29	54.0	-12.54	AV	203.00	150	Vertical	Pass
5	11051.400	53.56	3.17	74.0	-20.44	Peak	274.00	150	Vertical	Pass
5**	11051.400	45.55	3.17	54.0	-8.45	AV	274.00	150	Vertical	Pass
6	15505.724	52.66	2.38	74.0	-21.34	Peak	162.00	150	Vertical	Pass
6**	15505.724	44.62	2.38	54.0	-9.38	AV	162.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2290.000	42.16	-10.22	74.0	-31.84	Peak	35.00	150	Horizontal	Pass
1**	2290.000	32.21	-10.22	54.0	-21.79	AV	35.00	150	Horizontal	Pass
2	5064.000	52.61	0.70	74.0	-21.39	Peak	246.00	150	Horizontal	Pass
2**	5064.000	42.99	0.70	54.0	-11.01	AV	246.00	150	Horizontal	Pass
3	5820.500	93.36	2.03	--	27.36	Peak	66.00	150	Horizontal	N/A
3**	5820.500	87.60	2.03	--	87.60	AV	66.00	150	Horizontal	N/A
4	9090.600	50.88	1.44	74.0	-23.12	Peak	3.00	150	Horizontal	Pass
4**	9090.600	42.94	1.44	54.0	-11.06	AV	3.00	150	Horizontal	Pass
5	10788.487	52.96	3.04	74.0	-21.04	Peak	0.00	150	Horizontal	Pass
5**	10788.487	44.56	3.04	54.0	-9.44	AV	0.00	150	Horizontal	Pass
6	15750.638	53.18	2.46	74.0	-20.82	Peak	336.00	150	Horizontal	Pass
6**	15750.638	43.59	2.46	54.0	-10.41	AV	336.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2211.000	41.17	-9.72	74.0	-32.83	Peak	270.00	150	Vertical	Pass
1**	2211.000	32.77	-9.72	54.0	-21.23	AV	270.00	150	Vertical	Pass
2	3623.750	47.50	-3.65	74.0	-26.50	Peak	79.00	150	Vertical	Pass
2**	3623.750	37.27	-3.65	54.0	-16.73	AV	79.00	150	Vertical	Pass
3	5821.500	97.21	2.04	--	24.21	Peak	73.00	150	Vertical	N/A
3**	5821.500	91.10	2.04	--	91.10	AV	73.00	150	Vertical	N/A
4	8334.162	49.43	-0.42	74.0	-24.57	Peak	4.00	150	Vertical	Pass
4**	8334.162	40.39	-0.42	54.0	-13.61	AV	4.00	150	Vertical	Pass
5	10778.512	52.37	2.69	74.0	-21.63	Peak	0.00	150	Vertical	Pass
5**	10778.512	44.13	2.69	54.0	-9.87	AV	0.00	150	Vertical	Pass
6	15752.738	53.54	2.45	74.0	-20.46	Peak	161.00	150	Vertical	Pass
6**	15752.738	45.20	2.45	54.0	-8.80	AV	161.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2276.000	42.49	-9.95	74.0	-31.51	Peak	346.00	150	Horizontal	Pass
1**	2276.000	33.60	-9.95	54.0	-20.40	AV	346.00	150	Horizontal	Pass
2	4940.750	51.18	0.93	74.0	-22.82	Peak	293.00	150	Horizontal	Pass
2**	4940.750	43.19	0.93	54.0	-10.81	AV	293.00	150	Horizontal	Pass
3	5741.000	93.40	1.40	--	48.40	Peak	45.00	150	Horizontal	N/A
3**	5741.000	86.67	1.40	--	86.67	AV	45.00	150	Horizontal	N/A
4	9104.375	52.08	1.64	74.0	-21.92	Peak	35.00	150	Horizontal	Pass
4**	9104.375	42.71	1.64	54.0	-11.29	AV	35.00	150	Horizontal	Pass
5	10790.862	53.13	3.12	74.0	-20.87	Peak	184.00	150	Horizontal	Pass
5**	10790.862	44.41	3.12	54.0	-9.59	AV	184.00	150	Horizontal	Pass
6	15749.325	52.69	2.46	74.0	-21.31	Peak	58.00	150	Horizontal	Pass
6**	15749.325	44.10	2.46	54.0	-9.90	AV	58.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4142.000	49.13	-2.84	74.0	-24.87	Peak	300.00	150	Vertical	Pass
1**	4142.000	39.35	-2.84	54.0	-14.65	AV	300.00	150	Vertical	Pass
2	5750.000	95.89	1.64	--	-183.11	Peak	279.00	150	Vertical	N/A
2**	5750.000	90.19	1.64	--	90.19	AV	279.00	150	Vertical	N/A
3	8270.037	49.77	0.07	74.0	-24.23	Peak	114.00	150	Vertical	Pass
3**	8270.037	40.53	0.07	54.0	-13.47	AV	114.00	150	Vertical	Pass
4	10803.213	52.36	3.32	74.0	-21.64	Peak	154.00	150	Vertical	Pass
4**	10803.213	43.97	3.32	54.0	-10.03	AV	154.00	150	Vertical	Pass
5	12137.962	52.66	1.80	74.0	-21.34	Peak	184.00	150	Vertical	Pass
5**	12137.962	43.86	1.80	54.0	-10.14	AV	184.00	150	Vertical	Pass
6	15749.850	53.29	2.46	74.0	-20.71	Peak	243.00	150	Vertical	Pass
6**	15749.850	43.70	2.46	54.0	-10.30	AV	243.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3998.500	47.87	-2.92	74.0	-26.13	Peak	0.00	150	Horizontal	Pass
1**	3998.500	38.67	-2.92	54.0	-15.33	AV	0.00	150	Horizontal	Pass
2	5060.500	52.17	0.59	74.0	-21.83	Peak	169.00	150	Horizontal	Pass
2**	5060.500	42.26	0.59	54.0	-11.74	AV	169.00	150	Horizontal	Pass
3	5789.750	93.37	1.68	--	27.37	Peak	66.00	150	Horizontal	N/A
3**	5789.750	86.55	1.68	--	86.55	AV	66.00	150	Horizontal	N/A
4	8270.276	50.40	0.07	74.0	-23.60	Peak	275.00	150	Horizontal	Pass
4**	8270.276	40.45	0.07	54.0	-13.55	AV	275.00	150	Horizontal	Pass
5	10787.537	53.27	3.01	74.0	-20.73	Peak	284.00	150	Horizontal	Pass
5**	10787.537	44.47	3.01	54.0	-9.53	AV	284.00	150	Horizontal	Pass
6	15943.576	53.14	2.25	74.0	-20.86	Peak	213.00	150	Horizontal	Pass
6**	15943.576	43.63	2.25	54.0	-10.37	AV	213.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2268.600	41.02	-9.38	74.0	-32.98	Peak	194.00	150	Vertical	Pass
1**	2268.600	32.71	-9.38	54.0	-21.29	AV	194.00	150	Vertical	Pass
2	3994.500	47.79	-2.87	74.0	-26.21	Peak	183.00	150	Vertical	Pass
2**	3994.500	38.57	-2.87	54.0	-15.43	AV	183.00	150	Vertical	Pass
3	5784.250	97.33	1.57	--	-189.67	Peak	287.00	150	Vertical	N/A
3**	5784.250	91.43	1.57	--	91.43	AV	287.00	150	Vertical	N/A
4	8127.300	49.59	0.30	74.0	-24.41	Peak	274.00	150	Vertical	Pass
4**	8127.300	41.20	0.30	54.0	-12.80	AV	274.00	150	Vertical	Pass
5	9459.200	52.89	2.83	74.0	-21.11	Peak	334.00	150	Vertical	Pass
5**	9459.200	44.51	2.83	54.0	-9.49	AV	334.00	150	Vertical	Pass
6	15766.388	53.03	2.41	74.0	-20.97	Peak	161.00	150	Vertical	Pass
6**	15766.388	44.79	2.41	54.0	-9.21	AV	161.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1406.100	36.16	-15.11	74.0	-37.84	Peak	262.00	150	Horizontal	Pass
1**	1406.100	27.60	-15.11	54.0	-26.40	AV	262.00	150	Horizontal	Pass
2	4200.250	49.07	-1.55	74.0	-24.93	Peak	86.00	150	Horizontal	Pass
2**	4200.250	39.91	-1.55	54.0	-14.09	AV	86.00	150	Horizontal	Pass
3	5822.250	93.55	2.05	--	27.55	Peak	66.00	150	Horizontal	N/A
3**	5822.250	87.69	2.05	--	87.69	AV	66.00	150	Horizontal	N/A
4	8403.987	49.66	-0.45	74.0	-24.34	Peak	205.00	150	Horizontal	Pass
4**	8403.987	40.78	-0.45	54.0	-13.22	AV	205.00	150	Horizontal	Pass
5	10787.775	52.82	3.02	74.0	-21.18	Peak	254.00	150	Horizontal	Pass
5**	10787.775	44.66	3.02	54.0	-9.34	AV	254.00	150	Horizontal	Pass
6	15949.088	53.32	2.30	74.0	-20.68	Peak	99.00	150	Horizontal	Pass
6**	15949.088	44.15	2.30	54.0	-9.85	AV	99.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4126.250	48.81	-2.40	74.0	-25.19	Peak	79.00	150	Vertical	Pass
1**	4126.250	38.51	-2.40	54.0	-15.49	AV	79.00	150	Vertical	Pass
2	4628.000	50.90	-1.04	74.0	-23.10	Peak	322.00	150	Vertical	Pass
2**	4628.000	41.56	-1.04	54.0	-12.44	AV	322.00	150	Vertical	Pass
3	5828.750	96.95	2.32	--	-189.05	Peak	286.00	150	Vertical	N/A
3**	5828.750	90.43	2.32	--	90.43	AV	286.00	150	Vertical	N/A
4	8437.237	50.29	-0.53	74.0	-23.71	Peak	165.00	150	Vertical	Pass
4**	8437.237	40.16	-0.53	54.0	-13.84	AV	165.00	150	Vertical	Pass
5	10787.775	52.96	3.02	74.0	-21.04	Peak	354.00	150	Vertical	Pass
5**	10787.775	46.42	3.02	54.0	-7.58	AV	354.00	150	Vertical	Pass
6	15765.338	53.10	2.41	74.0	-20.90	Peak	69.00	150	Vertical	Pass
6**	15765.338	44.74	2.41	54.0	-9.26	AV	69.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.900	35.97	-15.48	74.0	-38.03	Peak	172.00	150	Horizontal	Pass
1**	1476.900	27.89	-15.48	54.0	-26.11	AV	172.00	150	Horizontal	Pass
2	4206.250	48.36	-0.75	74.0	-25.64	Peak	45.00	150	Horizontal	Pass
2**	4206.250	39.76	-0.75	54.0	-14.24	AV	45.00	150	Horizontal	Pass
3	5765.750	90.47	1.33	--	-23.53	Peak	114.00	150	Horizontal	N/A
3**	5765.750	83.83	1.33	--	83.83	AV	114.00	150	Horizontal	N/A
4	8209.950	49.86	-0.26	74.0	-24.14	Peak	184.00	150	Horizontal	Pass
4**	8209.950	40.45	-0.26	54.0	-13.55	AV	184.00	150	Horizontal	Pass
5	10780.174	52.75	2.75	74.0	-21.25	Peak	54.00	150	Horizontal	Pass
5**	10780.174	44.69	2.75	54.0	-9.31	AV	54.00	150	Horizontal	Pass
6	15751.950	52.90	2.46	74.0	-21.10	Peak	119.00	150	Horizontal	Pass
6**	15751.950	44.49	2.46	54.0	-9.51	AV	119.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3899.500	47.54	-2.97	74.0	-26.46	Peak	245.00	150	Vertical	Pass
1**	3899.500	38.54	-2.97	54.0	-15.46	AV	245.00	150	Vertical	Pass
2	4777.500	51.37	1.12	74.0	-22.63	Peak	224.00	150	Vertical	Pass
2**	4777.500	41.26	1.12	54.0	-12.74	AV	224.00	150	Vertical	Pass
3	5760.500	95.00	1.28	--	8.00	Peak	87.00	150	Vertical	N/A
3**	5760.500	87.54	1.28	--	87.54	AV	87.00	150	Vertical	N/A
4	8223.725	50.32	-0.34	74.0	-23.68	Peak	274.00	150	Vertical	Pass
4**	8223.725	41.02	-0.34	54.0	-12.98	AV	274.00	150	Vertical	Pass
5	10783.974	53.08	2.88	74.0	-20.92	Peak	143.00	150	Vertical	Pass
5**	10783.974	44.46	2.88	54.0	-9.54	AV	143.00	150	Vertical	Pass
6	15983.213	52.97	2.10	74.0	-21.03	Peak	161.00	150	Vertical	Pass
6**	15983.213	44.33	2.10	54.0	-9.67	AV	161.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4203.750	48.59	-1.02	74.0	-25.41	Peak	46.00	150	Horizontal	Pass
1**	4203.750	40.27	-1.02	54.0	-13.73	AV	46.00	150	Horizontal	Pass
2	4936.500	52.10	1.01	74.0	-21.90	Peak	177.00	150	Horizontal	Pass
2**	4936.500	44.13	1.01	54.0	-9.87	AV	177.00	150	Horizontal	Pass
3	5790.500	90.62	1.73	--	57.62	Peak	33.00	150	Horizontal	N/A
3**	5790.500	83.50	1.73	--	83.50	AV	33.00	150	Horizontal	N/A
4	8435.100	49.37	-0.65	74.0	-24.63	Peak	36.00	150	Horizontal	Pass
4**	8435.100	41.07	-0.65	54.0	-12.93	AV	36.00	150	Horizontal	Pass
5	9388.188	52.60	3.05	74.0	-21.40	Peak	55.00	150	Horizontal	Pass
5**	9388.188	44.94	3.05	54.0	-9.06	AV	55.00	150	Horizontal	Pass
6	11750.600	53.21	3.10	74.0	-20.79	Peak	26.00	150	Horizontal	Pass
6**	11750.600	45.29	3.10	54.0	-8.71	AV	26.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2212.800	41.39	-9.75	74.0	-32.61	Peak	314.00	150	Vertical	Pass
1**	2212.800	32.37	-9.75	54.0	-21.63	AV	314.00	150	Vertical	Pass
2	4301.500	49.52	-1.52	74.0	-24.48	Peak	308.00	150	Vertical	Pass
2**	4301.500	39.37	-1.52	54.0	-14.63	AV	308.00	150	Vertical	Pass
3	5797.000	94.82	1.71	--	-213.18	Peak	308.00	150	Vertical	N/A
3**	5797.000	87.51	1.71	--	87.51	AV	308.00	150	Vertical	N/A
4	8241.062	49.81	-0.05	74.0	-24.19	Peak	336.00	150	Vertical	Pass
4**	8241.062	41.43	-0.05	54.0	-12.57	AV	336.00	150	Vertical	Pass
5	11479.612	53.24	2.17	74.0	-20.76	Peak	356.00	150	Vertical	Pass
5**	11479.612	44.46	2.17	54.0	-9.54	AV	356.00	150	Vertical	Pass
6	15938.588	53.13	2.20	74.0	-20.87	Peak	354.00	150	Vertical	Pass
6**	15938.588	44.32	2.20	54.0	-9.68	AV	354.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2826.700	43.46	-6.55	74.0	-30.54	Peak	210.00	150	Horizontal	Pass
1**	2826.700	34.99	-6.55	54.0	-19.01	AV	210.00	150	Horizontal	Pass
2	4759.250	51.04	0.01	74.0	-22.96	Peak	187.00	150	Horizontal	Pass
2**	4759.250	41.62	0.01	54.0	-12.38	AV	187.00	150	Horizontal	Pass
3	5746.500	92.56	1.62	--	-59.44	Peak	152.00	150	Horizontal	N/A
3**	5746.500	86.25	1.62	--	86.25	AV	152.00	150	Horizontal	N/A
4	8416.813	49.59	-0.60	74.0	-24.41	Peak	257.00	150	Horizontal	Pass
4**	8416.813	40.69	-0.60	54.0	-13.31	AV	257.00	150	Horizontal	Pass
5	9130.500	52.05	1.70	74.0	-21.95	Peak	37.00	150	Horizontal	Pass
5**	9130.500	42.64	1.70	54.0	-11.36	AV	37.00	150	Horizontal	Pass
6	15513.075	52.43	2.33	74.0	-21.57	Peak	209.00	150	Horizontal	Pass
6**	15513.075	44.72	2.33	54.0	-9.28	AV	209.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.900	36.42	-15.42	74.0	-37.58	Peak	307.00	150	Vertical	Pass
1**	1467.900	28.11	-15.42	54.0	-25.89	AV	307.00	150	Vertical	Pass
2	4961.500	52.14	1.06	74.0	-21.86	Peak	50.00	150	Vertical	Pass
2**	4961.500	42.26	1.06	54.0	-11.74	AV	50.00	150	Vertical	Pass
3	5749.500	95.92	1.61	--	-177.08	Peak	273.00	150	Vertical	N/A
3**	5749.500	90.57	1.61	--	90.57	AV	273.00	150	Vertical	N/A
4	8169.575	50.55	-0.31	74.0	-23.45	Peak	46.00	150	Vertical	Pass
4**	8169.575	40.77	-0.31	54.0	-13.23	AV	46.00	150	Vertical	Pass
5	11026.700	53.32	2.72	74.0	-20.68	Peak	87.00	150	Vertical	Pass
5**	11026.700	44.03	2.72	54.0	-9.97	AV	87.00	150	Vertical	Pass
6	15932.812	53.13	2.15	74.0	-20.87	Peak	250.00	150	Vertical	Pass
6**	15932.812	44.57	2.15	54.0	-9.43	AV	250.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.700	35.95	-15.53	74.0	-38.05	Peak	142.00	150	Horizontal	Pass
1**	1515.700	27.66	-15.53	54.0	-26.34	AV	142.00	150	Horizontal	Pass
2	4045.500	48.80	-1.94	74.0	-25.20	Peak	0.00	150	Horizontal	Pass
2**	4045.500	40.30	-1.94	54.0	-13.70	AV	0.00	150	Horizontal	Pass
3	5787.500	92.06	1.66	--	26.06	Peak	66.00	150	Horizontal	N/A
3**	5787.500	85.62	1.66	--	85.62	AV	66.00	150	Horizontal	N/A
4	8344.375	49.64	-0.25	74.0	-24.36	Peak	357.00	150	Horizontal	Pass
4**	8344.375	41.53	-0.25	54.0	-12.47	AV	357.00	150	Horizontal	Pass
5	11455.150	53.18	2.73	74.0	-20.82	Peak	167.00	150	Horizontal	Pass
5**	11455.150	44.67	2.73	54.0	-9.33	AV	167.00	150	Horizontal	Pass
6	15731.738	53.54	2.24	74.0	-20.46	Peak	0.00	150	Horizontal	Pass
6**	15731.738	44.87	2.24	54.0	-9.13	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2734.700	42.71	-7.67	74.0	-31.29	Peak	172.00	150	Vertical	Pass
1**	2734.700	34.98	-7.67	54.0	-19.02	AV	172.00	150	Vertical	Pass
2	4758.250	51.62	-0.07	74.0	-22.38	Peak	155.00	150	Vertical	Pass
2**	4758.250	41.09	-0.07	54.0	-12.91	AV	155.00	150	Vertical	Pass
3	5778.250	95.22	1.38	--	17.22	Peak	78.00	150	Vertical	N/A
3**	5778.250	88.47	1.38	--	88.47	AV	78.00	150	Vertical	N/A
4	8197.600	49.79	-0.30	74.0	-24.21	Peak	6.00	150	Vertical	Pass
4**	8197.600	41.14	-0.30	54.0	-12.86	AV	6.00	150	Vertical	Pass
5	10792.762	53.28	3.19	74.0	-20.72	Peak	87.00	150	Vertical	Pass
5**	10792.762	45.77	3.19	54.0	-8.23	AV	87.00	150	Vertical	Pass
6	15760.349	53.13	2.43	74.0	-20.87	Peak	281.00	150	Vertical	Pass
6**	15760.349	44.17	2.43	54.0	-9.83	AV	281.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	36.65	-15.34	74.0	-37.35	Peak	315.00	150	Horizontal	Pass
1**	1613.500	28.22	-15.34	54.0	-25.78	AV	315.00	150	Horizontal	Pass
2	4179.000	48.98	-2.35	74.0	-25.02	Peak	30.00	150	Horizontal	Pass
2**	4179.000	39.51	-2.35	54.0	-14.49	AV	30.00	150	Horizontal	Pass
3	5821.250	92.24	2.04	--	27.24	Peak	65.00	150	Horizontal	N/A
3**	5821.250	84.81	2.04	--	84.81	AV	65.00	150	Horizontal	N/A
4	8083.837	49.75	-0.17	74.0	-24.25	Peak	336.00	150	Horizontal	Pass
4**	8083.837	41.45	-0.17	54.0	-12.55	AV	336.00	150	Horizontal	Pass
5	11751.550	53.11	3.08	74.0	-20.89	Peak	146.00	150	Horizontal	Pass
5**	11751.550	44.24	3.08	54.0	-9.76	AV	146.00	150	Horizontal	Pass
6	15557.437	53.08	2.05	74.0	-20.92	Peak	45.00	150	Horizontal	Pass
6**	15557.437	44.10	2.05	54.0	-9.90	AV	45.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.000	36.47	-15.47	74.0	-37.53	Peak	277.00	150	Vertical	Pass
1**	1571.000	27.08	-15.47	54.0	-26.92	AV	277.00	150	Vertical	Pass
2	4824.000	52.68	0.55	74.0	-21.32	Peak	343.00	150	Vertical	Pass
2**	4824.000	42.26	0.55	54.0	-11.74	AV	343.00	150	Vertical	Pass
3	5818.750	96.66	2.08	--	-184.34	Peak	281.00	150	Vertical	N/A
3**	5818.750	89.31	2.08	--	89.31	AV	281.00	150	Vertical	N/A
4	8369.550	50.19	-0.36	74.0	-23.81	Peak	296.00	150	Vertical	Pass
4**	8369.550	41.32	-0.36	54.0	-12.68	AV	296.00	150	Vertical	Pass
5	11468.687	53.37	2.42	74.0	-20.63	Peak	106.00	150	Vertical	Pass
5**	11468.687	44.55	2.42	54.0	-9.45	AV	106.00	150	Vertical	Pass
6	15960.112	53.32	2.24	74.0	-20.68	Peak	44.00	150	Vertical	Pass
6**	15960.112	44.47	2.24	54.0	-9.53	AV	44.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3752.250	48.33	-2.66	74.0	-25.67	Peak	280.00	150	Horizontal	Pass
1**	3752.250	38.54	-2.66	54.0	-15.46	AV	280.00	150	Horizontal	Pass
2	4977.750	51.30	1.04	74.0	-22.70	Peak	287.00	150	Horizontal	Pass
2**	4977.750	43.33	1.04	54.0	-10.67	AV	287.00	150	Horizontal	Pass
3	5762.500	89.12	1.16	--	32.12	Peak	57.00	150	Horizontal	N/A
3**	5762.500	82.02	1.16	--	82.02	AV	57.00	150	Horizontal	N/A
4	8308.037	49.92	0.32	74.0	-24.08	Peak	205.00	150	Horizontal	Pass
4**	8308.037	40.45	0.32	54.0	-13.55	AV	205.00	150	Horizontal	Pass
5	10792.287	53.15	3.17	74.0	-20.85	Peak	6.00	150	Horizontal	Pass
5**	10792.287	44.80	3.17	54.0	-9.20	AV	6.00	150	Horizontal	Pass
6	15765.075	53.20	2.41	74.0	-20.80	Peak	168.00	150	Horizontal	Pass
6**	15765.075	44.52	2.41	54.0	-9.48	AV	168.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2736.100	43.38	-7.66	74.0	-30.62	Peak	298.00	150	Vertical	Pass
1**	2736.100	34.70	-7.66	54.0	-19.30	AV	298.00	100	Vertical	Pass
2	4775.250	52.32	1.11	74.0	-21.68	Peak	218.00	150	Vertical	Pass
2**	4775.250	42.01	1.11	54.0	-11.99	AV	218.00	150	Vertical	Pass
3	5757.750	92.56	1.34	--	-181.44	Peak	274.00	150	Vertical	N/A
3**	5757.750	85.61	1.34	--	85.61	AV	274.00	150	Vertical	N/A
4	8244.388	50.59	-0.21	74.0	-23.41	Peak	257.00	150	Vertical	Pass
4**	8244.388	40.31	-0.21	54.0	-13.69	AV	257.00	150	Vertical	Pass
5	10787.775	52.99	3.02	74.0	-21.01	Peak	306.00	150	Vertical	Pass
5**	10787.775	45.41	3.02	54.0	-8.59	AV	306.00	150	Vertical	Pass
6	15757.200	53.37	2.44	74.0	-20.63	Peak	12.00	150	Vertical	Pass
6**	15757.200	43.98	2.44	54.0	-10.02	AV	12.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2753.800	42.76	-6.45	74.0	-31.24	Peak	234.00	150	Horizontal	Pass
1**	2753.800	34.46	-6.45	54.0	-19.54	AV	234.00	150	Horizontal	Pass
2	5054.250	51.40	0.46	74.0	-22.60	Peak	323.00	150	Horizontal	Pass
2**	5054.250	43.65	0.46	54.0	-10.35	AV	323.00	150	Horizontal	Pass
3	5787.250	89.48	1.67	--	25.48	Peak	64.00	150	Horizontal	N/A
3**	5787.250	82.66	1.67	--	82.66	AV	64.00	150	Horizontal	N/A
4	8243.675	49.81	-0.17	74.0	-24.19	Peak	66.00	150	Horizontal	Pass
4**	8243.675	42.40	-0.17	54.0	-11.60	AV	66.00	150	Horizontal	Pass
5	10801.549	53.38	3.38	74.0	-20.62	Peak	96.00	150	Horizontal	Pass
5**	10801.549	44.61	3.38	54.0	-9.39	AV	96.00	150	Horizontal	Pass
6	15816.526	52.98	2.00	74.0	-21.02	Peak	302.00	150	Horizontal	Pass
6**	15816.526	44.02	2.00	54.0	-9.98	AV	302.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2278.300	41.87	-10.19	74.0	-32.13	Peak	148.00	150	Vertical	Pass
1**	2278.300	33.09	-10.19	54.0	-20.91	AV	148.00	150	Vertical	Pass
2	4026.500	48.33	-2.42	74.0	-25.67	Peak	0.00	150	Vertical	Pass
2**	4026.500	38.33	-2.42	54.0	-15.67	AV	0.00	150	Vertical	Pass
3	5808.750	93.23	1.87	--	-187.77	Peak	281.00	150	Vertical	N/A
3**	5808.750	85.33	1.87	--	85.33	AV	281.00	150	Vertical	N/A
4	9136.201	51.66	1.71	74.0	-22.34	Peak	97.00	150	Vertical	Pass
4**	9136.201	43.00	1.71	54.0	-11.00	AV	97.00	150	Vertical	Pass
5	10802.263	52.87	3.35	74.0	-21.13	Peak	76.00	150	Vertical	Pass
5**	10802.263	46.29	3.35	54.0	-7.71	AV	76.00	150	Vertical	Pass
6	15524.625	52.79	2.27	74.0	-21.21	Peak	128.00	150	Vertical	Pass
6**	15524.625	44.30	2.27	54.0	-9.70	AV	128.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2733.800	43.32	-7.71	74.0	-30.68	Peak	299.00	150	Horizontal	Pass
1**	2733.800	34.76	-7.71	54.0	-19.24	AV	299.00	150	Horizontal	Pass
2	4249.250	48.90	-2.07	74.0	-25.10	Peak	267.00	150	Horizontal	Pass
2**	4249.250	39.60	-2.07	54.0	-14.40	AV	267.00	150	Horizontal	Pass
3	5781.250	86.88	1.40	--	20.88	Peak	66.00	150	Horizontal	N/A
3**	5781.250	78.73	1.40	--	78.73	AV	66.00	150	Horizontal	N/A
4	8148.438	50.81	-0.34	74.0	-23.19	Peak	106.00	150	Horizontal	Pass
4**	8148.438	41.56	-0.34	54.0	-12.44	AV	106.00	150	Horizontal	Pass
5	10793.950	53.45	3.23	74.0	-20.55	Peak	254.00	150	Horizontal	Pass
5**	10793.950	44.53	3.23	54.0	-9.47	AV	254.00	150	Horizontal	Pass
6	15945.938	52.71	2.27	74.0	-21.29	Peak	334.00	150	Horizontal	Pass
6**	15945.938	44.49	2.27	54.0	-9.51	AV	334.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4727.500	51.42	-0.38	74.0	-22.58	Peak	350.00	150	Vertical	Pass
1**	4727.500	42.03	-0.38	54.0	-11.97	AV	350.00	150	Vertical	Pass
2	5765.250	90.68	1.35	--	-217.32	Peak	308.00	150	Vertical	N/A
2**	5765.250	84.23	1.35	--	84.23	AV	308.00	150	Vertical	N/A
3	8331.550	49.78	-0.23	74.0	-24.22	Peak	56.00	150	Vertical	Pass
3**	8331.550	41.79	-0.23	54.0	-12.21	AV	56.00	150	Vertical	Pass
4	11039.050	53.24	2.99	74.0	-20.76	Peak	146.00	150	Vertical	Pass
4**	11039.050	45.32	2.99	54.0	-8.68	AV	146.00	150	Vertical	Pass
5	12468.325	53.71	4.13	74.0	-20.29	Peak	316.00	150	Vertical	Pass
5**	12468.325	45.98	4.13	54.0	-8.02	AV	316.00	150	Vertical	Pass
6	15948.037	52.91	2.29	74.0	-21.09	Peak	63.00	150	Vertical	Pass
6**	15948.037	44.40	2.29	54.0	-9.60	AV	63.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2274.300	41.62	-9.76	74.0	-32.38	Peak	219.00	150	Horizontal	Pass
1**	2274.300	33.11	-9.76	54.0	-20.89	AV	219.00	150	Horizontal	Pass
2	4999.000	51.82	0.50	74.0	-22.18	Peak	246.00	150	Horizontal	Pass
2**	4999.000	43.83	0.50	54.0	-10.17	AV	246.00	150	Horizontal	Pass
3	5750.250	95.16	1.65	--	-17.84	Peak	113.00	150	Horizontal	N/A
3**	5750.250	86.20	1.65	--	86.20	AV	113.00	150	Horizontal	N/A
4	8080.987	50.02	-0.19	74.0	-23.98	Peak	360.00	150	Horizontal	Pass
4**	8080.987	41.00	-0.19	54.0	-13.00	AV	360.00	150	Horizontal	Pass
5	10770.437	53.32	2.41	74.0	-20.68	Peak	246.00	150	Horizontal	Pass
5**	10770.437	44.48	2.41	54.0	-9.52	AV	246.00	150	Horizontal	Pass
6	15492.862	53.46	2.36	74.0	-20.54	Peak	4.00	150	Horizontal	Pass
6**	15492.862	43.80	2.36	54.0	-10.20	AV	4.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3912.750	48.07	-2.48	74.0	-25.93	Peak	170.00	150	Vertical	Pass
1**	3912.750	38.10	-2.48	54.0	-15.90	AV	170.00	150	Vertical	Pass
2	4626.500	51.15	-1.13	74.0	-22.85	Peak	59.00	150	Vertical	Pass
2**	4626.500	40.68	-1.13	54.0	-13.32	AV	59.00	150	Vertical	Pass
3	5747.500	98.94	1.57	--	-189.06	Peak	288.00	150	Vertical	N/A
3**	5747.500	90.29	1.57	--	90.29	AV	288.00	150	Vertical	N/A
4	8165.300	49.39	-0.40	74.0	-24.61	Peak	126.00	150	Vertical	Pass
4**	8165.300	42.84	-0.40	54.0	-11.16	AV	126.00	150	Vertical	Pass
5	10780.650	53.24	2.77	74.0	-20.76	Peak	105.00	150	Vertical	Pass
5**	10780.650	45.56	2.77	54.0	-8.44	AV	105.00	150	Vertical	Pass
6	15715.987	52.64	2.05	74.0	-21.36	Peak	45.00	150	Vertical	Pass
6**	15715.987	43.84	2.05	54.0	-10.16	AV	45.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3885.000	47.68	-2.38	74.0	-26.32	Peak	322.00	150	Horizontal	Pass
1**	3885.000	38.62	-2.38	54.0	-15.38	AV	322.00	150	Horizontal	Pass
2	5790.000	94.14	1.70	--	29.14	Peak	65.00	150	Horizontal	N/A
2**	5790.000	85.41	1.70	--	85.41	AV	65.00	150	Horizontal	N/A
3	8322.763	50.56	0.02	74.0	-23.44	Peak	145.00	150	Horizontal	Pass
3**	8322.763	41.07	0.02	54.0	-12.93	AV	145.00	150	Horizontal	Pass
4	9332.138	52.56	3.36	74.0	-21.44	Peak	195.00	150	Horizontal	Pass
4**	9332.138	44.28	3.36	54.0	-9.72	AV	195.00	150	Horizontal	Pass
5	11757.013	53.12	3.02	74.0	-20.88	Peak	126.00	150	Horizontal	Pass
5**	11757.013	44.59	3.02	54.0	-9.41	AV	126.00	150	Horizontal	Pass
6	15988.725	53.23	2.06	74.0	-20.77	Peak	54.00	150	Horizontal	Pass
6**	15988.725	44.23	2.06	54.0	-9.77	AV	54.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2243.700	41.09	-10.41	74.0	-32.91	Peak	15.00	150	Vertical	Pass
1**	2243.700	32.52	-10.41	54.0	-21.48	AV	15.00	150	Vertical	Pass
2	4941.000	51.54	0.94	74.0	-22.46	Peak	219.00	150	Vertical	Pass
2**	4941.000	41.83	0.94	54.0	-12.17	AV	219.00	150	Vertical	Pass
3	5784.250	98.88	1.57	--	19.88	Peak	79.00	150	Vertical	N/A
3**	5784.250	89.68	1.57	--	89.68	AV	79.00	150	Vertical	N/A
4	8149.625	50.45	-0.40	74.0	-23.55	Peak	306.00	150	Vertical	Pass
4**	8149.625	42.05	-0.40	54.0	-11.95	AV	306.00	150	Vertical	Pass
5	9334.513	52.89	3.35	74.0	-21.11	Peak	360.00	150	Vertical	Pass
5**	9334.513	44.60	3.35	54.0	-9.40	AV	360.00	150	Vertical	Pass
6	15766.651	53.34	2.41	74.0	-20.66	Peak	353.00	150	Vertical	Pass
6**	15766.651	44.71	2.41	54.0	-9.29	AV	353.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4003.000	48.05	-2.84	74.0	-25.95	Peak	120.00	150	Horizontal	Pass
1**	4003.000	38.51	-2.84	54.0	-15.49	AV	120.00	150	Horizontal	Pass
2	4824.750	51.53	0.56	74.0	-22.47	Peak	315.00	150	Horizontal	Pass
2**	4824.750	42.56	0.56	54.0	-11.44	AV	315.00	150	Horizontal	Pass
3	5829.750	95.25	2.38	--	57.25	Peak	38.00	150	Horizontal	N/A
3**	5829.750	85.45	2.38	--	85.45	AV	38.00	150	Horizontal	N/A
4	8134.900	50.49	0.15	74.0	-23.51	Peak	246.00	150	Horizontal	Pass
4**	8134.900	41.07	0.15	54.0	-12.93	AV	246.00	150	Horizontal	Pass
5	11039.050	53.01	2.99	74.0	-20.99	Peak	196.00	150	Horizontal	Pass
5**	11039.050	44.53	2.99	54.0	-9.47	AV	196.00	150	Horizontal	Pass
6	15512.813	52.92	2.33	74.0	-21.08	Peak	197.00	150	Horizontal	Pass
6**	15512.813	45.11	2.33	54.0	-8.89	AV	197.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3892.750	48.82	-2.84	74.0	-25.18	Peak	350.00	150	Vertical	Pass
1**	3892.750	38.09	-2.84	54.0	-15.91	AV	350.00	150	Vertical	Pass
2	4964.750	52.00	1.06	74.0	-22.00	Peak	302.00	150	Vertical	Pass
2**	4964.750	42.06	1.06	54.0	-11.94	AV	302.00	150	Vertical	Pass
3	5827.750	99.45	2.27	--	-188.55	Peak	288.00	150	Vertical	N/A
3**	5827.750	89.58	2.27	--	89.58	AV	288.00	150	Vertical	N/A
4	8265.050	49.82	0.05	74.0	-24.18	Peak	0.00	150	Vertical	Pass
4**	8265.050	41.50	0.05	54.0	-12.50	AV	0.00	150	Vertical	Pass
5	9326.200	52.33	3.36	74.0	-21.67	Peak	285.00	150	Vertical	Pass
5**	9326.200	45.03	3.36	54.0	-8.97	AV	285.00	150	Vertical	Pass
6	15956.175	53.00	2.27	74.0	-21.00	Peak	229.00	150	Vertical	Pass
6**	15956.175	44.65	2.27	54.0	-9.35	AV	229.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2271.500	41.54	-9.43	74.0	-32.46	Peak	105.00	150	Horizontal	Pass
1**	2271.500	33.02	-9.43	54.0	-20.98	AV	105.00	150	Horizontal	Pass
2	4313.750	50.13	-1.54	74.0	-23.87	Peak	360.00	150	Horizontal	Pass
2**	4313.750	41.33	-1.54	54.0	-12.67	AV	360.00	150	Horizontal	Pass
3	5760.500	91.78	1.28	--	31.78	Peak	60.00	150	Horizontal	N/A
3**	5760.500	81.98	1.28	--	81.98	AV	60.00	150	Horizontal	N/A
4	8168.862	50.26	-0.34	74.0	-23.74	Peak	360.00	150	Horizontal	Pass
4**	8168.862	41.73	-0.34	54.0	-12.27	AV	360.00	150	Horizontal	Pass
5	11043.800	53.67	3.09	74.0	-20.33	Peak	360.00	150	Horizontal	Pass
5**	11043.800	44.76	3.09	54.0	-9.24	AV	360.00	150	Horizontal	Pass
6	15768.225	52.81	2.40	74.0	-21.19	Peak	158.00	150	Horizontal	Pass
6**	15768.225	44.89	2.40	54.0	-9.11	AV	158.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4037.500	48.59	-1.54	74.0	-25.41	Peak	246.00	150	Vertical	Pass
1**	4037.500	39.72	-1.54	54.0	-14.28	AV	246.00	150	Vertical	Pass
2	4769.250	51.12	0.69	74.0	-22.88	Peak	170.00	150	Vertical	Pass
2**	4769.250	42.28	0.69	54.0	-11.72	AV	170.00	150	Vertical	Pass
3	5757.750	95.62	1.34	--	-179.38	Peak	275.00	150	Vertical	N/A
3**	5757.750	86.09	1.34	--	86.09	AV	275.00	150	Vertical	N/A
4	8235.125	51.05	-0.11	74.0	-22.95	Peak	226.00	150	Vertical	Pass
4**	8235.125	40.86	-0.11	54.0	-13.14	AV	226.00	150	Vertical	Pass
5	10702.750	53.39	2.75	74.0	-20.61	Peak	46.00	150	Vertical	Pass
5**	10702.750	45.91	2.75	54.0	-8.09	AV	46.00	150	Vertical	Pass
6	15684.750	53.37	1.73	74.0	-20.63	Peak	169.00	150	Vertical	Pass
6**	15684.750	43.66	1.73	54.0	-10.34	AV	169.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2813.200	43.45	-6.70	74.0	-30.55	Peak	360.00	150	Horizontal	Pass
1**	2813.200	34.35	-6.70	54.0	-19.65	AV	360.00	150	Horizontal	Pass
2	4922.000	50.99	0.84	74.0	-23.01	Peak	329.00	150	Horizontal	Pass
2**	4922.000	41.37	0.84	54.0	-12.63	AV	329.00	150	Horizontal	Pass
3	5789.000	91.16	1.64	--	74.16	Peak	17.00	150	Horizontal	N/A
3**	5789.000	82.09	1.64	--	82.09	AV	17.00	150	Horizontal	N/A
4	8128.963	51.16	0.32	74.0	-22.84	Peak	264.00	150	Horizontal	Pass
4**	8128.963	41.39	0.32	54.0	-12.61	AV	264.00	150	Horizontal	Pass
5	9136.437	51.98	1.71	74.0	-22.02	Peak	284.00	150	Horizontal	Pass
5**	9136.437	43.18	1.71	54.0	-10.82	AV	284.00	150	Horizontal	Pass
6	15756.151	53.20	2.44	74.0	-20.80	Peak	231.00	150	Horizontal	Pass
6**	15756.151	45.89	2.44	54.0	-8.11	AV	231.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4037.000	47.93	-1.60	74.0	-26.07	Peak	26.00	150	Vertical	Pass
1**	4037.000	39.05	-1.60	54.0	-14.95	AV	26.00	150	Vertical	Pass
2	4949.750	52.02	1.19	74.0	-21.98	Peak	275.00	150	Vertical	Pass
2**	4949.750	43.99	1.19	54.0	-10.01	AV	275.00	150	Vertical	Pass
3	5793.500	94.89	1.80	--	-180.11	Peak	275.00	150	Vertical	N/A
3**	5793.500	85.73	1.80	--	85.73	AV	275.00	150	Vertical	N/A
4	9136.912	52.36	1.71	74.0	-21.64	Peak	215.00	150	Vertical	Pass
4**	9136.912	42.96	1.71	54.0	-11.04	AV	215.00	150	Vertical	Pass
5	11134.287	53.12	1.72	74.0	-20.88	Peak	284.00	150	Vertical	Pass
5**	11134.287	44.73	1.72	54.0	-9.27	AV	284.00	150	Vertical	Pass
6	15809.963	53.13	2.12	74.0	-20.87	Peak	107.00	150	Vertical	Pass
6**	15809.963	43.40	2.12	54.0	-10.60	AV	107.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3692.750	47.67	-3.97	74.0	-26.33	Peak	34.00	150	Horizontal	Pass
1**	3692.750	37.71	-3.97	54.0	-16.29	AV	34.00	150	Horizontal	Pass
2	4763.000	51.36	0.15	74.0	-22.64	Peak	54.00	150	Horizontal	Pass
2**	4763.000	41.38	0.15	54.0	-12.62	AV	54.00	150	Horizontal	Pass
3	5762.500	88.20	1.16	--	27.20	Peak	61.00	150	Horizontal	N/A
3**	5762.500	79.63	1.16	--	79.63	AV	61.00	150	Horizontal	N/A
4	8231.800	50.17	-0.25	74.0	-23.83	Peak	16.00	150	Horizontal	Pass
4**	8231.800	40.60	-0.25	54.0	-13.40	AV	16.00	150	Horizontal	Pass
5	11036.438	52.73	2.93	74.0	-21.27	Peak	285.00	150	Horizontal	Pass
5**	11036.438	44.25	2.93	54.0	-9.75	AV	285.00	150	Horizontal	Pass
6	15770.063	52.96	2.40	74.0	-21.04	Peak	65.00	150	Horizontal	Pass
6**	15770.063	44.12	2.40	54.0	-9.88	AV	65.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4195.500	48.71	-1.96	74.0	-25.29	Peak	136.00	150	Vertical	Pass
1**	4195.500	39.82	-1.96	54.0	-14.18	AV	136.00	150	Vertical	Pass
2	4955.250	51.90	1.16	74.0	-22.10	Peak	351.00	150	Vertical	Pass
2**	4955.250	42.20	1.16	54.0	-11.80	AV	351.00	150	Vertical	Pass
3	5764.500	92.77	1.28	--	-182.23	Peak	275.00	150	Vertical	N/A
3**	5764.500	84.25	1.28	--	84.25	AV	275.00	150	Vertical	N/A
4	8076.712	51.22	-0.25	74.0	-22.78	Peak	294.00	150	Vertical	Pass
4**	8076.712	43.06	-0.25	54.0	-10.94	AV	294.00	150	Vertical	Pass
5	11052.826	52.42	3.11	74.0	-21.58	Peak	0.00	150	Vertical	Pass
5**	11052.826	44.62	3.11	54.0	-9.38	AV	0.00	150	Vertical	Pass
6	15745.651	52.66	2.41	74.0	-21.34	Peak	35.00	150	Vertical	Pass
6**	15745.651	44.44	2.41	54.0	-9.56	AV	35.00	150	Vertical	Pass

Antenna 1

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4036.500	48.74	-1.65	74.0	-25.26	Peak	357.00	150	Horizontal	Pass
1**	4036.500	38.87	-1.65	54.0	-15.13	AV	357.00	150	Horizontal	Pass
2	5182.750	100.65	0.41	--	62.65	Peak	38.00	150	Horizontal	N/A
2**	5182.750	93.70	0.41	--	93.70	AV	38.00	150	Horizontal	N/A
3	8120.888	50.38	0.17	74.0	-23.62	Peak	176.00	150	Horizontal	Pass
3**	8120.888	42.43	0.17	54.0	-11.57	AV	176.00	150	Horizontal	Pass
4	9358.500	52.75	3.27	74.0	-21.25	Peak	117.00	150	Horizontal	Pass
4**	9358.500	44.46	3.27	54.0	-9.54	AV	117.00	150	Horizontal	Pass
5	10699.425	53.16	2.80	74.0	-20.84	Peak	6.00	150	Horizontal	Pass
5**	10699.425	45.64	2.80	54.0	-8.36	AV	6.00	150	Horizontal	Pass
6	15769.800	53.76	2.40	74.0	-20.24	Peak	54.00	150	Horizontal	Pass
6**	15769.800	44.11	2.40	54.0	-9.89	AV	54.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2827.700	43.59	-6.53	74.0	-30.41	Peak	193.00	150	Vertical	Pass
1**	2827.700	34.69	-6.53	54.0	-19.31	AV	193.00	150	Vertical	Pass
2	3749.000	48.10	-2.28	74.0	-25.90	Peak	73.00	150	Vertical	Pass
2**	3749.000	38.29	-2.28	54.0	-15.71	AV	73.00	150	Vertical	Pass
3	5175.500	99.28	0.67	--	-70.72	Peak	170.00	150	Vertical	N/A
3**	5175.500	93.10	0.67	--	93.10	AV	170.00	150	Vertical	N/A
4	8183.587	50.72	-0.28	74.0	-23.28	Peak	360.00	150	Vertical	Pass
4**	8183.587	40.80	-0.28	54.0	-13.20	AV	360.00	150	Vertical	Pass
5	9358.500	53.29	3.27	74.0	-20.71	Peak	66.00	150	Vertical	Pass
5**	9358.500	44.47	3.27	54.0	-9.53	AV	66.00	150	Vertical	Pass
6	11441.613	53.53	2.62	74.0	-20.47	Peak	0.00	150	Vertical	Pass
6**	11441.613	45.29	2.62	54.0	-8.71	AV	0.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.000	36.49	-15.46	74.0	-37.51	Peak	352.00	150	Horizontal	Pass
1**	1482.000	27.44	-15.46	54.0	-26.56	AV	352.00	150	Horizontal	Pass
2	3764.250	48.69	-3.53	74.0	-25.31	Peak	81.00	150	Horizontal	Pass
2**	3764.250	37.66	-3.53	54.0	-16.34	AV	81.00	150	Horizontal	Pass
3	5216.750	100.68	0.53	--	95.68	Peak	5.00	150	Horizontal	N/A
3**	5216.750	94.16	0.53	--	94.16	AV	5.00	150	Horizontal	N/A
4	8241.776	50.10	-0.08	74.0	-23.90	Peak	136.00	150	Horizontal	Pass
4**	8241.776	40.92	-0.08	54.0	-13.08	AV	136.00	150	Horizontal	Pass
5	11476.287	53.58	2.25	74.0	-20.42	Peak	0.00	150	Horizontal	Pass
5**	11476.287	45.18	2.25	54.0	-8.82	AV	0.00	150	Horizontal	Pass
6	15770.588	53.20	2.39	74.0	-20.80	Peak	231.00	150	Horizontal	Pass
6**	15770.588	44.54	2.39	54.0	-9.46	AV	231.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1052.100	35.03	-16.68	74.0	-38.97	Peak	120.00	150	Vertical	Pass
1**	1052.100	26.98	-16.68	54.0	-27.02	AV	120.00	150	Vertical	Pass
2	4804.000	51.34	0.98	74.0	-22.66	Peak	148.00	150	Vertical	Pass
2**	4804.000	43.12	0.98	54.0	-10.88	AV	148.00	150	Vertical	Pass
3	5216.250	99.18	0.56	--	-62.82	Peak	162.00	150	Vertical	N/A
3**	5216.250	92.34	0.56	--	92.34	AV	162.00	150	Vertical	N/A
4	9319.075	52.88	3.37	74.0	-21.12	Peak	47.00	150	Vertical	Pass
4**	9319.075	44.87	3.37	54.0	-9.13	AV	47.00	150	Vertical	Pass
5	11291.037	53.71	3.52	74.0	-20.29	Peak	334.00	150	Vertical	Pass
5**	11291.037	44.61	3.52	54.0	-9.39	AV	334.00	150	Vertical	Pass
6	15739.612	52.75	2.34	74.0	-21.25	Peak	302.00	150	Vertical	Pass
6**	15739.612	44.20	2.34	54.0	-9.80	AV	302.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2270.500	41.40	-9.39	74.0	-32.60	Peak	84.00	150	Horizontal	Pass
1**	2270.500	32.89	-9.39	54.0	-21.11	AV	84.00	150	Horizontal	Pass
2	4097.750	48.67	-2.89	74.0	-25.33	Peak	0.00	150	Horizontal	Pass
2**	4097.750	38.68	-2.89	54.0	-15.32	AV	0.00	150	Horizontal	Pass
3	5236.500	100.99	0.47	--	68.99	Peak	32.00	150	Horizontal	N/A
3**	5236.500	93.88	0.47	--	93.88	AV	32.00	150	Horizontal	N/A
4	9318.600	53.11	3.37	74.0	-20.89	Peak	56.00	150	Horizontal	Pass
4**	9318.600	45.08	3.37	54.0	-8.92	AV	56.00	150	Horizontal	Pass
5	10788.963	53.09	3.06	74.0	-20.91	Peak	185.00	150	Horizontal	Pass
5**	10788.963	44.38	3.06	54.0	-9.62	AV	185.00	150	Horizontal	Pass
6	15967.725	53.35	2.19	74.0	-20.65	Peak	96.00	150	Horizontal	Pass
6**	15967.725	44.14	2.19	54.0	-9.86	AV	96.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.700	35.91	-15.41	74.0	-38.09	Peak	346.00	150	Vertical	Pass
1**	1521.700	28.02	-15.41	54.0	-25.98	AV	346.00	150	Vertical	Pass
2	3745.250	48.43	-2.15	74.0	-25.57	Peak	360.00	150	Vertical	Pass
2**	3745.250	39.74	-2.15	54.0	-14.26	AV	360.00	150	Vertical	Pass
3	5236.750	100.38	0.46	--	-84.62	Peak	185.00	150	Vertical	N/A
3**	5236.750	94.02	0.46	--	94.02	AV	185.00	150	Vertical	N/A
4	10802.025	52.89	3.36	74.0	-21.11	Peak	126.00	150	Vertical	Pass
4**	10802.025	44.19	3.36	54.0	-9.81	AV	126.00	150	Vertical	Pass
5	12009.713	53.87	3.59	74.0	-20.13	Peak	126.00	150	Vertical	Pass
5**	12009.713	46.00	3.59	54.0	-8.00	AV	126.00	150	Vertical	Pass
6	15884.250	52.59	1.71	74.0	-21.41	Peak	231.00	150	Vertical	Pass
6**	15884.250	43.45	1.71	54.0	-10.55	AV	231.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.400	35.93	-15.33	74.0	-38.07	Peak	64.00	150	Horizontal	Pass
1**	1546.400	27.48	-15.33	54.0	-26.52	AV	64.00	150	Horizontal	Pass
2	4883.750	51.20	0.60	74.0	-22.80	Peak	261.00	150	Horizontal	Pass
2**	4883.750	41.52	0.60	54.0	-12.48	AV	261.00	150	Horizontal	Pass
3	5177.750	100.07	0.62	--	66.07	Peak	34.00	150	Horizontal	N/A
3**	5177.750	93.02	0.62	--	93.02	AV	34.00	150	Horizontal	N/A
4	8168.388	50.27	-0.35	74.0	-23.73	Peak	6.00	150	Horizontal	Pass
4**	8168.388	42.75	-0.35	54.0	-11.25	AV	6.00	150	Horizontal	Pass
5	10710.825	53.22	2.57	74.0	-20.78	Peak	115.00	150	Horizontal	Pass
5**	10710.825	44.16	2.57	54.0	-9.84	AV	115.00	150	Horizontal	Pass
6	15968.775	52.58	2.19	74.0	-21.42	Peak	169.00	150	Horizontal	Pass
6**	15968.775	42.28	2.19	54.0	-11.72	AV	169.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3797.500	47.56	-3.75	74.0	-26.44	Peak	295.00	150	Vertical	Pass
1**	3797.500	37.21	-3.75	54.0	-16.79	AV	295.00	150	Vertical	Pass
2	5094.250	51.97	0.51	74.0	-22.03	Peak	275.00	150	Vertical	Pass
2**	5094.250	42.21	0.51	54.0	-11.79	AV	275.00	150	Vertical	Pass
3	5176.250	99.50	0.63	--	-58.50	Peak	158.00	150	Vertical	N/A
3**	5176.250	92.50	0.63	--	92.50	AV	158.00	150	Vertical	N/A
4	8365.275	50.60	-0.35	74.0	-23.40	Peak	46.00	150	Vertical	Pass
4**	8365.275	40.77	-0.35	54.0	-13.23	AV	46.00	150	Vertical	Pass
5	11472.012	54.20	2.35	74.0	-19.80	Peak	314.00	150	Vertical	Pass
5**	11472.012	44.30	2.35	54.0	-9.70	AV	314.00	150	Vertical	Pass
6	15519.638	53.18	2.30	74.0	-20.82	Peak	219.00	150	Vertical	Pass
6**	15519.638	43.25	2.30	54.0	-10.75	AV	219.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4288.000	49.42	-2.26	74.0	-24.58	Peak	254.00	150	Horizontal	Pass
1**	4288.000	39.41	-2.26	54.0	-14.59	AV	254.00	150	Horizontal	Pass
2	4880.000	51.36	0.70	74.0	-22.64	Peak	116.00	150	Horizontal	Pass
2**	4880.000	41.65	0.70	54.0	-12.35	AV	116.00	150	Horizontal	Pass
3	5218.000	99.55	0.58	--	59.55	Peak	40.00	150	Horizontal	N/A
3**	5218.000	93.20	0.58	--	93.20	AV	40.00	150	Horizontal	N/A
4	8301.625	50.00	0.11	74.0	-24.00	Peak	244.00	150	Horizontal	Pass
4**	8301.625	40.47	0.11	54.0	-13.53	AV	244.00	150	Horizontal	Pass
5	12470.700	53.78	4.16	74.0	-20.22	Peak	304.00	150	Horizontal	Pass
5**	12470.700	46.27	4.16	54.0	-7.73	AV	304.00	150	Horizontal	Pass
6	15711.526	52.66	1.99	74.0	-21.34	Peak	158.00	150	Horizontal	Pass
6**	15711.526	43.50	1.99	54.0	-10.50	AV	158.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3992.000	47.90	-2.84	74.0	-26.10	Peak	13.00	150	Vertical	Pass
1**	3992.000	38.75	-2.84	54.0	-15.25	AV	13.00	150	Vertical	Pass
2	4926.250	51.67	0.80	74.0	-22.33	Peak	220.00	150	Vertical	Pass
2**	4926.250	42.45	0.80	54.0	-11.55	AV	220.00	150	Vertical	Pass
3	5222.000	98.66	0.50	--	-59.34	Peak	158.00	150	Vertical	N/A
3**	5222.000	92.28	0.50	--	92.28	AV	158.00	150	Vertical	N/A
4	9468.463	52.69	2.67	74.0	-21.31	Peak	293.00	150	Vertical	Pass
4**	9468.463	45.35	2.67	54.0	-8.65	AV	293.00	150	Vertical	Pass
5	11455.388	54.07	2.73	74.0	-19.93	Peak	154.00	150	Vertical	Pass
5**	11455.388	45.38	2.73	54.0	-8.62	AV	154.00	150	Vertical	Pass
6	15564.000	53.84	1.98	74.0	-20.16	Peak	333.00	150	Vertical	Pass
6**	15564.000	43.98	1.98	54.0	-10.02	AV	333.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2752.500	43.44	-6.49	74.0	-30.56	Peak	62.00	150	Horizontal	Pass
1**	2752.500	34.59	-6.49	54.0	-19.41	AV	62.00	150	Horizontal	Pass
2	4204.500	48.63	-0.92	74.0	-25.37	Peak	73.00	150	Horizontal	Pass
2**	4204.500	39.68	-0.92	54.0	-14.32	AV	73.00	150	Horizontal	Pass
3	5241.750	99.88	0.22	--	61.88	Peak	38.00	150	Horizontal	N/A
3**	5241.750	92.96	0.22	--	92.96	AV	38.00	150	Horizontal	N/A
4	8261.012	49.78	-0.05	74.0	-24.22	Peak	235.00	150	Horizontal	Pass
4**	8261.012	41.73	-0.05	54.0	-12.27	AV	235.00	150	Horizontal	Pass
5	11277.263	54.02	3.35	74.0	-19.98	Peak	46.00	150	Horizontal	Pass
5**	11277.263	45.08	3.35	54.0	-8.92	AV	46.00	150	Horizontal	Pass
6	15782.662	52.39	2.35	74.0	-21.61	Peak	312.00	150	Horizontal	Pass
6**	15782.662	44.18	2.35	54.0	-9.82	AV	312.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2743.000	43.30	-7.05	74.0	-30.70	Peak	133.00	150	Vertical	Pass
1**	2743.000	34.19	-7.05	54.0	-19.81	AV	133.00	150	Vertical	Pass
2	3857.500	47.97	-3.51	74.0	-26.03	Peak	0.00	150	Vertical	Pass
2**	3857.500	38.05	-3.51	54.0	-15.95	AV	0.00	150	Vertical	Pass
3	5235.750	100.20	0.47	--	-76.80	Peak	177.00	150	Vertical	N/A
3**	5235.750	93.45	0.47	--	93.45	AV	177.00	150	Vertical	N/A
4	8182.162	50.13	-0.33	74.0	-23.87	Peak	206.00	150	Vertical	Pass
4**	8182.162	41.33	-0.33	54.0	-12.67	AV	206.00	150	Vertical	Pass
5	11298.875	54.08	3.62	74.0	-19.92	Peak	86.00	150	Vertical	Pass
5**	11298.875	46.31	3.62	54.0	-7.69	AV	86.00	150	Vertical	Pass
6	15559.800	52.94	2.02	74.0	-21.06	Peak	334.00	150	Vertical	Pass
6**	15559.800	43.37	2.02	54.0	-10.63	AV	334.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4081.750	48.11	-2.42	74.0	-25.89	Peak	323.00	150	Horizontal	Pass
1**	4081.750	39.16	-2.42	54.0	-14.84	AV	323.00	150	Horizontal	Pass
2	4899.250	51.46	0.54	74.0	-22.54	Peak	0.00	150	Horizontal	Pass
2**	4899.250	41.80	0.54	54.0	-12.20	AV	0.00	150	Horizontal	Pass
3	5193.000	97.64	0.18	--	57.64	Peak	40.00	150	Horizontal	N/A
3**	5193.000	90.89	0.18	--	90.89	AV	40.00	150	Horizontal	N/A
4	9344.250	52.48	3.34	74.0	-21.52	Peak	125.00	150	Horizontal	Pass
4**	9344.250	43.15	3.34	54.0	-10.85	AV	125.00	150	Horizontal	Pass
5	11442.326	54.18	2.64	74.0	-19.82	Peak	75.00	150	Horizontal	Pass
5**	11442.326	44.95	2.64	54.0	-9.05	AV	75.00	150	Horizontal	Pass
6	15718.875	52.50	2.08	74.0	-21.50	Peak	55.00	150	Horizontal	Pass
6**	15718.875	44.65	2.08	54.0	-9.35	AV	55.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3628.000	47.47	-3.91	74.0	-26.53	Peak	136.00	150	Vertical	Pass
1**	3628.000	38.01	-3.91	54.0	-15.99	AV	136.00	150	Vertical	Pass
2	4992.500	51.99	0.68	74.0	-22.01	Peak	336.00	150	Vertical	Pass
2**	4992.500	42.07	0.68	54.0	-11.93	AV	336.00	150	Vertical	Pass
3	5173.750	96.43	0.67	--	-67.57	Peak	164.00	150	Vertical	N/A
3**	5173.750	89.35	0.67	--	89.35	AV	164.00	150	Vertical	N/A
4	8128.487	50.44	0.32	74.0	-23.56	Peak	235.00	150	Vertical	Pass
4**	8128.487	41.83	0.32	54.0	-12.17	AV	235.00	150	Vertical	Pass
5	9453.263	52.94	2.93	74.0	-21.06	Peak	6.00	150	Vertical	Pass
5**	9453.263	44.76	2.93	54.0	-9.24	AV	6.00	150	Vertical	Pass
6	15511.500	53.17	2.34	74.0	-20.83	Peak	280.00	150	Vertical	Pass
6**	15511.500	43.80	2.34	54.0	-10.20	AV	280.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3995.250	47.96	-2.88	74.0	-26.04	Peak	316.00	150	Horizontal	Pass
1**	3995.250	38.34	-2.88	54.0	-15.66	AV	316.00	150	Horizontal	Pass
2	4786.250	51.55	0.89	74.0	-22.45	Peak	41.00	150	Horizontal	Pass
2**	4786.250	42.51	0.89	54.0	-11.49	AV	41.00	150	Horizontal	Pass
3	5235.500	97.57	0.45	--	63.57	Peak	34.00	150	Horizontal	N/A
3**	5235.500	91.13	0.45	--	91.13	AV	34.00	150	Horizontal	N/A
4	8125.638	50.21	0.25	74.0	-23.79	Peak	194.00	150	Horizontal	Pass
4**	8125.638	41.20	0.25	54.0	-12.80	AV	194.00	150	Horizontal	Pass
5	11017.437	53.78	2.52	74.0	-20.22	Peak	135.00	150	Horizontal	Pass
5**	11017.437	45.26	2.52	54.0	-8.74	AV	135.00	150	Horizontal	Pass
6	15731.474	53.05	2.24	74.0	-20.95	Peak	56.00	150	Horizontal	Pass
6**	15731.474	43.95	2.24	54.0	-10.05	AV	56.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4210.750	48.97	-0.64	74.0	-25.03	Peak	38.00	150	Vertical	Pass
1**	4210.750	40.47	-0.64	54.0	-13.53	AV	38.00	150	Vertical	Pass
2	4781.750	52.24	1.02	74.0	-21.76	Peak	329.00	150	Vertical	Pass
2**	4781.750	42.24	1.02	54.0	-11.76	AV	329.00	150	Vertical	Pass
3	5237.250	96.98	0.44	--	-72.02	Peak	169.00	150	Vertical	N/A
3**	5237.250	90.63	0.44	--	90.63	AV	169.00	150	Vertical	N/A
4	8123.500	50.12	0.18	74.0	-23.88	Peak	155.00	150	Vertical	Pass
4**	8123.500	41.04	0.18	54.0	-12.96	AV	155.00	150	Vertical	Pass
5	11268.475	53.63	3.24	74.0	-20.37	Peak	315.00	150	Vertical	Pass
5**	11268.475	45.86	3.24	54.0	-8.14	AV	315.00	150	Vertical	Pass
6	15940.950	53.81	2.22	74.0	-20.19	Peak	302.00	150	Vertical	Pass
6**	15940.950	44.27	2.22	54.0	-9.73	AV	302.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4303.000	49.25	-1.48	74.0	-24.75	Peak	308.00	150	Horizontal	Pass
1**	4303.000	40.20	-1.48	54.0	-13.80	AV	308.00	150	Horizontal	Pass
2	4934.750	52.03	0.95	74.0	-21.97	Peak	0.00	150	Horizontal	Pass
2**	4934.750	42.31	0.95	54.0	-11.69	AV	0.00	150	Horizontal	Pass
3	5175.500	99.68	0.67	--	59.68	Peak	40.00	150	Horizontal	N/A
3**	5175.500	92.69	0.67	--	92.69	AV	40.00	150	Horizontal	N/A
4	8256.263	50.08	0.05	74.0	-23.92	Peak	206.00	150	Horizontal	Pass
4**	8256.263	41.18	0.05	54.0	-12.82	AV	206.00	150	Horizontal	Pass
5	12010.424	54.03	3.57	74.0	-19.97	Peak	286.00	150	Horizontal	Pass
5**	12010.424	45.53	3.57	54.0	-8.47	AV	286.00	150	Horizontal	Pass
6	15804.188	52.65	2.22	74.0	-21.35	Peak	105.00	150	Horizontal	Pass
6**	15804.188	43.47	2.22	54.0	-10.53	AV	105.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3868.000	47.57	-3.61	74.0	-26.43	Peak	239.00	150	Vertical	Pass
1**	3868.000	38.62	-3.61	54.0	-15.38	AV	239.00	150	Vertical	Pass
2	4870.500	51.50	0.73	74.0	-22.50	Peak	38.00	150	Vertical	Pass
2**	4870.500	41.65	0.73	54.0	-12.35	AV	38.00	150	Vertical	Pass
3	5179.250	98.51	0.57	--	-57.49	Peak	156.00	150	Vertical	N/A
3**	5179.250	91.64	0.57	--	91.64	AV	156.00	150	Vertical	N/A
4	7401.500	54.18	3.71	74.0	-19.82	Peak	10.00	150	Vertical	Pass
4**	7401.500	44.51	3.71	54.0	-9.49	AV	10.00	150	Vertical	Pass
5	11294.838	53.80	3.57	74.0	-20.20	Peak	265.00	150	Vertical	Pass
5**	11294.838	45.44	3.57	54.0	-8.56	AV	265.00	150	Vertical	Pass
6	15490.500	52.98	2.35	74.0	-21.02	Peak	66.00	150	Vertical	Pass
6**	15490.500	44.15	2.35	54.0	-9.85	AV	66.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4052.500	48.09	-2.53	74.0	-25.91	Peak	0.00	150	Horizontal	Pass
1**	4052.500	40.21	-2.53	54.0	-13.79	AV	0.00	150	Horizontal	Pass
2	4788.000	50.81	0.82	74.0	-23.19	Peak	183.00	150	Horizontal	Pass
2**	4788.000	41.97	0.82	54.0	-12.03	AV	183.00	150	Horizontal	Pass
3	5221.000	99.10	0.53	--	63.10	Peak	36.00	150	Horizontal	N/A
3**	5221.000	93.00	0.53	--	93.00	AV	36.00	150	Horizontal	N/A
4	7499.500	54.14	3.17	74.0	-19.86	Peak	21.00	150	Horizontal	Pass
4**	7499.500	45.12	3.17	54.0	-8.88	AV	21.00	150	Horizontal	Pass
5	11286.287	53.87	3.46	74.0	-20.13	Peak	66.00	150	Horizontal	Pass
5**	11286.287	45.95	3.46	54.0	-8.05	AV	66.00	150	Horizontal	Pass
6	15749.588	52.92	2.46	74.0	-21.08	Peak	135.00	150	Horizontal	Pass
6**	15749.588	45.15	2.46	54.0	-8.85	AV	135.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4198.250	49.11	-1.84	74.0	-24.89	Peak	0.00	150	Vertical	Pass
1**	4198.250	38.78	-1.84	54.0	-15.22	AV	0.00	150	Vertical	Pass
2	4790.500	50.78	0.77	74.0	-23.22	Peak	239.00	150	Vertical	Pass
2**	4790.500	42.18	0.77	54.0	-11.82	AV	239.00	150	Vertical	Pass
3	5214.000	98.00	0.63	--	-79.00	Peak	177.00	150	Vertical	N/A
3**	5214.000	91.16	0.63	--	91.16	AV	177.00	150	Vertical	N/A
4	7410.500	54.11	3.83	74.0	-19.89	Peak	301.00	150	Vertical	Pass
4**	7410.500	46.63	3.83	54.0	-7.37	AV	301.00	150	Vertical	Pass
5	11699.299	52.92	2.46	74.0	-21.08	Peak	225.00	150	Vertical	Pass
5**	11699.299	44.87	2.46	54.0	-9.13	AV	225.00	150	Vertical	Pass
6	15484.463	53.28	2.31	74.0	-20.72	Peak	360.00	150	Vertical	Pass
6**	15484.463	43.93	2.31	54.0	-10.07	AV	360.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3869.750	47.92	-3.58	74.0	-26.08	Peak	287.00	150	Horizontal	Pass
1**	3869.750	38.77	-3.58	54.0	-15.23	AV	287.00	150	Horizontal	Pass
2	4715.250	51.19	-0.46	74.0	-22.81	Peak	342.00	150	Horizontal	Pass
2**	4715.250	42.23	-0.46	54.0	-11.77	AV	342.00	150	Horizontal	Pass
3	5235.000	98.68	0.42	--	66.68	Peak	32.00	150	Horizontal	N/A
3**	5235.000	92.46	0.42	--	92.46	AV	32.00	150	Horizontal	N/A
4	7482.000	54.11	2.93	74.0	-19.89	Peak	360.00	150	Horizontal	Pass
4**	7482.000	46.10	2.93	54.0	-7.90	AV	360.00	150	Horizontal	Pass
5	11274.412	53.76	3.32	74.0	-20.24	Peak	6.00	150	Horizontal	Pass
5**	11274.412	46.21	3.32	54.0	-7.79	AV	6.00	150	Horizontal	Pass
6	15531.187	52.44	2.23	74.0	-21.56	Peak	343.00	150	Horizontal	Pass
6**	15531.187	43.02	2.23	54.0	-10.98	AV	343.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4199.750	48.49	-1.64	74.0	-25.51	Peak	144.00	150	Vertical	Pass
1**	4199.750	40.10	-1.64	54.0	-13.90	AV	144.00	150	Vertical	Pass
2	4854.000	51.09	0.66	74.0	-22.91	Peak	180.00	150	Vertical	Pass
2**	4854.000	41.96	0.66	54.0	-12.04	AV	180.00	150	Vertical	Pass
3	5237.750	98.45	0.42	--	-81.55	Peak	180.00	150	Vertical	N/A
3**	5237.750	91.79	0.42	--	91.79	AV	180.00	150	Vertical	N/A
4	7405.000	55.33	3.97	74.0	-18.67	Peak	201.00	150	Vertical	Pass
4**	7405.000	45.68	3.97	54.0	-8.32	AV	201.00	150	Vertical	Pass
5	10797.513	53.12	3.36	74.0	-20.88	Peak	115.00	150	Vertical	Pass
5**	10797.513	44.38	3.36	54.0	-9.62	AV	115.00	150	Vertical	Pass
6	15765.075	53.30	2.41	74.0	-20.70	Peak	260.00	150	Vertical	Pass
6**	15765.075	44.87	2.41	54.0	-9.13	AV	260.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4298.500	48.96	-1.71	74.0	-25.04	Peak	45.00	150	Horizontal	Pass
1**	4298.500	40.35	-1.71	54.0	-13.65	AV	45.00	150	Horizontal	Pass
2	4774.750	50.88	1.09	74.0	-23.12	Peak	218.00	150	Horizontal	Pass
2**	4774.750	42.39	1.09	54.0	-11.61	AV	218.00	150	Horizontal	Pass
3	5177.250	95.35	0.62	--	57.35	Peak	38.00	150	Horizontal	N/A
3**	5177.250	87.92	0.62	--	87.92	AV	38.00	150	Horizontal	N/A
4	9317.650	52.81	3.37	74.0	-21.19	Peak	36.00	150	Horizontal	Pass
4**	9317.650	44.77	3.37	54.0	-9.23	AV	36.00	150	Horizontal	Pass
5	11035.963	53.85	2.92	74.0	-20.15	Peak	186.00	150	Horizontal	Pass
5**	11035.963	44.81	2.92	54.0	-9.19	AV	186.00	150	Horizontal	Pass
6	15758.250	52.88	2.44	74.0	-21.12	Peak	13.00	150	Horizontal	Pass
6**	15758.250	45.44	2.44	54.0	-8.56	AV	13.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4037.750	48.23	-1.55	74.0	-25.77	Peak	65.00	150	Vertical	Pass
1**	4037.750	38.80	-1.55	54.0	-15.20	AV	65.00	150	Vertical	Pass
2	5076.000	51.57	0.95	74.0	-22.43	Peak	45.00	150	Vertical	Pass
2**	5076.000	43.16	0.95	54.0	-10.84	AV	45.00	150	Vertical	Pass
3	5177.500	93.89	0.62	--	-61.11	Peak	155.00	150	Vertical	N/a
3**	5177.500	88.21	0.62	--	88.21	AV	155.00	150	Vertical	N/A
4	8265.525	49.89	-0.01	74.0	-24.11	Peak	6.00	150	Vertical	Pass
4**	8265.525	41.00	-0.01	54.0	-13.00	AV	6.00	150	Vertical	Pass
5	11284.862	53.72	3.45	74.0	-20.28	Peak	145.00	150	Vertical	Pass
5**	11284.862	45.93	3.45	54.0	-8.07	AV	145.00	150	Vertical	Pass
6	15560.849	52.24	2.01	74.0	-21.76	Peak	209.00	150	Vertical	Pass
6**	15560.849	43.83	2.01	54.0	-10.17	AV	209.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4179.250	48.68	-2.33	74.0	-25.32	Peak	135.00	150	Horizontal	Pass
1**	4179.250	40.23	-2.33	54.0	-13.77	AV	135.00	150	Horizontal	Pass
2	4947.000	51.48	1.06	74.0	-22.52	Peak	302.00	150	Horizontal	Pass
2**	4947.000	42.29	1.06	54.0	-11.71	AV	302.00	150	Horizontal	Pass
3	5231.500	94.69	0.56	--	57.69	Peak	37.00	150	Horizontal	N/A
3**	5231.500	88.26	0.56	--	88.26	AV	37.00	150	Horizontal	N/A
4	8449.112	50.26	-0.40	74.0	-23.74	Peak	186.00	150	Horizontal	Pass
4**	8449.112	40.19	-0.40	54.0	-13.81	AV	186.00	150	Horizontal	Pass
5	10702.987	53.80	2.75	74.0	-20.20	Peak	85.00	150	Horizontal	Pass
5**	10702.987	44.66	2.75	54.0	-9.34	AV	85.00	150	Horizontal	Pass
6	15744.075	53.51	2.39	74.0	-20.49	Peak	282.00	150	Horizontal	Pass
6**	15744.075	44.37	2.39	54.0	-9.63	AV	282.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4302.750	48.68	-1.49	74.0	-25.32	Peak	309.00	150	Vertical	Pass
1**	4302.750	39.18	-1.49	54.0	-14.82	AV	309.00	150	Vertical	Pass
2	4925.250	50.97	0.78	74.0	-23.03	Peak	89.00	150	Vertical	Pass
2**	4925.250	41.51	0.78	54.0	-12.49	AV	89.00	150	Vertical	Pass
3	5226.750	94.35	0.63	--	-97.65	Peak	192.00	150	Vertical	N/A
3**	5226.750	87.00	0.63	--	87.00	AV	192.00	150	Vertical	N/A
4	8340.575	49.72	-0.43	74.0	-24.28	Peak	217.00	150	Vertical	Pass
4**	8340.575	39.69	-0.43	54.0	-14.31	AV	217.00	150	Vertical	Pass
5	11452.300	54.08	2.80	74.0	-19.92	Peak	247.00	150	Vertical	Pass
5**	11452.300	44.48	2.80	54.0	-9.52	AV	247.00	150	Vertical	Pass
6	15972.975	52.80	2.16	74.0	-21.20	Peak	303.00	150	Vertical	Pass
6**	15972.975	44.38	2.16	54.0	-9.62	AV	303.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4207.000	49.10	-0.69	74.0	-24.90	Peak	191.00	150	Horizontal	Pass
1**	4207.000	40.05	-0.69	54.0	-13.95	AV	191.00	150	Horizontal	Pass
2	4942.000	51.41	0.95	74.0	-22.59	Peak	232.00	150	Horizontal	Pass
2**	4942.000	42.32	0.95	54.0	-11.68	AV	232.00	150	Horizontal	Pass
3	5207.250	92.81	0.44	--	53.81	Peak	39.00	150	Horizontal	N/A
3**	5207.250	86.02	0.44	--	86.02	AV	39.00	150	Horizontal	N/A
4	9367.763	52.93	3.20	74.0	-21.07	Peak	66.00	150	Horizontal	Pass
4**	9367.763	43.54	3.20	54.0	-10.46	AV	66.00	150	Horizontal	Pass
5	12458.350	53.60	4.03	74.0	-20.40	Peak	36.00	150	Horizontal	Pass
5**	12458.350	45.20	4.03	54.0	-8.80	AV	36.00	150	Horizontal	Pass
6	15947.775	53.95	2.29	74.0	-20.05	Peak	55.00	150	Horizontal	Pass
6**	15947.775	44.73	2.29	54.0	-9.27	AV	55.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4253.000	48.78	-2.11	74.0	-25.22	Peak	60.00	150	Vertical	Pass
1**	4253.000	39.24	-2.11	54.0	-14.76	AV	60.00	150	Vertical	Pass
2	4778.750	50.83	1.06	74.0	-23.17	Peak	302.00	150	Vertical	Pass
2**	4778.750	42.47	1.06	54.0	-11.53	AV	302.00	150	Vertical	Pass
3	5189.750	91.50	0.20	--	-85.50	Peak	177.00	150	Vertical	N/A
3**	5189.750	83.68	0.20	--	83.68	AV	177.00	150	Vertical	N/A
4	9152.588	52.35	1.76	74.0	-21.65	Peak	207.00	150	Vertical	Pass
4**	9152.588	42.78	1.76	54.0	-11.22	AV	207.00	150	Vertical	Pass
5	10792.762	53.81	3.19	74.0	-20.19	Peak	336.00	150	Vertical	Pass
5**	10792.762	44.77	3.19	54.0	-9.23	AV	336.00	150	Vertical	Pass
6	15756.675	53.37	2.44	74.0	-20.63	Peak	86.00	150	Vertical	Pass
6**	15756.675	44.62	2.44	54.0	-9.38	AV	86.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4049.000	48.38	-2.28	74.0	-25.62	Peak	211.00	150	Horizontal	Pass
1**	4049.000	38.72	-2.28	54.0	-15.28	AV	211.00	150	Horizontal	Pass
2	4781.250	51.65	1.04	74.0	-22.35	Peak	205.00	150	Horizontal	Pass
2**	4781.250	42.97	1.04	54.0	-11.03	AV	205.00	150	Horizontal	Pass
3	5182.500	99.17	0.41	--	-16.83	Peak	116.00	150	Horizontal	N/A
3**	5182.500	88.90	0.41	--	88.90	AV	116.00	150	Horizontal	N/A
4	7491.250	53.83	3.09	74.0	-20.17	Peak	116.00	150	Horizontal	Pass
4**	7491.250	45.42	3.09	54.0	-8.58	AV	116.00	150	Horizontal	Pass
5	11045.463	53.42	3.13	74.0	-20.58	Peak	216.00	150	Horizontal	Pass
5**	11045.463	45.36	3.13	54.0	-8.64	AV	216.00	150	Horizontal	Pass
6	15945.675	53.06	2.27	74.0	-20.94	Peak	176.00	150	Horizontal	Pass
6**	15945.675	44.72	2.27	54.0	-9.28	AV	176.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4300.500	48.60	-1.58	74.0	-25.40	Peak	94.00	150	Vertical	Pass
1**	4300.500	39.93	-1.58	54.0	-14.07	AV	94.00	150	Vertical	Pass
2	5003.000	51.51	0.42	74.0	-22.49	Peak	142.00	150	Vertical	Pass
2**	5003.000	41.89	0.42	54.0	-12.11	AV	142.00	150	Vertical	Pass
3	5174.750	98.21	0.70	--	73.21	Peak	25.00	150	Vertical	N/A
3**	5174.750	88.73	0.70	--	88.73	AV	25.00	150	Vertical	N/A
4	11024.326	54.10	2.67	74.0	-19.90	Peak	254.00	150	Vertical	Pass
4**	11024.326	45.30	2.67	54.0	-8.70	AV	254.00	150	Vertical	Pass
5	12501.338	54.09	4.44	74.0	-19.91	Peak	174.00	150	Vertical	Pass
5**	12501.338	46.06	4.44	54.0	-7.94	AV	174.00	150	Vertical	Pass
6	15984.263	52.94	2.09	74.0	-21.06	Peak	270.00	150	Vertical	Pass
6**	15984.263	44.32	2.09	54.0	-9.68	AV	270.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4125.250	48.40	-2.38	74.0	-25.60	Peak	122.00	150	Horizontal	Pass
1**	4125.250	38.29	-2.38	54.0	-15.71	AV	122.00	150	Horizontal	Pass
2	5072.000	51.46	0.94	74.0	-22.54	Peak	281.00	150	Horizontal	Pass
2**	5072.000	42.46	0.94	54.0	-11.54	AV	281.00	150	Horizontal	Pass
3	5216.000	95.14	0.57	--	-33.86	Peak	129.00	150	Horizontal	N/A
3**	5216.000	88.53	0.57	--	88.53	AV	129.00	150	Horizontal	N/A
4	9127.175	51.90	1.69	74.0	-22.10	Peak	185.00	150	Horizontal	Pass
4**	9127.175	43.20	1.69	54.0	-10.80	AV	185.00	150	Horizontal	Pass
5	11453.725	53.97	2.76	74.0	-20.03	Peak	26.00	150	Horizontal	Pass
5**	11453.725	44.79	2.76	54.0	-9.21	AV	26.00	150	Horizontal	Pass
6	15534.075	52.91	2.21	74.0	-21.09	Peak	250.00	150	Horizontal	Pass
6**	15534.075	43.06	2.21	54.0	-10.94	AV	250.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4083.750	48.29	-2.49	74.0	-25.71	Peak	0.00	150	Vertical	Pass
1**	4083.750	38.91	-2.49	54.0	-15.09	AV	0.00	150	Vertical	Pass
2	4969.750	51.50	1.04	74.0	-22.50	Peak	344.00	150	Vertical	Pass
2**	4969.750	43.97	1.04	54.0	-10.03	AV	344.00	150	Vertical	Pass
3	5222.000	94.78	0.50	--	27.78	Peak	67.00	150	Vertical	N/A
3**	5222.000	88.74	0.50	--	88.74	AV	67.00	150	Vertical	N/A
4	9415.262	52.39	2.97	74.0	-21.61	Peak	285.00	150	Vertical	Pass
4**	9415.262	43.76	2.97	54.0	-10.24	AV	285.00	150	Vertical	Pass
5	11290.087	53.78	3.51	74.0	-20.22	Peak	86.00	150	Vertical	Pass
5**	11290.087	45.66	3.51	54.0	-8.34	AV	86.00	150	Vertical	Pass
6	15760.349	53.50	2.43	74.0	-20.50	Peak	147.00	150	Vertical	Pass
6**	15760.349	44.64	2.43	54.0	-9.36	AV	147.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2732.900	42.86	-7.74	74.0	-31.14	Peak	105.00	150	Horizontal	Pass
1**	2732.900	34.88	-7.74	54.0	-19.12	AV	105.00	150	Horizontal	Pass
2	4200.250	49.04	-1.55	74.0	-24.96	Peak	35.00	150	Horizontal	Pass
2**	4200.250	39.46	-1.55	54.0	-14.54	AV	35.00	150	Horizontal	Pass
3	5242.000	100.63	0.22	--	58.63	Peak	42.00	150	Horizontal	N/A
3**	5242.000	90.94	0.22	--	90.94	AV	42.00	150	Horizontal	N/A
4	8329.888	50.27	-0.34	74.0	-23.73	Peak	301.00	150	Horizontal	Pass
4**	8329.888	40.31	-0.34	54.0	-13.69	AV	301.00	150	Horizontal	Pass
5	9359.925	53.79	3.26	74.0	-20.21	Peak	209.00	150	Horizontal	Pass
5**	9359.925	44.39	3.26	54.0	-9.61	AV	209.00	150	Horizontal	Pass
6	15751.950	53.12	2.46	74.0	-20.88	Peak	0.00	150	Horizontal	Pass
6**	15751.950	44.44	2.46	54.0	-9.56	AV	0.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2208.700	40.94	-9.64	74.0	-33.06	Peak	298.00	150	Vertical	Pass
1**	2208.700	32.45	-9.64	54.0	-21.55	AV	298.00	150	Vertical	Pass
2	4364.250	48.98	-1.37	74.0	-25.02	Peak	67.00	150	Vertical	Pass
2**	4364.250	39.55	-1.37	54.0	-14.45	AV	67.00	150	Vertical	Pass
3	5235.000	101.19	0.42	--	-79.81	Peak	181.00	150	Vertical	N/A
3**	5235.000	90.63	0.42	--	90.63	AV	181.00	150	Vertical	N/A
4	9368.950	53.30	3.19	74.0	-20.70	Peak	342.00	150	Vertical	Pass
4**	9368.950	44.62	3.19	54.0	-9.38	AV	342.00	150	Vertical	Pass
5	11281.776	53.69	3.41	74.0	-20.31	Peak	332.00	150	Vertical	Pass
5**	11281.776	45.40	3.41	54.0	-8.60	AV	332.00	150	Vertical	Pass
6	15766.651	52.18	2.41	74.0	-21.82	Peak	0.00	150	Vertical	Pass
6**	15766.651	43.54	2.41	54.0	-10.46	AV	0.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	36.38	-15.18	74.0	-37.62	Peak	276.00	150	Horizontal	Pass
1**	1497.900	27.33	-15.18	54.0	-26.67	AV	276.00	150	Horizontal	Pass
2	4565.750	50.65	-1.38	74.0	-23.35	Peak	40.00	150	Horizontal	Pass
2**	4565.750	41.18	-1.38	54.0	-12.82	AV	40.00	150	Horizontal	Pass
3	5175.000	96.75	0.69	--	84.75	Peak	12.00	150	Horizontal	N/A
3**	5175.000	86.93	0.69	--	86.93	AV	12.00	150	Horizontal	N/A
4	8145.825	50.66	-0.22	74.0	-23.34	Peak	351.00	150	Horizontal	Pass
4**	8145.825	40.63	-0.22	54.0	-13.37	AV	351.00	150	Horizontal	Pass
5	10774.000	53.35	2.53	74.0	-20.65	Peak	310.00	150	Horizontal	Pass
5**	10774.000	46.17	2.53	54.0	-7.83	AV	310.00	150	Horizontal	Pass
6	15738.563	52.63	2.32	74.0	-21.37	Peak	81.00	150	Horizontal	Pass
6**	15738.563	43.98	2.32	54.0	-10.02	AV	81.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2274.600	41.52	-9.80	74.0	-32.48	Peak	60.00	150	Vertical	Pass
1**	2274.600	33.37	-9.80	54.0	-20.63	AV	60.00	150	Vertical	Pass
2	4259.500	48.93	-2.26	74.0	-25.07	Peak	229.00	150	Vertical	Pass
2**	4259.500	38.99	-2.26	54.0	-15.01	AV	229.00	150	Vertical	Pass
3	5189.000	95.25	0.21	--	-56.75	Peak	152.00	150	Vertical	N/A
3**	5189.000	88.28	0.21	--	88.28	AV	152.00	150	Vertical	N/A
4	9457.299	52.34	2.86	74.0	-21.66	Peak	87.00	150	Vertical	Pass
4**	9457.299	43.85	2.86	54.0	-10.15	AV	87.00	150	Vertical	Pass
5	11028.362	53.19	2.76	74.0	-20.81	Peak	96.00	150	Vertical	Pass
5**	11028.362	44.71	2.76	54.0	-9.29	AV	96.00	150	Vertical	Pass
6	15955.125	52.36	2.28	74.0	-21.64	Peak	102.00	150	Vertical	Pass
6**	15955.125	44.43	2.28	54.0	-9.57	AV	102.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1359.100	35.52	-15.34	74.0	-38.48	Peak	314.00	150	Horizontal	Pass
1**	1359.100	28.00	-15.34	54.0	-26.00	AV	314.00	150	Horizontal	Pass
2	3738.500	47.44	-2.67	74.0	-26.56	Peak	96.00	150	Horizontal	Pass
2**	3738.500	39.14	-2.67	54.0	-14.86	AV	96.00	150	Horizontal	Pass
3	5222.250	96.80	0.49	--	63.80	Peak	33.00	150	Horizontal	N/A
3**	5222.250	87.19	0.49	--	87.19	AV	33.00	150	Horizontal	N/A
4	9375.838	52.70	3.14	74.0	-21.30	Peak	26.00	150	Horizontal	Pass
4**	9375.838	44.47	3.14	54.0	-9.53	AV	26.00	150	Horizontal	Pass
5	10684.701	53.37	2.34	74.0	-20.63	Peak	239.00	150	Horizontal	Pass
5**	10684.701	44.69	2.34	54.0	-9.31	AV	239.00	150	Horizontal	Pass
6	15512.813	53.01	2.33	74.0	-20.99	Peak	165.00	150	Horizontal	Pass
6**	15512.813	43.70	2.33	54.0	-10.30	AV	165.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2358.500	41.04	-8.96	74.0	-32.96	Peak	71.00	150	Vertical	Pass
1**	2358.500	33.32	-8.96	54.0	-20.68	AV	71.00	150	Vertical	Pass
2	4763.500	51.55	0.20	74.0	-22.45	Peak	258.00	150	Vertical	Pass
2**	4763.500	41.04	0.20	54.0	-12.96	AV	258.00	150	Vertical	Pass
3	5225.250	96.19	0.62	--	-90.81	Peak	187.00	150	Vertical	N/A
3**	5225.250	87.45	0.62	--	87.45	AV	187.00	150	Vertical	N/A
4	9462.762	52.89	2.77	74.0	-21.11	Peak	168.00	150	Vertical	Pass
4**	9462.762	43.74	2.77	54.0	-10.26	AV	168.00	150	Vertical	Pass
5	10784.925	53.02	2.92	74.0	-20.98	Peak	239.00	150	Vertical	Pass
5**	10784.925	45.38	2.92	54.0	-8.62	AV	239.00	150	Vertical	Pass
6	15667.687	53.29	1.59	74.0	-20.71	Peak	279.00	150	Vertical	Pass
6**	15667.687	42.48	1.59	54.0	-11.52	AV	279.00	150	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2804.200	42.86	-6.95	74.0	-31.14	Peak	94.00	150	Horizontal	Pass
1**	2804.200	34.13	-6.95	54.0	-19.87	AV	94.00	150	Horizontal	Pass
2	4366.750	49.45	-1.36	74.0	-24.55	Peak	145.00	150	Horizontal	Pass
2**	4366.750	40.04	-1.36	54.0	-13.96	AV	145.00	150	Horizontal	Pass
3	5190.500	93.91	0.21	--	67.91	Peak	26.00	150	Horizontal	N/A
3**	5190.500	84.90	0.21	--	84.90	AV	26.00	150	Horizontal	N/A
4	7984.750	52.40	3.85	68.2	-15.80	Peak	173.00	150	Horizontal	Pass
4**	7984.750	46.00	3.85	68.2	46.00	AV	173.00	150	Horizontal	N/A
5	10939.062	53.48	2.21	74.0	-20.52	Peak	26.00	150	Horizontal	Pass
5**	10939.062	44.22	2.21	54.0	-9.78	AV	26.00	150	Horizontal	Pass
6	15757.200	53.00	2.44	74.0	-21.00	Peak	249.00	150	Horizontal	Pass
6**	15757.200	44.44	2.44	54.0	-9.56	AV	249.00	150	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4207.250	48.82	-0.67	74.0	-25.18	Peak	243.00	150	Vertical	Pass
1**	4207.250	40.50	-0.67	54.0	-13.50	AV	243.00	150	Vertical	Pass
2	4776.500	50.70	1.13	74.0	-23.30	Peak	4.00	150	Vertical	Pass
2**	4776.500	41.35	1.13	54.0	-12.65	AV	4.00	150	Vertical	Pass
3	5237.000	92.55	0.45	--	-80.45	Peak	173.00	150	Vertical	N/A
3**	5237.000	83.66	0.45	--	83.66	AV	173.00	150	Vertical	N/A
4	9321.213	53.34	3.37	74.0	-20.66	Peak	259.00	150	Vertical	Pass
4**	9321.213	44.91	3.37	54.0	-9.09	AV	259.00	150	Vertical	Pass
5	11039.526	54.12	3.00	74.0	-19.88	Peak	46.00	150	Vertical	Pass
5**	11039.526	45.11	3.00	54.0	-8.89	AV	46.00	150	Vertical	Pass
6	15763.763	52.86	2.42	74.0	-21.14	Peak	290.00	150	Vertical	Pass
6**	15763.763	44.17	2.42	54.0	-9.83	AV	290.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2749.900	43.20	-6.66	74.0	-30.80	Peak	88.00	150	Horizontal	Pass
1**	2749.900	34.09	-6.66	54.0	-19.91	AV	88.00	150	Horizontal	Pass
2	4764.750	50.53	0.30	74.0	-23.47	Peak	82.00	150	Horizontal	Pass
2**	4764.750	42.73	0.30	54.0	-11.27	AV	82.00	150	Horizontal	Pass
3	5264.000	99.02	0.59	--	61.02	Peak	38.00	150	Horizontal	N/A
3**	5264.000	92.08	0.59	--	92.08	AV	38.00	150	Horizontal	N/A
4	9325.487	52.80	3.36	74.0	-21.20	Peak	6.00	150	Horizontal	Pass
4**	9325.487	44.19	3.36	54.0	-9.81	AV	6.00	150	Horizontal	Pass
5	11045.937	53.36	3.14	74.0	-20.64	Peak	252.00	150	Horizontal	Pass
5**	11045.937	45.11	3.14	54.0	-8.89	AV	252.00	150	Horizontal	Pass
6	15636.450	52.27	1.50	74.0	-21.73	Peak	341.00	150	Horizontal	Pass
6**	15636.450	43.52	1.50	54.0	-10.48	AV	341.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2819.400	42.99	-6.49	74.0	-31.01	Peak	177.00	150	Vertical	Pass
1**	2819.400	34.22	-6.49	54.0	-19.78	AV	177.00	150	Vertical	Pass
2	4213.750	49.49	-0.87	74.0	-24.51	Peak	216.00	150	Vertical	Pass
2**	4213.750	38.98	-0.87	54.0	-15.02	AV	216.00	150	Vertical	Pass
3	5255.500	98.27	0.56	--	-67.73	Peak	166.00	150	Vertical	N/A
3**	5255.500	92.02	0.56	--	92.02	AV	166.00	150	Vertical	N/A
4	9114.825	51.79	1.66	74.0	-22.21	Peak	158.00	150	Vertical	Pass
4**	9114.825	42.31	1.66	54.0	-11.69	AV	158.00	150	Vertical	Pass
5	10788.725	53.65	3.05	74.0	-20.35	Peak	0.00	150	Vertical	Pass
5**	10788.725	45.37	3.05	54.0	-8.63	AV	0.00	150	Vertical	Pass
6	15713.887	52.91	2.02	74.0	-21.09	Peak	59.00	150	Vertical	Pass
6**	15713.887	43.59	2.02	54.0	-10.41	AV	59.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2272.800	41.13	-9.58	74.0	-32.87	Peak	164.00	150	Horizontal	Pass
1**	2272.800	33.14	-9.58	54.0	-20.86	AV	164.00	150	Horizontal	Pass
2	4802.750	51.51	1.01	74.0	-22.49	Peak	134.00	150	Horizontal	Pass
2**	4802.750	43.04	1.01	54.0	-10.96	AV	134.00	150	Horizontal	Pass
3	5299.000	98.58	0.59	--	60.58	Peak	38.00	150	Horizontal	N/A
3**	5299.000	91.71	0.59	--	91.71	AV	38.00	150	Horizontal	N/A
4	8305.901	49.87	0.29	74.0	-24.13	Peak	73.00	150	Horizontal	Pass
4**	8305.901	41.38	0.29	54.0	-12.62	AV	73.00	150	Horizontal	Pass
5	11445.412	53.60	2.72	74.0	-20.40	Peak	343.00	150	Horizontal	Pass
5**	11445.412	44.78	2.72	54.0	-9.22	AV	343.00	150	Horizontal	Pass
6	15499.688	53.70	2.41	74.0	-20.30	Peak	213.00	150	Horizontal	Pass
6**	15499.688	45.49	2.41	54.0	-8.51	AV	213.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3666.500	47.42	-3.98	74.0	-26.58	Peak	155.00	150	Vertical	Pass
1**	3666.500	38.01	-3.98	54.0	-15.99	AV	155.00	150	Vertical	Pass
2	4039.250	48.42	-1.64	74.0	-25.58	Peak	128.00	150	Vertical	Pass
2**	4039.250	39.28	-1.64	54.0	-14.72	AV	128.00	150	Vertical	Pass
3	5306.500	97.73	0.83	--	-85.27	Peak	183.00	150	Vertical	N/A
3**	5306.500	91.92	0.83	--	91.92	AV	183.00	150	Vertical	N/A
4	11046.887	52.88	3.16	74.0	-21.12	Peak	123.00	150	Vertical	Pass
4**	11046.887	46.00	3.16	54.0	-8.00	AV	123.00	150	Vertical	Pass
5	11754.162	53.52	3.05	74.0	-20.48	Peak	144.00	150	Vertical	Pass
5**	11754.162	44.36	3.05	54.0	-9.64	AV	144.00	150	Vertical	Pass
6	15756.675	53.27	2.44	74.0	-20.73	Peak	47.00	150	Vertical	Pass
6**	15756.675	44.29	2.44	54.0	-9.71	AV	47.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2272.100	41.60	-9.49	74.0	-32.40	Peak	311.00	150	Horizontal	Pass
1**	2272.100	33.52	-9.49	54.0	-20.48	AV	311.00	150	Horizontal	Pass
2	4213.750	48.35	-0.87	74.0	-25.65	Peak	102.00	150	Horizontal	Pass
2**	4213.750	39.07	-0.87	54.0	-14.93	AV	102.00	150	Horizontal	Pass
3	5315.250	100.03	0.59	--	62.03	Peak	38.00	150	Horizontal	N/A
3**	5315.250	93.00	0.59	--	93.00	AV	38.00	150	Horizontal	N/A
4	8298.300	49.88	0.09	74.0	-24.12	Peak	324.00	150	Horizontal	Pass
4**	8298.300	41.14	0.09	54.0	-12.86	AV	324.00	150	Horizontal	Pass
5	10759.276	53.39	2.02	74.0	-20.61	Peak	212.00	150	Horizontal	Pass
5**	10759.276	43.65	2.02	54.0	-10.35	AV	212.00	150	Horizontal	Pass
6	15751.950	52.48	2.46	74.0	-21.52	Peak	132.00	150	Horizontal	Pass
6**	15751.950	44.61	2.46	54.0	-9.39	AV	132.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2352.200	41.18	-8.67	74.0	-32.82	Peak	328.00	150	Vertical	Pass
1**	2352.200	32.68	-8.67	54.0	-21.32	AV	328.00	150	Vertical	Pass
2	4045.250	48.12	-1.93	74.0	-25.88	Peak	360.00	150	Vertical	Pass
2**	4045.250	39.82	-1.93	54.0	-14.18	AV	360.00	150	Vertical	Pass
3	5324.000	99.71	0.70	--	-99.29	Peak	199.00	150	Vertical	N/A
3**	5324.000	93.27	0.70	--	93.27	AV	199.00	150	Vertical	N/A
4	8135.612	50.38	0.15	74.0	-23.62	Peak	130.00	150	Vertical	Pass
4**	8135.612	40.72	0.15	54.0	-13.28	AV	130.00	150	Vertical	Pass
5	11051.875	53.08	3.15	74.0	-20.92	Peak	263.00	150	Vertical	Pass
5**	11051.875	44.15	3.15	54.0	-9.85	AV	263.00	150	Vertical	Pass
6	15988.200	52.81	2.06	74.0	-21.19	Peak	79.00	150	Vertical	Pass
6**	15988.200	44.26	2.06	54.0	-9.74	AV	79.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3851.250	47.75	-3.48	74.0	-26.25	Peak	11.00	150	Horizontal	Pass
1**	3851.250	37.12	-3.48	54.0	-16.88	AV	11.00	150	Horizontal	Pass
2	5085.750	53.03	0.77	74.0	-20.97	Peak	177.00	150	Horizontal	Pass
2**	5085.750	42.06	0.77	54.0	-11.94	AV	177.00	150	Horizontal	Pass
3	5258.000	98.35	0.60	--	60.35	Peak	38.00	150	Horizontal	N/A
3**	5258.000	92.57	0.60	--	92.57	AV	38.00	150	Horizontal	N/A
4	9467.513	52.77	2.69	74.0	-21.23	Peak	34.00	150	Horizontal	Pass
4**	9467.513	43.89	2.69	54.0	-10.11	AV	34.00	150	Horizontal	Pass
5	11200.312	53.83	3.48	74.0	-20.17	Peak	5.00	150	Horizontal	Pass
5**	11200.312	45.14	3.48	54.0	-8.86	AV	5.00	150	Horizontal	Pass
6	15754.575	53.42	2.45	74.0	-20.58	Peak	305.00	150	Horizontal	Pass
6**	15754.575	46.00	2.45	54.0	-8.00	AV	305.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4118.750	48.24	-2.62	74.0	-25.76	Peak	296.00	150	Vertical	Pass
1**	4118.750	38.70	-2.62	54.0	-15.30	AV	296.00	150	Vertical	Pass
2	5066.500	52.24	0.79	74.0	-21.76	Peak	80.00	150	Vertical	Pass
2**	5066.500	41.76	0.79	54.0	-12.24	AV	80.00	150	Vertical	Pass
3	5256.500	98.39	0.60	--	-65.61	Peak	164.00	150	Vertical	N/A
3**	5256.500	92.07	0.60	--	92.07	AV	164.00	150	Vertical	N/A
4	8169.337	50.28	-0.32	74.0	-23.72	Peak	253.00	150	Vertical	Pass
4**	8169.337	41.27	-0.32	54.0	-12.73	AV	253.00	150	Vertical	Pass
5	11230.000	54.06	3.20	74.0	-19.94	Peak	23.00	150	Vertical	Pass
5**	11230.000	44.45	3.20	54.0	-9.55	AV	23.00	150	Vertical	Pass
6	15754.838	52.86	2.45	74.0	-21.14	Peak	181.00	150	Vertical	Pass
6**	15754.838	45.89	2.45	54.0	-8.11	AV	181.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4053.000	48.60	-2.56	74.0	-25.40	Peak	351.00	150	Horizontal	Pass
1**	4053.000	38.69	-2.56	54.0	-15.31	AV	351.00	150	Horizontal	Pass
2	4978.000	52.01	1.04	74.0	-21.99	Peak	149.00	150	Horizontal	Pass
2**	4978.000	42.13	1.04	54.0	-11.87	AV	149.00	150	Horizontal	Pass
3	5295.500	99.16	0.54	--	61.16	Peak	38.00	150	Horizontal	N/A
3**	5295.500	92.36	0.54	--	92.36	AV	38.00	150	Horizontal	N/A
4	8250.088	49.90	0.04	74.0	-24.10	Peak	93.00	150	Horizontal	Pass
4**	8250.088	39.88	0.04	54.0	-14.12	AV	93.00	150	Horizontal	Pass
5	11299.588	54.20	3.63	74.0	-19.80	Peak	113.00	150	Horizontal	Pass
5**	11299.588	44.79	3.63	54.0	-9.21	AV	113.00	150	Horizontal	Pass
6	15971.401	53.67	2.17	74.0	-20.33	Peak	173.00	150	Horizontal	Pass
6**	15971.401	44.98	2.17	54.0	-9.02	AV	173.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4203.500	48.93	-1.05	74.0	-25.07	Peak	269.00	150	Vertical	Pass
1**	4203.500	40.53	-1.05	54.0	-13.47	AV	269.00	150	Vertical	Pass
2	4964.250	52.46	1.06	74.0	-21.54	Peak	276.00	150	Vertical	Pass
2**	4964.250	42.07	1.06	54.0	-11.93	AV	276.00	150	Vertical	Pass
3	5302.500	97.88	0.69	--	-93.12	Peak	191.00	150	Vertical	N/A
3**	5302.500	91.83	0.69	--	91.83	AV	191.00	150	Vertical	N/A
4	9470.599	52.79	2.63	74.0	-21.21	Peak	182.00	150	Vertical	Pass
4**	9470.599	44.89	2.63	54.0	-9.11	AV	182.00	150	Vertical	Pass
5	11282.487	53.83	3.42	74.0	-20.17	Peak	213.00	150	Vertical	Pass
5**	11282.487	46.12	3.42	54.0	-7.88	AV	213.00	150	Vertical	Pass
6	15755.625	52.71	2.44	74.0	-21.29	Peak	307.00	150	Vertical	Pass
6**	15755.625	45.13	2.44	54.0	-8.87	AV	307.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4042.500	48.58	-1.76	74.0	-25.42	Peak	122.00	150	Horizontal	Pass
1**	4042.500	38.90	-1.76	54.0	-15.10	AV	122.00	150	Horizontal	Pass
2	5098.750	51.98	0.47	74.0	-22.02	Peak	157.00	150	Horizontal	Pass
2**	5098.750	43.10	0.47	54.0	-10.90	AV	157.00	150	Horizontal	Pass
3	5322.250	100.53	0.64	--	55.53	Peak	45.00	150	Horizontal	N/A
3**	5322.250	94.86	0.64	--	94.86	AV	45.00	150	Horizontal	N/A
4	8091.675	50.36	-0.19	74.0	-23.64	Peak	354.00	150	Horizontal	Pass
4**	8091.675	40.93	-0.19	54.0	-13.07	AV	354.00	150	Horizontal	Pass
5	11289.375	54.46	3.50	74.0	-19.54	Peak	93.00	150	Horizontal	Pass
5**	11289.375	46.05	3.50	54.0	-7.95	AV	93.00	150	Horizontal	Pass
6	15965.887	53.46	2.21	74.0	-20.54	Peak	109.00	150	Horizontal	Pass
6**	15965.887	44.58	2.21	54.0	-9.42	AV	109.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4205.500	48.50	-0.80	74.0	-25.50	Peak	157.00	150	Vertical	Pass
1**	4205.500	40.69	-0.80	54.0	-13.31	AV	157.00	150	Vertical	Pass
2	4978.750	52.71	1.03	74.0	-21.29	Peak	101.00	150	Vertical	Pass
2**	4978.750	43.70	1.03	54.0	-10.30	AV	101.00	150	Vertical	Pass
3	5325.250	99.46	0.79	--	-91.54	Peak	191.00	150	Vertical	N/A
3**	5325.250	93.47	0.79	--	93.47	AV	191.00	150	Vertical	N/A
4	8189.763	50.37	-0.27	74.0	-23.63	Peak	184.00	150	Vertical	Pass
4**	8189.763	41.52	-0.27	54.0	-12.48	AV	184.00	150	Vertical	Pass
5	10801.549	53.48	3.38	74.0	-20.52	Peak	22.00	150	Vertical	Pass
5**	10801.549	44.20	3.38	54.0	-9.80	AV	22.00	150	Vertical	Pass
6	15960.112	53.54	2.24	74.0	-20.46	Peak	275.00	150	Vertical	Pass
6**	15960.112	45.39	2.24	54.0	-8.61	AV	275.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4313.750	48.76	-1.54	74.0	-25.24	Peak	73.00	150	Horizontal	Pass
1**	4313.750	41.19	-1.54	54.0	-12.81	AV	73.00	150	Horizontal	Pass
2	4954.750	51.71	1.20	74.0	-22.29	Peak	192.00	150	Horizontal	Pass
2**	4954.750	43.60	1.20	54.0	-10.40	AV	192.00	150	Horizontal	Pass
3	5280.000	97.41	0.67	--	52.41	Peak	45.00	150	Horizontal	N/A
3**	5280.000	88.96	0.67	--	88.96	AV	45.00	150	Horizontal	N/A
4	8322.287	49.06	0.05	74.0	-24.94	Peak	283.00	150	Horizontal	Pass
4**	8322.287	41.24	0.05	54.0	-12.76	AV	283.00	150	Horizontal	Pass
5	11015.537	53.24	2.48	74.0	-20.76	Peak	343.00	150	Horizontal	Pass
5**	11015.537	44.72	2.48	54.0	-9.28	AV	343.00	150	Horizontal	Pass
6	15951.450	53.81	2.30	74.0	-20.19	Peak	318.00	150	Horizontal	Pass
6**	15951.450	44.27	2.30	54.0	-9.73	AV	318.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3889.500	49.02	-2.59	74.0	-24.98	Peak	255.00	150	Vertical	Pass
1**	3889.500	38.01	-2.59	54.0	-15.99	AV	255.00	150	Vertical	Pass
2	4941.500	51.63	0.94	74.0	-22.37	Peak	283.00	150	Vertical	Pass
2**	4941.500	42.41	0.94	54.0	-11.59	AV	283.00	150	Vertical	Pass
3	5265.000	95.20	0.59	--	-61.80	Peak	157.00	150	Vertical	N/A
3**	5265.000	89.15	0.59	--	89.15	AV	157.00	150	Vertical	N/A
4	9344.725	52.56	3.34	74.0	-21.44	Peak	171.00	150	Vertical	Pass
4**	9344.725	44.26	3.34	54.0	-9.74	AV	171.00	150	Vertical	Pass
5	11306.237	53.98	3.46	74.0	-20.02	Peak	132.00	150	Vertical	Pass
5**	11306.237	45.69	3.46	54.0	-8.31	AV	132.00	150	Vertical	Pass
6	15946.724	52.97	2.28	74.0	-21.03	Peak	27.00	150	Vertical	Pass
6**	15946.724	45.69	2.28	54.0	-8.31	AV	27.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3747.250	47.85	-2.22	74.0	-26.15	Peak	198.00	150	Horizontal	Pass
1**	3747.250	38.38	-2.22	54.0	-15.62	AV	198.00	150	Horizontal	Pass
2	4903.000	51.49	0.55	74.0	-22.51	Peak	212.00	150	Horizontal	Pass
2**	4903.000	41.91	0.55	54.0	-12.09	AV	212.00	150	Horizontal	Pass
3	5304.000	97.68	0.79	--	52.68	Peak	45.00	150	Horizontal	N/A
3**	5304.000	90.02	0.79	--	90.02	AV	45.00	150	Horizontal	N/A
4	8357.912	50.26	-0.31	74.0	-23.74	Peak	360.00	150	Horizontal	Pass
4**	8357.912	40.31	-0.31	54.0	-13.69	AV	360.00	150	Horizontal	Pass
5	9456.113	53.43	2.88	74.0	-20.57	Peak	264.00	150	Horizontal	Pass
5**	9456.113	44.18	2.88	54.0	-9.82	AV	264.00	150	Horizontal	Pass
6	15999.750	53.35	1.99	74.0	-20.65	Peak	264.00	150	Horizontal	Pass
6**	15999.750	44.51	1.99	54.0	-9.49	AV	264.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4125.000	48.57	-2.38	74.0	-25.43	Peak	185.00	150	Vertical	Pass
1**	4125.000	39.77	-2.38	54.0	-14.23	AV	185.00	150	Vertical	Pass
2	5085.750	52.44	0.77	74.0	-21.56	Peak	249.00	150	Vertical	Pass
2**	5085.750	42.63	0.77	54.0	-11.37	AV	249.00	150	Vertical	Pass
3	5304.000	96.45	0.79	--	-95.55	Peak	192.00	150	Vertical	N/A
3**	5304.000	89.44	0.79	--	89.44	AV	192.00	150	Vertical	N/A
4	8271.225	50.21	0.03	74.0	-23.79	Peak	173.00	150	Vertical	Pass
4**	8271.225	41.11	0.03	54.0	-12.89	AV	173.00	150	Vertical	Pass
5	11265.388	53.72	3.21	74.0	-20.28	Peak	243.00	150	Vertical	Pass
5**	11265.388	45.79	3.21	54.0	-8.21	AV	243.00	150	Vertical	Pass
6	15761.925	53.66	2.42	74.0	-20.34	Peak	288.00	150	Vertical	Pass
6**	15761.925	44.81	2.42	54.0	-9.19	AV	288.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4316.250	49.55	-1.72	74.0	-24.45	Peak	53.00	150	Horizontal	Pass
1**	4316.250	38.73	-1.72	54.0	-15.27	AV	53.00	150	Horizontal	Pass
2	5054.750	50.86	0.45	74.0	-23.14	Peak	101.00	150	Horizontal	Pass
2**	5054.750	42.72	0.45	54.0	-11.28	AV	101.00	150	Horizontal	Pass
3	5258.250	97.79	0.59	--	51.79	Peak	46.00	150	Horizontal	N/A
3**	5258.250	90.61	0.59	--	90.61	AV	46.00	150	Horizontal	N/A
4	9391.513	52.73	3.02	74.0	-21.27	Peak	113.00	150	Horizontal	Pass
4**	9391.513	44.02	3.02	54.0	-9.98	AV	113.00	150	Horizontal	Pass
5	11278.687	53.69	3.37	74.0	-20.31	Peak	173.00	150	Horizontal	Pass
5**	11278.687	45.80	3.37	54.0	-8.20	AV	173.00	150	Horizontal	Pass
6	15769.538	53.38	2.40	74.0	-20.62	Peak	223.00	150	Horizontal	Pass
6**	15769.538	44.48	2.40	54.0	-9.52	AV	223.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3747.000	47.94	-2.22	74.0	-26.06	Peak	359.00	150	Vertical	Pass
1**	3747.000	38.45	-2.22	54.0	-15.55	AV	359.00	150	Vertical	Pass
2	5062.250	51.81	0.63	74.0	-22.19	Peak	255.00	150	Vertical	Pass
2**	5062.250	42.45	0.63	54.0	-11.55	AV	255.00	150	Vertical	Pass
3	5257.500	97.99	0.62	--	-66.01	Peak	164.00	150	Vertical	N/A
3**	5257.500	90.01	0.62	--	90.01	AV	164.00	150	Vertical	N/A
4	8134.900	50.17	0.15	74.0	-23.83	Peak	284.00	150	Vertical	Pass
4**	8134.900	41.74	0.15	54.0	-12.26	AV	284.00	150	Vertical	Pass
5	11940.125	54.48	3.82	74.0	-19.52	Peak	124.00	150	Vertical	Pass
5**	11940.125	45.97	3.82	54.0	-8.03	AV	124.00	150	Vertical	Pass
6	15764.025	53.68	2.42	74.0	-20.32	Peak	295.00	150	Vertical	Pass
6**	15764.025	44.38	2.42	54.0	-9.62	AV	295.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3847.250	47.91	-3.07	74.0	-26.09	Peak	330.00	150	Horizontal	Pass
1**	3847.250	38.16	-3.07	54.0	-15.84	AV	330.00	150	Horizontal	Pass
2	5074.250	52.09	0.98	74.0	-21.91	Peak	219.00	150	Horizontal	Pass
2**	5074.250	43.08	0.98	54.0	-10.92	AV	219.00	150	Horizontal	Pass
3	5302.000	97.86	0.65	--	52.86	Peak	45.00	150	Horizontal	N/A
3**	5302.000	91.19	0.65	--	91.19	AV	45.00	150	Horizontal	N/A
4	8150.100	50.88	-0.41	74.0	-23.12	Peak	213.00	150	Horizontal	Pass
4**	8150.100	41.07	-0.41	54.0	-12.93	AV	213.00	150	Horizontal	Pass
5	12036.312	53.22	2.80	74.0	-20.78	Peak	360.00	150	Horizontal	Pass
5**	12036.312	45.09	2.80	54.0	-8.91	AV	360.00	150	Horizontal	Pass
6	15482.625	52.91	2.29	74.0	-21.09	Peak	68.00	150	Horizontal	Pass
6**	15482.625	43.64	2.29	54.0	-10.36	AV	68.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4105.750	48.71	-2.56	74.0	-25.29	Peak	45.00	150	Vertical	Pass
1**	4105.750	39.98	-2.56	54.0	-14.02	AV	45.00	150	Vertical	Pass
2	4876.500	52.02	0.65	74.0	-21.98	Peak	59.00	150	Vertical	Pass
2**	4876.500	41.36	0.65	54.0	-12.64	AV	59.00	150	Vertical	Pass
3	5295.250	96.46	0.54	--	-66.54	Peak	163.00	150	Vertical	N/A
3**	5295.250	90.65	0.54	--	90.65	AV	163.00	150	Vertical	N/A
4	9143.088	51.89	1.73	74.0	-22.11	Peak	2.00	150	Vertical	Pass
4**	9143.088	43.05	1.73	54.0	-10.95	AV	2.00	150	Vertical	Pass
5	11436.387	54.30	2.48	74.0	-19.70	Peak	83.00	150	Vertical	Pass
5**	11436.387	45.01	2.48	54.0	-8.99	AV	83.00	150	Vertical	Pass
6	15761.662	52.90	2.42	74.0	-21.10	Peak	161.00	150	Vertical	Pass
6**	15761.662	45.38	2.42	54.0	-8.62	AV	161.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4145.000	49.06	-2.84	74.0	-24.94	Peak	260.00	150	Horizontal	Pass
1**	4145.000	39.59	-2.84	54.0	-14.41	AV	260.00	150	Horizontal	Pass
2	5028.000	52.22	0.45	74.0	-21.78	Peak	315.00	150	Horizontal	Pass
2**	5028.000	42.49	0.45	54.0	-11.51	AV	315.00	150	Horizontal	Pass
3	5315.750	99.44	0.58	--	61.44	Peak	38.00	150	Horizontal	N/A
3**	5315.750	93.22	0.58	--	93.22	AV	38.00	150	Horizontal	N/A
4	8303.763	49.88	0.14	74.0	-24.12	Peak	192.00	150	Horizontal	Pass
4**	8303.763	42.08	0.14	54.0	-11.92	AV	192.00	150	Horizontal	Pass
5	11201.263	53.99	3.47	74.0	-20.01	Peak	152.00	150	Horizontal	Pass
5**	11201.263	44.52	3.47	54.0	-9.48	AV	152.00	150	Horizontal	Pass
6	15756.937	53.47	2.44	74.0	-20.53	Peak	162.00	150	Horizontal	Pass
6**	15756.937	46.05	2.44	54.0	-7.95	AV	162.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4048.500	48.48	-2.25	74.0	-25.52	Peak	107.00	150	Vertical	Pass
1**	4048.500	38.86	-2.25	54.0	-15.14	AV	107.00	150	Vertical	Pass
2	4844.000	51.67	0.55	74.0	-22.33	Peak	100.00	150	Vertical	Pass
2**	4844.000	42.17	0.55	54.0	-11.83	AV	100.00	150	Vertical	Pass
3	5318.000	98.78	0.67	--	-92.22	Peak	191.00	150	Vertical	N/A
3**	5318.000	91.92	0.67	--	91.92	AV	191.00	150	Vertical	N/A
4	8169.575	50.00	-0.31	74.0	-24.00	Peak	313.00	150	Vertical	Pass
4**	8169.575	40.87	-0.31	54.0	-13.13	AV	313.00	150	Vertical	Pass
5	10802.025	53.47	3.36	74.0	-20.53	Peak	0.00	150	Vertical	Pass
5**	10802.025	44.54	3.36	54.0	-9.46	AV	0.00	150	Vertical	Pass
6	15940.163	53.39	2.22	74.0	-20.61	Peak	171.00	150	Vertical	Pass
6**	15940.163	44.33	2.22	54.0	-9.67	AV	171.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4007.000	48.32	-2.58	74.0	-25.68	Peak	101.00	150	Horizontal	Pass
1**	4007.000	38.39	-2.58	54.0	-15.61	AV	101.00	150	Horizontal	Pass
2	4775.250	51.55	1.11	74.0	-22.45	Peak	358.00	150	Horizontal	Pass
2**	4775.250	41.93	1.11	54.0	-12.07	AV	358.00	150	Horizontal	Pass
3	5267.500	95.64	0.72	--	49.64	Peak	46.00	150	Horizontal	N/A
3**	5267.500	86.74	0.72	--	86.74	AV	46.00	150	Horizontal	N/A
4	8140.837	50.02	-0.13	74.0	-23.98	Peak	124.00	150	Horizontal	Pass
4**	8140.837	41.16	-0.13	54.0	-12.84	AV	124.00	150	Horizontal	Pass
5	11189.862	54.16	3.18	74.0	-19.84	Peak	284.00	150	Horizontal	Pass
5**	11189.862	44.98	3.18	54.0	-9.02	AV	284.00	150	Horizontal	Pass
6	15554.550	52.39	2.08	74.0	-21.61	Peak	171.00	150	Horizontal	Pass
6**	15554.550	43.38	2.08	54.0	-10.62	AV	171.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4050.000	47.91	-2.33	74.0	-26.09	Peak	345.00	150	Vertical	Pass
1**	4050.000	38.78	-2.33	54.0	-15.22	AV	345.00	150	Vertical	Pass
2	5067.250	51.63	0.82	74.0	-22.37	Peak	360.00	150	Vertical	Pass
2**	5067.250	43.96	0.82	54.0	-10.04	AV	360.00	150	Vertical	Pass
3	5259.000	93.44	0.55	--	-69.56	Peak	163.00	150	Vertical	N/A
3**	5259.000	86.72	0.55	--	86.72	AV	163.00	150	Vertical	N/A
4	8160.075	50.68	-0.35	74.0	-23.32	Peak	103.00	150	Vertical	Pass
4**	8160.075	41.69	-0.35	54.0	-12.31	AV	103.00	150	Vertical	Pass
5	11737.062	53.88	2.94	74.0	-20.12	Peak	344.00	150	Vertical	Pass
5**	11737.062	44.16	2.94	54.0	-9.84	AV	344.00	150	Vertical	Pass
6	15501.000	52.85	2.40	74.0	-21.15	Peak	89.00	150	Vertical	Pass
6**	15501.000	44.27	2.40	54.0	-9.73	AV	89.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4050.500	48.60	-2.37	74.0	-25.40	Peak	107.00	150	Horizontal	Pass
1**	4050.500	39.39	-2.37	54.0	-14.61	AV	107.00	150	Horizontal	Pass
2	4774.500	50.99	1.07	74.0	-23.01	Peak	360.00	150	Horizontal	Pass
2**	4774.500	41.95	1.07	54.0	-12.05	AV	360.00	150	Horizontal	Pass
3	5320.250	95.91	0.69	--	50.91	Peak	45.00	150	Horizontal	N/A
3**	5320.250	88.77	0.69	--	88.77	AV	45.00	150	Horizontal	N/A
4	9391.513	52.78	3.02	74.0	-21.22	Peak	163.00	150	Horizontal	Pass
4**	9391.513	43.81	3.02	54.0	-10.19	AV	163.00	150	Horizontal	Pass
5	11295.313	54.17	3.58	74.0	-19.83	Peak	314.00	150	Horizontal	Pass
5**	11295.313	45.45	3.58	54.0	-8.55	AV	314.00	150	Horizontal	Pass
6	15741.187	52.88	2.36	74.0	-21.12	Peak	315.00	150	Horizontal	Pass
6**	15741.187	44.15	2.36	54.0	-9.85	AV	315.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3867.250	48.57	-3.63	74.0	-25.43	Peak	86.00	150	Vertical	Pass
1**	3867.250	37.84	-3.63	54.0	-16.16	AV	86.00	150	Vertical	Pass
2	4960.000	52.25	1.14	74.0	-21.75	Peak	225.00	150	Vertical	Pass
2**	4960.000	43.10	1.14	54.0	-10.90	AV	225.00	150	Vertical	Pass
3	5307.500	94.39	0.73	--	-102.61	Peak	197.00	150	Vertical	N/A
3**	5307.500	87.10	0.73	--	87.10	AV	197.00	150	Vertical	N/A
4	9349.000	52.59	3.34	74.0	-21.41	Peak	335.00	150	Vertical	Pass
4**	9349.000	43.96	3.34	54.0	-10.04	AV	335.00	150	Vertical	Pass
5	11283.200	53.40	3.43	74.0	-20.60	Peak	104.00	150	Vertical	Pass
5**	11283.200	45.55	3.43	54.0	-8.45	AV	104.00	150	Vertical	Pass
6	15754.575	53.31	2.45	74.0	-20.69	Peak	58.00	150	Vertical	Pass
6**	15754.575	45.90	2.45	54.0	-8.10	AV	58.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4045.000	48.61	-1.91	74.0	-25.39	Peak	0.00	150	Horizontal	Pass
1**	4045.000	39.49	-1.91	54.0	-14.51	AV	0.00	150	Horizontal	Pass
2	4953.500	51.30	1.30	74.0	-22.70	Peak	232.00	150	Horizontal	Pass
2**	4953.500	43.33	1.30	54.0	-10.67	AV	232.00	150	Horizontal	Pass
3	5299.750	91.57	0.62	--	46.57	Peak	45.00	150	Horizontal	N/A
3**	5299.750	84.64	0.62	--	84.64	AV	45.00	150	Horizontal	N/A
4	9326.200	52.98	3.36	74.0	-21.02	Peak	283.00	150	Horizontal	Pass
4**	9326.200	44.75	3.36	54.0	-9.25	AV	283.00	150	Horizontal	Pass
5	11282.725	53.89	3.42	74.0	-20.11	Peak	82.00	150	Horizontal	Pass
5**	11282.725	45.93	3.42	54.0	-8.07	AV	82.00	150	Horizontal	Pass
6	15798.938	52.72	2.30	74.0	-21.28	Peak	314.00	150	Horizontal	Pass
6**	15798.938	43.76	2.30	54.0	-10.24	AV	314.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4167.000	48.91	-2.94	74.0	-25.09	Peak	268.00	150	Vertical	Pass
1**	4167.000	38.88	-2.94	54.0	-15.12	AV	268.00	150	Vertical	Pass
2	5150.000	49.23	0.13	74.0	-24.77	Peak	360.00	150	Vertical	Pass
2**	5150.000	42.90	0.13	54.0	-11.10	AV	360.00	150	Vertical	Pass
3	5297.000	90.56	0.54	--	-71.44	Peak	162.00	150	Vertical	N/A
3**	5297.000	82.96	0.54	--	82.96	AV	162.00	150	Vertical	N/A
4	9071.126	52.23	1.03	74.0	-21.77	Peak	93.00	150	Vertical	Pass
4**	9071.126	41.85	1.03	54.0	-12.15	AV	93.00	150	Vertical	Pass
5	11195.563	53.67	3.35	74.0	-20.33	Peak	143.00	150	Vertical	Pass
5**	11195.563	45.06	3.35	54.0	-8.94	AV	143.00	150	Vertical	Pass
6	15763.500	53.48	2.42	74.0	-20.52	Peak	37.00	150	Vertical	Pass
6**	15763.500	44.65	2.42	54.0	-9.35	AV	37.00	150	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4203.500	48.35	-1.05	74.0	-25.65	Peak	204.00	150	Horizontal	Pass
1**	4203.500	39.27	-1.05	54.0	-14.73	AV	204.00	150	Horizontal	Pass
2	5075.000	51.92	0.97	74.0	-22.08	Peak	183.00	150	Horizontal	Pass
2**	5075.000	42.30	0.97	54.0	-11.70	AV	183.00	150	Horizontal	Pass
3	5254.000	99.25	0.49	--	54.25	Peak	45.00	150	Horizontal	N/A
3**	5254.000	90.74	0.49	--	90.74	AV	45.00	150	Horizontal	N/A
4	9128.600	52.50	1.69	74.0	-21.50	Peak	133.00	150	Horizontal	Pass
4**	9128.600	41.82	1.69	54.0	-12.18	AV	133.00	150	Horizontal	Pass
5	11018.863	53.35	2.55	74.0	-20.65	Peak	253.00	150	Horizontal	Pass
5**	11018.863	44.92	2.55	54.0	-9.08	AV	253.00	150	Horizontal	Pass
6	15789.225	52.42	2.33	74.0	-21.58	Peak	89.00	150	Horizontal	Pass
6**	15789.225	43.61	2.33	54.0	-10.39	AV	89.00	150	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4343.000	48.80	-1.82	74.0	-25.20	Peak	23.00	150	Vertical	Pass
1**	4343.000	39.51	-1.82	54.0	-14.49	AV	23.00	150	Vertical	Pass
2	4999.000	51.77	0.50	74.0	-22.23	Peak	314.00	150	Vertical	Pass
2**	4999.000	42.64	0.50	54.0	-11.36	AV	314.00	150	Vertical	Pass
3	5261.000	100.80	0.50	--	-68.20	Peak	169.00	150	Vertical	N/A
3**	5261.000	89.77	0.50	--	89.77	AV	169.00	150	Vertical	N/A
4	8154.612	50.44	-0.36	74.0	-23.56	Peak	334.00	150	Vertical	Pass
4**	8154.612	42.05	-0.36	54.0	-11.95	AV	334.00	150	Vertical	Pass
5	11202.688	53.97	3.46	74.0	-20.03	Peak	73.00	150	Vertical	Pass
5**	11202.688	44.80	3.46	54.0	-9.20	AV	73.00	150	Vertical	Pass
6	15746.175	52.88	2.42	74.0	-21.12	Peak	89.00	150	Vertical	Pass
6**	15746.175	45.20	2.42	54.0	-8.80	AV	89.00	150	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4213.250	49.28	-0.83	74.0	-24.72	Peak	360.00	150	Horizontal	Pass
1**	4213.250	39.99	-0.83	54.0	-14.01	AV	360.00	150	Horizontal	Pass
2	4970.250	51.77	1.06	74.0	-22.23	Peak	351.00	150	Horizontal	Pass
2**	4970.250	42.57	1.06	54.0	-11.43	AV	351.00	150	Horizontal	Pass
3	5297.500	100.87	0.54	--	55.87	Peak	45.00	150	Horizontal	N/A
3**	5297.500	91.62	0.54	--	91.62	AV	45.00	150	Horizontal	N/A
4	8247.950	49.48	0.00	74.0	-24.52	Peak	24.00	150	Horizontal	Pass
4**	8247.950	40.58	0.00	54.0	-13.42	AV	24.00	150	Horizontal	Pass
5	9315.037	53.17	3.38	74.0	-20.83	Peak	154.00	150	Horizontal	Pass
5**	9315.037	43.54	3.38	54.0	-10.46	AV	154.00	150	Horizontal	Pass
6	11280.588	54.30	3.39	74.0	-19.70	Peak	184.00	150	Horizontal	Pass
6**	11280.588	45.25	3.39	54.0	-8.75	AV	184.00	150	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3718.250	47.46	-4.05	74.0	-26.54	Peak	331.00	150	Vertical	Pass
1**	3718.250	37.34	-4.05	54.0	-16.66	AV	331.00	150	Vertical	Pass
2	4935.250	53.02	0.97	74.0	-20.98	Peak	67.00	150	Vertical	Pass
2**	4935.250	43.05	0.97	54.0	-10.95	AV	67.00	150	Vertical	Pass
3	5297.750	99.62	0.55	--	-133.38	Peak	233.00	150	Vertical	N/A
3**	5297.750	90.14	0.55	--	90.14	AV	233.00	150	Vertical	N/A
4	9377.500	52.52	3.13	74.0	-21.48	Peak	283.00	150	Vertical	Pass
4**	9377.500	43.98	3.13	54.0	-10.02	AV	283.00	150	Vertical	Pass
5	11702.625	54.14	2.52	74.0	-19.86	Peak	73.00	150	Vertical	Pass
5**	11702.625	44.66	2.52	54.0	-9.34	AV	73.00	150	Vertical	Pass
6	15736.724	53.13	2.30	74.0	-20.87	Peak	346.00	150	Vertical	Pass
6**	15736.724	44.18	2.30	54.0	-9.82	AV	346.00	150	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4040.000	47.89	-1.68	74.0	-26.11	Peak	192.00	150	Horizontal	Pass
1**	4040.000	39.22	-1.68	54.0	-14.78	AV	192.00	150	Horizontal	Pass
2	5127.500	53.11	0.84	74.0	-20.89	Peak	219.00	150	Horizontal	Pass
2**	5127.500	42.54	0.84	54.0	-11.46	AV	219.00	150	Horizontal	Pass
3	5318.250	101.46	0.69	--	56.46	Peak	45.00	150	Horizontal	N/A
3**	5318.250	92.20	0.69	--	92.20	AV	45.00	150	Horizontal	N/A
4	8336.775	50.12	-0.25	74.0	-23.88	Peak	35.00	150	Horizontal	Pass
4**	8336.775	41.34	-0.25	54.0	-12.66	AV	35.00	150	Horizontal	Pass
5	9466.325	53.65	2.71	74.0	-20.35	Peak	235.00	150	Horizontal	Pass
5**	9466.325	44.62	2.71	54.0	-9.38	AV	235.00	150	Horizontal	Pass
6	15784.762	52.82	2.35	74.0	-21.18	Peak	-1.00	150	Horizontal	Pass
6**	15784.762	43.79	2.35	54.0	-10.21	AV	-1.00	150	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2282.800	41.68	-10.40	74.0	-32.32	Peak	59.00	150	Vertical	Pass
1**	2282.800	32.55	-10.40	54.0	-21.45	AV	59.00	150	Vertical	Pass
2	3946.750	47.67	-2.61	74.0	-26.33	Peak	0.00	150	Vertical	Pass
2**	3946.750	37.51	-2.61	54.0	-16.49	AV	0.00	150	Vertical	Pass
3	5323.500	100.37	0.67	--	-90.63	Peak	191.00	150	Vertical	N/A
3**	5323.500	91.77	0.67	--	91.77	AV	191.00	150	Vertical	N/A
4	9323.112	52.82	3.37	74.0	-21.18	Peak	314.00	150	Vertical	Pass
4**	9323.112	45.24	3.37	54.0	-8.76	AV	314.00	150	Vertical	Pass
5	11299.350	53.60	3.63	74.0	-20.40	Peak	54.00	150	Vertical	Pass
5**	11299.350	45.60	3.63	54.0	-8.40	AV	54.00	150	Vertical	Pass
6	15766.651	53.17	2.41	74.0	-20.83	Peak	325.00	150	Vertical	Pass
6**	15766.651	45.04	2.41	54.0	-8.96	AV	325.00	150	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2255.100	41.01	-9.96	74.0	-32.99	Peak	138.00	150	Horizontal	Pass
1**	2255.100	32.08	-9.96	54.0	-21.92	AV	138.00	150	Horizontal	Pass
2	4100.500	48.90	-2.70	74.0	-25.10	Peak	259.00	150	Horizontal	Pass
2**	4100.500	38.17	-2.70	54.0	-15.83	AV	259.00	150	Horizontal	Pass
3	5267.250	96.61	0.70	--	57.61	Peak	39.00	150	Horizontal	N/A
3**	5267.250	89.74	0.70	--	89.74	AV	39.00	150	Horizontal	N/A
4	8264.338	50.14	0.15	74.0	-23.86	Peak	114.00	150	Horizontal	Pass
4**	8264.338	42.38	0.15	54.0	-11.62	AV	114.00	150	Horizontal	Pass
5	11299.112	53.78	3.62	74.0	-20.22	Peak	314.00	150	Horizontal	Pass
5**	11299.112	45.73	3.62	54.0	-8.27	AV	314.00	150	Horizontal	Pass
6	15750.375	53.25	2.46	74.0	-20.75	Peak	223.00	150	Horizontal	Pass
6**	15750.375	44.81	2.46	54.0	-9.19	AV	223.00	150	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2752.000	43.09	-6.51	74.0	-30.91	Peak	315.00	150	Vertical	Pass
1**	2752.000	34.06	-6.51	54.0	-19.94	AV	315.00	150	Vertical	Pass
2	4052.500	47.77	-2.53	74.0	-26.23	Peak	245.00	150	Vertical	Pass
2**	4052.500	40.12	-2.53	54.0	-13.88	AV	245.00	150	Vertical	Pass
3	5256.500	96.37	0.60	--	-65.63	Peak	162.00	150	Vertical	N/A
3**	5256.500	86.04	0.60	--	86.04	AV	162.00	150	Vertical	N/A
4	8145.825	50.30	-0.22	74.0	-23.70	Peak	274.00	150	Vertical	Pass
4**	8145.825	41.42	-0.22	54.0	-12.58	AV	274.00	150	Vertical	Pass
5	11306.951	53.78	3.43	74.0	-20.22	Peak	114.00	150	Vertical	Pass
5**	11306.951	45.76	3.43	54.0	-8.24	AV	114.00	150	Vertical	Pass
6	15748.799	52.85	2.45	74.0	-21.15	Peak	26.00	150	Vertical	Pass
6**	15748.799	44.77	2.45	54.0	-9.23	AV	26.00	150	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2796.600	42.89	-6.84	74.0	-31.11	Peak	177.00	150	Horizontal	Pass
1**	2796.600	33.92	-6.84	54.0	-20.08	AV	177.00	150	Horizontal	Pass
2	4040.000	48.27	-1.68	74.0	-25.73	Peak	18.00	150	Horizontal	Pass
2**	4040.000	38.82	-1.68	54.0	-15.18	AV	18.00	150	Horizontal	Pass
3	5327.000	96.97	0.73	--	85.97	Peak	11.00	150	Horizontal	N/A
3**	5327.000	88.25	0.73	--	88.25	AV	11.00	150	Horizontal	N/A
4	9107.937	52.39	1.65	74.0	-21.61	Peak	234.00	150	Horizontal	Pass
4**	9107.937	42.97	1.65	54.0	-11.03	AV	234.00	150	Horizontal	Pass
5	11483.650	54.02	2.08	74.0	-19.98	Peak	164.00	150	Horizontal	Pass
5**	11483.650	44.37	2.08	54.0	-9.63	AV	164.00	150	Horizontal	Pass
6	15943.576	52.91	2.25	74.0	-21.09	Peak	17.00	150	Horizontal	Pass
6**	15943.576	43.94	2.25	54.0	-10.06	AV	17.00	150	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4085.000	48.56	-2.55	74.0	-25.44	Peak	66.00	150	Vertical	Pass
1**	4085.000	39.64	-2.55	54.0	-14.36	AV	66.00	150	Vertical	Pass
2	4958.500	51.61	1.18	74.0	-22.39	Peak	38.00	150	Vertical	Pass
2**	4958.500	43.19	1.18	54.0	-10.81	AV	38.00	150	Vertical	Pass
3	5318.750	97.61	0.75	--	-93.39	Peak	191.00	150	Vertical	N/A
3**	5318.750	86.99	0.75	--	86.99	AV	191.00	150	Vertical	N/A
4	8268.612	50.31	0.12	74.0	-23.69	Peak	284.00	150	Vertical	Pass
4**	8268.612	40.73	0.12	54.0	-13.27	AV	284.00	150	Vertical	Pass
5	11292.225	54.04	3.54	74.0	-19.96	Peak	334.00	150	Vertical	Pass
5**	11292.225	45.36	3.54	54.0	-8.64	AV	334.00	150	Vertical	Pass
6	15950.137	53.34	2.31	74.0	-20.66	Peak	243.00	150	Vertical	Pass
6**	15950.137	45.72	2.31	54.0	-8.28	AV	243.00	150	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2837.000	43.06	-6.83	74.0	-30.94	Peak	249.00	150	Horizontal	Pass
1**	2837.000	34.08	-6.83	54.0	-19.92	AV	249.00	150	Horizontal	Pass
2	4301.500	49.47	-1.52	74.0	-24.53	Peak	52.00	150	Horizontal	Pass
2**	4301.500	39.21	-1.52	54.0	-14.79	AV	52.00	150	Horizontal	Pass
3	5292.250	92.54	0.47	--	47.54	Peak	45.00	150	Horizontal	N/A
3**	5292.250	84.01	0.47	--	84.01	AV	45.00	150	Horizontal	N/A
4	8253.887	49.60	0.07	74.0	-24.40	Peak	34.00	150	Horizontal	Pass
4**	8253.887	41.44	0.07	54.0	-12.56	AV	34.00	150	Horizontal	Pass
5	11028.600	53.70	2.76	74.0	-20.30	Peak	133.00	150	Horizontal	Pass
5**	11028.600	44.93	2.76	54.0	-9.07	AV	133.00	150	Horizontal	Pass
6	15748.799	54.31	2.45	74.0	-19.69	Peak	131.00	150	Horizontal	Pass
6**	15748.799	43.96	2.45	54.0	-10.04	AV	131.00	150	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2762.800	42.86	-6.98	74.0	-31.14	Peak	102.00	150	Vertical	Pass
1**	2762.800	34.43	-6.98	54.0	-19.57	AV	102.00	150	Vertical	Pass
2	4671.000	51.06	-0.56	74.0	-22.94	Peak	282.00	150	Vertical	Pass
2**	4671.000	41.51	-0.56	54.0	-12.49	AV	282.00	150	Vertical	Pass
3	5291.000	92.41	0.45	--	-105.59	Peak	198.00	150	Vertical	N/A
3**	5291.000	83.42	0.45	--	83.42	AV	198.00	150	Vertical	N/A
4	9131.213	53.54	1.70	74.0	-20.46	Peak	1.00	150	Vertical	Pass
4**	9131.213	42.48	1.70	54.0	-11.52	AV	1.00	150	Vertical	Pass
5	11911.388	53.63	3.62	74.0	-20.37	Peak	63.00	150	Vertical	Pass
5**	11911.388	45.94	3.62	54.0	-8.06	AV	63.00	150	Vertical	Pass
6	15539.063	52.91	2.18	74.0	-21.09	Peak	89.00	150	Vertical	Pass
6**	15539.063	43.82	2.18	54.0	-10.18	AV	89.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2343.100	41.56	-8.76	74.0	-32.44	Peak	139.00	150	Horizontal	Pass
1**	2343.100	33.13	-8.76	54.0	-20.87	AV	139.00	150	Horizontal	Pass
2	3834.750	47.05	-2.51	74.0	-26.95	Peak	182.00	150	Horizontal	Pass
2**	3834.750	38.07	-2.51	54.0	-15.93	AV	182.00	150	Horizontal	Pass
3	5077.000	52.34	0.93	74.0	-21.66	Peak	155.00	150	Horizontal	Pass
3**	5077.000	42.27	0.93	54.0	-11.73	AV	155.00	150	Horizontal	Pass
4	5496.500	101.36	0.76	--	64.36	Peak	37.00	150	Horizontal	N/A
4**	5496.500	93.17	0.76	--	93.17	AV	37.00	150	Horizontal	N/A
5	9392.700	53.81	3.01	74.0	-20.19	Peak	46.00	150	Horizontal	Pass
5**	9392.700	43.62	3.01	54.0	-10.38	AV	46.00	150	Horizontal	Pass
6	15753.000	52.82	2.45	74.0	-21.18	Peak	138.00	150	Horizontal	Pass
6**	15753.000	44.39	2.45	54.0	-9.61	AV	138.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2254.600	40.85	-9.97	74.0	-33.15	Peak	262.00	150	Vertical	Pass
1**	2254.600	32.49	-9.97	54.0	-21.51	AV	262.00	150	Vertical	Pass
2	4301.500	48.96	-1.52	74.0	-25.04	Peak	46.00	150	Vertical	Pass
2**	4301.500	39.76	-1.52	54.0	-14.24	AV	46.00	150	Vertical	Pass
3	4784.250	51.26	0.95	74.0	-22.74	Peak	260.00	150	Vertical	Pass
3**	4784.250	41.75	0.95	54.0	-12.25	AV	260.00	150	Vertical	Pass
4	5496.250	99.46	0.75	--	-77.54	Peak	177.00	150	Vertical	N/A
4**	5496.250	93.16	0.75	--	93.16	AV	177.00	150	Vertical	N/A
5	9118.625	52.26	1.67	74.0	-21.74	Peak	86.00	150	Vertical	Pass
5**	9118.625	43.32	1.67	54.0	-10.68	AV	86.00	150	Vertical	Pass
6	15796.312	52.79	2.31	74.0	-21.21	Peak	189.00	150	Vertical	Pass
6**	15796.312	43.37	2.31	54.0	-10.63	AV	189.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2273.900	41.32	-9.72	74.0	-32.68	Peak	314.00	150	Horizontal	Pass
1**	2273.900	33.12	-9.72	54.0	-20.88	AV	314.00	150	Horizontal	Pass
2	4034.250	48.05	-1.89	74.0	-25.95	Peak	39.00	150	Horizontal	Pass
2**	4034.250	38.80	-1.89	54.0	-15.20	AV	39.00	150	Horizontal	Pass
3	5574.000	99.32	1.34	--	67.32	Peak	32.00	150	Horizontal	N/A
3**	5574.000	91.47	1.34	--	91.47	AV	32.00	150	Horizontal	N/A
4	8137.512	50.37	-0.01	74.0	-23.63	Peak	75.00	150	Horizontal	Pass
4**	8137.512	42.14	-0.01	54.0	-11.86	AV	75.00	150	Horizontal	Pass
5	11939.888	54.33	3.82	74.0	-19.67	Peak	335.00	150	Horizontal	Pass
5**	11939.888	45.28	3.82	54.0	-8.72	AV	335.00	150	Horizontal	Pass
6	15511.763	52.97	2.34	74.0	-21.03	Peak	5.00	150	Horizontal	Pass
6**	15511.763	43.99	2.34	54.0	-10.01	AV	5.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2271.400	40.93	-9.43	74.0	-33.07	Peak	24.00	150	Vertical	Pass
1**	2271.400	32.95	-9.43	54.0	-21.05	AV	24.00	150	Vertical	Pass
2	4035.250	48.67	-1.79	74.0	-25.33	Peak	357.00	150	Vertical	Pass
2**	4035.250	38.53	-1.79	54.0	-15.47	AV	357.00	150	Vertical	Pass
3	4546.750	50.31	-1.20	74.0	-23.69	Peak	360.00	150	Vertical	Pass
3**	4546.750	40.65	-1.20	54.0	-13.35	AV	360.00	150	Vertical	Pass
4	5577.000	98.14	1.24	--	-84.86	Peak	183.00	150	Vertical	N/A
4**	5577.000	92.10	1.24	--	92.10	AV	183.00	150	Vertical	N/A
5	8247.475	50.18	-0.00	74.0	-23.82	Peak	205.00	150	Vertical	Pass
5**	8247.475	40.95	-0.00	54.0	-13.05	AV	205.00	150	Vertical	Pass
6	11301.963	53.64	3.58	74.0	-20.36	Peak	305.00	150	Vertical	Pass
6**	11301.963	45.97	3.58	54.0	-8.03	AV	305.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2340.200	41.32	-9.01	74.0	-32.68	Peak	127.00	150	Horizontal	Pass
1**	2340.200	32.65	-9.01	54.0	-21.35	AV	127.00	150	Horizontal	Pass
2	3994.000	47.50	-2.87	74.0	-26.50	Peak	360.00	150	Horizontal	Pass
2**	3994.000	38.76	-2.87	54.0	-15.24	AV	360.00	150	Horizontal	Pass
3	5049.250	51.89	0.43	74.0	-22.11	Peak	281.00	150	Horizontal	Pass
3**	5049.250	43.03	0.43	54.0	-10.97	AV	281.00	150	Horizontal	Pass
4	5698.000	96.44	1.45	--	56.44	Peak	40.00	150	Horizontal	N/A
4**	5698.000	89.78	1.45	--	89.78	AV	40.00	150	Horizontal	N/A
5	9140.000	52.82	1.72	74.0	-21.18	Peak	-1.00	150	Horizontal	Pass
5**	9140.000	42.37	1.72	54.0	-11.63	AV	-1.00	150	Horizontal	Pass
6	15743.813	53.84	2.39	74.0	-20.16	Peak	302.00	150	Horizontal	Pass
6**	15743.813	44.24	2.39	54.0	-9.76	AV	302.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2874.500	43.48	-6.02	74.0	-30.52	Peak	280.00	150	Vertical	Pass
1**	2874.500	34.95	-6.02	54.0	-19.05	AV	280.00	150	Vertical	Pass
2	4186.250	48.45	-1.97	74.0	-25.55	Peak	214.00	150	Vertical	Pass
2**	4186.250	40.03	-1.97	54.0	-13.97	AV	214.00	150	Vertical	Pass
3	5698.000	96.77	1.45	--	-123.23	Peak	220.00	150	Vertical	N/A
3**	5698.000	89.88	1.45	--	89.88	AV	220.00	150	Vertical	N/A
4	8297.825	50.68	0.08	74.0	-23.32	Peak	335.00	150	Vertical	Pass
4**	8297.825	41.71	0.08	54.0	-12.29	AV	335.00	150	Vertical	Pass
5	11296.026	54.28	3.59	74.0	-19.72	Peak	26.00	150	Vertical	Pass
5**	11296.026	45.68	3.59	54.0	-8.32	AV	26.00	150	Vertical	Pass
6	15764.287	52.93	2.42	74.0	-21.07	Peak	158.00	150	Vertical	Pass
6**	15764.287	44.80	2.42	54.0	-9.20	AV	158.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.600	35.74	-15.19	74.0	-38.26	Peak	272.00	150	Horizontal	Pass
1**	1394.600	27.66	-15.19	54.0	-26.34	AV	272.00	150	Horizontal	Pass
2	3899.250	47.41	-2.99	74.0	-26.59	Peak	191.00	150	Horizontal	Pass
2**	3899.250	37.95	-2.99	54.0	-16.05	AV	191.00	150	Horizontal	Pass
3	5503.250	99.83	0.85	--	60.83	Peak	39.00	150	Horizontal	N/A
3**	5503.250	92.85	0.85	--	92.85	AV	39.00	150	Horizontal	N/A
4	8233.463	49.38	-0.16	74.0	-24.62	Peak	37.00	150	Horizontal	Pass
4**	8233.463	39.90	-0.16	54.0	-14.10	AV	37.00	150	Horizontal	Pass
5	10797.750	53.18	3.37	74.0	-20.82	Peak	198.00	150	Horizontal	Pass
5**	10797.750	44.22	3.37	54.0	-9.78	AV	198.00	150	Horizontal	Pass
6	15508.875	53.28	2.36	74.0	-20.72	Peak	116.00	150	Horizontal	Pass
6**	15508.875	44.23	2.36	54.0	-9.77	AV	116.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.200	36.08	-15.22	74.0	-37.92	Peak	170.00	150	Vertical	Pass
1**	1555.200	27.60	-15.22	54.0	-26.40	AV	170.00	150	Vertical	Pass
2	4781.250	51.07	1.04	74.0	-22.93	Peak	19.00	150	Vertical	Pass
2**	4781.250	42.46	1.04	54.0	-11.54	AV	19.00	150	Vertical	Pass
3	5502.250	100.05	0.79	--	-90.95	Peak	191.00	150	Vertical	N/A
3**	5502.250	93.22	0.79	--	93.22	AV	191.00	150	Vertical	N/A
4	8396.625	49.80	-0.38	74.0	-24.20	Peak	360.00	150	Vertical	Pass
4**	8396.625	40.57	-0.38	54.0	-13.43	AV	360.00	150	Vertical	Pass
5	10789.200	53.22	3.07	74.0	-20.78	Peak	46.00	150	Vertical	Pass
5**	10789.200	44.21	3.07	54.0	-9.79	AV	46.00	150	Vertical	Pass
6	15974.287	53.37	2.15	74.0	-20.63	Peak	190.00	150	Vertical	Pass
6**	15974.287	44.34	2.15	54.0	-9.66	AV	190.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.500	35.97	-15.19	74.0	-38.03	Peak	352.00	150	Horizontal	Pass
1**	1350.500	27.22	-15.19	54.0	-26.78	AV	352.00	150	Horizontal	Pass
2	4789.500	51.34	0.77	74.0	-22.66	Peak	361.00	150	Horizontal	Pass
2**	4789.500	42.29	0.77	54.0	-11.71	AV	361.00	150	Horizontal	Pass
3	5584.000	98.83	0.85	--	65.83	Peak	33.00	150	Horizontal	N/A
3**	5584.000	92.87	0.85	--	92.87	AV	33.00	150	Horizontal	N/A
4	8379.526	49.76	-0.26	74.0	-24.24	Peak	334.00	150	Horizontal	Pass
4**	8379.526	41.14	-0.26	54.0	-12.86	AV	334.00	150	Horizontal	Pass
5	10804.638	52.75	3.26	74.0	-21.25	Peak	146.00	150	Horizontal	Pass
5**	10804.638	43.99	3.26	54.0	-10.01	AV	146.00	150	Horizontal	Pass
6	15952.238	52.90	2.29	74.0	-21.10	Peak	361.00	150	Horizontal	Pass
6**	15952.238	44.01	2.29	54.0	-9.99	AV	361.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1342.400	36.68	-15.30	74.0	-37.32	Peak	313.00	150	Vertical	Pass
1**	1342.400	27.21	-15.30	54.0	-26.79	AV	313.00	150	Vertical	Pass
2	4765.500	50.74	0.33	74.0	-23.26	Peak	315.00	150	Vertical	Pass
2**	4765.500	42.44	0.33	54.0	-11.56	AV	315.00	150	Vertical	Pass
3	5584.750	98.57	0.84	--	72.57	Peak	26.00	150	Vertical	N/A
3**	5584.750	91.92	0.84	--	91.92	AV	26.00	150	Vertical	N/A
4	8267.900	49.37	0.07	74.0	-24.63	Peak	116.00	150	Vertical	Pass
4**	8267.900	41.36	0.07	54.0	-12.64	AV	116.00	150	Vertical	Pass
5	10798.937	53.03	3.41	74.0	-20.97	Peak	245.00	150	Vertical	Pass
5**	10798.937	44.09	3.41	54.0	-9.91	AV	245.00	150	Vertical	Pass
6	15945.938	52.75	2.27	74.0	-21.25	Peak	179.00	150	Vertical	Pass
6**	15945.938	44.01	2.27	54.0	-9.99	AV	179.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1208.400	35.18	-16.09	74.0	-38.82	Peak	305.00	150	Horizontal	Pass
1**	1208.400	27.49	-16.09	54.0	-26.51	AV	305.00	150	Horizontal	Pass
2	4275.500	48.58	-2.09	74.0	-25.42	Peak	31.00	150	Horizontal	Pass
2**	4275.500	39.01	-2.09	54.0	-14.99	AV	31.00	150	Horizontal	Pass
3	5698.500	96.21	1.47	--	65.21	Peak	31.00	150	Horizontal	N/A
3**	5698.500	89.60	1.47	--	89.60	AV	31.00	150	Horizontal	N/A
4	8318.725	49.89	0.09	74.0	-24.11	Peak	275.00	150	Horizontal	Pass
4**	8318.725	40.87	0.09	54.0	-13.13	AV	275.00	150	Horizontal	Pass
5	11031.451	53.41	2.83	74.0	-20.59	Peak	37.00	150	Horizontal	Pass
5**	11031.451	44.78	2.83	54.0	-9.22	AV	37.00	150	Horizontal	Pass
6	15747.225	53.20	2.43	74.0	-20.80	Peak	24.00	150	Horizontal	Pass
6**	15747.225	45.11	2.43	54.0	-8.89	AV	24.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1379.400	36.45	-15.42	74.0	-37.55	Peak	45.00	150	Vertical	Pass
1**	1379.400	27.16	-15.42	54.0	-26.84	AV	45.00	150	Vertical	Pass
2	4297.750	48.43	-1.71	74.0	-25.57	Peak	360.00	150	Vertical	Pass
2**	4297.750	39.24	-1.71	54.0	-14.76	AV	360.00	150	Vertical	Pass
3	5695.500	95.50	1.27	--	-121.50	Peak	217.00	150	Vertical	N/A
3**	5695.500	88.83	1.27	--	88.83	AV	217.00	150	Vertical	N/A
4	8253.887	49.84	0.07	74.0	-24.16	Peak	284.00	150	Vertical	Pass
4**	8253.887	40.96	0.07	54.0	-13.04	AV	284.00	150	Vertical	Pass
5	11032.162	52.36	2.84	74.0	-21.64	Peak	325.00	150	Vertical	Pass
5**	11032.162	44.04	2.84	54.0	-9.96	AV	325.00	150	Vertical	Pass
6	15952.763	53.71	2.29	74.0	-20.29	Peak	360.00	150	Vertical	Pass
6**	15952.763	44.16	2.29	54.0	-9.84	AV	360.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.100	35.23	-16.10	74.0	-38.77	Peak	77.00	150	Horizontal	Pass
1**	1202.100	26.16	-16.10	54.0	-27.84	AV	77.00	150	Horizontal	Pass
2	4941.750	52.04	0.95	74.0	-21.96	Peak	40.00	150	Horizontal	Pass
2**	4941.750	41.79	0.95	54.0	-12.21	AV	40.00	150	Horizontal	Pass
3	5512.250	96.80	1.10	--	70.80	Peak	26.00	150	Horizontal	N/A
3**	5512.250	90.03	1.10	--	90.03	AV	26.00	150	Horizontal	N/A
4	8136.800	51.22	0.12	74.0	-22.78	Peak	286.00	150	Horizontal	Pass
4**	8136.800	40.77	0.12	54.0	-13.23	AV	286.00	150	Horizontal	Pass
5	11307.187	53.72	3.43	74.0	-20.28	Peak	6.00	150	Horizontal	Pass
5**	11307.187	45.73	3.43	54.0	-8.27	AV	6.00	150	Horizontal	Pass
6	15959.588	53.00	2.25	74.0	-21.00	Peak	4.00	150	Horizontal	Pass
6**	15959.588	44.31	2.25	54.0	-9.69	AV	4.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.700	35.94	-15.31	74.0	-38.06	Peak	117.00	150	Vertical	Pass
1**	1459.700	27.61	-15.31	54.0	-26.39	AV	117.00	150	Vertical	Pass
2	4778.750	50.74	1.06	74.0	-23.26	Peak	309.00	150	Vertical	Pass
2**	4778.750	41.58	1.06	54.0	-12.42	AV	309.00	150	Vertical	Pass
3	5520.250	97.77	1.57	--	-72.23	Peak	170.00	150	Vertical	N/A
3**	5520.250	90.50	1.57	--	90.50	AV	170.00	150	Vertical	N/A
4	8309.463	49.37	0.23	74.0	-24.63	Peak	115.00	150	Vertical	Pass
4**	8309.463	40.49	0.23	54.0	-13.51	AV	115.00	150	Vertical	Pass
5	10962.575	52.68	2.39	74.0	-21.32	Peak	175.00	150	Vertical	Pass
5**	10962.575	44.72	2.39	54.0	-9.28	AV	175.00	150	Vertical	Pass
6	15964.575	52.99	2.22	74.0	-21.01	Peak	333.00	150	Vertical	Pass
6**	15964.575	43.58	2.22	54.0	-10.42	AV	333.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.800	36.22	-15.10	74.0	-37.78	Peak	309.00	150	Horizontal	Pass
1**	1496.800	27.31	-15.10	54.0	-26.69	AV	309.00	150	Horizontal	Pass
2	4802.750	51.13	1.01	74.0	-22.87	Peak	87.00	150	Horizontal	Pass
2**	4802.750	41.91	1.01	54.0	-12.09	AV	87.00	150	Horizontal	Pass
3	5586.250	95.76	0.91	--	64.76	Peak	31.00	150	Horizontal	N/A
3**	5586.250	88.30	0.91	--	88.30	AV	31.00	150	Horizontal	N/A
4	8125.162	49.52	0.23	74.0	-24.48	Peak	314.00	150	Horizontal	Pass
4**	8125.162	41.08	0.23	54.0	-12.92	AV	314.00	150	Horizontal	Pass
5	10782.550	53.26	2.83	74.0	-20.74	Peak	345.00	150	Horizontal	Pass
5**	10782.550	44.94	2.83	54.0	-9.06	AV	345.00	150	Horizontal	Pass
6	15747.488	52.53	2.43	74.0	-21.47	Peak	240.00	150	Horizontal	Pass
6**	15747.488	44.58	2.43	54.0	-9.42	AV	240.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.400	35.62	-15.62	74.0	-38.38	Peak	21.00	150	Vertical	Pass
1**	1574.400	27.12	-15.62	54.0	-26.88	AV	21.00	150	Vertical	Pass
2	2270.900	41.42	-9.41	74.0	-32.58	Peak	294.00	150	Vertical	Pass
2**	2270.900	34.12	-9.41	54.0	-19.88	AV	294.00	150	Vertical	Pass
3	4146.250	49.22	-2.90	74.0	-24.78	Peak	294.00	150	Vertical	Pass
3**	4146.250	38.60	-2.90	54.0	-15.40	AV	294.00	150	Vertical	Pass
4	5587.250	95.58	0.90	--	-80.42	Peak	176.00	150	Vertical	N/A
4**	5587.250	88.46	0.90	--	88.46	AV	176.00	150	Vertical	N/A
5	9459.912	53.18	2.82	74.0	-20.82	Peak	6.00	150	Vertical	Pass
5**	9459.912	44.24	2.82	54.0	-9.76	AV	6.00	150	Vertical	Pass
6	15827.812	51.80	1.81	74.0	-22.20	Peak	290.00	150	Vertical	Pass
6**	15827.812	43.19	1.81	54.0	-10.81	AV	290.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2340.300	42.00	-9.00	74.0	-32.00	Peak	232.00	150	Horizontal	Pass
1**	2340.300	32.63	-9.00	54.0	-21.37	AV	232.00	150	Horizontal	Pass
2	2753.900	43.15	-6.44	74.0	-30.85	Peak	218.00	150	Horizontal	Pass
2**	2753.900	34.96	-6.44	54.0	-19.04	AV	218.00	150	Horizontal	Pass
3	4782.250	52.60	1.01	74.0	-21.40	Peak	53.00	150	Horizontal	Pass
3**	4782.250	42.24	1.01	54.0	-11.76	AV	53.00	150	Horizontal	Pass
4	5666.000	94.07	1.06	--	68.07	Peak	26.00	150	Horizontal	N/A
4**	5666.000	87.15	1.06	--	87.15	AV	26.00	150	Horizontal	N/A
5	11030.025	53.36	2.79	74.0	-20.64	Peak	106.00	150	Horizontal	Pass
5**	11030.025	44.42	2.79	54.0	-9.58	AV	106.00	150	Horizontal	Pass
6	15792.113	52.15	2.32	74.0	-21.85	Peak	64.00	150	Horizontal	Pass
6**	15792.113	43.20	2.32	54.0	-10.80	AV	64.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2268.100	41.30	-9.39	74.0	-32.70	Peak	216.00	150	Vertical	Pass
1**	2268.100	32.75	-9.39	54.0	-21.25	AV	216.00	150	Vertical	Pass
2	4132.000	48.49	-2.40	74.0	-25.51	Peak	358.00	150	Vertical	Pass
2**	4132.000	39.45	-2.40	54.0	-14.55	AV	358.00	150	Vertical	Pass
3	4869.250	51.60	0.68	74.0	-22.40	Peak	274.00	150	Vertical	Pass
3**	4869.250	41.99	0.68	54.0	-12.01	AV	274.00	150	Vertical	Pass
4	5654.250	93.88	0.93	--	-125.12	Peak	219.00	150	Vertical	N/A
4**	5654.250	86.72	0.93	--	86.72	AV	219.00	150	Vertical	N/A
5	11297.925	53.98	3.61	74.0	-20.02	Peak	76.00	150	Vertical	Pass
5**	11297.925	45.44	3.61	54.0	-8.56	AV	76.00	150	Vertical	Pass
6	15495.224	54.21	2.38	74.0	-19.79	Peak	65.00	150	Vertical	Pass
6**	15495.224	44.99	2.38	54.0	-9.01	AV	65.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1352.400	36.11	-15.12	74.0	-37.89	Peak	306.00	150	Horizontal	Pass
1**	1352.400	27.90	-15.12	54.0	-26.10	AV	306.00	150	Horizontal	Pass
2	4297.000	49.37	-1.72	74.0	-24.63	Peak	274.00	150	Horizontal	Pass
2**	4297.000	39.93	-1.72	54.0	-14.07	AV	274.00	150	Horizontal	Pass
3	5498.750	100.79	0.75	--	68.79	Peak	32.00	150	Horizontal	N/A
3**	5498.750	91.73	0.75	--	91.73	AV	32.00	150	Horizontal	N/A
4	8274.550	49.77	-0.18	74.0	-24.23	Peak	345.00	150	Horizontal	Pass
4**	8274.550	40.92	-0.18	54.0	-13.08	AV	345.00	150	Horizontal	Pass
5	11051.400	53.38	3.17	74.0	-20.62	Peak	185.00	150	Horizontal	Pass
5**	11051.400	44.26	3.17	54.0	-9.74	AV	185.00	150	Horizontal	Pass
6	15764.025	53.60	2.42	74.0	-20.40	Peak	353.00	150	Horizontal	Pass
6**	15764.025	44.30	2.42	54.0	-9.70	AV	353.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2359.600	41.43	-9.06	74.0	-32.57	Peak	275.00	150	Vertical	Pass
1**	2359.600	32.99	-9.06	54.0	-21.01	AV	275.00	150	Vertical	Pass
2	4315.500	50.42	-1.68	74.0	-23.58	Peak	130.00	150	Vertical	Pass
2**	4315.500	39.27	-1.68	54.0	-14.73	AV	130.00	150	Vertical	Pass
3	4899.250	51.26	0.54	74.0	-22.74	Peak	360.00	150	Vertical	Pass
3**	4899.250	41.79	0.54	54.0	-12.21	AV	360.00	150	Vertical	Pass
4	5496.000	99.01	0.75	--	-85.99	Peak	185.00	150	Vertical	N/A
4**	5496.000	92.24	0.75	--	92.24	AV	185.00	150	Vertical	N/A
5	8093.100	50.66	-0.20	74.0	-23.34	Peak	353.00	150	Vertical	Pass
5**	8093.100	41.87	-0.20	54.0	-12.13	AV	353.00	150	Vertical	Pass
6	15953.287	52.76	2.29	74.0	-21.24	Peak	57.00	150	Vertical	Pass
6**	15953.287	44.46	2.29	54.0	-9.54	AV	57.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2358.100	41.19	-8.95	74.0	-32.81	Peak	10.00	150	Horizontal	Pass
1**	2358.100	32.62	-8.95	54.0	-21.38	AV	10.00	150	Horizontal	Pass
2	3889.750	47.95	-2.60	74.0	-26.05	Peak	100.00	150	Horizontal	Pass
2**	3889.750	38.09	-2.60	54.0	-15.91	AV	100.00	150	Horizontal	Pass
3	4779.250	51.82	1.04	74.0	-22.18	Peak	329.00	150	Horizontal	Pass
3**	4779.250	42.29	1.04	54.0	-11.71	AV	329.00	150	Horizontal	Pass
4	5579.000	98.13	1.11	--	68.13	Peak	30.00	150	Horizontal	N/A
4**	5579.000	91.24	1.11	--	91.24	AV	30.00	150	Horizontal	N/A
5	9459.675	52.18	2.82	74.0	-21.82	Peak	126.00	150	Horizontal	Pass
5**	9459.675	44.33	2.82	54.0	-9.67	AV	126.00	150	Horizontal	Pass
6	15474.750	52.79	2.24	74.0	-21.21	Peak	322.00	150	Horizontal	Pass
6**	15474.750	43.37	2.24	54.0	-10.63	AV	322.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2270.900	41.60	-9.41	74.0	-32.40	Peak	155.00	150	Vertical	Pass
1**	2270.900	33.24	-9.41	54.0	-20.76	AV	155.00	150	Vertical	Pass
2	4035.750	48.53	-1.74	74.0	-25.47	Peak	360.00	150	Vertical	Pass
2**	4035.750	38.53	-1.74	54.0	-15.47	AV	360.00	150	Vertical	Pass
3	5050.500	51.94	0.45	74.0	-22.06	Peak	135.00	150	Vertical	Pass
3**	5050.500	43.07	0.45	54.0	-10.93	AV	135.00	150	Vertical	Pass
4	5586.250	97.88	0.91	--	-78.12	Peak	176.00	150	Vertical	N/A
4**	5586.250	90.92	0.91	--	90.92	AV	176.00	150	Vertical	N/A
5	11300.775	53.79	3.61	74.0	-20.21	Peak	156.00	150	Vertical	Pass
5**	11300.775	45.94	3.61	54.0	-8.06	AV	156.00	150	Vertical	Pass
6	15951.450	53.42	2.30	74.0	-20.58	Peak	35.00	150	Vertical	Pass
6**	15951.450	43.77	2.30	54.0	-10.23	AV	35.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2274.600	41.40	-9.80	74.0	-32.60	Peak	295.00	150	Horizontal	Pass
1**	2274.600	33.05	-9.80	54.0	-20.95	AV	295.00	150	Horizontal	Pass
2	3746.750	47.57	-2.22	74.0	-26.43	Peak	122.00	150	Horizontal	Pass
2**	3746.750	38.52	-2.22	54.0	-15.48	AV	122.00	150	Horizontal	Pass
3	5090.750	51.76	0.60	74.0	-22.24	Peak	101.00	150	Horizontal	Pass
3**	5090.750	42.23	0.60	54.0	-11.77	AV	101.00	150	Horizontal	Pass
4	5703.750	92.42	1.38	--	32.42	Peak	60.00	150	Horizontal	N/A
4**	5703.750	85.72	1.38	--	85.72	AV	60.00	150	Horizontal	N/A
5	10795.850	53.51	3.30	74.0	-20.49	Peak	325.00	150	Horizontal	Pass
5**	10795.850	44.94	3.30	54.0	-9.06	AV	325.00	150	Horizontal	Pass
6	15734.100	52.35	2.27	74.0	-21.65	Peak	76.00	150	Horizontal	Pass
6**	15734.100	43.62	2.27	54.0	-10.38	AV	76.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2796.900	43.04	-6.83	74.0	-30.96	Peak	123.00	150	Vertical	Pass
1**	2796.900	34.94	-6.83	54.0	-19.06	AV	123.00	150	Vertical	Pass
2	3838.000	47.97	-2.33	74.0	-26.03	Peak	68.00	150	Vertical	Pass
2**	3838.000	37.99	-2.33	54.0	-16.01	AV	68.00	150	Vertical	Pass
3	5696.250	96.08	1.34	--	-122.92	Peak	219.00	150	Vertical	N/A
3**	5696.250	88.41	1.34	--	88.41	AV	219.00	150	Vertical	N/A
4	9462.762	53.14	2.77	74.0	-20.86	Peak	226.00	150	Vertical	Pass
4**	9462.762	44.36	2.77	54.0	-9.64	AV	226.00	150	Vertical	Pass
5	11276.313	53.68	3.34	74.0	-20.32	Peak	186.00	150	Vertical	Pass
5**	11276.313	45.06	3.34	54.0	-8.94	AV	186.00	150	Vertical	Pass
6	15750.375	53.16	2.46	74.0	-20.84	Peak	65.00	150	Vertical	Pass
6**	15750.375	44.27	2.46	54.0	-9.73	AV	65.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2262.700	41.19	-9.56	74.0	-32.81	Peak	34.00	150	Horizontal	Pass
1**	2262.700	31.86	-9.56	54.0	-22.14	AV	34.00	150	Horizontal	Pass
2	4044.000	48.03	-1.84	74.0	-25.97	Peak	0.00	150	Horizontal	Pass
2**	4044.000	39.51	-1.84	54.0	-14.49	AV	0.00	150	Horizontal	Pass
3	5504.500	94.31	0.90	--	54.31	Peak	40.00	150	Horizontal	N/A
3**	5504.500	88.02	0.90	--	88.02	AV	40.00	150	Horizontal	N/A
4	9434.738	52.42	2.98	74.0	-21.58	Peak	36.00	150	Horizontal	Pass
4**	9434.738	44.19	2.98	54.0	-9.81	AV	36.00	150	Horizontal	Pass
5	11201.263	53.56	3.47	74.0	-20.44	Peak	115.00	150	Horizontal	Pass
5**	11201.263	45.28	3.47	54.0	-8.72	AV	115.00	150	Horizontal	Pass
6	15710.474	52.68	1.98	74.0	-21.32	Peak	291.00	150	Horizontal	Pass
6**	15710.474	43.56	1.98	54.0	-10.44	AV	291.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2341.900	41.52	-8.84	74.0	-32.48	Peak	266.00	150	Vertical	Pass
1**	2341.900	33.14	-8.84	54.0	-20.86	AV	266.00	150	Vertical	Pass
2	2730.100	42.91	-7.93	74.0	-31.09	Peak	32.00	150	Vertical	Pass
2**	2730.100	33.96	-7.93	54.0	-20.04	AV	32.00	150	Vertical	Pass
3	4953.500	51.84	1.30	74.0	-22.16	Peak	17.00	150	Vertical	Pass
3**	4953.500	42.86	1.30	54.0	-11.14	AV	17.00	150	Vertical	Pass
4	5501.250	93.36	0.75	--	-104.64	Peak	198.00	150	Vertical	N/A
4**	5501.250	86.67	0.75	--	86.67	AV	198.00	150	Vertical	N/A
5	8133.237	50.71	0.14	74.0	-23.29	Peak	285.00	150	Vertical	Pass
5**	8133.237	41.53	0.14	54.0	-12.47	AV	285.00	150	Vertical	Pass
6	11049.500	53.14	3.22	74.0	-20.86	Peak	96.00	150	Vertical	Pass
6**	11049.500	44.81	3.22	54.0	-9.19	AV	96.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2774.900	43.10	-7.34	74.0	-30.90	Peak	243.00	150	Horizontal	Pass
1**	2774.900	33.66	-7.34	54.0	-20.34	AV	243.00	150	Horizontal	Pass
2	4037.000	48.20	-1.60	74.0	-25.80	Peak	198.00	150	Horizontal	Pass
2**	4037.000	39.78	-1.60	54.0	-14.22	AV	198.00	150	Horizontal	Pass
3	5080.250	52.85	0.83	74.0	-21.15	Peak	281.00	150	Horizontal	Pass
3**	5080.250	43.45	0.83	54.0	-10.55	AV	281.00	150	Horizontal	Pass
4	5577.750	93.85	1.18	--	67.85	Peak	26.00	150	Horizontal	N/A
4**	5577.750	86.36	1.18	--	86.36	AV	26.00	150	Horizontal	N/A
5	10791.576	53.45	3.15	74.0	-20.55	Peak	216.00	150	Horizontal	Pass
5**	10791.576	44.85	3.15	54.0	-9.15	AV	216.00	150	Horizontal	Pass
6	15797.888	52.22	2.30	74.0	-21.78	Peak	118.00	150	Horizontal	Pass
6**	15797.888	43.20	2.30	54.0	-10.80	AV	118.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2341.600	41.34	-8.87	74.0	-32.66	Peak	230.00	150	Vertical	Pass
1**	2341.600	33.52	-8.87	54.0	-20.48	AV	230.00	150	Vertical	Pass
2	2743.100	43.40	-7.03	74.0	-30.60	Peak	306.00	150	Vertical	Pass
2**	2743.100	33.84	-7.03	54.0	-20.16	AV	306.00	150	Vertical	Pass
3	4785.250	52.55	0.93	74.0	-21.45	Peak	274.00	150	Vertical	Pass
3**	4785.250	41.70	0.93	54.0	-12.30	AV	274.00	150	Vertical	Pass
4	5577.000	93.94	1.24	--	61.94	Peak	32.00	150	Vertical	N/A
4**	5577.000	86.49	1.24	--	86.49	AV	32.00	150	Vertical	N/A
5	8351.025	50.46	-0.21	74.0	-23.54	Peak	360.00	150	Vertical	Pass
5**	8351.025	41.17	-0.21	54.0	-12.83	AV	360.00	150	Vertical	Pass
6	15788.701	52.95	2.33	74.0	-21.05	Peak	354.00	150	Vertical	Pass
6**	15788.701	43.19	2.33	54.0	-10.81	AV	354.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2340.800	41.71	-8.95	74.0	-32.29	Peak	31.00	150	Horizontal	Pass
1**	2340.800	32.36	-8.95	54.0	-21.64	AV	31.00	150	Horizontal	Pass
2	3864.250	47.73	-3.65	74.0	-26.27	Peak	329.00	150	Horizontal	Pass
2**	3864.250	37.96	-3.65	54.0	-16.04	AV	329.00	150	Horizontal	Pass
3	5027.000	52.26	0.44	74.0	-21.74	Peak	80.00	150	Horizontal	Pass
3**	5027.000	42.31	0.44	54.0	-11.69	AV	80.00	150	Horizontal	Pass
4	5658.250	92.84	0.89	--	61.84	Peak	31.00	150	Horizontal	N/A
4**	5658.250	84.89	0.89	--	84.89	AV	31.00	150	Horizontal	N/A
5	9450.888	52.60	2.97	74.0	-21.40	Peak	245.00	150	Horizontal	Pass
5**	9450.888	44.20	2.97	54.0	-9.80	AV	245.00	150	Horizontal	Pass
6	15754.575	53.56	2.45	74.0	-20.44	Peak	323.00	150	Horizontal	Pass
6**	15754.575	45.73	2.45	54.0	-8.27	AV	323.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2343.600	41.24	-8.73	74.0	-32.76	Peak	47.00	150	Vertical	Pass
1**	2343.600	33.50	-8.73	54.0	-20.50	AV	47.00	150	Vertical	Pass
2	4275.750	48.34	-2.10	74.0	-25.66	Peak	336.00	150	Vertical	Pass
2**	4275.750	39.46	-2.10	54.0	-14.54	AV	336.00	150	Vertical	Pass
3	4765.000	51.01	0.31	74.0	-22.99	Peak	198.00	150	Vertical	Pass
3**	4765.000	41.64	0.31	54.0	-12.36	AV	198.00	150	Vertical	Pass
4	5662.000	92.28	1.00	--	-78.72	Peak	171.00	150	Vertical	N/A
4**	5662.000	84.70	1.00	--	84.70	AV	171.00	150	Vertical	N/A
5	11304.100	53.51	3.52	74.0	-20.49	Peak	256.00	150	Vertical	Pass
5**	11304.100	45.88	3.52	54.0	-8.12	AV	256.00	150	Vertical	Pass
6	15960.112	53.45	2.24	74.0	-20.55	Peak	220.00	150	Vertical	Pass
6**	15960.112	44.16	2.24	54.0	-9.84	AV	220.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2339.900	41.65	-9.04	74.0	-32.35	Peak	143.00	150	Horizontal	Pass
1**	2339.900	33.13	-9.04	54.0	-20.87	AV	143.00	150	Horizontal	Pass
2	4052.000	48.26	-2.49	74.0	-25.74	Peak	357.00	150	Horizontal	Pass
2**	4052.000	38.91	-2.49	54.0	-15.09	AV	357.00	150	Horizontal	Pass
3	4772.250	51.29	0.93	74.0	-22.71	Peak	102.00	150	Horizontal	Pass
3**	4772.250	42.89	0.93	54.0	-11.11	AV	102.00	150	Horizontal	Pass
4	5508.500	92.23	0.80	--	60.23	Peak	32.00	150	Horizontal	N/A
4**	5508.500	84.17	0.80	--	84.17	AV	32.00	150	Horizontal	N/A
5	9321.925	52.46	3.37	74.0	-21.54	Peak	354.00	150	Horizontal	Pass
5**	9321.925	44.62	3.37	54.0	-9.38	AV	354.00	150	Horizontal	Pass
6	15746.175	53.27	2.42	74.0	-20.73	Peak	344.00	150	Horizontal	Pass
6**	15746.175	44.02	2.42	54.0	-9.98	AV	344.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1403.000	36.23	-15.00	74.0	-37.77	Peak	151.00	150	Vertical	Pass
1**	1403.000	27.66	-15.00	54.0	-26.34	AV	151.00	150	Vertical	Pass
2	4159.750	49.32	-3.01	74.0	-24.68	Peak	11.00	150	Vertical	Pass
2**	4159.750	39.00	-3.01	54.0	-15.00	AV	11.00	150	Vertical	Pass
3	5523.000	91.29	1.61	--	-78.71	Peak	170.00	150	Vertical	N/A
3**	5523.000	85.44	1.61	--	85.44	AV	170.00	150	Vertical	N/A
4	8224.675	50.38	-0.37	74.0	-23.62	Peak	125.00	150	Vertical	Pass
4**	8224.675	41.03	-0.37	54.0	-12.97	AV	125.00	150	Vertical	Pass
5	10938.350	52.70	2.19	74.0	-21.30	Peak	185.00	150	Vertical	Pass
5**	10938.350	44.30	2.19	54.0	-9.70	AV	185.00	150	Vertical	Pass
6	15753.000	52.96	2.45	74.0	-21.04	Peak	302.00	150	Vertical	Pass
6**	15753.000	44.22	2.45	54.0	-9.78	AV	302.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.700	35.93	-15.50	74.0	-38.07	Peak	269.00	150	Horizontal	Pass
1**	1474.700	28.31	-15.50	54.0	-25.69	AV	269.00	150	Horizontal	Pass
2	4795.750	51.36	0.79	74.0	-22.64	Peak	162.00	150	Horizontal	Pass
2**	4795.750	41.87	0.79	54.0	-12.13	AV	162.00	150	Horizontal	Pass
3	5584.500	90.46	0.83	--	61.46	Peak	29.00	150	Horizontal	N/A
3**	5584.500	82.79	0.83	--	82.79	AV	29.00	150	Horizontal	N/A
4	8124.212	49.87	0.19	74.0	-24.13	Peak	360.00	150	Horizontal	Pass
4**	8124.212	41.90	0.19	54.0	-12.10	AV	360.00	150	Horizontal	Pass
5	11181.787	53.29	2.94	74.0	-20.71	Peak	195.00	150	Horizontal	Pass
5**	11181.787	44.72	2.94	54.0	-9.28	AV	195.00	150	Horizontal	Pass
6	15963.263	53.04	2.22	74.0	-20.96	Peak	97.00	150	Horizontal	Pass
6**	15963.263	43.59	2.22	54.0	-10.41	AV	97.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1348.300	35.63	-15.23	74.0	-38.37	Peak	123.00	150	Vertical	Pass
1**	1348.300	27.21	-15.23	54.0	-26.79	AV	123.00	150	Vertical	Pass
2	4830.000	52.03	0.53	74.0	-21.97	Peak	170.00	150	Vertical	Pass
2**	4830.000	41.34	0.53	54.0	-12.66	AV	170.00	150	Vertical	Pass
3	5588.250	91.20	0.87	--	-85.80	Peak	177.00	150	Vertical	Pass
3**	5588.250	84.91	0.87	--	84.91	AV	177.00	150	Vertical	N/A
4	8162.925	49.78	-0.49	74.0	-24.22	Peak	360.00	150	Vertical	Pass
4**	8162.925	40.33	-0.49	54.0	-13.67	AV	360.00	150	Vertical	Pass
5	10772.100	53.02	2.47	74.0	-20.98	Peak	206.00	150	Vertical	Pass
5**	10772.100	44.21	2.47	54.0	-9.79	AV	206.00	150	Vertical	Pass
6	15754.313	53.36	2.45	74.0	-20.64	Peak	126.00	150	Vertical	Pass
6**	15754.313	44.78	2.45	54.0	-9.22	AV	126.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2257.000	41.67	-9.85	74.0	-32.33	Peak	262.00	150	Horizontal	Pass
1**	2257.000	32.27	-9.85	54.0	-21.73	AV	262.00	150	Horizontal	Pass
2	4763.500	49.97	0.20	74.0	-24.03	Peak	18.00	150	Horizontal	Pass
2**	4763.500	41.30	0.20	54.0	-12.70	AV	18.00	150	Horizontal	Pass
3	5497.250	101.50	0.77	--	63.50	Peak	38.00	150	Horizontal	N/A
3**	5497.250	91.45	0.77	--	91.45	AV	38.00	150	Horizontal	N/A
4	8155.087	49.31	-0.37	74.0	-24.69	Peak	256.00	150	Horizontal	Pass
4**	8155.087	41.39	-0.37	54.0	-12.61	AV	256.00	150	Horizontal	Pass
5	10759.276	52.93	2.02	74.0	-21.07	Peak	76.00	150	Horizontal	Pass
5**	10759.276	45.05	2.02	54.0	-8.95	AV	76.00	150	Horizontal	Pass
6	15759.563	53.02	2.43	74.0	-20.98	Peak	0.00	150	Horizontal	Pass
6**	15759.563	44.71	2.43	54.0	-9.29	AV	0.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.300	36.30	-15.41	74.0	-37.70	Peak	274.00	150	Vertical	Pass
1**	1572.300	27.87	-15.41	54.0	-26.13	AV	274.00	150	Vertical	Pass
2	4755.500	50.99	0.00	74.0	-23.01	Peak	253.00	150	Vertical	Pass
2**	4755.500	42.18	0.00	54.0	-11.82	AV	253.00	150	Vertical	Pass
3	5504.500	101.18	0.90	--	-81.82	Peak	183.00	150	Vertical	N/A
3**	5504.500	91.59	0.90	--	91.59	AV	183.00	150	Vertical	N/A
4	8195.937	49.67	-0.17	74.0	-24.33	Peak	264.00	150	Vertical	Pass
4**	8195.937	41.02	-0.17	54.0	-12.98	AV	264.00	150	Vertical	Pass
5	11026.463	52.80	2.72	74.0	-21.20	Peak	17.00	150	Vertical	Pass
5**	11026.463	45.13	2.72	54.0	-8.87	AV	17.00	150	Vertical	Pass
6	15994.237	52.58	2.03	74.0	-21.42	Peak	251.00	150	Vertical	Pass
6**	15994.237	43.94	2.03	54.0	-10.06	AV	251.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2275.900	41.06	-9.94	74.0	-32.94	Peak	86.00	150	Horizontal	Pass
1**	2275.900	33.52	-9.94	54.0	-20.48	AV	86.00	150	Horizontal	Pass
2	3847.250	48.48	-3.07	74.0	-25.52	Peak	0.00	150	Horizontal	Pass
2**	3847.250	37.83	-3.07	54.0	-16.17	AV	0.00	150	Horizontal	Pass
3	4791.500	51.62	0.77	74.0	-22.38	Peak	316.00	150	Horizontal	Pass
3**	4791.500	42.20	0.77	54.0	-11.80	AV	316.00	150	Horizontal	Pass
4	5579.250	99.25	1.10	--	60.25	Peak	39.00	150	Horizontal	N/A
4**	5579.250	90.06	1.10	--	90.06	AV	39.00	150	Horizontal	N/A
5	9358.975	52.60	3.27	74.0	-21.40	Peak	285.00	150	Horizontal	Pass
5**	9358.975	44.13	3.27	54.0	-9.87	AV	285.00	150	Horizontal	Pass
6	16013.662	52.16	1.76	74.0	-21.84	Peak	116.00	150	Horizontal	Pass
6**	16013.662	43.68	1.76	54.0	-10.32	AV	116.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2226.300	41.31	-10.44	74.0	-32.69	Peak	214.00	150	Vertical	Pass
1**	2226.300	32.78	-10.44	54.0	-21.22	AV	214.00	150	Vertical	Pass
2	2803.200	42.44	-6.93	74.0	-31.56	Peak	303.00	150	Vertical	Pass
2**	2803.200	34.96	-6.93	54.0	-19.04	AV	303.00	150	Vertical	Pass
3	4872.750	51.02	0.69	74.0	-22.98	Peak	212.00	150	Vertical	Pass
3**	4872.750	42.70	0.69	54.0	-11.30	AV	212.00	150	Vertical	Pass
4	5575.000	99.51	1.33	--	-105.49	Peak	205.00	150	Vertical	N/A
4**	5575.000	90.07	1.33	--	90.07	AV	205.00	150	Vertical	N/A
5	9318.362	53.10	3.37	74.0	-20.90	Peak	360.00	150	Vertical	Pass
5**	9318.362	44.36	3.37	54.0	-9.64	AV	360.00	150	Vertical	Pass
6	15945.413	52.17	2.27	74.0	-21.83	Peak	25.00	150	Vertical	Pass
6**	15945.413	45.13	2.27	54.0	-8.87	AV	25.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2352.200	41.55	-8.67	74.0	-32.45	Peak	303.00	150	Horizontal	Pass
1**	2352.200	33.42	-8.67	54.0	-20.58	AV	303.00	150	Horizontal	Pass
2	3747.500	47.97	-2.22	74.0	-26.03	Peak	18.00	150	Horizontal	Pass
2**	3747.500	38.70	-2.22	54.0	-15.30	AV	18.00	150	Horizontal	Pass
3	4956.750	51.73	1.17	74.0	-22.27	Peak	259.00	150	Horizontal	Pass
3**	4956.750	42.56	1.17	54.0	-11.44	AV	259.00	150	Horizontal	Pass
4	5699.000	95.65	1.49	--	56.65	Peak	39.00	150	Horizontal	N/A
4**	5699.000	87.60	1.49	--	87.60	AV	39.00	150	Horizontal	N/A
5	9348.525	53.18	3.34	74.0	-20.82	Peak	284.00	150	Horizontal	Pass
5**	9348.525	43.92	3.34	54.0	-10.08	AV	284.00	150	Horizontal	Pass
6	15965.625	53.22	2.21	74.0	-20.78	Peak	313.00	150	Horizontal	Pass
6**	15965.625	44.98	2.21	54.0	-9.02	AV	313.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2826.700	43.31	-6.55	74.0	-30.69	Peak	328.00	150	Vertical	Pass
1**	2826.700	34.75	-6.55	54.0	-19.25	AV	328.00	150	Vertical	Pass
2	4047.250	48.63	-2.12	74.0	-25.37	Peak	226.00	150	Vertical	Pass
2**	4047.250	40.19	-2.12	54.0	-13.81	AV	226.00	150	Vertical	Pass
3	4994.000	52.29	0.64	74.0	-21.71	Peak	246.00	150	Vertical	Pass
3**	4994.000	41.76	0.64	54.0	-12.24	AV	246.00	150	Vertical	Pass
4	5694.250	96.01	1.21	--	-115.99	Peak	212.00	150	Vertical	N/A
4**	5694.250	87.36	1.21	--	87.36	AV	212.00	150	Vertical	N/A
5	11306.713	53.27	3.44	74.0	-20.73	Peak	77.00	150	Vertical	Pass
5**	11306.713	44.92	3.44	54.0	-9.08	AV	77.00	150	Vertical	Pass
6	15779.775	53.18	2.36	74.0	-20.82	Peak	35.00	150	Vertical	Pass
6**	15779.775	45.47	2.36	54.0	-8.53	AV	35.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3829.750	47.56	-2.84	74.0	-26.44	Peak	266.00	150	Horizontal	Pass
1**	3829.750	37.12	-2.84	54.0	-16.88	AV	266.00	150	Horizontal	Pass
2	5041.500	51.64	0.41	74.0	-22.36	Peak	155.00	150	Horizontal	Pass
2**	5041.500	41.81	0.41	54.0	-12.19	AV	155.00	150	Horizontal	Pass
3	5519.750	97.10	1.54	--	59.10	Peak	38.00	150	Horizontal	N/A
3**	5519.750	87.31	1.54	--	87.31	AV	38.00	150	Horizontal	N/A
4	8168.388	50.71	-0.35	74.0	-23.29	Peak	194.00	150	Horizontal	Pass
4**	8168.388	41.82	-0.35	54.0	-12.18	AV	194.00	150	Horizontal	Pass
5	11449.213	53.93	2.83	74.0	-20.07	Peak	335.00	150	Horizontal	Pass
5**	11449.213	45.03	2.83	54.0	-8.97	AV	335.00	150	Horizontal	Pass
6	15817.575	51.93	1.99	74.0	-22.07	Peak	169.00	150	Horizontal	Pass
6**	15817.575	43.93	1.99	54.0	-10.07	AV	169.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2343.600	41.40	-8.73	74.0	-32.60	Peak	106.00	150	Vertical	Pass
1**	2343.600	33.21	-8.73	54.0	-20.79	AV	106.00	150	Vertical	Pass
2	3743.250	47.07	-2.15	74.0	-26.93	Peak	308.00	150	Vertical	Pass
2**	3743.250	39.37	-2.15	54.0	-14.63	AV	308.00	150	Vertical	Pass
3	4987.500	51.93	0.96	74.0	-22.07	Peak	267.00	150	Vertical	Pass
3**	4987.500	41.67	0.96	54.0	-12.33	AV	267.00	150	Vertical	Pass
4	5498.250	96.17	0.76	--	-87.83	Peak	184.00	150	Vertical	N/A
4**	5498.250	87.76	0.76	--	87.76	AV	184.00	150	Vertical	N/A
5	8346.037	50.94	-0.18	74.0	-23.06	Peak	86.00	150	Vertical	Pass
5**	8346.037	40.47	-0.18	54.0	-13.53	AV	86.00	150	Vertical	Pass
6	11291.987	54.21	3.54	74.0	-19.79	Peak	360.00	150	Vertical	Pass
6**	11291.987	45.31	3.54	54.0	-8.69	AV	360.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2357.600	42.39	-8.94	74.0	-31.61	Peak	249.00	150	Horizontal	Pass
1**	2357.600	33.49	-8.94	54.0	-20.51	AV	249.00	150	Horizontal	Pass
2	4142.750	47.70	-2.80	74.0	-26.30	Peak	11.00	150	Horizontal	Pass
2**	4142.750	39.29	-2.80	54.0	-14.71	AV	11.00	150	Horizontal	Pass
3	4900.000	50.28	0.59	74.0	-23.72	Peak	219.00	150	Horizontal	Pass
3**	4900.000	41.08	0.59	54.0	-12.92	AV	219.00	150	Horizontal	Pass
4	5589.500	95.39	0.78	--	56.39	Peak	39.00	150	Horizontal	N/A
4**	5589.500	86.53	0.78	--	86.53	AV	39.00	150	Horizontal	N/A
5	10802.025	53.27	3.36	74.0	-20.73	Peak	305.00	150	Horizontal	Pass
5**	10802.025	46.20	3.36	54.0	-7.80	AV	305.00	150	Horizontal	Pass
6	15746.700	53.76	2.42	74.0	-20.24	Peak	260.00	150	Horizontal	Pass
6**	15746.700	44.67	2.42	54.0	-9.33	AV	260.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2819.500	43.72	-6.49	74.0	-30.28	Peak	32.00	150	Vertical	Pass
1**	2819.500	34.60	-6.49	54.0	-19.40	AV	32.00	150	Vertical	Pass
2	4235.500	48.50	-1.54	74.0	-25.50	Peak	11.00	150	Vertical	Pass
2**	4235.500	39.36	-1.54	54.0	-14.64	AV	11.00	150	Vertical	Pass
3	4953.000	52.18	1.27	74.0	-21.82	Peak	360.00	150	Vertical	Pass
3**	4953.000	42.31	1.27	54.0	-11.69	AV	360.00	150	Vertical	Pass
4	5580.500	95.75	1.04	--	-94.25	Peak	190.00	150	Vertical	N/A
4**	5580.500	86.79	1.04	--	86.79	AV	190.00	150	Vertical	N/A
5	9346.150	52.83	3.34	74.0	-21.17	Peak	197.00	150	Vertical	Pass
5**	9346.150	43.27	3.34	54.0	-10.73	AV	197.00	150	Vertical	Pass
6	15807.863	52.45	2.16	74.0	-21.55	Peak	158.00	150	Vertical	Pass
6**	15807.863	43.50	2.16	54.0	-10.50	AV	158.00	150	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2834.000	43.09	-6.66	74.0	-30.91	Peak	307.00	150	Horizontal	Pass
1**	2834.000	34.11	-6.66	54.0	-19.89	AV	307.00	150	Horizontal	Pass
2	3877.250	47.91	-2.69	74.0	-26.09	Peak	86.00	150	Horizontal	Pass
2**	3877.250	39.13	-2.69	54.0	-14.87	AV	86.00	150	Horizontal	Pass
3	5662.000	95.02	1.00	--	65.02	Peak	30.00	150	Horizontal	N/A
3**	5662.000	85.05	1.00	--	85.05	AV	30.00	150	Horizontal	N/A
4	8340.812	50.64	-0.42	74.0	-23.36	Peak	96.00	150	Horizontal	Pass
4**	8340.812	40.58	-0.42	54.0	-13.42	AV	96.00	150	Horizontal	Pass
5	11029.313	53.74	2.78	74.0	-20.26	Peak	226.00	150	Horizontal	Pass
5**	11029.313	45.02	2.78	54.0	-8.98	AV	226.00	150	Horizontal	Pass
6	15778.463	54.11	2.37	74.0	-19.89	Peak	190.00	150	Horizontal	Pass
6**	15778.463	44.91	2.37	54.0	-9.09	AV	190.00	150	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2269.000	42.48	-9.36	74.0	-31.52	Peak	300.00	150	Vertical	Pass
1**	2269.000	33.43	-9.36	54.0	-20.57	AV	300.00	150	Vertical	Pass
2	3796.750	47.46	-3.78	74.0	-26.54	Peak	161.00	150	Vertical	Pass
2**	3796.750	36.79	-3.78	54.0	-17.21	AV	161.00	150	Vertical	Pass
3	5663.500	93.43	1.04	--	-74.57	Peak	168.00	150	Vertical	N/A
3**	5663.500	85.34	1.04	--	85.34	AV	168.00	150	Vertical	N/A
4	9320.738	52.89	3.37	74.0	-21.11	Peak	236.00	150	Vertical	Pass
4**	9320.738	45.88	3.37	54.0	-8.12	AV	236.00	150	Vertical	Pass
5	12004.963	54.45	3.73	74.0	-19.55	Peak	195.00	150	Vertical	Pass
5**	12004.963	45.89	3.73	54.0	-8.11	AV	195.00	150	Vertical	Pass
6	15754.575	54.28	2.45	74.0	-19.72	Peak	157.00	150	Vertical	Pass
6**	15754.575	45.73	2.45	54.0	-8.27	AV	157.00	150	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2789.900	43.22	-6.97	74.0	-30.78	Peak	131.00	150	Horizontal	Pass
1**	2789.900	34.53	-6.97	54.0	-19.47	AV	131.00	150	Horizontal	Pass
2	3991.250	47.92	-2.81	74.0	-26.08	Peak	3.00	150	Horizontal	Pass
2**	3991.250	39.19	-2.81	54.0	-14.81	AV	3.00	150	Horizontal	Pass
3	5531.000	94.04	1.29	--	56.04	Peak	38.00	150	Horizontal	N/A
3**	5531.000	83.97	1.29	--	83.97	AV	38.00	150	Horizontal	N/A
4	8132.525	50.11	0.14	74.0	-23.89	Peak	345.00	150	Horizontal	Pass
4**	8132.525	41.58	0.14	54.0	-12.42	AV	345.00	150	Horizontal	Pass
5	9330.950	52.70	3.36	74.0	-21.30	Peak	215.00	150	Horizontal	Pass
5**	9330.950	44.94	3.36	54.0	-9.06	AV	215.00	150	Horizontal	Pass
6	15966.412	53.13	2.20	74.0	-20.87	Peak	97.00	150	Horizontal	Pass
6**	15966.412	44.77	2.20	54.0	-9.23	AV	97.00	150	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2339.500	41.24	-9.09	74.0	-32.76	Peak	80.00	150	Vertical	Pass
1**	2339.500	32.85	-9.09	54.0	-21.15	AV	80.00	150	Vertical	Pass
2	4034.500	48.11	-1.87	74.0	-25.89	Peak	315.00	150	Vertical	Pass
2**	4034.500	38.83	-1.87	54.0	-15.17	AV	315.00	150	Vertical	Pass
3	5537.000	94.02	1.07	--	-74.98	Peak	169.00	150	Vertical	N/A
3**	5537.000	84.26	1.07	--	84.26	AV	169.00	150	Vertical	N/A
4	9145.463	53.14	1.73	74.0	-20.86	Peak	176.00	150	Vertical	Pass
4**	9145.463	44.06	1.73	54.0	-9.94	AV	176.00	150	Vertical	Pass
5	11961.975	54.00	3.89	74.0	-20.00	Peak	86.00	150	Vertical	Pass
5**	11961.975	45.21	3.89	54.0	-8.79	AV	86.00	150	Vertical	Pass
6	15800.250	53.08	2.29	74.0	-20.92	Peak	35.00	150	Vertical	Pass
6**	15800.250	43.24	2.29	54.0	-10.76	AV	35.00	150	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2371.500	41.60	-10.22	74.0	-32.40	Peak	104.00	150	Horizontal	Pass
1**	2371.500	32.81	-10.22	54.0	-21.19	AV	104.00	150	Horizontal	Pass
2	3879.750	47.87	-2.47	74.0	-26.13	Peak	91.00	150	Horizontal	Pass
2**	3879.750	39.88	-2.47	54.0	-14.12	AV	91.00	150	Horizontal	Pass
3	5627.000	92.13	0.75	--	57.13	Peak	35.00	150	Horizontal	N/A
3**	5627.000	83.43	0.75	--	83.43	AV	35.00	150	Horizontal	N/A
4	8124.212	50.29	0.19	74.0	-23.71	Peak	66.00	150	Horizontal	Pass
4**	8124.212	42.49	0.19	54.0	-11.51	AV	66.00	150	Horizontal	Pass
5	11047.599	54.23	3.18	74.0	-19.77	Peak	105.00	150	Horizontal	Pass
5**	11047.599	45.21	3.18	54.0	-8.79	AV	105.00	150	Horizontal	Pass
6	15751.687	53.60	2.46	74.0	-20.40	Peak	95.00	150	Horizontal	Pass
6**	15751.687	45.12	2.46	54.0	-8.88	AV	95.00	150	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2830.800	43.55	-6.36	74.0	-30.45	Peak	298.00	150	Vertical	Pass
1**	2830.800	35.12	-6.36	54.0	-18.88	AV	298.00	150	Vertical	Pass
2	4806.000	51.55	1.05	74.0	-22.45	Peak	107.00	150	Vertical	Pass
2**	4806.000	42.59	1.05	54.0	-11.41	AV	107.00	150	Vertical	Pass
3	5587.500	92.20	0.90	--	-110.80	Peak	203.00	150	Vertical	N/A
3**	5587.500	83.14	0.90	--	83.14	AV	203.00	150	Vertical	N/A
4	8269.325	49.75	0.10	74.0	-24.25	Peak	344.00	150	Vertical	Pass
4**	8269.325	41.49	0.10	54.0	-12.51	AV	344.00	150	Vertical	Pass
5	11280.349	53.78	3.39	74.0	-20.22	Peak	335.00	150	Vertical	Pass
5**	11280.349	45.60	3.39	54.0	-8.40	AV	335.00	150	Vertical	Pass
6	15971.401	53.56	2.17	74.0	-20.44	Peak	75.00	150	Vertical	Pass
6**	15971.401	44.40	2.17	54.0	-9.60	AV	75.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2757.200	43.10	-6.73	74.0	-30.90	Peak	82.00	150	Horizontal	Pass
1**	2757.200	33.50	-6.73	54.0	-20.50	AV	82.00	150	Horizontal	Pass
2	4188.000	48.19	-2.10	74.0	-25.81	Peak	315.00	150	Horizontal	Pass
2**	4188.000	39.30	-2.10	54.0	-14.70	AV	315.00	150	Horizontal	Pass
3	5747.000	95.93	1.59	--	65.93	Peak	30.00	150	Horizontal	N/A
3**	5747.000	90.00	1.59	--	90.00	AV	30.00	150	Horizontal	N/A
4	8293.550	50.19	-0.24	74.0	-23.81	Peak	193.00	150	Horizontal	Pass
4**	8293.550	39.93	-0.24	54.0	-14.07	AV	193.00	150	Horizontal	Pass
5	10799.175	53.45	3.42	74.0	-20.55	Peak	174.00	150	Horizontal	Pass
5**	10799.175	44.68	3.42	54.0	-9.32	AV	174.00	150	Horizontal	Pass
6	15507.037	53.39	2.37	74.0	-20.61	Peak	360.00	150	Horizontal	Pass
6**	15507.037	44.89	2.37	54.0	-9.11	AV	360.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4128.500	48.17	-2.37	74.0	-25.83	Peak	87.00	150	Vertical	Pass
1**	4128.500	38.43	-2.37	54.0	-15.57	AV	87.00	150	Vertical	Pass
2	5741.750	96.98	1.44	--	-93.02	Peak	190.00	150	Vertical	N/A
2**	5741.750	89.26	1.44	--	89.26	AV	190.00	150	Vertical	N/A
3	8122.550	50.66	0.19	74.0	-23.34	Peak	76.00	150	Vertical	Pass
3**	8122.550	41.49	0.19	54.0	-12.51	AV	76.00	150	Vertical	Pass
4	9153.299	52.42	1.77	74.0	-21.58	Peak	345.00	150	Vertical	Pass
4**	9153.299	43.06	1.77	54.0	-10.94	AV	345.00	150	Vertical	Pass
5	10701.799	52.96	2.77	74.0	-21.04	Peak	136.00	150	Vertical	Pass
5**	10701.799	46.08	2.77	54.0	-7.92	AV	136.00	150	Vertical	Pass
6	15746.962	53.04	2.43	74.0	-20.96	Peak	360.00	150	Vertical	Pass
6**	15746.962	44.21	2.43	54.0	-9.79	AV	360.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3989.250	48.38	-2.66	74.0	-25.62	Peak	3.00	150	Horizontal	Pass
1**	3989.250	38.78	-2.66	54.0	-15.22	AV	3.00	150	Horizontal	Pass
2	4759.000	51.66	-0.01	74.0	-22.34	Peak	190.00	150	Horizontal	Pass
2**	4759.000	42.45	-0.01	54.0	-11.55	AV	190.00	150	Horizontal	Pass
3	5780.500	96.01	1.40	--	65.01	Peak	31.00	150	Horizontal	N/A
3**	5780.500	88.92	1.40	--	88.92	AV	31.00	150	Horizontal	N/A
4	8320.625	50.82	0.12	74.0	-23.18	Peak	154.00	150	Horizontal	Pass
4**	8320.625	41.53	0.12	54.0	-12.47	AV	154.00	150	Horizontal	Pass
5	10965.188	53.16	2.37	74.0	-20.84	Peak	223.00	150	Horizontal	Pass
5**	10965.188	44.37	2.37	54.0	-9.63	AV	223.00	150	Horizontal	Pass
6	15728.588	53.24	2.20	74.0	-20.76	Peak	127.00	150	Horizontal	Pass
6**	15728.588	43.40	2.20	54.0	-10.60	AV	127.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2278.000	41.62	-10.17	74.0	-32.38	Peak	131.00	150	Vertical	Pass
1**	2278.000	33.28	-10.17	54.0	-20.72	AV	131.00	150	Vertical	Pass
2	4948.250	51.31	1.16	74.0	-22.69	Peak	83.00	150	Vertical	Pass
2**	4948.250	43.43	1.16	54.0	-10.57	AV	83.00	150	Vertical	Pass
3	5781.750	96.63	1.41	--	-84.37	Peak	181.00	150	Vertical	N/A
3**	5781.750	89.49	1.41	--	89.49	AV	181.00	150	Vertical	N/A
4	8299.487	50.49	0.03	74.0	-23.51	Peak	325.00	150	Vertical	Pass
4**	8299.487	41.07	0.03	54.0	-12.93	AV	325.00	150	Vertical	Pass
5	10793.950	53.29	3.23	74.0	-20.71	Peak	106.00	150	Vertical	Pass
5**	10793.950	44.29	3.23	54.0	-9.71	AV	106.00	150	Vertical	Pass
6	15756.937	52.93	2.44	74.0	-21.07	Peak	127.00	150	Vertical	Pass
6**	15756.937	44.29	2.44	54.0	-9.71	AV	127.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2270.800	41.16	-9.40	74.0	-32.84	Peak	289.00	100	Vertical	Pass
1**	2270.800	32.77	-9.40	54.0	-21.23	AV	289.00	100	Vertical	Pass
2	4038.500	48.02	-1.59	74.0	-25.98	Peak	281.00	100	Vertical	Pass
2**	4038.500	39.42	-1.59	54.0	-14.58	AV	281.00	100	Vertical	Pass
3	5823.750	95.63	2.05	--	70.63	Peak	25.00	100	Vertical	N/A
3**	5823.750	90.66	2.05	--	90.66	AV	25.00	100	Vertical	N/A
4	10754.050	52.50	1.84	74.0	-21.50	Peak	335.00	100	Vertical	Pass
4**	10754.050	43.70	1.84	54.0	-10.30	AV	335.00	100	Vertical	Pass
5	11710.701	52.30	2.62	74.0	-21.70	Peak	126.00	100	Vertical	Pass
5**	11710.701	44.96	2.62	54.0	-9.04	AV	126.00	100	Vertical	Pass
6	15952.238	52.74	2.29	74.0	-21.26	Peak	240.00	100	Vertical	Pass
6**	15952.238	44.61	2.29	54.0	-9.39	AV	240.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4046.000	48.18	-1.98	74.0	-25.82	Peak	252.00	150	Vertical	Pass
1**	4046.000	39.91	-1.98	54.0	-14.09	AV	252.00	150	Vertical	Pass
2	4817.250	50.96	0.83	74.0	-23.04	Peak	135.00	150	Vertical	Pass
2**	4817.250	42.71	0.83	54.0	-11.29	AV	135.00	150	Vertical	Pass
3	5827.250	97.03	2.25	--	-92.97	Peak	190.00	150	Vertical	N/A
3**	5827.250	90.76	2.25	--	90.76	AV	190.00	150	Vertical	N/A
4	8166.725	49.79	-0.39	74.0	-24.21	Peak	360.00	150	Vertical	Pass
4**	8166.725	40.88	-0.39	54.0	-13.12	AV	360.00	150	Vertical	Pass
5	10788.487	53.17	3.04	74.0	-20.83	Peak	0.00	150	Vertical	Pass
5**	10788.487	45.83	3.04	54.0	-8.17	AV	0.00	150	Vertical	Pass
6	15967.988	53.50	2.19	74.0	-20.50	Peak	360.00	150	Vertical	Pass
6**	15967.988	44.99	2.19	54.0	-9.01	AV	360.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2835.300	43.38	-6.70	74.0	-30.62	Peak	319.00	150	Horizontal	Pass
1**	2835.300	34.93	-6.70	54.0	-19.07	AV	319.00	150	Horizontal	Pass
2	4206.750	49.53	-0.71	74.0	-24.47	Peak	0.00	150	Horizontal	Pass
2**	4206.750	41.33	-0.71	54.0	-12.67	AV	0.00	150	Horizontal	Pass
3	5749.000	95.55	1.58	--	64.55	Peak	31.00	150	Horizontal	N/A
3**	5749.000	89.21	1.58	--	89.21	AV	31.00	150	Horizontal	N/A
4	8229.425	50.21	-0.29	74.0	-23.79	Peak	275.00	150	Horizontal	Pass
4**	8229.425	40.65	-0.29	54.0	-13.35	AV	275.00	150	Horizontal	Pass
5	11441.613	53.56	2.62	74.0	-20.44	Peak	314.00	150	Horizontal	Pass
5**	11441.613	44.80	2.62	54.0	-9.20	AV	314.00	150	Horizontal	Pass
6	15507.562	53.56	2.37	74.0	-20.44	Peak	127.00	150	Horizontal	Pass
6**	15507.562	44.44	2.37	54.0	-9.56	AV	127.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4141.250	48.43	-2.84	74.0	-25.57	Peak	218.00	150	Vertical	Pass
1**	4141.250	39.66	-2.84	54.0	-14.34	AV	218.00	150	Vertical	Pass
2	4946.000	52.39	1.00	74.0	-21.61	Peak	169.00	150	Vertical	Pass
2**	4946.000	41.93	1.00	54.0	-12.07	AV	169.00	150	Vertical	Pass
3	5743.000	95.82	1.45	--	-115.18	Peak	211.00	150	Vertical	N/A
3**	5743.000	89.61	1.45	--	89.61	AV	211.00	150	Vertical	N/A
4	8163.400	50.52	-0.46	74.0	-23.48	Peak	25.00	150	Vertical	Pass
4**	8163.400	40.55	-0.46	54.0	-13.45	AV	25.00	150	Vertical	Pass
5	10795.612	53.14	3.29	74.0	-20.86	Peak	66.00	150	Vertical	Pass
5**	10795.612	45.81	3.29	54.0	-8.19	AV	66.00	150	Vertical	Pass
6	15512.813	53.48	2.33	74.0	-20.52	Peak	292.00	150	Vertical	Pass
6**	15512.813	43.58	2.33	54.0	-10.42	AV	292.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2829.800	43.51	-6.39	74.0	-30.49	Peak	271.00	150	Horizontal	Pass
1**	2829.800	35.07	-6.39	54.0	-18.93	AV	271.00	150	Horizontal	Pass
2	4058.000	49.25	-2.64	74.0	-24.75	Peak	172.00	150	Horizontal	Pass
2**	4058.000	38.88	-2.64	54.0	-15.12	AV	172.00	150	Horizontal	Pass
3	5785.250	95.02	1.64	--	68.02	Peak	27.00	150	Horizontal	N/A
3**	5785.250	86.24	1.64	--	86.24	AV	27.00	150	Horizontal	N/A
4	8312.550	49.35	0.24	74.0	-24.65	Peak	294.00	150	Horizontal	Pass
4**	8312.550	41.05	0.24	54.0	-12.95	AV	294.00	150	Horizontal	Pass
5	9364.437	52.26	3.23	74.0	-21.74	Peak	86.00	150	Horizontal	Pass
5**	9364.437	44.61	3.23	54.0	-9.39	AV	86.00	150	Horizontal	Pass
6	15773.213	53.23	2.39	74.0	-20.77	Peak	0.00	150	Horizontal	Pass
6**	15773.213	45.60	2.39	54.0	-8.40	AV	0.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.600	36.02	-15.18	74.0	-37.98	Peak	52.00	150	Vertical	Pass
1**	1556.600	27.39	-15.18	54.0	-26.61	AV	52.00	150	Vertical	Pass
2	3965.500	47.83	-3.06	74.0	-26.17	Peak	124.00	150	Vertical	Pass
2**	3965.500	38.63	-3.06	54.0	-15.37	AV	124.00	150	Vertical	Pass
3	5786.750	96.15	1.70	--	-95.85	Peak	192.00	150	Vertical	N/A
3**	5786.750	89.10	1.70	--	89.10	AV	192.00	150	Vertical	N/A
4	8103.550	50.21	-0.11	74.0	-23.79	Peak	145.00	150	Vertical	Pass
4**	8103.550	42.54	-0.11	54.0	-11.46	AV	145.00	150	Vertical	Pass
5	11068.500	53.10	2.45	74.0	-20.90	Peak	235.00	150	Vertical	Pass
5**	11068.500	43.38	2.45	54.0	-10.62	AV	235.00	150	Vertical	Pass
6	15527.250	52.69	2.25	74.0	-21.31	Peak	303.00	150	Vertical	Pass
6**	15527.250	44.09	2.25	54.0	-9.91	AV	303.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4042.500	47.36	-1.76	74.0	-26.64	Peak	361.00	150	Horizontal	Pass
1**	4042.500	39.82	-1.76	54.0	-14.18	AV	361.00	150	Horizontal	Pass
2	5827.500	95.78	2.26	--	62.78	Peak	33.00	150	Horizontal	N/A
2**	5827.500	88.79	2.26	--	88.79	AV	33.00	150	Horizontal	N/A
3	8135.612	51.14	0.15	74.0	-22.86	Peak	56.00	150	Horizontal	Pass
3**	8135.612	41.71	0.15	54.0	-12.29	AV	56.00	150	Horizontal	Pass
4	10786.825	52.64	2.98	74.0	-21.36	Peak	274.00	150	Horizontal	Pass
4**	10786.825	44.86	2.98	54.0	-9.14	AV	274.00	150	Horizontal	Pass
5	11754.637	53.07	3.05	74.0	-20.93	Peak	96.00	150	Horizontal	Pass
5**	11754.637	44.85	3.05	54.0	-9.15	AV	96.00	150	Horizontal	Pass
6	15727.537	53.06	2.19	74.0	-20.94	Peak	0.00	150	Horizontal	Pass
6**	15727.537	45.21	2.19	54.0	-8.79	AV	0.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2270.500	41.65	-9.39	74.0	-32.35	Peak	76.00	150	Vertical	Pass
1**	2270.500	33.34	-9.39	54.0	-20.66	AV	76.00	150	Vertical	Pass
2	4047.500	48.36	-2.15	74.0	-25.64	Peak	141.00	150	Vertical	Pass
2**	4047.500	39.41	-2.15	54.0	-14.59	AV	141.00	150	Vertical	Pass
3	5830.250	96.72	2.41	--	-93.28	Peak	190.00	150	Vertical	N/A
3**	5830.250	90.75	2.41	--	90.75	AV	190.00	150	Vertical	N/A
4	8355.775	49.45	-0.33	74.0	-24.55	Peak	7.00	150	Vertical	Pass
4**	8355.775	40.69	-0.33	54.0	-13.31	AV	7.00	150	Vertical	Pass
5	11057.812	53.32	2.90	74.0	-20.68	Peak	216.00	150	Vertical	Pass
5**	11057.812	44.71	2.90	54.0	-9.29	AV	216.00	150	Vertical	Pass
6	15933.600	53.26	2.16	74.0	-20.74	Peak	303.00	150	Vertical	Pass
6**	15933.600	45.35	2.16	54.0	-8.65	AV	303.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2356.000	41.54	-8.89	74.0	-32.46	Peak	216.00	150	Horizontal	Pass
1**	2356.000	33.34	-8.89	54.0	-20.66	AV	216.00	150	Horizontal	Pass
2	4309.000	49.44	-1.43	74.0	-24.56	Peak	294.00	150	Horizontal	Pass
2**	4309.000	39.10	-1.43	54.0	-14.90	AV	294.00	150	Horizontal	Pass
3	5760.500	92.73	1.28	--	68.73	Peak	24.00	150	Horizontal	N/A
3**	5760.500	85.85	1.28	--	85.85	AV	24.00	150	Horizontal	N/A
4	8147.725	50.15	-0.29	74.0	-23.85	Peak	266.00	150	Horizontal	Pass
4**	8147.725	41.74	-0.29	54.0	-12.26	AV	266.00	150	Horizontal	Pass
5	10787.063	53.23	2.99	74.0	-20.77	Peak	266.00	150	Horizontal	Pass
5**	10787.063	45.02	2.99	54.0	-8.98	AV	266.00	150	Horizontal	Pass
6	15793.424	52.45	2.32	74.0	-21.55	Peak	240.00	150	Horizontal	Pass
6**	15793.424	44.02	2.32	54.0	-9.98	AV	240.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2268.200	40.96	-9.39	74.0	-33.04	Peak	303.00	150	Vertical	Pass
1**	2268.200	33.26	-9.39	54.0	-20.74	AV	303.00	150	Vertical	Pass
2	5030.250	52.17	0.52	74.0	-21.83	Peak	328.00	150	Vertical	Pass
2**	5030.250	41.83	0.52	54.0	-12.17	AV	328.00	150	Vertical	Pass
3	5758.750	93.37	1.30	--	-118.63	Peak	212.00	150	Vertical	N/A
3**	5758.750	86.91	1.30	--	86.91	AV	212.00	150	Vertical	N/A
4	8130.387	50.33	0.31	74.0	-23.67	Peak	336.00	150	Vertical	Pass
4**	8130.387	42.19	0.31	54.0	-11.81	AV	336.00	150	Vertical	Pass
5	11039.050	53.47	2.99	74.0	-20.53	Peak	186.00	150	Vertical	Pass
5**	11039.050	45.01	2.99	54.0	-8.99	AV	186.00	150	Vertical	Pass
6	15938.850	53.05	2.21	74.0	-20.95	Peak	25.00	150	Vertical	Pass
6**	15938.850	44.27	2.21	54.0	-9.73	AV	25.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3754.250	47.77	-2.98	74.0	-26.23	Peak	25.00	150	Horizontal	Pass
1**	3754.250	37.71	-2.98	54.0	-16.29	AV	25.00	150	Horizontal	Pass
2	5811.500	92.37	2.11	--	60.37	Peak	32.00	150	Horizontal	N/A
2**	5811.500	85.76	2.11	--	85.76	AV	32.00	150	Horizontal	N/A
3	8276.450	49.63	-0.13	74.0	-24.37	Peak	197.00	150	Horizontal	Pass
3**	8276.450	40.83	-0.13	54.0	-13.17	AV	197.00	150	Horizontal	Pass
4	10710.825	53.02	2.57	74.0	-20.98	Peak	46.00	150	Horizontal	Pass
4**	10710.825	44.57	2.57	54.0	-9.43	AV	46.00	150	Horizontal	Pass
5	11760.812	53.49	2.97	74.0	-20.51	Peak	67.00	150	Horizontal	Pass
5**	11760.812	44.08	2.97	54.0	-9.92	AV	67.00	150	Horizontal	Pass
6	15938.588	53.20	2.20	74.0	-20.80	Peak	302.00	150	Horizontal	Pass
6**	15938.588	44.50	2.20	54.0	-9.50	AV	302.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3899.000	47.66	-3.00	74.0	-26.34	Peak	161.00	150	Vertical	Pass
1**	3899.000	38.88	-3.00	54.0	-15.12	AV	161.00	150	Vertical	Pass
2	5800.250	93.22	1.69	--	-88.78	Peak	182.00	150	Vertical	N/A
2**	5800.250	86.02	1.69	--	86.02	AV	182.00	150	Vertical	N/A
3	8251.987	49.27	0.07	74.0	-24.73	Peak	135.00	150	Vertical	Pass
3**	8251.987	41.62	0.07	54.0	-12.38	AV	135.00	150	Vertical	Pass
4	10762.599	52.57	2.14	74.0	-21.43	Peak	56.00	150	Vertical	Pass
4**	10762.599	43.97	2.14	54.0	-10.03	AV	56.00	150	Vertical	Pass
5	12230.825	52.36	2.32	74.0	-21.64	Peak	333.00	150	Vertical	Pass
5**	12230.825	44.83	2.32	54.0	-9.17	AV	333.00	150	Vertical	Pass
6	15979.537	52.43	2.12	74.0	-21.57	Peak	189.00	150	Vertical	Pass
6**	15979.537	44.43	2.12	54.0	-9.57	AV	189.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3682.500	47.33	-3.96	74.0	-26.67	Peak	13.00	150	Horizontal	Pass
1**	3682.500	37.48	-3.96	54.0	-16.52	AV	13.00	150	Horizontal	Pass
2	4986.500	51.10	0.95	74.0	-22.90	Peak	130.00	150	Horizontal	Pass
2**	4986.500	42.41	0.95	54.0	-11.59	AV	130.00	150	Horizontal	Pass
3	5749.250	93.92	1.60	--	59.92	Peak	34.00	150	Horizontal	N/A
3**	5749.250	87.64	1.60	--	87.64	AV	34.00	150	Horizontal	N/A
4	8220.162	49.52	-0.52	74.0	-24.48	Peak	324.00	150	Horizontal	Pass
4**	8220.162	40.29	-0.52	54.0	-13.71	AV	324.00	150	Horizontal	Pass
5	10767.588	53.22	2.31	74.0	-20.78	Peak	26.00	150	Horizontal	Pass
5**	10767.588	44.10	2.31	54.0	-9.90	AV	26.00	150	Horizontal	Pass
6	15885.825	53.21	1.72	74.0	-20.79	Peak	0.00	150	Horizontal	Pass
6**	15885.825	43.53	1.72	54.0	-10.47	AV	0.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4840.000	50.68	0.54	74.0	-23.32	Peak	184.00	150	Vertical	Pass
1**	4840.000	42.01	0.54	54.0	-11.99	AV	184.00	150	Vertical	Pass
2	5741.750	94.18	1.44	--	-110.82	Peak	205.00	150	Vertical	N/A
2**	5741.750	88.10	1.44	--	88.10	AV	205.00	150	Vertical	N/A
3	8326.562	49.28	-0.14	74.0	-24.72	Peak	16.00	150	Vertical	Pass
3**	8326.562	40.66	-0.14	54.0	-13.34	AV	16.00	150	Vertical	Pass
4	9095.349	52.04	1.53	74.0	-21.96	Peak	243.00	150	Vertical	Pass
4**	9095.349	43.23	1.53	54.0	-10.77	AV	243.00	150	Vertical	Pass
5	11447.075	53.43	2.77	74.0	-20.57	Peak	273.00	150	Vertical	Pass
5**	11447.075	44.76	2.77	54.0	-9.24	AV	273.00	150	Vertical	Pass
6	15939.900	53.19	2.21	74.0	-20.81	Peak	281.00	150	Vertical	Pass
6**	15939.900	44.38	2.21	54.0	-9.62	AV	281.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2258.400	40.72	-9.70	74.0	-33.28	Peak	55.00	150	Horizontal	Pass
1**	2258.400	34.21	-9.70	54.0	-19.79	AV	55.00	150	Horizontal	Pass
2	3715.000	46.81	-3.93	74.0	-27.19	Peak	203.00	150	Horizontal	Pass
2**	3715.000	37.64	-3.93	54.0	-16.36	AV	203.00	150	Horizontal	Pass
3	4913.750	52.08	0.75	74.0	-21.92	Peak	101.00	150	Horizontal	Pass
3**	4913.750	42.10	0.75	54.0	-11.90	AV	101.00	150	Horizontal	Pass
4	5791.500	93.04	1.78	--	68.04	Peak	25.00	150	Horizontal	N/A
4**	5791.500	87.14	1.78	--	87.14	AV	25.00	150	Horizontal	N/A
5	8247.475	50.18	-0.00	74.0	-23.82	Peak	56.00	150	Horizontal	Pass
5**	8247.475	40.35	-0.00	54.0	-13.65	AV	56.00	150	Horizontal	Pass
6	15750.638	52.86	2.46	74.0	-21.14	Peak	353.00	150	Horizontal	Pass
6**	15750.638	45.33	2.46	54.0	-8.67	AV	353.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2360.400	41.54	-9.16	74.0	-32.46	Peak	338.00	150	Vertical	Pass
1**	2360.400	33.56	-9.16	54.0	-20.44	AV	338.00	150	Vertical	Pass
2	3883.750	47.51	-2.38	74.0	-26.49	Peak	322.00	150	Vertical	Pass
2**	3883.750	39.35	-2.38	54.0	-14.65	AV	322.00	150	Vertical	Pass
3	5781.000	94.49	1.40	--	-68.51	Peak	163.00	150	Vertical	N/A
3**	5781.000	87.87	1.40	--	87.87	AV	163.00	150	Vertical	N/A
4	9015.312	51.81	1.49	74.0	-22.19	Peak	155.00	150	Vertical	Pass
4**	9015.312	42.13	1.49	54.0	-11.87	AV	155.00	150	Vertical	Pass
5	11036.438	52.96	2.93	74.0	-21.04	Peak	145.00	150	Vertical	Pass
5**	11036.438	44.63	2.93	54.0	-9.37	AV	145.00	150	Vertical	Pass
6	15699.713	52.50	1.85	74.0	-21.50	Peak	35.00	150	Vertical	Pass
6**	15699.713	43.89	1.85	54.0	-10.11	AV	35.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2244.700	41.13	-10.37	74.0	-32.87	Peak	236.00	150	Horizontal	Pass
1**	2244.700	31.79	-10.37	54.0	-22.21	AV	236.00	150	Horizontal	Pass
2	4272.250	49.15	-2.22	74.0	-24.85	Peak	190.00	150	Horizontal	Pass
2**	4272.250	39.10	-2.22	54.0	-14.90	AV	190.00	150	Horizontal	Pass
3	5823.250	95.55	2.05	--	65.55	Peak	30.00	150	Horizontal	N/A
3**	5823.250	89.52	2.05	--	89.52	AV	30.00	150	Horizontal	N/A
4	8337.487	49.70	-0.28	74.0	-24.30	Peak	116.00	150	Horizontal	Pass
4**	8337.487	41.24	-0.28	54.0	-12.76	AV	116.00	150	Horizontal	Pass
5	10703.700	53.33	2.73	74.0	-20.67	Peak	360.00	150	Horizontal	Pass
5**	10703.700	45.31	2.73	54.0	-8.69	AV	360.00	150	Horizontal	Pass
6	15766.912	53.25	2.41	74.0	-20.75	Peak	353.00	150	Horizontal	Pass
6**	15766.912	44.46	2.41	54.0	-9.54	AV	353.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2354.300	41.46	-8.80	74.0	-32.54	Peak	0.00	150	Vertical	Pass
1**	2354.300	33.33	-8.80	54.0	-20.67	AV	0.00	150	Vertical	Pass
2	4166.500	48.63	-2.94	74.0	-25.37	Peak	144.00	150	Vertical	Pass
2**	4166.500	38.69	-2.94	54.0	-15.31	AV	144.00	150	Vertical	Pass
3	5829.250	95.47	2.35	--	-89.53	Peak	185.00	150	Vertical	N/A
3**	5829.250	90.30	2.35	--	90.30	AV	185.00	150	Vertical	N/A
4	8170.525	50.26	-0.28	74.0	-23.74	Peak	46.00	150	Vertical	Pass
4**	8170.525	40.95	-0.28	54.0	-13.05	AV	46.00	150	Vertical	Pass
5	10690.638	52.73	2.53	74.0	-21.27	Peak	305.00	150	Vertical	Pass
5**	10690.638	44.77	2.53	54.0	-9.23	AV	305.00	150	Vertical	Pass
6	15972.450	53.50	2.16	74.0	-20.50	Peak	261.00	150	Vertical	Pass
6**	15972.450	43.98	2.16	54.0	-10.02	AV	261.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1694.600	36.45	-15.09	74.0	-37.55	Peak	306.00	150	Horizontal	Pass
1**	1694.600	28.00	-15.09	54.0	-26.00	AV	306.00	150	Horizontal	Pass
2	4983.250	51.82	1.05	74.0	-22.18	Peak	103.00	150	Horizontal	Pass
2**	4983.250	41.89	1.05	54.0	-12.11	AV	103.00	150	Horizontal	Pass
3	5758.000	91.46	1.33	--	57.46	Peak	34.00	150	Horizontal	N/A
3**	5758.000	83.80	1.33	--	83.80	AV	34.00	150	Horizontal	N/A
4	8393.537	50.11	-0.28	74.0	-23.89	Peak	25.00	150	Horizontal	Pass
4**	8393.537	40.66	-0.28	54.0	-13.34	AV	25.00	150	Horizontal	Pass
5	10776.849	52.81	2.63	74.0	-21.19	Peak	84.00	150	Horizontal	Pass
5**	10776.849	46.23	2.63	54.0	-7.77	AV	84.00	150	Horizontal	Pass
6	15775.575	53.19	2.38	74.0	-20.81	Peak	37.00	150	Horizontal	Pass
6**	15775.575	44.79	2.38	54.0	-9.21	AV	37.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2745.000	43.17	-6.97	74.0	-30.83	Peak	124.00	150	Vertical	Pass
1**	2745.000	34.26	-6.97	54.0	-19.74	AV	124.00	150	Vertical	Pass
2	3875.250	48.42	-2.90	74.0	-25.58	Peak	151.00	150	Vertical	Pass
2**	3875.250	37.80	-2.90	54.0	-16.20	AV	151.00	150	Vertical	Pass
3	5759.250	90.97	1.30	--	-101.03	Peak	192.00	150	Vertical	N/A
3**	5759.250	85.27	1.30	--	85.27	AV	192.00	150	Vertical	N/A
4	8120.175	49.97	0.14	74.0	-24.03	Peak	17.00	150	Vertical	Pass
4**	8120.175	42.06	0.14	54.0	-11.94	AV	17.00	150	Vertical	Pass
5	10964.950	52.94	2.37	74.0	-21.06	Peak	0.00	150	Vertical	Pass
5**	10964.950	44.35	2.37	54.0	-9.65	AV	0.00	150	Vertical	Pass
6	15496.800	53.13	2.39	74.0	-20.87	Peak	65.00	150	Vertical	Pass
6**	15496.800	44.30	2.39	54.0	-9.70	AV	65.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2834.600	43.17	-6.66	74.0	-30.83	Peak	195.00	150	Horizontal	Pass
1**	2834.600	34.57	-6.66	54.0	-19.43	AV	195.00	150	Horizontal	Pass
2	5083.000	52.14	0.66	74.0	-21.86	Peak	287.00	150	Horizontal	Pass
2**	5083.000	42.68	0.66	54.0	-11.32	AV	287.00	150	Horizontal	Pass
3	5785.500	90.49	1.65	--	58.49	Peak	32.00	150	Horizontal	N/A
3**	5785.500	84.12	1.65	--	84.12	AV	32.00	150	Horizontal	N/A
4	8331.313	49.91	-0.25	74.0	-24.09	Peak	325.00	150	Horizontal	Pass
4**	8331.313	42.41	-0.25	54.0	-11.59	AV	325.00	150	Horizontal	Pass
5	9146.651	52.01	1.73	74.0	-21.99	Peak	66.00	150	Horizontal	Pass
5**	9146.651	43.11	1.73	54.0	-10.89	AV	66.00	150	Horizontal	Pass
6	15760.349	53.42	2.43	74.0	-20.58	Peak	16.00	150	Horizontal	Pass
6**	15760.349	44.94	2.43	54.0	-9.06	AV	16.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4036.500	48.36	-1.65	74.0	-25.64	Peak	171.00	150	Vertical	Pass
1**	4036.500	39.04	-1.65	54.0	-14.96	AV	171.00	150	Vertical	Pass
2	4770.000	51.21	0.77	74.0	-22.79	Peak	199.00	150	Vertical	Pass
2**	4770.000	41.98	0.77	54.0	-12.02	AV	199.00	150	Vertical	Pass
3	5798.250	91.97	1.72	--	-128.03	Peak	220.00	150	Vertical	N/A
3**	5798.250	84.99	1.72	--	84.99	AV	220.00	150	Vertical	N/A
4	8321.812	49.89	0.09	74.0	-24.11	Peak	265.00	150	Vertical	Pass
4**	8321.812	41.51	0.09	54.0	-12.49	AV	265.00	150	Vertical	Pass
5	10934.787	52.99	2.10	74.0	-21.01	Peak	125.00	150	Vertical	Pass
5**	10934.787	44.35	2.10	54.0	-9.65	AV	125.00	150	Vertical	Pass
6	15758.513	53.04	2.44	74.0	-20.96	Peak	353.00	150	Vertical	Pass
6**	15758.513	45.56	2.44	54.0	-8.44	AV	353.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3753.750	47.26	-2.89	74.0	-26.74	Peak	27.00	150	Horizontal	Pass
1**	3753.750	37.90	-2.89	54.0	-16.10	AV	27.00	150	Horizontal	Pass
2	4789.250	50.98	0.78	74.0	-23.02	Peak	12.00	150	Horizontal	Pass
2**	4789.250	41.84	0.78	54.0	-12.16	AV	12.00	150	Horizontal	Pass
3	5792.250	88.02	1.82	--	54.02	Peak	34.00	150	Horizontal	N/A
3**	5792.250	80.43	1.82	--	80.43	AV	34.00	150	Horizontal	N/A
4	8322.050	50.62	0.07	74.0	-23.38	Peak	46.00	150	Horizontal	Pass
4**	8322.050	42.35	0.07	54.0	-11.65	AV	46.00	150	Horizontal	Pass
5	10744.787	52.54	1.81	74.0	-21.46	Peak	16.00	150	Horizontal	Pass
5**	10744.787	43.73	1.81	54.0	-10.27	AV	16.00	150	Horizontal	Pass
6	15809.175	52.49	2.13	74.0	-21.51	Peak	344.00	150	Horizontal	Pass
6**	15809.175	44.61	2.13	54.0	-9.39	AV	344.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3678.500	47.48	-3.99	74.0	-26.52	Peak	295.00	150	Vertical	Pass
1**	3678.500	37.02	-3.99	54.0	-16.98	AV	295.00	150	Vertical	Pass
2	4873.000	51.96	0.69	74.0	-22.04	Peak	60.00	150	Vertical	Pass
2**	4873.000	42.21	0.69	54.0	-11.79	AV	60.00	150	Vertical	Pass
3	5752.500	89.64	1.54	--	-101.36	Peak	191.00	150	Vertical	N/A
3**	5752.500	81.30	1.54	--	81.30	AV	191.00	150	Vertical	N/A
4	8224.912	50.85	-0.37	74.0	-23.15	Peak	315.00	150	Vertical	Pass
4**	8224.912	41.14	-0.37	54.0	-12.86	AV	315.00	150	Vertical	Pass
5	11053.062	53.12	3.10	74.0	-20.88	Peak	156.00	150	Vertical	Pass
5**	11053.062	45.35	3.10	54.0	-8.65	AV	156.00	150	Vertical	Pass
6	15963.787	52.78	2.22	74.0	-21.22	Peak	149.00	150	Vertical	Pass
6**	15963.787	44.67	2.22	54.0	-9.33	AV	149.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3999.750	47.99	-2.85	74.0	-26.01	Peak	219.00	150	Horizontal	Pass
1**	3999.750	38.82	-2.85	54.0	-15.18	AV	219.00	150	Horizontal	Pass
2	4769.500	51.29	0.72	74.0	-22.71	Peak	116.00	150	Horizontal	Pass
2**	4769.500	43.46	0.72	54.0	-10.54	AV	116.00	150	Horizontal	Pass
3	5748.000	97.73	1.54	--	64.73	Peak	33.00	150	Horizontal	N/A
3**	5748.000	86.99	1.54	--	86.99	AV	33.00	150	Horizontal	N/A
4	8220.162	50.54	-0.52	74.0	-23.46	Peak	46.00	150	Horizontal	Pass
4**	8220.162	41.38	-0.52	54.0	-12.62	AV	46.00	150	Horizontal	Pass
5	10966.612	52.20	2.36	74.0	-21.80	Peak	7.00	150	Horizontal	Pass
5**	10966.612	44.88	2.36	54.0	-9.12	AV	7.00	150	Horizontal	Pass
6	15646.162	53.24	1.47	74.0	-20.76	Peak	126.00	150	Horizontal	Pass
6**	15646.162	44.52	1.47	54.0	-9.48	AV	126.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2358.500	42.26	-8.96	74.0	-31.74	Peak	294.00	150	Vertical	Pass
1**	2358.500	33.12	-8.96	54.0	-20.88	AV	294.00	150	Vertical	Pass
2	4790.000	50.71	0.77	74.0	-23.29	Peak	162.00	150	Vertical	Pass
2**	4790.000	41.71	0.77	54.0	-12.29	AV	162.00	150	Vertical	Pass
3	5742.500	97.08	1.45	--	-112.92	Peak	210.00	150	Vertical	N/A
3**	5742.500	87.71	1.45	--	87.71	AV	210.00	150	Vertical	N/A
4	8195.225	49.77	-0.13	74.0	-24.23	Peak	256.00	150	Vertical	Pass
4**	8195.225	41.51	-0.13	54.0	-12.49	AV	256.00	150	Vertical	Pass
5	10793.238	52.88	3.21	74.0	-21.12	Peak	66.00	150	Vertical	Pass
5**	10793.238	45.03	3.21	54.0	-8.97	AV	66.00	150	Vertical	Pass
6	15733.313	52.56	2.26	74.0	-21.44	Peak	43.00	150	Vertical	Pass
6**	15733.313	44.65	2.26	54.0	-9.35	AV	43.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2739.500	43.07	-7.46	74.0	-30.93	Peak	313.00	150	Horizontal	Pass
1**	2739.500	34.01	-7.46	54.0	-19.99	AV	313.00	150	Horizontal	Pass
2	4053.250	48.31	-2.58	74.0	-25.69	Peak	287.00	150	Horizontal	Pass
2**	4053.250	39.61	-2.58	54.0	-14.39	AV	287.00	150	Horizontal	Pass
3	5788.250	96.30	1.62	--	65.30	Peak	31.00	150	Horizontal	N/A
3**	5788.250	87.31	1.62	--	87.31	AV	31.00	150	Horizontal	N/A
4	8138.225	49.81	-0.13	74.0	-24.19	Peak	296.00	150	Horizontal	Pass
4**	8138.225	41.13	-0.13	54.0	-12.87	AV	296.00	150	Horizontal	Pass
5	11053.062	52.74	3.10	74.0	-21.26	Peak	275.00	150	Horizontal	Pass
5**	11053.062	44.55	3.10	54.0	-9.45	AV	275.00	150	Horizontal	Pass
6	15789.225	52.53	2.33	74.0	-21.47	Peak	322.00	150	Horizontal	Pass
6**	15789.225	45.07	2.33	54.0	-8.93	AV	322.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2252.200	41.59	-9.91	74.0	-32.41	Peak	301.00	150	Vertical	Pass
1**	2252.200	32.48	-9.91	54.0	-21.52	AV	301.00	150	Vertical	Pass
2	4777.250	52.11	1.14	74.0	-21.89	Peak	149.00	150	Vertical	Pass
2**	4777.250	41.66	1.14	54.0	-12.34	AV	149.00	150	Vertical	Pass
3	5787.000	97.86	1.68	--	-86.14	Peak	184.00	150	Vertical	N/A
3**	5787.000	87.99	1.68	--	87.99	AV	184.00	150	Vertical	N/A
4	8392.825	49.77	-0.31	74.0	-24.23	Peak	115.00	150	Vertical	Pass
4**	8392.825	40.73	-0.31	54.0	-13.27	AV	115.00	150	Vertical	Pass
5	10791.576	52.93	3.15	74.0	-21.07	Peak	344.00	150	Vertical	Pass
5**	10791.576	45.05	3.15	54.0	-8.95	AV	344.00	150	Vertical	Pass
6	15969.825	53.20	2.18	74.0	-20.80	Peak	241.00	150	Vertical	Pass
6**	15969.825	44.16	2.18	54.0	-9.84	AV	241.00	150	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2290.700	41.97	-10.24	74.0	-32.03	Peak	266.00	150	Horizontal	Pass
1**	2290.700	32.21	-10.24	54.0	-21.79	AV	266.00	150	Horizontal	Pass
2	4061.000	48.14	-2.74	74.0	-25.86	Peak	240.00	150	Horizontal	Pass
2**	4061.000	38.56	-2.74	54.0	-15.44	AV	240.00	150	Horizontal	Pass
3	5830.250	98.43	2.41	--	72.43	Peak	26.00	150	Horizontal	N/A
3**	5830.250	87.51	2.41	--	87.51	AV	26.00	150	Horizontal	N/A
4	8265.050	48.90	0.05	74.0	-25.10	Peak	355.00	150	Horizontal	Pass
4**	8265.050	41.10	0.05	54.0	-12.90	AV	355.00	150	Horizontal	Pass
5	10920.537	52.85	1.76	74.0	-21.15	Peak	205.00	150	Horizontal	Pass
5**	10920.537	43.54	1.76	54.0	-10.46	AV	205.00	150	Horizontal	Pass
6	15770.849	53.50	2.39	74.0	-20.50	Peak	0.00	150	Horizontal	Pass
6**	15770.849	44.45	2.39	54.0	-9.55	AV	0.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2793.000	43.10	-6.86	74.0	-30.90	Peak	8.00	150	Vertical	Pass
1**	2793.000	34.48	-6.86	54.0	-19.52	AV	8.00	150	Vertical	Pass
2	4368.250	48.79	-1.38	74.0	-25.21	Peak	74.00	150	Vertical	Pass
2**	4368.250	39.23	-1.38	54.0	-14.77	AV	74.00	150	Vertical	Pass
3	5820.000	98.45	2.05	--	-106.55	Peak	205.00	150	Vertical	N/A
3**	5820.000	88.99	2.05	--	88.99	AV	205.00	150	Vertical	N/A
4	8252.463	49.79	0.08	74.0	-24.21	Peak	156.00	150	Vertical	Pass
4**	8252.463	40.92	0.08	54.0	-13.08	AV	156.00	150	Vertical	Pass
5	10708.924	52.63	2.61	74.0	-21.37	Peak	346.00	150	Vertical	Pass
5**	10708.924	44.45	2.61	54.0	-9.55	AV	346.00	150	Vertical	Pass
6	15980.588	53.18	2.11	74.0	-20.82	Peak	45.00	150	Vertical	Pass
6**	15980.588	44.22	2.11	54.0	-9.78	AV	45.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2752.600	43.07	-6.49	74.0	-30.93	Peak	37.00	150	Horizontal	Pass
1**	2752.600	34.65	-6.49	54.0	-19.35	AV	37.00	150	Horizontal	Pass
2	4219.000	48.64	-1.44	74.0	-25.36	Peak	0.00	150	Horizontal	Pass
2**	4219.000	38.21	-1.44	54.0	-15.79	AV	0.00	150	Horizontal	Pass
3	5762.500	90.91	1.16	--	85.91	Peak	5.00	150	Horizontal	N/A
3**	5762.500	82.92	1.16	--	82.92	AV	5.00	150	Horizontal	N/A
4	8356.250	49.41	-0.33	74.0	-24.59	Peak	360.00	150	Horizontal	Pass
4**	8356.250	41.66	-0.33	54.0	-12.34	AV	360.00	150	Horizontal	Pass
5	10778.276	52.87	2.68	74.0	-21.13	Peak	225.00	150	Horizontal	Pass
5**	10778.276	44.74	2.68	54.0	-9.26	AV	225.00	150	Horizontal	Pass
6	15956.175	53.32	2.27	74.0	-20.68	Peak	15.00	150	Horizontal	Pass
6**	15956.175	44.42	2.27	54.0	-9.58	AV	15.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2268.800	41.28	-9.37	74.0	-32.72	Peak	66.00	150	Vertical	Pass
1**	2268.800	33.29	-9.37	54.0	-20.71	AV	66.00	150	Vertical	Pass
2	4107.250	48.16	-2.54	74.0	-25.84	Peak	0.00	150	Vertical	Pass
2**	4107.250	38.42	-2.54	54.0	-15.58	AV	0.00	150	Vertical	Pass
3	5753.500	93.44	1.50	--	-97.56	Peak	191.00	150	Vertical	N/A
3**	5753.500	83.67	1.50	--	83.67	AV	191.00	150	Vertical	N/A
4	8264.100	50.06	0.17	74.0	-23.94	Peak	227.00	150	Vertical	Pass
4**	8264.100	40.93	0.17	54.0	-13.07	AV	227.00	150	Vertical	Pass
5	9386.526	52.78	3.06	74.0	-21.22	Peak	137.00	150	Vertical	Pass
5**	9386.526	43.53	3.06	54.0	-10.47	AV	137.00	150	Vertical	Pass
6	15954.862	53.36	2.28	74.0	-20.64	Peak	200.00	150	Vertical	Pass
6**	15954.862	44.16	2.28	54.0	-9.84	AV	200.00	150	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3767.750	47.35	-3.46	74.0	-26.65	Peak	100.00	150	Horizontal	Pass
1**	3767.750	39.10	-3.46	54.0	-14.90	AV	100.00	150	Horizontal	Pass
2	5049.250	51.97	0.43	74.0	-22.03	Peak	114.00	150	Horizontal	Pass
2**	5049.250	42.56	0.43	54.0	-11.44	AV	114.00	150	Horizontal	Pass
3	5800.250	95.78	1.69	--	63.78	Peak	32.00	150	Horizontal	N/A
3**	5800.250	86.35	1.69	--	86.35	AV	32.00	150	Horizontal	N/A
4	8183.350	49.86	-0.26	74.0	-24.14	Peak	345.00	150	Horizontal	Pass
4**	8183.350	40.62	-0.26	54.0	-13.38	AV	345.00	150	Horizontal	Pass
5	10749.537	52.91	1.70	74.0	-21.09	Peak	274.00	150	Horizontal	Pass
5**	10749.537	44.90	1.70	54.0	-9.10	AV	274.00	150	Horizontal	Pass
6	15759.825	52.66	2.43	74.0	-21.34	Peak	65.00	150	Horizontal	Pass
6**	15759.825	45.40	2.43	54.0	-8.60	AV	65.00	150	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3890.500	48.09	-2.64	74.0	-25.91	Peak	295.00	150	Vertical	Pass
1**	3890.500	37.89	-2.64	54.0	-16.11	AV	295.00	150	Vertical	Pass
2	4653.000	50.03	-0.66	74.0	-23.97	Peak	39.00	150	Vertical	Pass
2**	4653.000	40.89	-0.66	54.0	-13.11	AV	39.00	150	Vertical	Pass
3	5800.000	96.58	1.70	--	-94.42	Peak	191.00	150	Vertical	N/A
3**	5800.000	86.01	1.70	--	86.01	AV	191.00	150	Vertical	N/A
4	8347.937	49.83	-0.17	74.0	-24.17	Peak	67.00	150	Vertical	Pass
4**	8347.937	41.36	-0.17	54.0	-12.64	AV	67.00	150	Vertical	Pass
5	10778.988	52.95	2.71	74.0	-21.05	Peak	0.00	150	Vertical	Pass
5**	10778.988	44.93	2.71	54.0	-9.07	AV	0.00	150	Vertical	Pass
6	15743.813	52.99	2.39	74.0	-21.01	Peak	0.00	150	Vertical	Pass
6**	15743.813	44.70	2.39	54.0	-9.30	AV	0.00	150	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4042.500	48.84	-1.76	74.0	-25.16	Peak	301.00	150	Horizontal	Pass
1**	4042.500	39.04	-1.76	54.0	-14.96	AV	301.00	150	Horizontal	Pass
2	4659.500	50.37	-0.69	74.0	-23.63	Peak	294.00	150	Horizontal	Pass
2**	4659.500	40.84	-0.69	54.0	-13.16	AV	294.00	150	Horizontal	Pass
3	5784.750	89.79	1.60	--	58.79	Peak	31.00	150	Horizontal	N/A
3**	5784.750	80.72	1.60	--	80.72	AV	31.00	150	Horizontal	N/A
4	8058.425	49.84	0.16	74.0	-24.16	Peak	0.00	150	Horizontal	Pass
4**	8058.425	40.93	0.16	54.0	-13.07	AV	0.00	150	Horizontal	Pass
5	10793.950	53.35	3.23	74.0	-20.65	Peak	0.00	150	Horizontal	Pass
5**	10793.950	45.12	3.23	54.0	-8.88	AV	0.00	150	Horizontal	Pass
6	15748.275	52.89	2.44	74.0	-21.11	Peak	55.00	150	Horizontal	Pass
6**	15748.275	44.30	2.44	54.0	-9.70	AV	55.00	150	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3939.000	47.78	-2.58	74.0	-26.22	Peak	198.00	150	Vertical	Pass
1**	3939.000	37.85	-2.58	54.0	-16.15	AV	198.00	150	Vertical	Pass
2	4668.500	50.91	-0.58	74.0	-23.09	Peak	274.00	150	Vertical	Pass
2**	4668.500	41.06	-0.58	54.0	-12.94	AV	274.00	150	Vertical	Pass
3	5770.750	91.13	1.18	--	-92.87	Peak	184.00	150	Vertical	N/A
3**	5770.750	82.22	1.18	--	82.22	AV	184.00	150	Vertical	N/A
4	8127.775	49.70	0.31	74.0	-24.30	Peak	266.00	150	Vertical	Pass
4**	8127.775	41.75	0.31	54.0	-12.25	AV	266.00	150	Vertical	Pass
5	10945.237	53.20	2.35	74.0	-20.80	Peak	296.00	150	Vertical	Pass
5**	10945.237	44.00	2.35	54.0	-10.00	AV	296.00	150	Vertical	Pass
6	15954.600	53.37	2.28	74.0	-20.63	Peak	313.00	150	Vertical	Pass
6**	15954.600	43.99	2.28	54.0	-10.01	AV	313.00	150	Vertical	Pass

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3874.000	47.61	-3.05	74.0	-26.39	Peak	82.00	150	Horizontal	Pass
1**	3874.000	38.27	-3.05	54.0	-15.73	AV	82.00	150	Horizontal	Pass
2	4647.000	50.68	-0.82	74.0	-23.32	Peak	61.00	150	Horizontal	Pass
2**	4647.000	41.67	-0.82	54.0	-12.33	AV	61.00	150	Horizontal	Pass
3	5179.250	101.27	0.57	--	-22.73	Peak	124.00	150	Horizontal	N/A
3**	5179.250	93.39	0.57	--	93.39	AV	124.00	150	Horizontal	N/A
4	9318.600	53.05	3.37	74.0	-20.95	Peak	189.00	150	Horizontal	Pass
4**	9318.600	44.14	3.37	54.0	-9.86	AV	189.00	150	Horizontal	Pass
5	11299.826	54.23	3.63	74.0	-19.77	Peak	342.00	150	Horizontal	Pass
5**	11299.826	46.55	3.63	54.0	-7.45	AV	342.00	150	Horizontal	Pass
6	15508.875	53.41	2.36	74.0	-20.59	Peak	166.00	150	Horizontal	Pass
6**	15508.875	43.48	2.36	54.0	-10.52	AV	166.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4205.750	48.81	-0.78	74.0	-25.19	Peak	116.00	150	Vertical	Pass
1**	4205.750	39.27	-0.78	54.0	-14.73	AV	116.00	150	Vertical	Pass
2	4762.750	50.85	0.13	74.0	-23.15	Peak	11.00	150	Vertical	Pass
2**	4762.750	41.43	0.13	54.0	-12.57	AV	11.00	150	Vertical	Pass
3	5175.750	100.58	0.66	--	-51.42	Peak	152.00	150	Vertical	N/A
3**	5175.750	94.03	0.66	--	94.03	AV	152.00	150	Vertical	N/A
4	8366.224	50.37	-0.34	74.0	-23.63	Peak	320.00	150	Vertical	Pass
4**	8366.224	41.01	-0.34	54.0	-12.99	AV	320.00	150	Vertical	Pass
5	11308.375	53.95	3.39	74.0	-20.05	Peak	58.00	150	Vertical	Pass
5**	11308.375	44.45	3.39	54.0	-9.55	AV	58.00	150	Vertical	Pass
6	15718.088	52.06	2.07	74.0	-21.94	Peak	228.00	150	Vertical	Pass
6**	15718.088	44.11	2.07	54.0	-9.89	AV	228.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4209.500	48.74	-0.54	74.0	-25.26	Peak	5.00	150	Horizontal	Pass
1**	4209.500	38.95	-0.54	54.0	-15.05	AV	5.00	150	Horizontal	Pass
2	4885.750	52.28	0.52	74.0	-21.72	Peak	5.00	150	Horizontal	Pass
2**	4885.750	41.58	0.52	54.0	-12.42	AV	5.00	150	Horizontal	Pass
3	5216.500	101.21	0.54	--	-51.79	Peak	153.00	150	Horizontal	N/A
3**	5216.500	92.96	0.54	--	92.96	AV	153.00	150	Horizontal	N/A
4	9093.213	51.50	1.49	74.0	-22.50	Peak	198.00	150	Horizontal	Pass
4**	9093.213	42.16	1.49	54.0	-11.84	AV	198.00	150	Horizontal	Pass
5	11264.912	53.57	3.20	74.0	-20.43	Peak	77.00	150	Horizontal	Pass
5**	11264.912	44.80	3.20	54.0	-9.20	AV	77.00	150	Horizontal	Pass
6	15956.175	53.43	2.27	74.0	-20.57	Peak	123.00	150	Horizontal	Pass
6**	15956.175	44.16	2.27	54.0	-9.84	AV	123.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4237.000	48.48	-1.55	74.0	-25.52	Peak	125.00	150	Vertical	Pass
1**	4237.000	40.40	-1.55	54.0	-13.60	AV	125.00	150	Vertical	Pass
2	4986.250	52.30	0.95	74.0	-21.70	Peak	217.00	150	Vertical	Pass
2**	4986.250	42.40	0.95	54.0	-11.60	AV	217.00	150	Vertical	Pass
3	5223.000	99.22	0.47	--	38.22	Peak	61.00	150	Vertical	N/A
3**	5223.000	93.39	0.47	--	93.39	AV	61.00	150	Vertical	N/A
4	9404.575	52.37	2.96	74.0	-21.63	Peak	290.00	150	Vertical	Pass
4**	9404.575	44.02	2.96	54.0	-9.98	AV	290.00	150	Vertical	Pass
5	11307.187	53.85	3.43	74.0	-20.15	Peak	189.00	150	Vertical	Pass
5**	11307.187	45.64	3.43	54.0	-8.36	AV	189.00	150	Vertical	Pass
6	15958.275	53.38	2.26	74.0	-20.62	Peak	27.00	150	Vertical	Pass
6**	15958.275	44.32	2.26	54.0	-9.68	AV	27.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4200.750	48.73	-1.45	74.0	-25.27	Peak	55.00	150	Horizontal	Pass
1**	4200.750	39.66	-1.45	54.0	-14.34	AV	55.00	150	Horizontal	Pass
2	5071.250	51.90	0.88	74.0	-22.10	Peak	0.00	150	Horizontal	Pass
2**	5071.250	42.42	0.88	54.0	-11.58	AV	0.00	150	Horizontal	Pass
3	5236.250	99.84	0.48	--	-45.16	Peak	145.00	150	Horizontal	N/A
3**	5236.250	93.71	0.48	--	93.71	AV	145.00	150	Horizontal	N/A
4	9356.599	53.14	3.29	74.0	-20.86	Peak	77.00	150	Horizontal	Pass
4**	9356.599	44.28	3.29	54.0	-9.72	AV	77.00	150	Horizontal	Pass
5	11279.162	53.64	3.38	74.0	-20.36	Peak	168.00	150	Horizontal	Pass
5**	11279.162	44.48	3.38	54.0	-9.52	AV	168.00	150	Horizontal	Pass
6	15773.737	53.11	2.38	74.0	-20.89	Peak	82.00	150	Horizontal	Pass
6**	15773.737	44.72	2.38	54.0	-9.28	AV	82.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4047.000	48.12	-2.09	74.0	-25.88	Peak	230.00	150	Vertical	Pass
1**	4047.000	38.86	-2.09	54.0	-15.14	AV	230.00	150	Vertical	Pass
2	4884.250	51.30	0.57	74.0	-22.70	Peak	188.00	150	Vertical	Pass
2**	4884.250	41.34	0.57	54.0	-12.66	AV	188.00	150	Vertical	Pass
3	5237.750	99.64	0.42	--	-81.36	Peak	181.00	150	Vertical	Pass
3**	5237.750	92.65	0.42	--	92.65	AV	181.00	150	Vertical	N/A
4	8236.075	49.29	-0.15	74.0	-24.71	Peak	218.00	150	Vertical	N/A
4**	8236.075	40.37	-0.15	54.0	-13.63	AV	218.00	150	Vertical	Pass
5	11985.963	54.02	3.88	74.0	-19.98	Peak	178.00	150	Vertical	Pass
5**	11985.963	45.14	3.88	54.0	-8.86	AV	178.00	150	Vertical	Pass
6	15751.950	53.39	2.46	74.0	-20.61	Peak	0.00	150	Vertical	Pass
6**	15751.950	44.33	2.46	54.0	-9.67	AV	0.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2834.600	43.37	-6.66	74.0	-30.63	Peak	243.00	150	Horizontal	Pass
1**	2834.600	34.42	-6.66	54.0	-19.58	AV	243.00	150	Horizontal	Pass
2	4057.500	48.13	-2.65	74.0	-25.87	Peak	47.00	150	Horizontal	Pass
2**	4057.500	39.83	-2.65	54.0	-14.17	AV	47.00	150	Horizontal	Pass
3	5181.500	100.65	0.43	--	-31.35	Peak	132.00	150	Horizontal	N/A
3**	5181.500	94.54	0.43	--	94.54	AV	132.00	150	Horizontal	N/A
4	8383.800	49.59	-0.31	74.0	-24.41	Peak	26.00	150	Horizontal	Pass
4**	8383.800	41.66	-0.31	54.0	-12.34	AV	26.00	150	Horizontal	Pass
5	11306.713	53.86	3.44	74.0	-20.14	Peak	188.00	150	Horizontal	Pass
5**	11306.713	45.90	3.44	54.0	-8.10	AV	188.00	150	Horizontal	Pass
6	15948.826	52.93	2.30	74.0	-21.07	Peak	207.00	150	Horizontal	Pass
6**	15948.826	45.18	2.30	54.0	-8.82	AV	207.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3958.500	47.92	-3.06	74.0	-26.08	Peak	160.00	150	Vertical	Pass
1**	3958.500	38.32	-3.06	54.0	-15.68	AV	160.00	150	Vertical	Pass
2	4983.250	51.81	1.05	74.0	-22.19	Peak	231.00	150	Vertical	Pass
2**	4983.250	42.48	1.05	54.0	-11.52	AV	231.00	150	Vertical	Pass
3	5178.500	100.10	0.62	--	-199.90	Peak	300.00	150	Vertical	N/A
3**	5178.500	93.46	0.62	--	93.46	AV	300.00	150	Vertical	N/A
4	9379.637	52.69	3.11	74.0	-21.31	Peak	309.00	150	Vertical	Pass
4**	9379.637	44.37	3.11	54.0	-9.63	AV	309.00	150	Vertical	Pass
5	11200.550	54.29	3.48	74.0	-19.71	Peak	96.00	150	Vertical	Pass
5**	11200.550	45.25	3.48	54.0	-8.75	AV	96.00	150	Vertical	Pass
6	15520.425	52.35	2.29	74.0	-21.65	Peak	227.00	150	Vertical	Pass
6**	15520.425	42.86	2.29	54.0	-11.14	AV	227.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3984.750	47.73	-2.68	74.0	-26.27	Peak	47.00	150	Horizontal	Pass
1**	3984.750	38.56	-2.68	54.0	-15.44	AV	47.00	150	Horizontal	Pass
2	5079.250	51.90	0.87	74.0	-22.10	Peak	209.00	150	Horizontal	Pass
2**	5079.250	42.26	0.87	54.0	-11.74	AV	209.00	150	Horizontal	Pass
3	5221.250	99.98	0.52	--	-45.02	Peak	145.00	150	Horizontal	N/A
3**	5221.250	93.76	0.52	--	93.76	AV	145.00	150	Horizontal	N/A
4	9320.263	52.55	3.37	74.0	-21.45	Peak	139.00	150	Horizontal	Pass
4**	9320.263	43.62	3.37	54.0	-10.38	AV	139.00	150	Horizontal	Pass
5	11986.201	53.67	3.88	74.0	-20.33	Peak	37.00	150	Horizontal	Pass
5**	11986.201	45.29	3.88	54.0	-8.71	AV	37.00	150	Horizontal	Pass
6	15760.874	52.74	2.43	74.0	-21.26	Peak	228.00	150	Horizontal	Pass
6**	15760.874	44.86	2.43	54.0	-9.14	AV	228.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4310.500	48.93	-1.49	74.0	-25.07	Peak	60.00	150	Vertical	Pass
1**	4310.500	39.93	-1.49	54.0	-14.07	AV	60.00	150	Vertical	Pass
2	4777.750	51.21	1.11	74.0	-22.79	Peak	110.00	150	Vertical	Pass
2**	4777.750	42.01	1.11	54.0	-11.99	AV	110.00	150	Vertical	Pass
3	5215.000	99.99	0.61	--	-94.01	Peak	194.00	150	Vertical	N/A
3**	5215.000	91.89	0.61	--	91.89	AV	194.00	150	Vertical	N/A
4	9115.062	51.56	1.66	74.0	-22.44	Peak	340.00	150	Vertical	Pass
4**	9115.062	42.28	1.66	54.0	-11.72	AV	340.00	150	Vertical	Pass
5	11291.275	54.12	3.53	74.0	-19.88	Peak	128.00	150	Vertical	Pass
5**	11291.275	45.65	3.53	54.0	-8.35	AV	128.00	150	Vertical	Pass
6	15755.099	52.21	2.45	74.0	-21.79	Peak	237.00	150	Vertical	Pass
6**	15755.099	44.35	2.45	54.0	-9.65	AV	237.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4137.500	48.73	-2.56	74.0	-25.27	Peak	195.00	150	Horizontal	Pass
1**	4137.500	39.74	-2.56	54.0	-14.26	AV	195.00	150	Horizontal	Pass
2	4806.250	50.91	1.06	74.0	-23.09	Peak	95.00	150	Horizontal	Pass
2**	4806.250	42.14	1.06	54.0	-11.86	AV	95.00	150	Horizontal	Pass
3	5241.750	100.38	0.22	--	-23.62	Peak	124.00	150	Horizontal	N/A
3**	5241.750	93.54	0.22	--	93.54	AV	124.00	150	Horizontal	N/A
4	9357.312	52.98	3.28	74.0	-21.02	Peak	229.00	150	Horizontal	Pass
4**	9357.312	43.92	3.28	54.0	-10.08	AV	229.00	150	Horizontal	Pass
5	11214.325	53.99	3.35	74.0	-20.01	Peak	47.00	150	Horizontal	Pass
5**	11214.325	44.15	3.35	54.0	-9.85	AV	47.00	150	Horizontal	Pass
6	15767.700	53.63	2.40	74.0	-20.37	Peak	155.00	150	Horizontal	Pass
6**	15767.700	43.94	2.40	54.0	-10.06	AV	155.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4313.000	49.60	-1.53	74.0	-24.40	Peak	258.00	150	Vertical	Pass
1**	4313.000	39.42	-1.53	54.0	-14.58	AV	258.00	150	Vertical	Pass
2	4947.000	51.36	1.06	74.0	-22.64	Peak	118.00	150	Vertical	Pass
2**	4947.000	42.09	1.06	54.0	-11.91	AV	118.00	150	Vertical	Pass
3	5245.250	98.97	0.29	--	-132.03	Peak	231.00	150	Vertical	N/A
3**	5245.250	92.23	0.29	--	92.23	AV	231.00	150	Vertical	N/A
4	9330.237	52.98	3.36	74.0	-21.02	Peak	301.00	150	Vertical	Pass
4**	9330.237	44.04	3.36	54.0	-9.96	AV	301.00	150	Vertical	Pass
5	11924.688	53.85	3.71	74.0	-20.15	Peak	331.00	150	Vertical	Pass
5**	11924.688	44.51	3.71	54.0	-9.49	AV	331.00	150	Vertical	Pass
6	15506.775	52.83	2.37	74.0	-21.17	Peak	177.00	150	Vertical	Pass
6**	15506.775	44.14	2.37	54.0	-9.86	AV	177.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2811.200	43.19	-6.74	74.0	-30.81	Peak	221.00	150	Horizontal	Pass
1**	2811.200	33.73	-6.74	54.0	-20.27	AV	221.00	150	Horizontal	Pass
2	4144.250	48.53	-2.78	74.0	-25.47	Peak	167.00	150	Horizontal	Pass
2**	4144.250	39.05	-2.78	54.0	-14.95	AV	167.00	150	Horizontal	Pass
3	5182.750	97.82	0.41	--	-34.18	Peak	132.00	150	Horizontal	N/A
3**	5182.750	90.76	0.41	--	90.76	AV	132.00	150	Horizontal	N/A
4	9340.687	52.86	3.35	74.0	-21.14	Peak	229.00	150	Horizontal	Pass
4**	9340.687	44.17	3.35	54.0	-9.83	AV	229.00	150	Horizontal	Pass
5	11953.188	53.93	3.89	74.0	-20.07	Peak	139.00	150	Horizontal	Pass
5**	11953.188	45.64	3.89	54.0	-8.36	AV	139.00	150	Horizontal	Pass
6	15788.438	52.84	2.33	74.0	-21.16	Peak	71.00	150	Horizontal	Pass
6**	15788.438	43.61	2.33	54.0	-10.39	AV	71.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2807.200	43.66	-6.88	74.0	-30.34	Peak	233.00	150	Vertical	Pass
1**	2807.200	33.86	-6.88	54.0	-20.14	AV	233.00	150	Vertical	Pass
2	4267.000	49.18	-2.32	74.0	-24.82	Peak	302.00	150	Vertical	Pass
2**	4267.000	38.76	-2.32	54.0	-15.24	AV	302.00	150	Vertical	Pass
3	5183.750	96.18	0.36	--	-184.82	Peak	281.00	150	Vertical	N/A
3**	5183.750	87.87	0.36	--	87.87	AV	281.00	150	Vertical	N/A
4	7250.000	50.60	3.38	68.2	-17.60	Peak	268.00	150	Vertical	Pass
4**	7250.000	44.63	3.38	68.2	44.63	AV	268.00	150	Vertical	N/A
5	11875.763	53.57	3.36	74.0	-20.43	Peak	306.00	150	Vertical	Pass
5**	11875.763	44.08	3.36	54.0	-9.92	AV	306.00	150	Vertical	Pass
6	15744.600	52.87	2.40	74.0	-21.13	Peak	35.00	150	Vertical	Pass
6**	15744.600	43.86	2.40	54.0	-10.14	AV	35.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3748.000	47.29	-2.22	74.0	-26.71	Peak	329.00	150	Horizontal	Pass
1**	3748.000	38.01	-2.22	54.0	-15.99	AV	329.00	150	Horizontal	Pass
2	4769.750	52.00	0.74	74.0	-22.00	Peak	267.00	150	Horizontal	Pass
2**	4769.750	41.53	0.74	54.0	-12.47	AV	267.00	150	Horizontal	Pass
3	5222.500	96.67	0.49	--	-30.33	Peak	127.00	150	Horizontal	N/A
3**	5222.500	89.70	0.49	--	89.70	AV	127.00	150	Horizontal	N/A
4	9344.725	52.88	3.34	74.0	-21.12	Peak	354.00	150	Horizontal	Pass
4**	9344.725	43.73	3.34	54.0	-10.27	AV	354.00	150	Horizontal	Pass
5	11280.825	53.93	3.40	74.0	-20.07	Peak	294.00	150	Horizontal	Pass
5**	11280.825	45.26	3.40	54.0	-8.74	AV	294.00	150	Horizontal	Pass
6	15946.200	53.10	2.27	74.0	-20.90	Peak	54.00	150	Horizontal	Pass
6**	15946.200	44.27	2.27	54.0	-9.73	AV	54.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4045.250	47.91	-1.93	74.0	-26.09	Peak	10.00	150	Vertical	Pass
1**	4045.250	39.54	-1.93	54.0	-14.46	AV	10.00	150	Vertical	Pass
2	4912.750	51.55	0.72	74.0	-22.45	Peak	37.00	150	Vertical	Pass
2**	4912.750	40.82	0.72	54.0	-13.18	AV	37.00	150	Vertical	Pass
3	5234.000	96.28	0.36	--	-86.72	Peak	183.00	150	Vertical	N/A
3**	5234.000	88.98	0.36	--	88.98	AV	183.00	150	Vertical	N/A
4	9360.638	52.92	3.26	74.0	-21.08	Peak	105.00	150	Vertical	Pass
4**	9360.638	44.04	3.26	54.0	-9.96	AV	105.00	150	Vertical	Pass
5	11438.763	53.39	2.55	74.0	-20.61	Peak	313.00	150	Vertical	Pass
5**	11438.763	46.11	2.55	54.0	-7.89	AV	313.00	150	Vertical	Pass
6	15940.688	53.96	2.22	74.0	-20.04	Peak	0.00	150	Vertical	Pass
6**	15940.688	44.10	2.22	54.0	-9.90	AV	0.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2257.400	41.70	-9.80	74.0	-32.30	Peak	290.00	150	Horizontal	Pass
1**	2257.400	32.57	-9.80	54.0	-21.43	AV	290.00	150	Horizontal	Pass
2	4120.500	48.44	-2.60	74.0	-25.56	Peak	72.00	150	Horizontal	Pass
2**	4120.500	39.26	-2.60	54.0	-14.74	AV	72.00	150	Horizontal	Pass
3	5178.250	99.34	0.62	--	-35.66	Peak	135.00	150	Horizontal	N/A
3**	5178.250	91.98	0.62	--	91.98	AV	135.00	150	Horizontal	N/A
4	9330.950	53.36	3.36	74.0	-20.64	Peak	105.00	150	Horizontal	Pass
4**	9330.950	44.57	3.36	54.0	-9.43	AV	105.00	150	Horizontal	Pass
5	11315.262	53.78	3.20	74.0	-20.22	Peak	16.00	150	Horizontal	Pass
5**	11315.262	44.98	3.20	54.0	-9.02	AV	16.00	150	Horizontal	Pass
6	15966.675	53.04	2.20	74.0	-20.96	Peak	65.00	150	Horizontal	Pass
6**	15966.675	44.62	2.20	54.0	-9.38	AV	65.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3769.000	47.23	-3.52	74.0	-26.77	Peak	197.00	150	Vertical	Pass
1**	3769.000	37.75	-3.52	54.0	-16.25	AV	197.00	150	Vertical	Pass
2	4779.000	51.17	1.05	74.0	-22.83	Peak	100.00	150	Vertical	Pass
2**	4779.000	42.54	1.05	54.0	-11.46	AV	100.00	150	Vertical	Pass
3	5175.250	99.27	0.68	--	-180.73	Peak	280.00	150	Vertical	N/A
3**	5175.250	92.12	0.68	--	92.12	AV	280.00	150	Vertical	N/A
4	9090.125	52.64	1.43	74.0	-21.36	Peak	325.00	150	Vertical	Pass
4**	9090.125	43.09	1.43	54.0	-10.91	AV	325.00	150	Vertical	Pass
5	11268.950	53.95	3.25	74.0	-20.05	Peak	295.00	150	Vertical	Pass
5**	11268.950	46.22	3.25	54.0	-7.78	AV	295.00	150	Vertical	Pass
6	15771.900	53.30	2.39	74.0	-20.70	Peak	271.00	150	Vertical	Pass
6**	15771.900	44.10	2.39	54.0	-9.90	AV	271.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2831.000	43.21	-6.39	74.0	-30.79	Peak	20.00	150	Horizontal	Pass
1**	2831.000	35.34	-6.39	54.0	-18.66	AV	20.00	150	Horizontal	Pass
2	4007.250	49.47	-2.55	74.0	-24.53	Peak	329.00	150	Horizontal	Pass
2**	4007.250	38.79	-2.55	54.0	-15.21	AV	329.00	150	Horizontal	Pass
3	5218.750	98.01	0.62	--	-43.99	Peak	142.00	150	Horizontal	N/A
3**	5218.750	90.72	0.62	--	90.72	AV	142.00	150	Horizontal	N/A
4	9451.837	52.57	2.96	74.0	-21.43	Peak	46.00	150	Horizontal	Pass
4**	9451.837	44.13	2.96	54.0	-9.87	AV	46.00	150	Horizontal	Pass
5	11310.037	53.83	3.35	74.0	-20.17	Peak	204.00	150	Horizontal	Pass
5**	11310.037	45.81	3.35	54.0	-8.19	AV	204.00	150	Horizontal	Pass
6	15728.062	52.38	2.20	74.0	-21.62	Peak	106.00	150	Horizontal	Pass
6**	15728.062	43.66	2.20	54.0	-10.34	AV	106.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2344.100	41.82	-8.71	74.0	-32.18	Peak	177.00	150	Vertical	Pass
1**	2344.100	32.53	-8.71	54.0	-21.47	AV	177.00	150	Vertical	Pass
2	4242.750	49.09	-1.64	74.0	-24.91	Peak	73.00	150	Vertical	Pass
2**	4242.750	38.76	-1.64	54.0	-15.24	AV	73.00	150	Vertical	Pass
3	5226.250	97.52	0.63	--	-92.48	Peak	190.00	150	Vertical	N/A
3**	5226.250	90.48	0.63	--	90.48	AV	190.00	150	Vertical	N/A
4	9331.662	52.84	3.36	74.0	-21.16	Peak	6.00	150	Vertical	Pass
4**	9331.662	44.38	3.36	54.0	-9.62	AV	6.00	150	Vertical	Pass
5	10698.474	53.24	2.77	74.0	-20.76	Peak	67.00	150	Vertical	Pass
5**	10698.474	45.59	2.77	54.0	-8.41	AV	67.00	150	Vertical	Pass
6	15755.362	53.10	2.45	74.0	-20.90	Peak	261.00	150	Vertical	Pass
6**	15755.362	44.84	2.45	54.0	-9.16	AV	261.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1325.300	36.05	-15.54	74.0	-37.95	Peak	356.00	150	Horizontal	Pass
1**	1325.300	28.55	-15.54	54.0	-25.45	AV	356.00	150	Horizontal	Pass
2	4938.750	52.34	0.94	74.0	-21.66	Peak	300.00	150	Horizontal	Pass
2**	4938.750	42.05	0.94	54.0	-11.95	AV	300.00	150	Horizontal	Pass
3	5236.250	98.69	0.48	--	-42.31	Peak	141.00	150	Horizontal	N/A
3**	5236.250	90.25	0.48	--	90.25	AV	141.00	150	Horizontal	N/A
4	9331.662	52.65	3.36	74.0	-21.35	Peak	6.00	150	Horizontal	Pass
4**	9331.662	44.43	3.36	54.0	-9.57	AV	6.00	150	Horizontal	Pass
5	10794.900	53.09	3.27	74.0	-20.91	Peak	235.00	150	Horizontal	Pass
5**	10794.900	45.37	3.27	54.0	-8.63	AV	235.00	150	Horizontal	Pass
6	15970.350	52.31	2.18	74.0	-21.69	Peak	84.00	150	Horizontal	Pass
6**	15970.350	44.15	2.18	54.0	-9.85	AV	84.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.000	36.29	-15.16	74.0	-37.71	Peak	216.00	150	Vertical	Pass
1**	1351.000	28.02	-15.16	54.0	-25.98	AV	216.00	150	Vertical	Pass
2	4130.250	48.78	-2.35	74.0	-25.22	Peak	360.00	150	Vertical	Pass
2**	4130.250	40.26	-2.35	54.0	-13.74	AV	360.00	150	Vertical	Pass
3	5245.000	97.77	0.30	--	-71.23	Peak	169.00	150	Vertical	N/A
3**	5245.000	90.89	0.30	--	90.89	AV	169.00	150	Vertical	N/A
4	9401.012	52.86	2.96	74.0	-21.14	Peak	66.00	150	Vertical	Pass
4**	9401.012	43.01	2.96	54.0	-10.99	AV	66.00	150	Vertical	Pass
5	10961.150	53.00	2.39	74.0	-21.00	Peak	46.00	150	Vertical	Pass
5**	10961.150	44.88	2.39	54.0	-9.12	AV	46.00	150	Vertical	Pass
6	15723.600	52.89	2.14	74.0	-21.11	Peak	189.00	150	Vertical	Pass
6**	15723.600	43.53	2.14	54.0	-10.47	AV	189.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.600	36.08	-15.31	74.0	-37.92	Peak	109.00	150	Horizontal	Pass
1**	1553.600	27.43	-15.31	54.0	-26.57	AV	109.00	150	Horizontal	Pass
2	4939.750	51.32	0.93	74.0	-22.68	Peak	11.00	150	Horizontal	Pass
2**	4939.750	42.05	0.93	54.0	-11.95	AV	11.00	150	Horizontal	Pass
3	5191.250	94.75	0.21	--	56.75	Peak	38.00	150	Horizontal	N/A
3**	5191.250	86.30	0.21	--	86.30	AV	38.00	150	Horizontal	N/A
4	9407.662	52.63	2.96	74.0	-21.37	Peak	336.00	150	Horizontal	Pass
4**	9407.662	43.59	2.96	54.0	-10.41	AV	336.00	150	Horizontal	Pass
5	10800.838	53.02	3.41	74.0	-20.98	Peak	226.00	150	Horizontal	Pass
5**	10800.838	45.13	3.41	54.0	-8.87	AV	226.00	150	Horizontal	Pass
6	15753.000	53.25	2.45	74.0	-20.75	Peak	0.00	150	Horizontal	Pass
6**	15753.000	44.52	2.45	54.0	-9.48	AV	0.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.800	36.32	-15.55	74.0	-37.68	Peak	203.00	150	Vertical	Pass
1**	1573.800	28.25	-15.55	54.0	-25.75	AV	203.00	150	Vertical	Pass
2	4243.750	48.94	-1.65	74.0	-25.06	Peak	24.00	150	Vertical	Pass
2**	4243.750	40.00	-1.65	54.0	-14.00	AV	24.00	150	Vertical	Pass
3	5185.000	94.24	0.30	--	-68.76	Peak	163.00	150	Vertical	N/A
3**	5185.000	86.96	0.30	--	86.96	AV	163.00	150	Vertical	N/A
4	8388.313	50.01	-0.28	74.0	-23.99	Peak	315.00	150	Vertical	Pass
4**	8388.313	40.89	-0.28	54.0	-13.11	AV	315.00	150	Vertical	Pass
5	11025.037	53.00	2.69	74.0	-21.00	Peak	156.00	150	Vertical	Pass
5**	11025.037	44.67	2.69	54.0	-9.33	AV	156.00	150	Vertical	Pass
6	15755.362	53.01	2.45	74.0	-20.99	Peak	0.00	150	Vertical	Pass
6**	15755.362	44.79	2.45	54.0	-9.21	AV	0.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2242.200	41.05	-10.55	74.0	-32.95	Peak	273.00	150	Horizontal	Pass
1**	2242.200	32.48	-10.55	54.0	-21.52	AV	273.00	150	Horizontal	Pass
2	4255.500	49.24	-2.07	74.0	-24.76	Peak	360.00	150	Horizontal	Pass
2**	4255.500	39.94	-2.07	54.0	-14.06	AV	360.00	150	Horizontal	Pass
3	5234.500	94.45	0.39	--	-45.55	Peak	140.00	150	Horizontal	N/A
3**	5234.500	86.42	0.39	--	86.42	AV	140.00	150	Horizontal	N/A
4	9475.588	53.12	2.55	74.0	-20.88	Peak	46.00	150	Horizontal	Pass
4**	9475.588	43.18	2.55	54.0	-10.82	AV	46.00	150	Horizontal	Pass
5	11293.650	53.51	3.56	74.0	-20.49	Peak	26.00	150	Horizontal	Pass
5**	11293.650	45.46	3.56	54.0	-8.54	AV	26.00	150	Horizontal	Pass
6	15752.738	53.05	2.45	74.0	-20.95	Peak	2.00	150	Horizontal	Pass
6**	15752.738	44.77	2.45	54.0	-9.23	AV	2.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2785.400	42.77	-7.25	74.0	-31.23	Peak	360.00	150	Vertical	Pass
1**	2785.400	33.57	-7.25	54.0	-20.43	AV	360.00	150	Vertical	Pass
2	4331.500	48.69	-1.79	74.0	-25.31	Peak	308.00	150	Vertical	Pass
2**	4331.500	39.83	-1.79	54.0	-14.17	AV	308.00	150	Vertical	Pass
3	5217.000	93.79	0.53	--	-62.21	Peak	156.00	150	Vertical	N/A
3**	5217.000	85.51	0.53	--	85.51	AV	156.00	150	Vertical	N/A
4	7568.000	54.17	3.52	74.0	-19.83	Peak	191.00	150	Vertical	Pass
4**	7568.000	45.68	3.52	54.0	-8.32	AV	191.00	150	Vertical	Pass
5	11307.425	54.45	3.42	74.0	-19.55	Peak	257.00	150	Vertical	Pass
5**	11307.425	45.64	3.42	54.0	-8.36	AV	257.00	150	Vertical	Pass
6	16012.349	52.83	1.78	74.0	-21.17	Peak	46.00	150	Vertical	Pass
6**	16012.349	43.41	1.78	54.0	-10.59	AV	46.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3990.000	48.08	-2.72	74.0	-25.92	Peak	162.00	150	Horizontal	Pass
1**	3990.000	38.55	-2.72	54.0	-15.45	AV	162.00	150	Horizontal	Pass
2	4920.250	52.13	0.83	74.0	-21.87	Peak	288.00	150	Horizontal	Pass
2**	4920.250	42.49	0.83	54.0	-11.51	AV	288.00	150	Horizontal	Pass
3	5183.750	93.26	0.36	--	-34.74	Peak	128.00	150	Horizontal	N/A
3**	5183.750	85.12	0.36	--	85.12	AV	128.00	150	Horizontal	N/A
4	7625.500	54.39	3.41	74.0	-19.61	Peak	107.00	150	Horizontal	Pass
4**	7625.500	45.41	3.41	54.0	-8.59	AV	107.00	150	Horizontal	Pass
5	11186.062	54.16	3.07	74.0	-19.84	Peak	259.00	150	Horizontal	Pass
5**	11186.062	44.66	3.07	54.0	-9.34	AV	259.00	150	Horizontal	Pass
6	15739.875	53.24	2.34	74.0	-20.76	Peak	311.00	150	Horizontal	Pass
6**	15739.875	45.90	2.34	54.0	-8.10	AV	311.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4211.250	48.62	-0.69	74.0	-25.38	Peak	301.00	150	Vertical	Pass
1**	4211.250	39.09	-0.69	54.0	-14.91	AV	301.00	150	Vertical	Pass
2	5066.250	53.39	0.78	74.0	-20.61	Peak	148.00	150	Vertical	Pass
2**	5066.250	43.31	0.78	54.0	-10.69	AV	148.00	150	Vertical	Pass
3	5190.750	92.41	0.21	--	-104.59	Peak	197.00	150	Vertical	N/A
3**	5190.750	84.89	0.21	--	84.89	AV	197.00	150	Vertical	N/A
4	8318.250	50.08	0.05	74.0	-23.92	Peak	156.00	150	Vertical	Pass
4**	8318.250	40.83	0.05	54.0	-13.17	AV	156.00	150	Vertical	Pass
5	11295.787	54.19	3.58	74.0	-19.81	Peak	86.00	150	Vertical	Pass
5**	11295.787	44.94	3.58	54.0	-9.06	AV	86.00	150	Vertical	Pass
6	15775.575	52.88	2.38	74.0	-21.12	Peak	76.00	150	Vertical	Pass
6**	15775.575	43.66	2.38	54.0	-10.34	AV	76.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3941.000	48.00	-2.51	74.0	-26.00	Peak	92.00	150	Horizontal	Pass
1**	3941.000	38.62	-2.51	54.0	-15.38	AV	92.00	150	Horizontal	Pass
2	4843.250	51.01	0.51	74.0	-22.99	Peak	141.00	150	Horizontal	Pass
2**	4843.250	41.21	0.51	54.0	-12.79	AV	141.00	150	Horizontal	Pass
3	5187.250	99.47	0.29	--	-34.53	Peak	134.00	150	Horizontal	N/A
3**	5187.250	91.01	0.29	--	91.01	AV	134.00	150	Horizontal	N/A
4	9320.974	52.63	3.37	74.0	-21.37	Peak	305.00	150	Horizontal	Pass
4**	9320.974	44.49	3.37	54.0	-9.51	AV	305.00	150	Horizontal	Pass
5	11449.450	53.84	2.83	74.0	-20.16	Peak	245.00	150	Horizontal	Pass
5**	11449.450	45.30	2.83	54.0	-8.70	AV	245.00	150	Horizontal	Pass
6	15952.238	53.11	2.29	74.0	-20.89	Peak	52.00	150	Horizontal	Pass
6**	15952.238	44.36	2.29	54.0	-9.64	AV	52.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4124.250	48.12	-2.39	74.0	-25.88	Peak	0.00	150	Vertical	Pass
1**	4124.250	39.01	-2.39	54.0	-14.99	AV	0.00	150	Vertical	Pass
2	4810.250	51.01	1.05	74.0	-22.99	Peak	16.00	150	Vertical	Pass
2**	4810.250	41.61	1.05	54.0	-12.39	AV	16.00	150	Vertical	Pass
3	5184.000	99.81	0.35	--	35.81	Peak	64.00	150	Vertical	N/A
3**	5184.000	92.16	0.35	--	92.16	AV	64.00	150	Vertical	N/A
4	9475.588	52.80	2.55	74.0	-21.20	Peak	246.00	150	Vertical	Pass
4**	9475.588	43.93	2.55	54.0	-10.07	AV	246.00	150	Vertical	Pass
5	12002.825	53.89	3.79	74.0	-20.11	Peak	360.00	150	Vertical	Pass
5**	12002.825	45.97	3.79	54.0	-8.03	AV	360.00	150	Vertical	Pass
6	15773.475	53.46	2.38	74.0	-20.54	Peak	0.00	150	Vertical	Pass
6**	15773.475	44.52	2.38	54.0	-9.48	AV	0.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4054.250	47.30	-2.65	74.0	-26.70	Peak	127.00	150	Horizontal	Pass
1**	4054.250	39.59	-2.65	54.0	-14.41	AV	127.00	150	Horizontal	Pass
2	4792.500	51.28	0.75	74.0	-22.72	Peak	23.00	150	Horizontal	Pass
2**	4792.500	41.59	0.75	54.0	-12.41	AV	23.00	150	Horizontal	Pass
3	5217.750	98.75	0.57	--	-28.25	Peak	127.00	150	Horizontal	N/A
3**	5217.750	89.98	0.57	--	89.98	AV	127.00	150	Horizontal	N/A
4	9350.425	52.82	3.33	74.0	-21.18	Peak	237.00	150	Horizontal	Pass
4**	9350.425	44.46	3.33	54.0	-9.54	AV	237.00	150	Horizontal	Pass
5	11314.550	54.03	3.22	74.0	-19.97	Peak	146.00	150	Horizontal	Pass
5**	11314.550	44.94	3.22	54.0	-9.06	AV	146.00	150	Horizontal	Pass
6	15770.063	53.22	2.40	74.0	-20.78	Peak	95.00	150	Horizontal	Pass
6**	15770.063	44.62	2.40	54.0	-9.38	AV	95.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3674.500	47.69	-4.20	74.0	-26.31	Peak	308.00	150	Vertical	Pass
1**	3674.500	38.01	-4.20	54.0	-15.99	AV	308.00	150	Vertical	Pass
2	4763.500	51.28	0.20	74.0	-22.72	Peak	0.00	150	Vertical	Pass
2**	4763.500	42.96	0.20	54.0	-11.04	AV	0.00	150	Vertical	Pass
3	5214.250	98.47	0.63	--	34.47	Peak	64.00	150	Vertical	N/A
3**	5214.250	89.39	0.63	--	89.39	AV	64.00	150	Vertical	N/A
4	9324.537	52.84	3.37	74.0	-21.16	Peak	16.00	150	Vertical	Pass
4**	9324.537	44.37	3.37	54.0	-9.63	AV	16.00	150	Vertical	Pass
5	10698.237	53.77	2.76	74.0	-20.23	Peak	135.00	150	Vertical	Pass
5**	10698.237	44.18	2.76	54.0	-9.82	AV	135.00	150	Vertical	Pass
6	15776.625	54.07	2.37	74.0	-19.93	Peak	116.00	150	Vertical	Pass
6**	15776.625	43.86	2.37	54.0	-10.14	AV	116.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4208.000	48.61	-0.62	74.0	-25.39	Peak	77.00	150	Horizontal	Pass
1**	4208.000	39.35	-0.62	54.0	-14.65	AV	77.00	150	Horizontal	Pass
2	4881.000	51.61	0.71	74.0	-22.39	Peak	238.00	150	Horizontal	Pass
2**	4881.000	41.99	0.71	54.0	-12.01	AV	238.00	150	Horizontal	Pass
3	5238.250	98.40	0.40	--	-34.60	Peak	133.00	150	Horizontal	N/A
3**	5238.250	91.21	0.40	--	91.21	AV	133.00	150	Horizontal	N/A
4	8261.963	50.34	0.01	74.0	-23.66	Peak	36.00	150	Horizontal	Pass
4**	8261.963	40.90	0.01	54.0	-13.10	AV	36.00	150	Horizontal	Pass
5	11299.350	53.80	3.63	74.0	-20.20	Peak	76.00	150	Horizontal	Pass
5**	11299.350	45.45	3.63	54.0	-8.55	AV	76.00	150	Horizontal	Pass
6	15809.700	53.91	2.12	74.0	-20.09	Peak	3.00	150	Horizontal	Pass
6**	15809.700	43.08	2.12	54.0	-10.92	AV	3.00	150	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4072.000	48.38	-2.66	74.0	-25.62	Peak	358.00	150	Vertical	Pass
1**	4072.000	41.02	-2.66	54.0	-12.98	AV	358.00	150	Vertical	Pass
2	4954.250	52.00	1.24	74.0	-22.00	Peak	99.00	150	Vertical	Pass
2**	4954.250	42.64	1.24	54.0	-11.36	AV	99.00	150	Vertical	Pass
3	5235.750	98.83	0.47	--	-43.17	Peak	142.00	150	Vertical	N/A
3**	5235.750	89.83	0.47	--	89.83	AV	142.00	150	Vertical	N/A
4	9468.463	53.25	2.67	74.0	-20.75	Peak	16.00	150	Vertical	Pass
4**	9468.463	45.82	2.67	54.0	-8.18	AV	16.00	150	Vertical	Pass
5	11252.088	53.78	3.04	74.0	-20.22	Peak	116.00	150	Vertical	Pass
5**	11252.088	44.28	3.04	54.0	-9.72	AV	116.00	150	Vertical	Pass
6	15944.362	53.69	2.26	74.0	-20.31	Peak	230.00	150	Vertical	Pass
6**	15944.362	45.08	2.26	54.0	-8.92	AV	230.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3727.750	47.44	-3.65	74.0	-26.56	Peak	294.00	150	Horizontal	Pass
1**	3727.750	37.19	-3.65	54.0	-16.81	AV	294.00	150	Horizontal	Pass
2	4770.500	51.21	0.82	74.0	-22.79	Peak	196.00	150	Horizontal	Pass
2**	4770.500	41.63	0.82	54.0	-12.37	AV	196.00	150	Horizontal	Pass
3	5192.500	96.72	0.19	--	26.72	Peak	70.00	150	Horizontal	N/A
3**	5192.500	87.32	0.19	--	87.32	AV	70.00	150	Horizontal	N/A
4	9325.013	53.07	3.37	74.0	-20.93	Peak	339.00	150	Horizontal	Pass
4**	9325.013	45.11	3.37	54.0	-8.89	AV	339.00	150	Horizontal	Pass
5	11443.750	53.50	2.68	74.0	-20.50	Peak	178.00	150	Horizontal	Pass
5**	11443.750	44.64	2.68	54.0	-9.36	AV	178.00	150	Horizontal	Pass
6	15984.525	52.73	2.09	74.0	-21.27	Peak	333.00	150	Horizontal	Pass
6**	15984.525	44.00	2.09	54.0	-10.00	AV	333.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3848.750	47.65	-3.22	74.0	-26.35	Peak	10.00	150	Vertical	Pass
1**	3848.750	37.30	-3.22	54.0	-16.70	AV	10.00	150	Vertical	Pass
2	4929.750	51.41	1.00	74.0	-22.59	Peak	225.00	150	Vertical	Pass
2**	4929.750	42.06	1.00	54.0	-11.94	AV	225.00	150	Vertical	Pass
3	5181.250	94.74	0.44	--	-200.26	Peak	295.00	150	Vertical	N/A
3**	5181.250	86.73	0.44	--	86.73	AV	295.00	150	Vertical	N/A
4	8136.088	50.53	0.15	74.0	-23.47	Peak	137.00	150	Vertical	Pass
4**	8136.088	42.79	0.15	54.0	-11.21	AV	137.00	150	Vertical	Pass
5	11296.500	54.26	3.59	74.0	-19.74	Peak	316.00	150	Vertical	Pass
5**	11296.500	46.01	3.59	54.0	-7.99	AV	316.00	150	Vertical	Pass
6	15733.576	53.39	2.26	74.0	-20.61	Peak	322.00	150	Vertical	Pass
6**	15733.576	44.09	2.26	54.0	-9.91	AV	322.00	150	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3900.750	47.78	-2.91	74.0	-26.22	Peak	71.00	150	Horizontal	Pass
1**	3900.750	38.94	-2.91	54.0	-15.06	AV	71.00	150	Horizontal	Pass
2	4799.000	51.43	0.86	74.0	-22.57	Peak	176.00	150	Horizontal	Pass
2**	4799.000	42.00	0.86	54.0	-12.00	AV	176.00	150	Horizontal	Pass
3	5236.000	94.47	0.48	--	-25.53	Peak	120.00	150	Horizontal	N/A
3**	5236.000	86.30	0.48	--	86.30	AV	120.00	150	Horizontal	N/A
4	9324.537	53.16	3.37	74.0	-20.84	Peak	247.00	150	Horizontal	Pass
4**	9324.537	44.73	3.37	54.0	-9.27	AV	247.00	150	Horizontal	Pass
5	11752.500	54.06	3.07	74.0	-19.94	Peak	217.00	150	Horizontal	Pass
5**	11752.500	45.87	3.07	54.0	-8.13	AV	217.00	150	Horizontal	Pass
6	15750.901	53.06	2.46	74.0	-20.94	Peak	334.00	150	Horizontal	Pass
6**	15750.901	44.24	2.46	54.0	-9.76	AV	334.00	150	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4314.000	49.11	-1.56	74.0	-24.89	Peak	177.00	150	Vertical	Pass
1**	4314.000	39.46	-1.56	54.0	-14.54	AV	177.00	150	Vertical	Pass
2	4863.000	51.21	0.57	74.0	-22.79	Peak	170.00	150	Vertical	Pass
2**	4863.000	42.02	0.57	54.0	-11.98	AV	170.00	150	Vertical	Pass
3	5220.000	94.33	0.58	--	-207.67	Peak	302.00	150	Vertical	N/A
3**	5220.000	85.03	0.58	--	85.03	AV	302.00	150	Vertical	N/A
4	9335.700	53.10	3.35	74.0	-20.90	Peak	360.00	150	Vertical	Pass
4**	9335.700	43.60	3.35	54.0	-10.40	AV	360.00	150	Vertical	Pass
5	11216.700	53.85	3.33	74.0	-20.15	Peak	76.00	150	Vertical	Pass
5**	11216.700	45.01	3.33	54.0	-8.99	AV	76.00	150	Vertical	Pass
6	15553.762	53.44	2.08	74.0	-20.56	Peak	312.00	150	Vertical	Pass
6**	15553.762	43.29	2.08	54.0	-10.71	AV	312.00	150	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4031.500	48.01	-2.07	74.0	-25.99	Peak	295.00	150	Horizontal	Pass
1**	4031.500	38.26	-2.07	54.0	-15.74	AV	295.00	150	Horizontal	Pass
2	4783.250	51.34	0.98	74.0	-22.66	Peak	204.00	150	Horizontal	Pass
2**	4783.250	41.99	0.98	54.0	-12.01	AV	204.00	150	Horizontal	Pass
3	5229.250	92.20	0.54	--	48.20	Peak	44.00	150	Horizontal	N/A
3**	5229.250	82.19	0.54	--	82.19	AV	44.00	150	Horizontal	N/A
4	8241.537	50.67	-0.07	74.0	-23.33	Peak	96.00	150	Horizontal	Pass
4**	8241.537	41.93	-0.07	54.0	-12.07	AV	96.00	150	Horizontal	Pass
5	10793.000	53.72	3.20	74.0	-20.28	Peak	26.00	150	Horizontal	Pass
5**	10793.000	45.81	3.20	54.0	-8.19	AV	26.00	150	Horizontal	Pass
6	15748.275	53.51	2.44	74.0	-20.49	Peak	44.00	150	Horizontal	Pass
6**	15748.275	44.68	2.44	54.0	-9.32	AV	44.00	150	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3759.750	47.79	-3.47	74.0	-26.21	Peak	155.00	150	Vertical	Pass
1**	3759.750	37.59	-3.47	54.0	-16.41	AV	155.00	150	Vertical	Pass
2	4989.500	51.75	0.81	74.0	-22.25	Peak	148.00	150	Vertical	Pass
2**	4989.500	43.10	0.81	54.0	-10.90	AV	148.00	150	Vertical	Pass
3	5206.250	91.82	0.45	--	-70.18	Peak	162.00	150	Vertical	N/A
3**	5206.250	82.87	0.45	--	82.87	AV	162.00	150	Vertical	N/A
4	9121.713	51.70	1.68	74.0	-22.30	Peak	307.00	150	Vertical	Pass
4**	9121.713	44.38	1.68	54.0	-9.62	AV	307.00	150	Vertical	Pass
5	11289.375	53.90	3.50	74.0	-20.10	Peak	177.00	150	Vertical	Pass
5**	11289.375	45.71	3.50	54.0	-8.29	AV	177.00	150	Vertical	Pass
6	15480.526	53.16	2.28	74.0	-20.84	Peak	207.00	150	Vertical	Pass
6**	15480.526	44.86	2.28	54.0	-9.14	AV	207.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3856.500	48.09	-3.52	74.0	-25.91	Peak	135.00	150	Horizontal	Pass
1**	3856.500	37.85	-3.52	54.0	-16.15	AV	135.00	150	Horizontal	Pass
2	5047.250	51.85	0.38	74.0	-22.15	Peak	274.00	150	Horizontal	Pass
2**	5047.250	43.10	0.38	54.0	-10.90	AV	274.00	150	Horizontal	Pass
3	5262.000	100.05	0.51	--	62.05	Peak	38.00	150	Horizontal	N/A
3**	5262.000	92.83	0.51	--	92.83	AV	38.00	150	Horizontal	N/A
4	8118.987	51.02	0.11	74.0	-22.98	Peak	53.00	150	Horizontal	Pass
4**	8118.987	41.76	0.11	54.0	-12.24	AV	53.00	150	Horizontal	Pass
5	9444.237	52.80	2.98	74.0	-21.20	Peak	184.00	150	Horizontal	Pass
5**	9444.237	43.95	2.98	54.0	-10.05	AV	184.00	150	Horizontal	Pass
6	15754.050	52.82	2.45	74.0	-21.18	Peak	130.00	150	Horizontal	Pass
6**	15754.050	44.99	2.45	54.0	-9.01	AV	130.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3740.000	47.12	-2.50	74.0	-26.88	Peak	218.00	150	Vertical	Pass
1**	3740.000	38.93	-2.50	54.0	-15.07	AV	218.00	150	Vertical	Pass
2	4937.000	51.59	0.99	74.0	-22.41	Peak	204.00	150	Vertical	Pass
2**	4937.000	42.37	0.99	54.0	-11.63	AV	204.00	150	Vertical	Pass
3	5255.250	99.15	0.55	--	-194.85	Peak	294.00	150	Vertical	N/A
3**	5255.250	92.99	0.55	--	92.99	AV	294.00	150	Vertical	N/A
4	9363.488	52.84	3.23	74.0	-21.16	Peak	0.00	150	Vertical	Pass
4**	9363.488	44.68	3.23	54.0	-9.32	AV	0.00	150	Vertical	Pass
5	11306.951	54.10	3.43	74.0	-19.90	Peak	253.00	150	Vertical	Pass
5**	11306.951	45.26	3.43	54.0	-8.74	AV	253.00	150	Vertical	Pass
6	15746.700	52.81	2.42	74.0	-21.19	Peak	233.00	150	Vertical	Pass
6**	15746.700	45.76	2.42	54.0	-8.24	AV	233.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2731.500	42.48	-7.85	74.0	-31.52	Peak	14.00	150	Horizontal	Pass
1**	2731.500	34.82	-7.85	54.0	-19.18	AV	14.00	150	Horizontal	Pass
2	4049.500	48.56	-2.31	74.0	-25.44	Peak	360.00	150	Horizontal	Pass
2**	4049.500	38.91	-2.31	54.0	-15.09	AV	360.00	150	Horizontal	Pass
3	5296.750	99.67	0.54	--	-56.33	Peak	156.00	150	Horizontal	N/A
3**	5296.750	93.31	0.54	--	93.31	AV	156.00	150	Horizontal	N/A
4	7974.500	51.65	3.81	68.2	-16.55	Peak	52.00	150	Horizontal	Pass
4**	7974.500	45.93	3.81	--	45.93	AV	52.00	150	Horizontal	N/A
5	11185.588	54.07	3.05	74.0	-19.93	Peak	284.00	150	Horizontal	Pass
5**	11185.588	45.13	3.05	54.0	-8.87	AV	284.00	150	Horizontal	Pass
6	15947.513	53.03	2.29	74.0	-20.97	Peak	47.00	150	Horizontal	Pass
6**	15947.513	44.53	2.29	54.0	-9.47	AV	47.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2823.200	42.52	-6.55	74.0	-31.48	Peak	169.00	150	Vertical	Pass
1**	2823.200	34.39	-6.55	54.0	-19.61	AV	169.00	150	Vertical	Pass
2	4052.500	48.03	-2.53	74.0	-25.97	Peak	330.00	150	Vertical	Pass
2**	4052.500	38.73	-2.53	54.0	-15.27	AV	330.00	150	Vertical	Pass
3	5294.000	98.84	0.52	--	-217.16	Peak	316.00	150	Vertical	N/A
3**	5294.000	92.19	0.52	--	92.19	AV	316.00	150	Vertical	N/A
4	8298.776	50.57	0.07	74.0	-23.43	Peak	114.00	150	Vertical	Pass
4**	8298.776	41.85	0.07	54.0	-12.15	AV	114.00	150	Vertical	Pass
5	11431.875	53.92	2.36	74.0	-20.08	Peak	193.00	150	Vertical	Pass
5**	11431.875	44.71	2.36	54.0	-9.29	AV	193.00	150	Vertical	Pass
6	15934.387	53.26	2.16	74.0	-20.74	Peak	294.00	150	Vertical	Pass
6**	15934.387	44.07	2.16	54.0	-9.93	AV	294.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2799.400	43.12	-6.84	74.0	-30.88	Peak	80.00	150	Horizontal	Pass
1**	2799.400	34.10	-6.84	54.0	-19.90	AV	80.00	150	Horizontal	Pass
2	3742.500	48.26	-2.20	74.0	-25.74	Peak	334.00	150	Horizontal	Pass
2**	3742.500	40.74	-2.20	54.0	-13.26	AV	334.00	150	Horizontal	Pass
3	5316.750	100.86	0.55	--	62.86	Peak	38.00	150	Horizontal	N/A
3**	5316.750	93.77	0.55	--	93.77	AV	38.00	150	Horizontal	N/A
4	8267.188	49.87	-0.00	74.0	-24.13	Peak	14.00	150	Horizontal	Pass
4**	8267.188	40.98	-0.00	54.0	-13.02	AV	14.00	150	Horizontal	Pass
5	9363.963	53.32	3.23	74.0	-20.68	Peak	0.00	150	Horizontal	Pass
5**	9363.963	44.21	3.23	54.0	-9.79	AV	0.00	150	Horizontal	Pass
6	15809.700	52.64	2.12	74.0	-21.36	Peak	139.00	150	Horizontal	Pass
6**	15809.700	43.34	2.12	54.0	-10.66	AV	139.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2752.200	42.86	-6.50	74.0	-31.14	Peak	104.00	150	Vertical	Pass
1**	2752.200	35.01	-6.50	54.0	-18.99	AV	104.00	150	Vertical	Pass
2	3746.500	47.41	-2.23	74.0	-26.59	Peak	205.00	150	Vertical	Pass
2**	3746.500	37.95	-2.23	54.0	-16.05	AV	205.00	150	Vertical	Pass
3	5323.000	100.67	0.64	--	-104.33	Peak	205.00	150	Vertical	N/A
3**	5323.000	93.81	0.64	--	93.81	AV	205.00	150	Vertical	N/A
4	8373.349	50.74	-0.38	74.0	-23.26	Peak	0.00	150	Vertical	Pass
4**	8373.349	41.04	-0.38	54.0	-12.96	AV	0.00	150	Vertical	Pass
5	12000.925	54.08	3.85	74.0	-19.92	Peak	153.00	150	Vertical	Pass
5**	12000.925	46.05	3.85	54.0	-7.95	AV	153.00	150	Vertical	Pass
6	15759.825	52.88	2.43	74.0	-21.12	Peak	27.00	150	Vertical	Pass
6**	15759.825	44.18	2.43	54.0	-9.82	AV	27.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4031.250	47.92	-2.08	74.0	-26.08	Peak	3.00	150	Horizontal	Pass
1**	4031.250	39.92	-2.08	54.0	-14.08	AV	3.00	150	Horizontal	Pass
2	5080.500	51.63	0.82	74.0	-22.37	Peak	25.00	150	Horizontal	Pass
2**	5080.500	42.32	0.82	54.0	-11.68	AV	25.00	150	Horizontal	Pass
3	5261.000	99.84	0.50	--	-49.16	Peak	149.00	150	Horizontal	N/A
3**	5261.000	92.96	0.50	--	92.96	AV	149.00	150	Horizontal	N/A
4	9327.625	53.35	3.36	74.0	-20.65	Peak	314.00	150	Horizontal	Pass
4**	9327.625	44.53	3.36	54.0	-9.47	AV	314.00	150	Horizontal	Pass
5	11945.113	54.11	3.85	74.0	-19.89	Peak	124.00	150	Horizontal	Pass
5**	11945.113	46.13	3.85	54.0	-7.87	AV	124.00	150	Horizontal	Pass
6	15756.412	53.17	2.44	74.0	-20.83	Peak	253.00	150	Horizontal	Pass
6**	15756.412	44.62	2.44	54.0	-9.38	AV	253.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2798.300	42.95	-6.81	74.0	-31.05	Peak	293.00	150	Vertical	Pass
1**	2798.300	33.97	-6.81	54.0	-20.03	AV	293.00	150	Vertical	Pass
2	3895.000	47.56	-3.03	74.0	-26.44	Peak	273.00	150	Vertical	Pass
2**	3895.000	38.61	-3.03	54.0	-15.39	AV	273.00	150	Vertical	Pass
3	5256.250	100.26	0.59	--	34.26	Peak	66.00	150	Vertical	N/A
3**	5256.250	93.47	0.59	--	93.47	AV	66.00	150	Vertical	N/A
4	8187.388	49.81	-0.15	74.0	-24.19	Peak	144.00	150	Vertical	Pass
4**	8187.388	41.71	-0.15	54.0	-12.29	AV	144.00	150	Vertical	Pass
5	11895.474	54.16	3.50	74.0	-19.84	Peak	13.00	150	Vertical	Pass
5**	11895.474	45.24	3.50	54.0	-8.76	AV	13.00	150	Vertical	Pass
6	15745.651	53.47	2.41	74.0	-20.53	Peak	212.00	150	Vertical	Pass
6**	15745.651	44.39	2.41	54.0	-9.61	AV	212.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2826.100	43.23	-6.56	74.0	-30.77	Peak	181.00	150	Horizontal	Pass
1**	2826.100	34.95	-6.56	54.0	-19.05	AV	181.00	150	Horizontal	Pass
2	4244.000	48.52	-1.68	74.0	-25.48	Peak	231.00	150	Horizontal	Pass
2**	4244.000	39.39	-1.68	54.0	-14.61	AV	231.00	150	Horizontal	Pass
3	5301.250	98.94	0.64	--	-42.06	Peak	141.00	150	Horizontal	N/AA
3**	5301.250	92.60	0.64	--	92.60	AV	141.00	150	Horizontal	N/A
4	9460.388	53.59	2.81	74.0	-20.41	Peak	65.00	150	Horizontal	Pass
4**	9460.388	44.49	2.81	54.0	-9.51	AV	65.00	150	Horizontal	Pass
5	11269.425	54.22	3.26	74.0	-19.78	Peak	184.00	150	Horizontal	Pass
5**	11269.425	45.32	3.26	54.0	-8.68	AV	184.00	150	Horizontal	Pass
6	15732.263	53.63	2.25	74.0	-20.37	Peak	161.00	150	Horizontal	Pass
6**	15732.263	44.51	2.25	54.0	-9.49	AV	161.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2821.700	42.81	-6.60	74.0	-31.19	Peak	293.00	150	Vertical	Pass
1**	2821.700	35.01	-6.60	54.0	-18.99	AV	293.00	150	Vertical	Pass
2	3743.750	48.13	-2.12	74.0	-25.87	Peak	282.00	150	Vertical	Pass
2**	3743.750	38.31	-2.12	54.0	-15.69	AV	282.00	150	Vertical	Pass
3	5298.500	99.52	0.57	--	-210.48	Peak	310.00	150	Vertical	N/A
3**	5298.500	92.31	0.57	--	92.31	AV	310.00	150	Vertical	N/A
4	8311.125	50.52	0.12	74.0	-23.48	Peak	114.00	150	Vertical	Pass
4**	8311.125	40.81	0.12	54.0	-13.19	AV	114.00	150	Vertical	Pass
5	11439.713	53.66	2.57	74.0	-20.34	Peak	233.00	150	Vertical	Pass
5**	11439.713	44.92	2.57	54.0	-9.08	AV	233.00	150	Vertical	Pass
6	15765.075	53.51	2.41	74.0	-20.49	Peak	213.00	150	Vertical	Pass
6**	15765.075	44.92	2.41	54.0	-9.08	AV	213.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4291.250	48.76	-2.14	74.0	-25.24	Peak	307.00	150	Horizontal	Pass
1**	4291.250	39.35	-2.14	54.0	-14.65	AV	307.00	150	Horizontal	Pass
2	5067.000	51.94	0.81	74.0	-22.06	Peak	0.00	150	Horizontal	Pass
2**	5067.000	42.72	0.81	54.0	-11.28	AV	0.00	150	Horizontal	Pass
3	5321.500	101.42	0.64	--	-53.58	Peak	155.00	150	Horizontal	N/A
3**	5321.500	94.49	0.64	--	94.49	AV	155.00	150	Horizontal	N/A
4	8155.800	49.62	-0.38	74.0	-24.38	Peak	174.00	150	Horizontal	Pass
4**	8155.800	41.88	-0.38	54.0	-12.12	AV	174.00	150	Horizontal	Pass
5	11912.100	54.31	3.62	74.0	-19.69	Peak	335.00	150	Horizontal	Pass
5**	11912.100	45.38	3.62	54.0	-8.62	AV	335.00	150	Horizontal	Pass
6	15955.125	53.27	2.28	74.0	-20.73	Peak	129.00	150	Horizontal	Pass
6**	15955.125	43.79	2.28	54.0	-10.21	AV	129.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4216.750	48.80	-1.19	74.0	-25.20	Peak	274.00	150	Vertical	Pass
1**	4216.750	38.86	-1.19	54.0	-15.14	AV	274.00	150	Vertical	Pass
2	4934.250	51.64	0.93	74.0	-22.36	Peak	225.00	150	Vertical	Pass
2**	4934.250	42.90	0.93	54.0	-11.10	AV	225.00	150	Vertical	Pass
3	5314.000	100.16	0.57	--	-89.84	Peak	190.00	150	Vertical	N/A
3**	5314.000	93.19	0.57	--	93.19	AV	190.00	150	Vertical	N/A
4	9102.000	52.19	1.64	74.0	-21.81	Peak	4.00	150	Vertical	Pass
4**	9102.000	42.96	1.64	54.0	-11.04	AV	4.00	150	Vertical	Pass
5	11479.612	54.23	2.17	74.0	-19.77	Peak	103.00	150	Vertical	Pass
5**	11479.612	44.87	2.17	54.0	-9.13	AV	103.00	150	Vertical	Pass
6	15740.662	53.33	2.35	74.0	-20.67	Peak	264.00	150	Vertical	Pass
6**	15740.662	43.78	2.35	54.0	-10.22	AV	264.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4145.500	48.59	-2.88	74.0	-25.41	Peak	156.00	150	Horizontal	Pass
1**	4145.500	38.15	-2.88	54.0	-15.85	AV	156.00	150	Horizontal	Pass
2	4964.000	51.21	1.06	74.0	-22.79	Peak	163.00	150	Horizontal	Pass
2**	4964.000	42.42	1.06	54.0	-11.58	AV	163.00	150	Horizontal	Pass
3	5271.000	96.25	0.72	--	-52.75	Peak	149.00	150	Horizontal	N/A
3**	5271.000	90.98	0.72	--	90.98	AV	149.00	150	Horizontal	N/A
4	8128.250	51.27	0.32	74.0	-22.73	Peak	14.00	150	Horizontal	Pass
4**	8128.250	41.63	0.32	54.0	-12.37	AV	14.00	150	Horizontal	Pass
5	11272.275	54.05	3.29	74.0	-19.95	Peak	113.00	150	Horizontal	Pass
5**	11272.275	45.10	3.29	54.0	-8.90	AV	113.00	150	Horizontal	Pass
6	15504.675	52.96	2.38	74.0	-21.04	Peak	78.00	150	Horizontal	Pass
6**	15504.675	44.11	2.38	54.0	-9.89	AV	78.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	3754.500	47.48	-3.02	74.0	-26.52	Peak	360.00	150	Vertical	Pass
1**	3754.500	38.94	-3.02	54.0	-15.06	AV	360.00	150	Vertical	Pass
2	4816.000	51.73	0.85	74.0	-22.27	Peak	45.00	150	Vertical	Pass
2**	4816.000	42.04	0.85	54.0	-11.96	AV	45.00	150	Vertical	Pass
3	5260.000	96.24	0.52	--	-203.76	Peak	300.00	150	Vertical	N/A
3**	5260.000	89.95	0.52	--	89.95	AV	300.00	150	Vertical	N/A
4	8268.375	50.63	0.12	74.0	-23.37	Peak	174.00	150	Vertical	Pass
4**	8268.375	41.16	0.12	54.0	-12.84	AV	174.00	150	Vertical	Pass
5	12444.100	53.97	3.88	74.0	-20.03	Peak	24.00	150	Vertical	Pass
5**	12444.100	44.72	3.88	54.0	-9.28	AV	24.00	150	Vertical	Pass
6	15628.313	52.97	1.53	74.0	-21.03	Peak	38.00	150	Vertical	Pass
6**	15628.313	44.48	1.53	54.0	-9.52	AV	38.00	150	Vertical	Pass