Appendix A

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

Product Name: Portable CD Player
Trade Mark: Nextron
Test Model: CB-500BT

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Ben Jin
Supervised by:	Li Huan

A.1 Maxmum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-2.812	21	PASS
	MCH	-2.358	21	PASS
	HCH	-2.207	21	PASS
π/4DQPSK	LCH	-1.865	21	PASS
	MCH	-1.375	21	PASS
	HCH	-1.195	21	PASS
8DPSK	LCH	-1.341	21	PASS
	MCH	-0.898	21	PASS
	HCH	-0.767	21	PASS

Test Graphs		
GFSK/LCH		
GFSK/MCH		

GFSK/HCH		
π/4DQPSK/LCH		

π/4DQPSK/MCH		
π/4DQPSK/HCH		

8DPSK/LCH		
8DPSK/MCH		

8DPSK/HCH	

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
02:07:08 PM Jan 28, 2021
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr1 2.480 090 00 GHz
-0.767 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
1
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9540	Not Specified	PASS
	MCH	0.9567	Not Specified	PASS
	HCH	0.9540	Not Specified	PASS
π/4DQPSK	LCH	1.284	Not Specified	PASS
	MCH	1.283	Not Specified	PASS
	HCH	1.281	Not Specified	PASS
8DPSK	LCH	1.298	Not Specified	PASS
	MCH	1.297	Not Specified	PASS
	HCH	1.298	Not Specified	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.078	0.638	PASS
	MCH	0.982	0.638	PASS
	HCH	0.808	0.638	PASS
π/4DQPSK	LCH	1.110	0.856	PASS
	MCH	1.262	0.856	PASS
	HCH	1.110	0.856	PASS
8DPSK	LCH	1.226	0.865	PASS
	MCH	0.966	0.865	PASS
	HCH	1.242	0.865	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH		
8DPSK/LCH		

8DPSK/MCH	
8DPSK/HCH	

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs		
GFSK/Hop		
π/4DQPSK/Hop		

8DPSK/Hop	

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
02:23:27 PM Jan 28, 2021
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
ΔMkr1 78.041 MHz
2.138 dB
1Δ2
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 78.041 MHz (Δ) 2.138 dB
2 F f 2.402 025 GHz -5.917 dBm
Frequency
Auto Tune
Center Freq
2.441750000 GHz
Start Freq
2.400000000 GHz
Stop Freq
2.483500000 GHz
CF Step
8.350000 MHz
Auto
Man
Freq Offset
0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
π/4DQPSK	2DH5	LCH	2.88	106.7	0.307	0.4	PASS
	2DH5	MCH	2.88	106.7	0.307	0.4	PASS
	2DH5	HCH	2.88	106.7	0.307	0.4	PASS
8DPSK	3DH5	LCH	2.88	106.7	0.308	0.4	PASS
	3DH5	MCH	2.88	106.7	0.308	0.4	PASS
	3DH5	HCH	2.88	106.7	0.308	0.4	PASS

Test Graphs

GFSK_DH5/LCH



GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	
8DPSK _3DH5/LCH	

8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.086	-37.397	-23.086	PASS
	MCH	-2.612	-37.648	-22.612	PASS
	HCH	-2.665	-37.889	-22.665	PASS
π/4DQPSK	LCH	-3.13	-37.478	-23.130	PASS
	MCH	-2.625	-35.415	-22.625	PASS
	HCH	-2.443	-37.918	-22.443	PASS
8DPSK	LCH	-2.972	-38.529	-22.972	PASS
	MCH	-2.602	-37.531	-22.602	PASS
	HCH	-2.775	-36.587	-22.775	PASS

GFSK_LCH_Graphs

Pref



Puw		

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
01:48:37 PM Jan 28, 2021
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 2/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr2 24.688 GHz
-37.397 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
-23.09 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (8001 pts)
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto
Man
Freq Offset
0 Hz
MSG
STATUS

GFSK_MCH_Graphs			
Pref			
Puw			

GFSK_HCH_Graphs			
Pref			
Puw			

π/4DQPSK_LCH_Graphs		
Pref		
Puw		

π/4DQPSK_MCH_Graphs		
Pref		
Puw		

π/4DQPSK_HCH_Graphs		
Pref		
Puw		

8DPSK_LCH_Graphs			
Pref			
Puw			

8DPSK_MCH_Graphs			
Pref			
Puw			

8DPSK_HCH_Graphs			
Pref			
Puw			

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-3.069	Off	-49.219	-23.07	PASS
			-2.801	On	-49.396	-22.8	PASS
	HCH	2480	-2.619	Off	-45.235	-22.62	PASS
			-2.395	On	-48.876	-22.4	PASS
π/4DQPSK	LCH	2402	-3.054	Off	-49.412	-23.05	PASS
			-2.663	On	-47.748	-22.66	PASS
	HCH	2480	-2.357	Off	-46.412	-22.36	PASS
			-2.269	On	-45.567	-22.27	PASS
8DPSK	LCH	2402	-3.036	Off	-49.435	-23.04	PASS
			-2.850	On	-48.529	-22.85	PASS
	HCH	2480	-2.519	Off	-48.137	-22.52	PASS
			-2.330	On	-48.308	-22.33	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/LCH/Hop	

π/4DQPSK/HCH/No Hop	
π/4DQPSK/HCH/Hop	

8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop	
8DPSK/HCH/Hop	

A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-43.66	2.0	0	51.60	PEAK	74	PASS
	Off	2310.0	-53.56	2.0	0	41.70	AV	54	PASS
	Off	2390.0	-40.77	2.0	0	54.49	PEAK	74	PASS
	Off	2390.0	-52.62	2.0	0	42.64	AV	54	PASS
	Off	2483.5	-39.94	2.0	0	55.32	PEAK	74	PASS
	Off	2483.5	-47.74	2.0	0	47.52	AV	54	PASS
	Off	2500.0	-40.67	2.0	0	54.59	PEAK	74	PASS
	Off	2500.0	-51.67	2.0	0	43.59	AV	54	PASS
π/4DQPSK	Off	2310.0	-43.15	2.0	0	52.11	PEAK	74	PASS
	Off	2310.0	-53.48	2.0	0	41.78	AV	54	PASS
	Off	2390.0	-41.09	2.0	0	54.16	PEAK	74	PASS
	Off	2390.0	-52.61	2.0	0	42.65	AV	54	PASS
	Off	2483.5	-40.04	2.0	0	55.22	PEAK	74	PASS
	Off	2483.5	-49.77	2.0	0	45.49	AV	54	PASS
	Off	2500.0	-40.89	2.0	0	54.37	PEAK	74	PASS
	Off	2500.0	-51.63	2.0	0	43.63	AV	54	PASS
8DPSK	Off	2310.0	-42.95	2.0	0	52.30	PEAK	74	PASS
	Off	2310.0	-53.54	2.0	0	41.72	AV	54	PASS
	Off	2390.0	-43.22	2.0	0	52.03	PEAK	74	PASS
	Off	2390.0	-52.54	2.0	0	42.71	AV	54	PASS
	Off	2483.5	-40.01	2.0	0	55.25	PEAK	74	PASS
	Off	2483.5	-49.82	2.0	0	45.43	AV	54	PASS
	Off	2500.0	-41.59	2.0	0	53.67	PEAK	74	PASS
	Off	2500.0	-51.58	2.0	0	43.68	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)