

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	20300/1745	1.13	1.08	1.0462963	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8.2.11 SAR Result of LTE Band 5

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 0	20525/836.5	1:1	0.462	-0.02	23.78	24.00	1.052	0.486	22.1
Left tilted	10	QPSK 1RB 0	20525/836.5	1:1	0.065	0.04	23.78	24.00	1.052	0.068	22.1
Right cheek	10	QPSK 1RB 0	20525/836.5	1:1	0.402	0.10	23.78	24.00	1.052	0.423	22.1
Right tilted	10	QPSK 1RB 0	20525/836.5	1:1	0.091	0.13	23.78	24.00	1.052	0.096	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	20450/829	1:1	0.412	0.01	22.67	23.00	1.079	0.445	22.1
Left tilted	10	QPSK 25RB 13	20450/829	1:1	0.052	0.09	22.67	23.00	1.079	0.056	22.1
Right cheek	10	QPSK 25RB 13	20450/829	1:1	0.385	0.09	22.67	23.00	1.079	0.415	22.1
Right tilted	10	QPSK 25RB 13	20450/829	1:1	0.079	0.06	22.67	23.00	1.079	0.085	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	20525/836.5	1:1	0.181	0.04	23.78	24.00	1.052	0.190	22.1
Back side	10	QPSK 1RB 0	20525/836.5	1:1	0.162	-0.14	23.78	24.00	1.052	0.170	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	20450/829	1:1	0.142	0.04	22.67	23.00	1.079	0.153	22.1
Back side	10	QPSK 25RB 13	20450/829	1:1	0.144	-0.20	22.67	23.00	1.079	0.155	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	20525/836.5	1:1	0.181	0.04	23.78	24.00	1.052	0.190	22.1
Back side	10	QPSK 1RB 0	20525/836.5	1:1	0.162	-0.14	23.78	24.00	1.052	0.170	22.1
Left side	10	QPSK 1RB 0	20525/836.5	1:1	0.303	0.05	23.78	24.00	1.052	0.319	22.1
Right side	10	QPSK 1RB 0	20525/836.5	1:1	0.006	0.14	23.78	24.00	1.052	0.006	22.1
Top side	10	QPSK 1RB 0	20525/836.5	1:1	0.014	0.01	23.78	24.00	1.052	0.014	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	20450/829	1:1	0.142	0.04	22.67	23.00	1.079	0.153	22.1
Back side	10	QPSK 25RB 13	20450/829	1:1	0.144	-0.20	22.67	23.00	1.079	0.155	22.1
Left side	10	QPSK 25RB 13	20450/829	1:1	0.269	0.06	22.67	23.00	1.079	0.290	22.1
Right side	10	QPSK 25RB 13	20450/829	1:1	0.004	0.01	22.67	23.00	1.079	0.005	22.1
Top side	10	QPSK 25RB 13	20450/829	1:1	0.010	0.03	22.67	23.00	1.079	0.011	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 25	20600/844	1:1	0.093	-0.15	23.90	24.00	1.023	0.095	22.1
Left tilted	10	QPSK 1RB 25	20600/844	1:1	0.060	0.15	23.90	24.00	1.023	0.061	22.1
Right cheek	10	QPSK 1RB 25	20600/844	1:1	0.156	0.07	23.90	24.00	1.023	0.160	22.1
Right tilted	10	QPSK 1RB 25	20600/844	1:1	0.073	0.08	23.90	24.00	1.023	0.075	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	20525/836.5	1:1	0.075	0.02	22.16	23.00	1.213	0.090	22.1
Left tilted	10	QPSK 25RB 13	20525/836.5	1:1	0.049	0.20	22.16	23.00	1.213	0.060	22.1
Right cheek	10	QPSK 25RB 13	20525/836.5	1:1	0.115	0.02	22.16	23.00	1.213	0.140	22.1
Right tilted	10	QPSK 25RB 13	20525/836.5	1:1	0.060	0.03	22.16	23.00	1.213	0.073	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 25	20600/844	1:1	0.277	-0.10	23.90	24.00	1.023	0.283	22.1
Back side	10	QPSK 1RB 25	20600/844	1:1	0.253	0.11	23.90	24.00	1.023	0.259	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	20525/836.5	1:1	0.250	-0.02	22.16	23.00	1.213	0.303	22.1
Back side	10	QPSK 25RB 13	20525/836.5	1:1	0.207	0.07	22.16	23.00	1.213	0.251	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 25	20600/844	1:1	0.277	-0.10	23.90	24.00	1.023	0.283	22.1
Back side	10	QPSK 1RB 25	20600/844	1:1	0.253	0.11	23.90	24.00	1.023	0.259	22.1
Left side	10	QPSK 1RB 25	20600/844	1:1	0.055	0.13	23.90	24.00	1.023	0.056	22.1
Right side	10	QPSK 1RB 25	20600/844	1:1	0.137	0.14	23.90	24.00	1.023	0.140	22.1
Bottom side	10	QPSK 1RB 25	20600/844	1:1	0.283	0.20	23.90	24.00	1.023	0.290	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	20525/836.5	1:1	0.250	-0.02	22.16	23.00	1.213	0.303	22.1
Back side	10	QPSK 25RB 13	20525/836.5	1:1	0.207	0.07	22.16	23.00	1.213	0.251	22.1
Left side	10	QPSK 25RB 13	20525/836.5	1:1	0.048	0.19	22.16	23.00	1.213	0.058	22.1
Right side	10	QPSK 25RB 13	20525/836.5	1:1	0.139	0.16	22.16	23.00	1.213	0.169	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Bottom side	10	QPSK 25RB_13	20525/836.5	1:1	0.233	0.04	22.16	23.00	1.213	0.283	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	10	QPSK 1RB_0	20525/836.5	1:1	0.455	0.11	23.78	24.00	1.052	0.479	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB_0	20525/836.5	1:1	0.174	0.01	23.78	24.00	1.052	0.183	22.1
Hotspot Test data at the worst case with Second supply											
Left side	10	QPSK 1RB_0	20525/836.5	1:1	0.281	-0.17	23.78	24.00	1.052	0.296	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	10	QPSK 1RB_25	20600/844	1:1	0.151	0.03	23.90	24.00	1.023	0.155	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 25RB_13	20525/836.5	1:1	0.230	0.17	22.16	23.00	1.213	0.279	22.1
Hotspot Test data at the worst case with Second supply											
Front side	10	QPSK 25RB_13	20525/836.5	1:1	0.230	0.17	22.16	23.00	1.213	0.279	22.1

Table 21: SAR of LTE Band 5 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.12 SAR Result of LTE Band 7

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 99	20850/2510	1:1	0.402	0.03	17.77	18.00	1.054	0.424	22.1
Left tilted	20	QPSK 1RB 99	20850/2510	1:1	0.098	0.13	17.77	18.00	1.054	0.103	22.1
Right cheek	20	QPSK 1RB 99	20850/2510	1:1	0.959	0.07	17.77	18.00	1.054	1.011	22.1
Right tilted	20	QPSK 1RB 99	20850/2510	1:1	0.248	0.08	17.77	18.00	1.054	0.261	22.1
Right cheek	20	QPSK 1RB 99	21100/2535.5	1:1	0.933	0.02	17.55	18.00	1.109	1.035	22.1
Right cheek	20	QPSK 1RB 99	21350/2560	1:1	0.890	0.07	17.50	18.00	1.122	0.999	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 25	20850/2510	1:1	0.423	-0.01	17.93	18.00	1.016	0.430	22.1
Left tilted	20	QPSK 50RB 25	20850/2510	1:1	0.101	-0.02	17.93	18.00	1.016	0.103	22.1
Right cheek	20	QPSK 50RB 25	20850/2510	1:1	1.000	0.05	17.93	18.00	1.016	1.016	22.1
Right tilted	20	QPSK 50RB 25	20850/2510	1:1	0.262	0.14	17.93	18.00	1.016	0.266	22.1
Right cheek	20	QPSK 50RB 50	21100/2535.5	1:1	0.969	0.08	17.71	18.00	1.069	1.036	22.1
Right cheek	20	QPSK 50RB 25	21350/2560	1:1	0.948	0.04	17.61	18.00	1.094	1.037	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB 0	20850/2510	1:1	1.010	0.04	17.86	18.00	1.033	1.043	22.1
Right cheek-repeat	20	QPSK 100RB 0	20850/2510	1:1	0.996	0.14	17.86	18.00	1.033	1.029	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK 1RB 99	21100/2535.5	1:1	0.726	-0.02	22.61	23.00	1.094	0.794	22.1
Back side	20	QPSK 1RB 99	21100/2535.5	1:1	0.707	0.01	22.61	23.00	1.094	0.773	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK 50RB 25	20850/2510	1:1	0.732	-0.02	22.38	23.00	1.153	0.844	22.1
Back side	20	QPSK 50RB 25	20850/2510	1:1	0.706	-0.02	22.38	23.00	1.153	0.814	22.1
Front side	20	QPSK 50RB 25	21100/2535.5	1:1	0.723	0.04	22.35	23.00	1.161	0.840	22.1
Front side	20	QPSK 50RB 25	21350/2560	1:1	0.697	0.08	22.34	23.00	1.164	0.811	22.1
Back side	20	QPSK 50RB 25	21100/2535.5	1:1	0.702	0.06	22.35	23.00	1.161	0.815	22.1
Back side	20	QPSK 50RB 25	21350/2560	1:1	0.671	0.00	22.34	23.00	1.164	0.781	22.1
Body worn Test data (Separate 10mm 100%RB) Sensor on											
Front side	20	QPSK 100RB 0	21350/2560	1:1	0.713	0.07	22.43	23.00	1.140	0.813	22.1
Back side	20	QPSK 100RB 0	21350/2560	1:1	0.674	-0.05	22.43	23.00	1.140	0.769	22.1
Body worn Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.586	0.18	23.40	24.00	1.148	0.673	22.1
Back side-17mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.301	0.04	23.40	24.00	1.148	0.346	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK 50RB 25	20850/2510	1:1	0.502	-0.01	22.38	23.00	1.153	0.579	22.1
Back side-17mm	20	QPSK 50RB 25	20850/2510	1:1	0.213	0.02	22.38	23.00	1.153	0.246	22.1
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	20	QPSK 1RB 99	21100/2535.5	1:1	0.726	-0.02	22.61	23.00	1.094	0.794	22.1
Back side	20	QPSK 1RB 99	21100/2535.5	1:1	0.707	0.01	22.61	23.00	1.094	0.773	22.1
Left side	20	QPSK 1RB 99	21100/2535.5	1:1	0.942	-0.05	22.61	23.00	1.094	1.031	22.1
Right side	20	QPSK 1RB 99	21100/2535.5	1:1	0.026	0.02	22.61	23.00	1.094	0.029	22.1
Top side	20	QPSK 1RB 99	21100/2535.5	1:1	0.164	0.04	22.61	23.00	1.094	0.179	22.1
Left side	20	QPSK 1RB 99	20850/2510	1:1	0.974	0.09	22.60	23.00	1.096	1.068	22.1
Left side	20	QPSK 1RB 99	21350/2560	1:1	0.881	0.09	22.51	23.00	1.119	0.986	22.1
Hotspot Test data(Separate 10mm 50%RB)Sensor on											
Front side	20	QPSK 50RB 25	20850/2510	1:1	0.732	-0.02	22.38	23.00	1.153	0.844	22.1
Back side	20	QPSK 50RB 25	20850/2510	1:1	0.706	-0.02	22.38	23.00	1.153	0.814	22.1
Left side	20	QPSK 50RB 25	20850/2510	1:1	0.982	0.05	22.38	23.00	1.153	1.133	22.1
Left side-repeat	20	QPSK 50RB 25	20850/2510	1:1	0.959	0.04	22.38	23.00	1.153	1.106	22.1
Right side	20	QPSK 50RB 25	20850/2510	1:1	0.234	0.08	22.38	23.00	1.153	0.270	22.1
Top side	20	QPSK 50RB 25	20850/2510	1:1	0.156	0.18	22.38	23.00	1.153	0.180	22.1
Front side	20	QPSK 50RB 25	21100/2535.5	1:1	0.723	0.04	22.35	23.00	1.161	0.840	22.1
Front side	20	QPSK 50RB 25	21350/2560	1:1	0.697	0.08	22.34	23.00	1.164	0.811	22.1
Back side	20	QPSK 50RB 25	21100/2535.5	1:1	0.702	0.06	22.35	23.00	1.161	0.815	22.1
Back side	20	QPSK 50RB 25	21350/2560	1:1	0.671	0.00	22.34	23.00	1.164	0.781	22.1
Left side	20	QPSK 50RB 25	21100/2535.5	1:1	0.928	0.10	22.35	23.00	1.161	1.078	22.1
Left side	20	QPSK 50RB 25	21350/2560	1:1	0.900	0.12	22.34	23.00	1.164	1.048	22.1
Hotspot Test data(Separate 10mm 100%RB)Sensor on											



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Front side	20	QPSK 100RB	0	21350/2560	1:1	0.713	0.07	22.43	23.00	1.140	0.813	22.1
Back side	20	QPSK 100RB	0	21350/2560	1:1	0.674	-0.05	22.43	23.00	1.140	0.769	22.1
Left side	20	QPSK 100RB	0	21350/2560	1:1	0.906	0.10	22.43	23.00	1.140	1.033	22.1
Hotspot Test data(Separate 10mm 1RB)Sensor off												
Front side-15mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.586	0.18	23.40	24.00	1.148	0.673	22.1
Back side-17mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.301	0.04	23.40	24.00	1.148	0.346	22.1
Left side-17mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.477	0.08	23.40	24.00	1.148	0.548	22.1
Right side-15mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.021	0.06	23.40	24.00	1.148	0.024	22.1
Top side-14mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.130	0.06	23.40	24.00	1.148	0.149	22.1
Hotspot Test data (Separate 10mm 50%RB)Sensor off												
Front side-15mm	20	QPSK 50RB	25	20850/2510	1:1	0.502	-0.01	22.38	23.00	1.153	0.579	22.1
Back side-17mm	20	QPSK 50RB	25	20850/2510	1:1	0.213	0.02	22.38	23.00	1.153	0.246	22.1
Left side-17mm	20	QPSK 50RB	25	20850/2510	1:1	0.400	0.03	22.38	23.00	1.153	0.461	22.1
Right side-15mm	20	QPSK 50RB	25	20850/2510	1:1	0.025	-0.07	22.38	23.00	1.153	0.029	22.1
Top side-14mm	20	QPSK 50RB	25	20850/2510	1:1	0.104	0.01	22.38	23.00	1.153	0.120	22.1
Test position	BW.	Test mode		Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor on												
Left side	20	QPSK 1RB	99	21100/2535.5	1:1	1.310	-0.10	22.61	23.00	1.094	1.433	22.1
Product specific 10g SAR Test data(Separate 0mm 50%RB)Sensor on												
Left side	20	QPSK 50RB	25	20850/2510	1:1	1.450	-0.13	22.38	23.00	1.153	1.673	22.1
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor off												
Left side-17mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.253	0.08	23.40	24.00	1.148	0.290	22.1
Product specific 10g SAR Test data(Separate 0mm 50%RB)Sensor off												
Left side-17mm	20	QPSK 50RB	25	20850/2510	1:1	0.213	0.03	22.38	23.00	1.153	0.246	22.1
ANTO												
Test position	BW.	Test mode		Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)												
Left cheek	20	QPSK 1RB	99	21100/2535.5	1:1	0.040	0.19	22.55	24.00	1.396	0.055	22.1
Left tilted	20	QPSK 1RB	99	21100/2535.5	1:1	0.014	0.18	22.55	24.00	1.396	0.019	22.1
Right cheek	20	QPSK 1RB	99	21100/2535.5	1:1	0.018	0.08	22.55	24.00	1.396	0.026	22.1
Right tilted	20	QPSK 1RB	99	21100/2535.5	1:1	0.025	0.02	22.55	24.00	1.396	0.035	22.1
Head Test data(50%RB)												
Left cheek	20	QPSK 50RB	25	20850/2510	1:1	0.013	0.07	21.67	23.00	1.358	0.017	22.1
Left tilted	20	QPSK 50RB	25	20850/2510	1:1	0.009	0.14	21.67	23.00	1.358	0.012	22.1
Right cheek	20	QPSK 50RB	25	20850/2510	1:1	0.020	0.00	21.67	23.00	1.358	0.027	22.1
Right tilted	20	QPSK 50RB	25	20850/2510	1:1	0.016	0.11	21.67	23.00	1.358	0.022	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on												
Front side	20	QPSK 1RB	99	21100/2535.5	1:1	0.384	-0.08	20.71	22.00	1.346	0.517	22.1
Back side	20	QPSK 1RB	99	21100/2535.5	1:1	0.455	0.09	20.71	22.00	1.346	0.612	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor on												
Front side	20	QPSK 50RB	25	20850/2510	1:1	0.430	-0.06	20.81	22.00	1.315	0.566	22.1
Back side	20	QPSK 50RB	25	20850/2510	1:1	0.481	0.00	20.81	22.00	1.315	0.633	22.1
Body worn Test data(Separate 10mm 1RB) Sensor off												
Front side-15mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.213	-0.09	22.55	24.00	1.396	0.297	22.1
Back side-17mm	20	QPSK 1RB	99	21100/2535.5	1:1	0.214	0.08	22.55	24.00	1.396	0.299	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor off												
Front side-15mm	20	QPSK 50RB	25	20850/2510	1:1	0.244	-0.08	21.67	23.00	1.358	0.331	22.1
Back side-17mm	20	QPSK 50RB	25	20850/2510	1:1	0.227	-0.03	21.67	23.00	1.358	0.308	22.1
Hotspot Test data(Separate 10mm 1RB) Sensor on												
Front side	20	QPSK 1RB	99	21100/2535.5	1:1	0.384	-0.08	20.71	22.00	1.346	0.517	22.1
Back side	20	QPSK 1RB	99	21100/2535.5	1:1	0.455	0.09	20.71	22.00	1.346	0.612	22.1
Left side	20	QPSK 1RB	99	21100/2535.5	1:1	0.034	-0.13	20.71	22.00	1.346	0.046	22.1
Right side	20	QPSK 1RB	99	21100/2535.5	1:1	0.115	0.19	20.71	22.00	1.346	0.155	22.1
Bottom side	20	QPSK 1RB	99	21100/2535.5	1:1	0.922	0.02	20.71	22.00	1.346	1.241	22.1
Bottom side	20	QPSK 1RB	99	20850/2510	1:1	0.980	0.01	20.68	22.00	1.355	1.328	22.1
Bottom side	20	QPSK 1RB	99	21350/2560	1:1	0.807	-0.12	20.70	22.00	1.349	1.089	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor on												
Front side	20	QPSK 50RB	25	20850/2510	1:1	0.430	-0.06	20.81	22.00	1.315	0.566	22.1
Back side	20	QPSK 50RB	25	20850/2510	1:1	0.481	0.00	20.81	22.00	1.315	0.633	22.1
Left side	20	QPSK 50RB	25	20850/2510	1:1	0.027	-0.04	20.81	22.00	1.315	0.036	22.1
Right side	20	QPSK 50RB	25	20850/2510	1:1	0.108	0.07	20.81	22.00	1.315	0.142	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Bottom side	20	QPSK 50RB 25	20850/2510	1:1	1.030	0.01	20.81	22.00	1.315	1.355	22.1
Bottom side-repeat	20	QPSK 50RB 25	20850/2510	1:1	1.010	0.05	20.81	22.00	1.315	1.328	22.1
Bottom side	20	QPSK 50RB 50	21100/2535.5	1:1	0.996	-0.04	20.74	22.00	1.337	1.331	22.1
Bottom side	20	QPSK 50RB 50	21350/2560	1:1	0.859	-0.10	20.79	22.00	1.321	1.135	22.1
Hotspot Test data (Separate 10mm 100%RB) Sensor on											
Bottom side	20	QPSK 100RB 0	20850/2510	1:1	1.020	-0.11	20.80	22.00	1.318	1.345	22.1
Hotspot Test data (Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.213	-0.09	22.55	24.00	1.396	0.297	22.1
Back side-17mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.214	0.08	22.55	24.00	1.396	0.299	22.1
Left side-17mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.035	-0.01	22.55	24.00	1.396	0.049	22.1
Right side-15mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.103	-0.06	22.55	24.00	1.396	0.144	22.1
Bottom side-19mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.291	-0.02	22.55	24.00	1.396	0.406	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK 50RB 25	20850/2510	1:1	0.244	-0.08	21.67	23.00	1.358	0.331	22.1
Back side-17mm	20	QPSK 50RB 25	20850/2510	1:1	0.227	-0.03	21.67	23.00	1.358	0.308	22.1
Left side-17mm	20	QPSK 50RB 25	20850/2510	1:1	0.015	0.00	21.67	23.00	1.358	0.020	22.1
Right side-15mm	20	QPSK 50RB 25	20850/2510	1:1	0.083	0.05	21.67	23.00	1.358	0.113	22.1
Bottom side-19mm	20	QPSK 50RB 25	20850/2510	1:1	0.343	0.03	21.67	23.00	1.358	0.466	22.1
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Product specific 10g SAR Test data (Separate 0mm 1RB) Sensor on											
Bottom side	20	QPSK 1RB 99	21100/2535.5	1:1	1.470	0.05	20.71	22.00	1.346	1.978	22.1
Product specific 10g SAR Test data (Separate 0mm 50%RB) Sensor on											
Bottom side	20	QPSK 50RB 25	20850/2510	1:1	1.510	0.02	20.81	22.00	1.315	1.986	22.1
Product specific 10g SAR Test data (Separate 0mm 1RB) Sensor off											
Bottom side-19mm	20	QPSK 1RB 99	21100/2535.5	1:1	0.152	-0.02	22.55	24.00	1.396	0.212	22.1
Product specific 10g SAR Test data (Separate 0mm 50%RB) Sensor off											
Bottom side-19mm	20	QPSK 50RB 25	20850/2510	1:1	0.180	0.03	21.67	23.00	1.358	0.244	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK 100RB 0	20850/2510	1:1	0.950	0.01	17.86	18.00	1.033	0.981	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK 50RB 25	20850/2510	1:1	0.711	-0.18	22.38	23.00	1.153	0.820	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK 50RB 25	20850/2510	1:1	0.932	0.18	22.38	23.00	1.153	1.075	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK 1RB 99	21100/2535.5	1:1	0.020	0.11	22.55	24.00	1.396	0.028	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK 50RB 25	20850/2510	1:1	0.441	-0.15	20.81	22.00	1.315	0.580	22.1
Hotspot Test data at the worst case with Second supply											
Bottom side	20	QPSK 50RB 25	20850/2510	1:1	0.960	-0.05	20.81	22.00	1.315	1.263	22.1
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Product specific 10g SAR Test data at the worst case with Second supply											
Bottom side	20	QPSK 50RB 25	20850/2510	1:1	1.390	0.07	20.81	22.00	1.315	1.828	22.1

Table 22: SAR of LTE Band 7 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	20850/2510	1.01	0.996	1.0140562	N/A	N/A
Left side	20850/2510	0.982	0.959	1.0239833	N/A	N/A
Bottom side	20850/2510	1.03	1.01	1.019802	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8.2.13 SAR Result of LTE Band 12

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 49	23095/707.5	1:1	0.660	-0.05	23.20	24.00	1.202	0.793	22.1
Left tilted	10	QPSK 1RB 49	23095/707.5	1:1	0.114	0.05	23.20	24.00	1.202	0.137	22.1
Right cheek	10	QPSK 1RB 49	23095/707.5	1:1	0.553	-0.03	23.20	24.00	1.202	0.665	22.1
Right tilted	10	QPSK 1RB 49	23095/707.5	1:1	0.111	0.05	23.20	24.00	1.202	0.133	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 25	23095/707.5	1:1	0.574	0.03	22.22	23.00	1.197	0.687	22.1
Left tilted	10	QPSK 25RB 25	23095/707.5	1:1	0.092	0.01	22.22	23.00	1.197	0.110	22.1
Right cheek	10	QPSK 25RB 25	23095/707.5	1:1	0.453	-0.09	22.22	23.00	1.197	0.542	22.1
Right tilted	10	QPSK 25RB 25	23095/707.5	1:1	0.090	0.01	22.22	23.00	1.197	0.107	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 49	23095/707.5	1:1	0.199	0.04	23.20	24.00	1.202	0.239	22.1
Back side	10	QPSK 1RB 49	23095/707.5	1:1	0.174	-0.07	23.20	24.00	1.202	0.209	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 25	23095/707.5	1:1	0.142	0.13	22.22	23.00	1.197	0.170	22.1
Back side	10	QPSK 25RB 25	23095/707.5	1:1	0.140	-0.07	22.22	23.00	1.197	0.168	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 49	23095/707.5	1:1	0.199	0.04	23.20	24.00	1.202	0.239	22.1
Back side	10	QPSK 1RB 49	23095/707.5	1:1	0.174	-0.07	23.20	24.00	1.202	0.209	22.1
Left side	10	QPSK 1RB 49	23095/707.5	1:1	0.460	0.04	23.20	24.00	1.202	0.553	22.1
Right side	10	QPSK 1RB 49	23095/707.5	1:1	0.020	0.00	23.20	24.00	1.202	0.024	22.1
Top side	10	QPSK 1RB 49	23095/707.5	1:1	0.013	0.13	23.20	24.00	1.202	0.016	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 25	23095/707.5	1:1	0.263	0.02	22.22	23.00	1.197	0.315	22.1
Back side	10	QPSK 25RB 25	23095/707.5	1:1	0.243	-0.12	22.22	23.00	1.197	0.291	22.1
Left side	10	QPSK 25RB 25	23095/707.5	1:1	0.364	0.07	22.22	23.00	1.197	0.436	22.1
Right side	10	QPSK 25RB 25	23095/707.5	1:1	0.002	-0.03	22.22	23.00	1.197	0.002	22.1
Top side	10	QPSK 25RB 25	23095/707.5	1:1	0.003	0.13	22.22	23.00	1.197	0.003	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 49	23060/704	1:1	0.071	0.01	22.98	24.00	1.265	0.089	22.1
Left tilted	10	QPSK 1RB 49	23060/704	1:1	0.041	0.06	22.98	24.00	1.265	0.052	22.1
Right cheek	10	QPSK 1RB 49	23060/704	1:1	0.086	-0.19	22.98	24.00	1.265	0.109	22.1
Right tilted	10	QPSK 1RB 49	23060/704	1:1	0.042	0.08	22.98	24.00	1.265	0.053	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	23095/707.5	1:1	0.056	0.04	22.11	23.00	1.227	0.068	22.1
Left tilted	10	QPSK 25RB 13	23095/707.5	1:1	0.034	0.02	22.11	23.00	1.227	0.042	22.1
Right cheek	10	QPSK 25RB 13	23095/707.5	1:1	0.074	0.06	22.11	23.00	1.227	0.090	22.1
Right tilted	10	QPSK 25RB 13	23095/707.5	1:1	0.036	0.19	22.11	23.00	1.227	0.044	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 49	23060/704	1:1	0.146	0.02	22.98	24.00	1.265	0.185	22.1
Back side	10	QPSK 1RB 49	23060/704	1:1	0.123	0.09	22.98	24.00	1.265	0.156	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23095/707.5	1:1	0.108	0.01	22.11	23.00	1.227	0.133	22.1
Back side	10	QPSK 25RB 13	23095/707.5	1:1	0.101	0.13	22.11	23.00	1.227	0.124	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 49	23060/704	1:1	0.146	0.02	22.98	24.00	1.265	0.185	22.1
Back side	10	QPSK 1RB 49	23060/704	1:1	0.123	0.09	22.98	24.00	1.265	0.156	22.1
Left side	10	QPSK 1RB 49	23060/704	1:1	0.048	0.10	22.98	24.00	1.265	0.061	22.1
Right side	10	QPSK 1RB 49	23060/704	1:1	0.184	-0.04	22.98	24.00	1.265	0.233	22.1
Bottom side	10	QPSK 1RB 49	23060/704	1:1	0.141	0.01	22.98	24.00	1.265	0.178	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23095/707.5	1:1	0.108	0.01	22.11	23.00	1.227	0.133	22.1
Back side	10	QPSK 25RB 13	23095/707.5	1:1	0.101	0.13	22.11	23.00	1.227	0.124	22.1
Left side	10	QPSK 25RB 13	23095/707.5	1:1	0.040	0.12	22.11	23.00	1.227	0.049	22.1
Right side	10	QPSK 25RB 13	23095/707.5	1:1	0.135	0.15	22.11	23.00	1.227	0.166	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 Shenzhen Branch, SGS-CSTC Standards Technical Services Co., Ltd. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Bottom side	10	QPSK 25RB 13	23095/707.5	1:1	0.118	0.20	22.11	23.00	1.227	0.145	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	10	QPSK 1RB 49	23095/707.5	1:1	0.623	0.01	23.20	24.00	1.202	0.749	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB 49	23095/707.5	1:1	0.192	0.08	23.20	24.00	1.202	0.231	22.1
Hotspot Test data at the worst case with Second supply											
Left side	10	QPSK 1RB 49	23095/707.5	1:1	0.442	0.16	23.20	24.00	1.202	0.531	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	10	QPSK 1RB 49	23060/704	1:1	0.083	0.15	22.98	24.00	1.265	0.105	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB 49	23060/704	1:1	0.139	0.01	22.98	24.00	1.265	0.176	22.1
Hotspot Test data at the worst case with Second supply											
Right side	10	QPSK 1RB 49	23060/704	1:1	0.181	-0.08	22.98	24.00	1.265	0.229	22.1
ANT1 ENDC											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 49	23095/707.5	1:1	0.660	-0.05	23.20	20.50	0.537	0.354	22.1
Left tilted	10	QPSK 1RB 49	23095/707.5	1:1	0.114	0.05	23.20	20.50	0.537	0.061	22.1
Right cheek	10	QPSK 1RB 49	23095/707.5	1:1	0.553	-0.03	23.20	20.50	0.537	0.297	22.1
Right tilted	10	QPSK 1RB 49	23095/707.5	1:1	0.111	0.05	23.20	20.50	0.537	0.060	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 25	23095/707.5	1:1	0.574	0.03	22.22	20.50	0.673	0.386	22.1
Left tilted	10	QPSK 25RB 25	23095/707.5	1:1	0.092	0.01	22.22	20.50	0.673	0.062	22.1
Right cheek	10	QPSK 25RB 25	23095/707.5	1:1	0.453	-0.09	22.22	20.50	0.673	0.305	22.1
Right tilted	10	QPSK 25RB 25	23095/707.5	1:1	0.090	0.01	22.22	20.50	0.673	0.060	22.1

Table 23: SAR of LTE Band 12 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.14 SAR Result of LTE Band 13

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 25	23230/782	1:1	0.243	0.08	23.55	24.00	1.109	0.270	22.1
Left tilted	10	QPSK 1RB 25	23230/782	1:1	0.041	0.05	23.55	24.00	1.109	0.046	22.1
Right cheek	10	QPSK 1RB 25	23230/782	1:1	0.215	0.08	23.55	24.00	1.109	0.238	22.1
Right tilted	10	QPSK 1RB 25	23230/782	1:1	0.041	0.06	23.55	24.00	1.109	0.046	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	23230/782	1:1	0.205	0.02	22.55	23.00	1.109	0.227	22.1
Left tilted	10	QPSK 25RB 13	23230/782	1:1	0.034	0.08	22.55	23.00	1.109	0.038	22.1
Right cheek	10	QPSK 25RB 13	23230/782	1:1	0.175	0.02	22.55	23.00	1.109	0.194	22.1
Right tilted	10	QPSK 25RB 13	23230/782	1:1	0.034	0.20	22.55	23.00	1.109	0.037	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 25	23230/782	1:1	0.223	0.07	23.55	24.00	1.109	0.247	22.1
Back side	10	QPSK 1RB 25	23230/782	1:1	0.141	-0.14	23.55	24.00	1.109	0.156	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23230/782	1:1	0.121	0.04	22.55	23.00	1.109	0.134	22.1
Back side	10	QPSK 25RB 13	23230/782	1:1	0.111	-0.13	22.55	23.00	1.109	0.123	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 25	23230/782	1:1	0.223	0.07	23.55	24.00	1.109	0.247	22.1
Back side	10	QPSK 1RB 25	23230/782	1:1	0.141	-0.14	23.55	24.00	1.109	0.156	22.1
Left side	10	QPSK 1RB 25	23230/782	1:1	0.229	0.13	23.55	24.00	1.109	0.254	22.1
Right side	10	QPSK 1RB 25	23230/782	1:1	0.006	0.02	23.55	24.00	1.109	0.007	22.1
Top side	10	QPSK 1RB 25	23230/782	1:1	0.004	0.06	23.55	24.00	1.109	0.005	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23230/782	1:1	0.121	0.04	22.55	23.00	1.109	0.134	22.1
Back side	10	QPSK 25RB 13	23230/782	1:1	0.111	-0.13	22.55	23.00	1.109	0.123	22.1
Left side	10	QPSK 25RB 13	23230/782	1:1	0.173	0.02	22.55	23.00	1.109	0.192	22.1
Right side	10	QPSK 25RB 13	23230/782	1:1	0.005	0.09	22.55	23.00	1.109	0.005	22.1
Top side	10	QPSK 25RB 13	23230/782	1:1	0.003	0.07	22.55	23.00	1.109	0.003	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 49	23230/782	1:1	0.067	0.02	23.10	24.00	1.230	0.083	22.1
Left tilted	10	QPSK 1RB 49	23230/782	1:1	0.047	0.03	23.10	24.00	1.230	0.058	22.1
Right cheek	10	QPSK 1RB 49	23230/782	1:1	0.111	0.13	23.10	24.00	1.230	0.137	22.1
Right tilted	10	QPSK 1RB 49	23230/782	1:1	0.058	0.03	23.10	24.00	1.230	0.071	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 25	23230/782	1:1	0.060	0.09	22.08	23.00	1.236	0.074	22.1
Left tilted	10	QPSK 25RB 25	23230/782	1:1	0.039	0.04	22.08	23.00	1.236	0.048	22.1
Right cheek	10	QPSK 25RB 25	23230/782	1:1	0.096	0.01	22.08	23.00	1.236	0.118	22.1
Right tilted	10	QPSK 25RB 25	23230/782	1:1	0.049	0.04	22.08	23.00	1.236	0.060	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 49	23230/782	1:1	0.198	0.02	23.10	24.00	1.230	0.244	22.1
Back side	10	QPSK 1RB 49	23230/782	1:1	0.159	0.07	23.10	24.00	1.230	0.196	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 25	23230/782	1:1	0.151	-0.05	22.08	23.00	1.236	0.187	22.1
Back side	10	QPSK 25RB 25	23230/782	1:1	0.130	0.10	22.08	23.00	1.236	0.161	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 49	23230/782	1:1	0.198	0.02	23.10	24.00	1.230	0.244	22.1
Back side	10	QPSK 1RB 49	23230/782	1:1	0.159	0.07	23.10	24.00	1.230	0.196	22.1
Left side	10	QPSK 1RB 49	23230/782	1:1	0.067	0.12	23.10	24.00	1.230	0.082	22.1
Right side	10	QPSK 1RB 49	23230/782	1:1	0.135	0.14	23.10	24.00	1.230	0.166	22.1
Bottom side	10	QPSK 1RB 49	23230/782	1:1	0.197	0.18	23.10	24.00	1.230	0.242	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 25	23230/782	1:1	0.151	-0.05	22.08	23.00	1.236	0.187	22.1
Back side	10	QPSK 25RB 25	23230/782	1:1	0.130	0.10	22.08	23.00	1.236	0.161	22.1
Left side	10	QPSK 25RB 25	23230/782	1:1	0.055	0.19	22.08	23.00	1.236	0.067	22.1
Right side	10	QPSK 25RB 25	23230/782	1:1	0.142	0.11	22.08	23.00	1.236	0.176	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch, 科技园中区M-10栋一号楼房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Bottom side	10	QPSK 25RB_25	23230/782	1:1	0.160	0.19	22.08	23.00	1.236	0.198	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	10	QPSK 1RB_25	23230/782	1:1	0.221	0.11	23.55	24.00	1.109	0.245	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB_25	23230/782	1:1	0.208	-0.08	23.55	24.00	1.109	0.231	22.1
Hotspot Test data at the worst case with Second supply											
Left side	10	QPSK 1RB_25	23230/782	1:1	0.211	0.13	23.55	24.00	1.109	0.234	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	10	QPSK 1RB_49	23230/782	1:1	0.103	0.06	23.10	24.00	1.230	0.127	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB_49	23230/782	1:1	0.183	0.07	23.10	24.00	1.230	0.225	22.1
Hotspot Test data at the worst case with Second supply											
Front side	10	QPSK 1RB_49	23230/782	1:1	0.183	0.07	23.10	24.00	1.230	0.225	22.1

Table 24: SAR of LTE Band 13 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.15 SAR Result of LTE Band 14

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 0	23330/793	1:1	0.227	0.07	23.67	24.00	1.079	0.245	22.1
Left tilted	10	QPSK 1RB 0	23330/793	1:1	0.039	0.02	23.67	24.00	1.079	0.042	22.1
Right cheek	10	QPSK 1RB 0	23330/793	1:1	0.203	0.02	23.67	24.00	1.079	0.219	22.1
Right tilted	10	QPSK 1RB 0	23330/793	1:1	0.040	0.04	23.67	24.00	1.079	0.043	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	23330/793	1:1	0.181	0.07	22.51	23.00	1.119	0.203	22.1
Left tilted	10	QPSK 25RB 13	23330/793	1:1	0.031	0.06	22.51	23.00	1.119	0.035	22.1
Right cheek	10	QPSK 25RB 13	23330/793	1:1	0.156	-0.07	22.51	23.00	1.119	0.175	22.1
Right tilted	10	QPSK 25RB 13	23330/793	1:1	0.031	0.07	22.51	23.00	1.119	0.035	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.202	0.10	23.67	24.00	1.079	0.218	22.1
Back side	10	QPSK 1RB 0	23330/793	1:1	0.117	-0.17	23.67	24.00	1.079	0.126	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23330/793	1:1	0.097	0.04	22.51	23.00	1.119	0.108	22.1
Back side	10	QPSK 25RB 13	23330/793	1:1	0.090	-0.17	22.51	23.00	1.119	0.101	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.202	0.10	23.67	24.00	1.079	0.218	22.1
Back side	10	QPSK 1RB 0	23330/793	1:1	0.117	-0.17	23.67	24.00	1.079	0.126	22.1
Left side	10	QPSK 1RB 0	23330/793	1:1	0.208	0.06	23.67	24.00	1.079	0.224	22.1
Right side	10	QPSK 1RB 0	23330/793	1:1	0.005	0.03	23.67	24.00	1.079	0.005	22.1
Top side	10	QPSK 1RB 0	23330/793	1:1	0.004	0.09	23.67	24.00	1.079	0.004	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23330/793	1:1	0.097	0.04	22.51	23.00	1.119	0.108	22.1
Back side	10	QPSK 25RB 13	23330/793	1:1	0.090	-0.17	22.51	23.00	1.119	0.101	22.1
Left side	10	QPSK 25RB 13	23330/793	1:1	0.151	0.03	22.51	23.00	1.119	0.169	22.1
Right side	10	QPSK 25RB 13	23330/793	1:1	0.003	0.07	22.51	23.00	1.119	0.004	22.1
Top side	10	QPSK 25RB 13	23330/793	1:1	0.003	0.07	22.51	23.00	1.119	0.003	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 0	23330/793	1:1	0.068	0.07	23.05	24.00	1.245	0.085	22.1
Left tilted	10	QPSK 1RB 0	23330/793	1:1	0.049	0.01	23.05	24.00	1.245	0.061	22.1
Right cheek	10	QPSK 1RB 0	23330/793	1:1	0.112	0.09	23.05	24.00	1.245	0.139	22.1
Right tilted	10	QPSK 1RB 0	23330/793	1:1	0.060	0.03	23.05	24.00	1.245	0.074	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	23330/793	1:1	0.054	0.03	22.12	23.00	1.225	0.066	22.1
Left tilted	10	QPSK 25RB 13	23330/793	1:1	0.048	0.05	22.12	23.00	1.225	0.059	22.1
Right cheek	10	QPSK 25RB 13	23330/793	1:1	0.093	0.04	22.12	23.00	1.225	0.114	22.1
Right tilted	10	QPSK 25RB 13	23330/793	1:1	0.046	0.17	22.12	23.00	1.225	0.057	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.204	0.02	23.05	24.00	1.245	0.254	22.1
Back side	10	QPSK 1RB 0	23330/793	1:1	0.163	0.06	23.05	24.00	1.245	0.203	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23330/793	1:1	0.154	-0.04	22.12	23.00	1.225	0.189	22.1
Back side	10	QPSK 25RB 13	23330/793	1:1	0.133	0.08	22.12	23.00	1.225	0.163	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.204	0.02	23.05	24.00	1.245	0.254	22.1
Back side	10	QPSK 1RB 0	23330/793	1:1	0.163	0.06	23.05	24.00	1.245	0.203	22.1
Left side	10	QPSK 1RB 0	23330/793	1:1	0.067	0.14	23.05	24.00	1.245	0.084	22.1
Right side	10	QPSK 1RB 0	23330/793	1:1	0.175	0.15	23.05	24.00	1.245	0.218	22.1
Bottom side	10	QPSK 1RB 0	23330/793	1:1	0.202	0.20	23.05	24.00	1.245	0.251	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB 13	23330/793	1:1	0.154	-0.04	22.12	23.00	1.225	0.189	22.1
Back side	10	QPSK 25RB 13	23330/793	1:1	0.133	0.08	22.12	23.00	1.225	0.163	22.1
Left side	10	QPSK 25RB 13	23330/793	1:1	0.052	0.16	22.12	23.00	1.225	0.064	22.1
Right side	10	QPSK 25RB 13	23330/793	1:1	0.151	0.10	22.12	23.00	1.225	0.185	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26710594 f (86-755) 26710594 www.sgs.com.cn
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Bottom side	10	QPSK 25RB 13	23330/793	1:1	0.163	0.02	22.12	23.00	1.225	0.200	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	10	QPSK 1RB 0	23330/793	1:1	0.208	0.03	23.67	24.00	1.079	0.224	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.201	0.04	23.67	24.00	1.079	0.217	22.1
Hotspot Test data at the worst case with Second supply											
Left side	10	QPSK 1RB 0	23330/793	1:1	0.205	0.09	23.67	24.00	1.079	0.221	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	10	QPSK 1RB 0	23330/793	1:1	0.109	0.07	23.05	24.00	1.245	0.136	22.1
Body worn Test data at the worst case with Second supply											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.189	0.03	23.05	24.00	1.245	0.235	22.1
Hotspot Test data at the worst case with Second supply											
Front side	10	QPSK 1RB 0	23330/793	1:1	0.189	0.03	23.05	24.00	1.245	0.235	22.1

Table 25: SAR of LTE Band 14 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8.2.16 SAR Result of LTE Band 25

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 99	26140/1860	1:1	0.415	0.01	19.48	20.00	1.127	0.468	22.3
Left tilted	20	QPSK 1RB 99	26140/1860	1:1	0.112	0.05	19.48	20.00	1.127	0.126	22.3
Right cheek	20	QPSK 1RB 99	26140/1860	1:1	0.705	0.09	19.48	20.00	1.127	0.795	22.3
Right tilted	20	QPSK 1RB 99	26140/1860	1:1	0.182	0.05	19.48	20.00	1.127	0.205	22.3
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 25	26365/1882.5	1:1	0.450	0.06	19.51	20.00	1.119	0.504	22.3
Left tilted	20	QPSK 50RB 25	26365/1882.5	1:1	0.146	0.19	19.51	20.00	1.119	0.163	22.3
Right cheek	20	QPSK 50RB 25	26365/1882.5	1:1	0.770	0.05	19.51	20.00	1.119	0.862	22.3
Right tilted	20	QPSK 50RB 25	26365/1882.5	1:1	0.206	0.17	19.51	20.00	1.119	0.231	22.3
Right cheek	20	QPSK 50RB 25	26140/1860	1:1	0.725	0.04	19.47	20.00	1.130	0.819	22.3
Right cheek	20	QPSK 50RB 25	26590/1905	1:1	0.816	0.09	19.44	20.00	1.138	0.928	22.3
Right cheek-repeat	20	QPSK 50RB 25	26590/1905	1:1	0.804	0.16	19.44	20.00	1.138	0.915	22.3
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB 0	26140/1860	1:1	0.718	0.09	19.51	20.00	1.119	0.804	22.3
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK 1RB 99	26140/1860	1:1	0.321	0.18	22.59	23.00	1.099	0.353	22.3
Back side	20	QPSK 1RB 99	26140/1860	1:1	0.355	0.13	22.59	23.00	1.099	0.390	22.3
Body worn Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK 50RB 25	26365/1882.5	1:1	0.328	0.17	22.55	23.00	1.109	0.364	22.3
Back side	20	QPSK 50RB 25	26365/1882.5	1:1	0.346	0.07	22.55	23.00	1.109	0.384	22.3
Body worn Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK 1RB 99	26140/1860	1:1	0.204	0.03	23.40	24.00	1.148	0.234	22.3
Back side-17mm	20	QPSK 1RB 99	26140/1860	1:1	0.235	-0.02	23.40	24.00	1.148	0.270	22.3
Body worn Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.168	-0.07	22.56	23.00	1.107	0.186	22.3
Back side-17mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.204	-0.02	22.56	23.00	1.107	0.226	22.3
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	20	QPSK 1RB 99	26140/1860	1:1	0.321	0.18	22.59	23.00	1.099	0.353	22.3
Back side	20	QPSK 1RB 99	26140/1860	1:1	0.355	0.13	22.59	23.00	1.099	0.390	22.3
Left side	20	QPSK 1RB 99	26140/1860	1:1	0.533	0.06	22.59	23.00	1.099	0.586	22.3
Right side	20	QPSK 1RB 99	26140/1860	1:1	0.026	0.05	22.59	23.00	1.099	0.028	22.3
Top side	20	QPSK 1RB 99	26140/1860	1:1	0.093	0.06	22.59	23.00	1.099	0.102	22.3
Hotspot Test data (Separate 10mm 50%RB)Sensor on											
Front side	20	QPSK 50RB 25	26365/1882.5	1:1	0.328	0.17	22.55	23.00	1.109	0.364	22.3
Back side	20	QPSK 50RB 25	26365/1882.5	1:1	0.346	0.07	22.55	23.00	1.109	0.384	22.3
Left side	20	QPSK 50RB 25	26365/1882.5	1:1	0.352	0.01	22.55	23.00	1.109	0.390	22.3
Right side	20	QPSK 50RB 25	26365/1882.5	1:1	0.027	0.09	22.55	23.00	1.109	0.030	22.3
Top side	20	QPSK 50RB 25	26365/1882.5	1:1	0.120	0.05	22.55	23.00	1.109	0.133	22.3
Hotspot Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK 1RB 99	26140/1860	1:1	0.204	0.03	23.40	24.00	1.148	0.234	22.3
Back side-17mm	20	QPSK 1RB 99	26140/1860	1:1	0.235	-0.02	23.40	24.00	1.148	0.270	22.3
Left side-17mm	20	QPSK 1RB 99	26140/1860	1:1	0.248	0.08	23.40	24.00	1.148	0.285	22.3
Right side-15mm	20	QPSK 1RB 99	26140/1860	1:1	0.033	0.09	23.40	24.00	1.148	0.038	22.3
Top side-14mm	20	QPSK 1RB 99	26140/1860	1:1	0.117	0.15	23.40	24.00	1.148	0.134	22.3
Hotspot Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.168	-0.07	22.56	23.00	1.107	0.186	22.3
Back side-17mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.204	-0.02	22.56	23.00	1.107	0.226	22.3
Left side-17mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.215	-0.01	22.56	23.00	1.107	0.238	22.3
Right side-15mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.029	0.11	22.56	23.00	1.107	0.032	22.3
Top side-14mm	20	QPSK 50RB 25	26365/1882.5	1:1	0.123	0.16	22.56	23.00	1.107	0.136	22.3
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	26140/1860	1:1	0.018	0.14	22.51	23.50	1.256	0.022	22.3
Left tilted	20	QPSK 1RB 0	26140/1860	1:1	0.006	0.02	22.51	23.50	1.256	0.008	22.3
Right cheek	20	QPSK 1RB 0	26140/1860	1:1	0.007	0.03	22.51	23.50	1.256	0.009	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26710594 f (86-755) 26012053 www.sgsgroup.com.cn
Shenzhen Branch, 2222 Zhongyuan Road, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com
中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 109 of 191

Right tilted	20	QPSK 1RB 0	26140/1860	1:1	0.006	0.02	22.51	23.50	1.256	0.007	22.3
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 50	26140/1860	1:1	0.010	0.03	21.59	23.00	1.384	0.014	22.3
Left tilted	20	QPSK 50RB 50	26140/1860	1:1	0.007	0.03	21.59	23.00	1.384	0.010	22.3
Right cheek	20	QPSK 50RB 50	26140/1860	1:1	0.008	0.04	21.59	23.00	1.384	0.012	22.3
Right tilted	20	QPSK 50RB 50	26140/1860	1:1	0.005	0.06	21.59	23.00	1.384	0.006	22.3
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK 1RB 0	26140/1860	1:1	0.489	0.09	21.81	22.50	1.172	0.573	22.3
Back side	20	QPSK 1RB 0	26140/1860	1:1	0.390	0.03	21.81	22.50	1.172	0.457	22.3
Body worn Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK 50RB 50	26140/1860	1:1	0.463	0.02	21.72	22.50	1.197	0.554	22.3
Back side	20	QPSK 50RB 50	26140/1860	1:1	0.382	0.05	21.72	22.50	1.197	0.457	22.3
Body worn Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK 1RB 0	26140/1860	1:1	0.299	0.02	22.51	23.50	1.256	0.376	22.3
Back side-17mm	20	QPSK 1RB 0	26140/1860	1:1	0.227	0.04	22.51	23.50	1.256	0.285	22.3
Body worn Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK 50RB 50	26140/1860	1:1	0.210	-0.15	21.59	23.00	1.384	0.291	22.3
Back side-17mm	20	QPSK 50RB 50	26140/1860	1:1	0.189	0.01	21.59	23.00	1.384	0.261	22.3
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	20	QPSK 1RB 0	26140/1860	1:1	0.489	0.09	21.81	22.50	1.172	0.573	22.3
Back side	20	QPSK 1RB 0	26140/1860	1:1	0.390	0.03	21.81	22.50	1.172	0.457	22.3
Left side	20	QPSK 1RB 0	26140/1860	1:1	0.021	0.08	21.81	22.50	1.172	0.024	22.3
Right side	20	QPSK 1RB 0	26140/1860	1:1	0.036	0.08	21.81	22.50	1.172	0.042	22.3
Bottom side	20	QPSK 1RB 0	26140/1860	1:1	0.934	0.02	21.81	22.50	1.172	1.095	22.3
Bottom side	20	QPSK 1RB 0	26365/1882.5	1:1	1.010	0.17	21.69	22.50	1.205	1.217	22.3
Bottom side	20	QPSK 1RB 0	26590/1905	1:1	0.975	0.04	21.77	22.50	1.183	1.153	22.3
Hotspot Test data(Separate 10mm 50%RB)Sensor on											
Front side	20	QPSK 50RB 50	26140/1860	1:1	0.463	0.02	21.72	22.50	1.197	0.554	22.3
Back side	20	QPSK 50RB 50	26140/1860	1:1	0.382	0.05	21.72	22.50	1.197	0.457	22.3
Left side	20	QPSK 50RB 50	26140/1860	1:1	0.017	0.04	21.72	22.50	1.197	0.020	22.3
Right side	20	QPSK 50RB 50	26140/1860	1:1	0.035	0.07	21.72	22.50	1.197	0.042	22.3
Bottom side	20	QPSK 50RB 50	26140/1860	1:1	0.951	-0.04	21.72	22.50	1.197	1.138	22.3
Bottom side	20	QPSK 50RB 50	26365/1882.5	1:1	0.977	-0.03	21.57	22.50	1.239	1.210	22.3
Bottom side	20	QPSK 50RB 50	26590/1905	1:1	0.918	0.00	21.70	22.50	1.202	1.104	22.3
Hotspot Test data(Separate 10mm 100%RB)Sensor on											
Bottom side	20	QPSK 100RB 0	26365/1882.5	1:1	0.991	0.02	21.58	22.50	1.236	1.225	22.3
Bottom side-repeat	20	QPSK 100RB 0	26365/1882.5	1:1	0.985	0.17	21.58	22.50	1.236	1.217	22.3
Hotspot Test data(Separate 10mm 1RB)Sensor off											
Front side-15mm	20	QPSK 1RB 0	26140/1860	1:1	0.299	0.02	22.51	23.50	1.256	0.376	22.3
Back side-17mm	20	QPSK 1RB 0	26140/1860	1:1	0.227	0.04	22.51	23.50	1.256	0.285	22.3
Left side-17mm	20	QPSK 1RB 0	26140/1860	1:1	0.012	0.07	22.51	23.50	1.256	0.015	22.3
Right side-15mm	20	QPSK 1RB 0	26140/1860	1:1	0.031	0.01	22.51	23.50	1.256	0.039	22.3
Bottom side-19mm	20	QPSK 1RB 0	26140/1860	1:1	0.345	0.11	22.51	23.50	1.256	0.433	22.3
Hotspot Test data(Separate 10mm 50%RB)Sensor off											
Front side-15mm	20	QPSK 50RB 50	26140/1860	1:1	0.210	-0.15	21.59	23.00	1.384	0.291	22.3
Back side-17mm	20	QPSK 50RB 50	26140/1860	1:1	0.189	0.01	21.59	23.00	1.384	0.261	22.3
Left side-17mm	20	QPSK 50RB 50	26140/1860	1:1	0.008	0.16	21.59	23.00	1.384	0.011	22.3
Right side-15mm	20	QPSK 50RB 50	26140/1860	1:1	0.025	0.08	21.59	23.00	1.384	0.034	22.3
Bottom side-19mm	20	QPSK 50RB 50	26140/1860	1:1	0.300	0.02	21.59	23.00	1.384	0.415	22.3
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor on											
Bottom side	20	QPSK 1RB 0	26140/1860	1:1	2.080	0.06	21.81	22.50	1.172	2.438	22.3
Bottom side	20	QPSK 1RB 0	26365/1882.5	1:1	2.100	0.05	21.69	22.50	1.205	2.531	22.3
Bottom side	20	QPSK 1RB 0	26590/1905	1:1	1.980	0.04	21.77	22.50	1.183	2.342	22.3
Product specific 10g SAR Test data (Separate 0mm 50%RB)Sensor on											
Bottom side	20	QPSK 50RB 50	26140/1860	1:1	2.070	0.05	21.72	22.50	1.197	2.477	22.3
Bottom side	20	QPSK 50RB 50	26365/1882.5	1:1	2.040	0.06	21.57	22.50	1.239	2.527	22.3
Bottom side	20	QPSK 50RB 50	26590/1905	1:1	1.930	0.07	21.70	22.50	1.202	2.320	22.3
Product specific 10g SAR Test data (Separate 0mm 100%RB)Sensor on											
Bottom side	20	QPSK 100RB 0	26365/1882.5	1:1	2.040	0.04	21.58	22.50	1.236	2.521	22.3
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor off											
Bottom side-19mm	20	QPSK 1RB 0	26140/1860	1:1	0.198	0.11	22.51	23.50	1.256	0.249	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
Shenzhen Branch, CSTC Laboratory, 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Product specific 10g SAR Test data (Separate 0mm 50%RB)Sensor off											
Bottom side-19mm	20	QPSK 50RB 50	26140/1860	1:1	0.169	0.02	21.59	23.00	1.384	0.234	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK 50RB 25	26590/1905	1:1	0.805	0.01	19.44	20.00	1.138	0.916	22.3
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK 1RB 99	26140/1860	1:1	0.342	0.11	22.59	23.00	1.099	0.376	22.3
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK 1RB 99	26140/1860	1:1	0.500	0.09	22.59	23.00	1.099	0.550	22.3
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK 1RB 0	26140/1860	1:1	0.013	0.08	22.51	23.50	1.256	0.016	22.3
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK 1RB 0	26140/1860	1:1	0.446	0.01	21.81	22.50	1.172	0.523	22.3
Hotspot Test data at the worst case with Second supply											
Bottom side	20	QPSK 100RB 0	26365/1882.5	1:1	0.928	0.17	21.58	22.50	1.236	1.147	22.3
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Product specific 10g SAR Test data at the worst case with Second supply											
Bottom side	20	QPSK 1RB 0	26365/1882.5	1:1	2.010	-0.04	21.69	22.50	1.205	2.422	22.3

Table 26: SAR of LTE Band 25 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	26590/1905	0.816	0.804	1.0149254	N/A	N/A
Bottom side	26365/1882.5	0.991	0.985	1.0060914	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

8.2.17 SAR Result of LTE Band 26

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	15	QPSK 1RB 74	26765/821.5	1:1	0.492	0.14	23.63	24.00	1.089	0.536	22.1
Left tilted	15	QPSK 1RB 74	26765/821.5	1:1	0.074	-0.07	23.63	24.00	1.089	0.080	22.1
Right cheek	15	QPSK 1RB 74	26765/821.5	1:1	0.438	0.08	23.63	24.00	1.089	0.477	22.1
Right tilted	15	QPSK 1RB 74	26765/821.5	1:1	0.092	0.15	23.63	24.00	1.089	0.100	22.1
Head Test data(50%RB)											
Left cheek	15	QPSK 36RB 0	26765/821.5	1:1	0.377	0.10	22.70	23.00	1.072	0.404	22.1
Left tilted	15	QPSK 36RB 0	26765/821.5	1:1	0.065	0.04	22.70	23.00	1.072	0.070	22.1
Right cheek	15	QPSK 36RB 0	26765/821.5	1:1	0.390	-0.02	22.70	23.00	1.072	0.418	22.1
Right tilted	15	QPSK 36RB 0	26765/821.5	1:1	0.082	0.15	22.70	23.00	1.072	0.087	22.1
Body worn Test data(Separate 10mm 1RB)											



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
Shenzhen Branch, SGS-CSTC Standards Technical Services Co., Ltd. 中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 111 of 191

Front side	15	QPSK 1RB 74	26765/821.5	1:1	0.284	0.11	23.63	24.00	1.089	0.309	22.1
Back side	15	QPSK 1RB 74	26765/821.5	1:1	0.290	-0.17	23.63	24.00	1.089	0.316	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	15	QPSK 36RB 0	26765/821.5	1:1	0.189	0.17	22.70	23.00	1.072	0.203	22.1
Back side	15	QPSK 36RB 0	26765/821.5	1:1	0.180	-0.14	22.70	23.00	1.072	0.193	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	15	QPSK 1RB 74	26765/821.5	1:1	0.284	0.11	23.63	24.00	1.089	0.309	22.1
Back side	15	QPSK 1RB 74	26765/821.5	1:1	0.290	-0.17	23.63	24.00	1.089	0.316	22.1
Left side	15	QPSK 1RB 74	26765/821.5	1:1	0.313	0.03	23.63	24.00	1.089	0.341	22.1
Right side	15	QPSK 1RB 74	26765/821.5	1:1	0.006	0.07	23.63	24.00	1.089	0.006	22.1
Top side	15	QPSK 1RB 74	26765/821.5	1:1	0.013	0.01	23.63	24.00	1.089	0.014	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	15	QPSK 36RB 0	26765/821.5	1:1	0.189	0.17	22.70	23.00	1.072	0.203	22.1
Back side	15	QPSK 36RB 0	26765/821.5	1:1	0.180	-0.14	22.70	23.00	1.072	0.193	22.1
Left side	15	QPSK 36RB 0	26765/821.5	1:1	0.263	0.06	22.70	23.00	1.072	0.282	22.1
Right side	15	QPSK 36RB 0	26765/821.5	1:1	0.003	0.01	22.70	23.00	1.072	0.004	22.1
Top side	15	QPSK 36RB 0	26765/821.5	1:1	0.009	0.02	22.70	23.00	1.072	0.009	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	15	QPSK 1RB 74	26865/831.5	1:1	0.087	0.09	22.92	24.00	1.282	0.111	22.1
Left tilted	15	QPSK 1RB 74	26865/831.5	1:1	0.061	0.19	22.92	24.00	1.282	0.078	22.1
Right cheek	15	QPSK 1RB 74	26865/831.5	1:1	0.155	0.08	22.92	24.00	1.282	0.199	22.1
Right tilted	15	QPSK 1RB 74	26865/831.5	1:1	0.072	0.16	22.92	24.00	1.282	0.092	22.1
Head Test data(50%RB)											
Left cheek	15	QPSK 36RB 39	26865/831.5	1:1	0.071	0.05	21.97	23.00	1.268	0.089	22.1
Left tilted	15	QPSK 36RB 39	26865/831.5	1:1	0.052	-0.09	21.97	23.00	1.268	0.065	22.1
Right cheek	15	QPSK 36RB 39	26865/831.5	1:1	0.122	0.01	21.97	23.00	1.268	0.155	22.1
Right tilted	15	QPSK 36RB 39	26865/831.5	1:1	0.062	0.17	21.97	23.00	1.268	0.078	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	15	QPSK 1RB 74	26865/831.5	1:1	0.311	0.05	22.92	24.00	1.282	0.399	22.1
Back side	15	QPSK 1RB 74	26865/831.5	1:1	0.319	0.02	22.92	24.00	1.282	0.409	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	15	QPSK 36RB 39	26865/831.5	1:1	0.219	-0.06	21.97	23.00	1.268	0.278	22.1
Back side	15	QPSK 36RB 39	26865/831.5	1:1	0.198	0.19	21.97	23.00	1.268	0.251	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	15	QPSK 1RB 74	26865/831.5	1:1	0.311	0.05	22.92	24.00	1.282	0.399	22.1
Back side	15	QPSK 1RB 74	26865/831.5	1:1	0.319	0.02	22.92	24.00	1.282	0.409	22.1
Left side	15	QPSK 1RB 74	26865/831.5	1:1	0.066	0.04	22.92	24.00	1.282	0.085	22.1
Right side	15	QPSK 1RB 74	26865/831.5	1:1	0.195	0.09	22.92	24.00	1.282	0.250	22.1
Bottom side	15	QPSK 1RB 74	26865/831.5	1:1	0.280	0.17	22.92	24.00	1.282	0.359	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	15	QPSK 36RB 39	26865/831.5	1:1	0.219	-0.06	21.97	23.00	1.268	0.278	22.1
Back side	15	QPSK 36RB 39	26865/831.5	1:1	0.198	0.19	21.97	23.00	1.268	0.251	22.1
Left side	15	QPSK 36RB 39	26865/831.5	1:1	0.055	0.16	21.97	23.00	1.268	0.070	22.1
Right side	15	QPSK 36RB 39	26865/831.5	1:1	0.164	0.10	21.97	23.00	1.268	0.208	22.1
Bottom side	15	QPSK 36RB 39	26865/831.5	1:1	0.229	0.01	21.97	23.00	1.268	0.290	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	15	QPSK 1RB 74	26765/821.5	1:1	0.471	0.12	23.63	24.00	1.089	0.513	22.1
Body worn Test data at the worst case with Second supply											
Back side	15	QPSK 1RB 74	26765/821.5	1:1	0.260	-0.17	23.63	24.00	1.089	0.283	22.1
Hotspot Test data at the worst case with Second supply											
Left side	15	QPSK 1RB 74	26765/821.5	1:1	0.300	0.11	23.63	24.00	1.089	0.327	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	15	QPSK 1RB 74	26865/831.5	1:1	0.147	-0.13	22.92	24.00	1.282	0.189	22.1
Body worn Test data at the worst case with Second supply											
Back side	15	QPSK 1RB 74	26865/831.5	1:1	0.308	-0.01	22.92	24.00	1.282	0.395	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Hotspot Test data at the worst case with Second supply											
Back side	15	QPSK 1RB 74	26865/831.5	1:1	0.308	-0.01	22.92	24.00	1.282	0.395	22.1

Table 27: SAR of LTE Band 26 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8.2.18 SAR Result of LTE Band 30

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 0	27710/2310	1:1	0.580	-0.08	18.71	19.00	1.069	0.620	22.1
Left tilted	10	QPSK 1RB 0	27710/2310	1:1	0.125	0.11	18.71	19.00	1.069	0.134	22.1
Right cheek	10	QPSK 1RB 0	27710/2310	1:1	1.200	0.16	18.71	19.00	1.069	1.283	22.1
Right tilted	10	QPSK 1RB 0	27710/2310	1:1	0.300	0.09	18.71	19.00	1.069	0.321	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB 13	27710/2310	1:1	0.665	0.08	18.66	19.00	1.081	0.719	22.1
Left tilted	10	QPSK 25RB 13	27710/2310	1:1	0.131	0.04	18.66	19.00	1.081	0.142	22.1
Right cheek	10	QPSK 25RB 13	27710/2310	1:1	1.220	0.07	18.66	19.00	1.081	1.319	22.1
Right cheek-repeat	10	QPSK 25RB 13	27710/2310	1:1	1.180	0.02	18.66	19.00	1.081	1.276	22.1
Right tilted	10	QPSK 25RB 13	27710/2310	1:1	0.309	0.10	18.66	19.00	1.081	0.334	22.1
Head Test data(100%RB)											
Right cheek	10	QPSK 50RB 0	27710/2310	1:1	1.050	0.03	18.62	19.00	1.091	1.146	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	10	QPSK 1RB 0	27710/2310	1:1	0.731	0.14	22.80	23.00	1.047	0.765	22.1
Back side	10	QPSK 1RB 0	27710/2310	1:1	0.848	-0.10	22.80	23.00	1.047	0.888	22.1
Back side-repeat	10	QPSK 1RB 0	27710/2310	1:1	0.834	0.01	22.80	23.00	1.047	0.873	22.1
Body worn Test data(Separate 10mm 50%RB) Sensor on											
Front side	10	QPSK 25RB 13	27710/2310	1:1	0.703	0.14	22.67	23.00	1.079	0.758	22.1
Back side	10	QPSK 25RB 13	27710/2310	1:1	0.709	0.03	22.67	23.00	1.079	0.765	22.1
Body worn Test data(Separate 10mm 100%RB) Sensor on											
Back side	10	QPSK 50RB 0	27710/2310	1:1	0.690	0.01	22.53	23.00	1.114	0.769	22.1
Body worn Test data(1RB) Sensor off											
Front side-15mm	10	QPSK 1RB 0	27710/2310	1:1	0.430	0.19	23.62	24.00	1.091	0.469	22.1
Back side-17mm	10	QPSK 1RB 0	27710/2310	1:1	0.339	-0.08	23.62	24.00	1.091	0.370	22.1
Body worn Test data(50%RB) Sensor off											
Front side-15mm	10	QPSK 25RB 13	27710/2310	1:1	0.331	0.00	22.67	23.00	1.079	0.357	22.1
Back side-17mm	10	QPSK 25RB 13	27710/2310	1:1	0.277	0.12	22.67	23.00	1.079	0.299	22.1
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	10	QPSK 1RB 0	27710/2310	1:1	0.731	0.14	22.80	23.00	1.047	0.765	22.1
Back side	10	QPSK 1RB 0	27710/2310	1:1	0.848	-0.10	22.80	23.00	1.047	0.888	22.1
Left side	10	QPSK 1RB 0	27710/2310	1:1	1.090	0.08	22.80	23.00	1.047	1.141	22.1
Right side	10	QPSK 1RB 0	27710/2310	1:1	0.024	0.04	22.80	23.00	1.047	0.025	22.1
Top side	10	QPSK 1RB 0	27710/2310	1:1	0.127	0.02	22.80	23.00	1.047	0.133	22.1
Hotspot Test data(Separate 10mm 50%RB)Sensor on											
Front side	10	QPSK 25RB 13	27710/2310	1:1	0.703	0.14	22.67	23.00	1.079	0.758	22.1
Back side	10	QPSK 25RB 13	27710/2310	1:1	0.709	0.03	22.67	23.00	1.079	0.765	22.1
Left side	10	QPSK 25RB 13	27710/2310	1:1	1.030	0.09	22.67	23.00	1.079	1.111	22.1
Right side	10	QPSK 25RB 13	27710/2310	1:1	0.023	0.02	22.67	23.00	1.079	0.025	22.1
Top side	10	QPSK 25RB 13	27710/2310	1:1	0.132	-0.04	22.67	23.00	1.079	0.142	22.1
Hotspot Test data(Separate 10mm 100%RB)Sensor on											
Back side	10	QPSK 50RB 0	27710/2310	1:1	0.690	0.01	22.53	23.00	1.114	0.769	22.1
Left side	10	QPSK 50RB 0	27710/2310	1:1	1.070	-0.01	22.53	23.00	1.114	1.192	22.1
Left side -repeat	10	QPSK 50RB 0	27710/2310	1:1	1.050	-0.05	22.53	23.00	1.114	1.170	22.1
Hotspot Test data(1RB) Sensor off											
Front side-15mm	10	QPSK 1RB 0	27710/2310	1:1	0.430	0.19	23.62	24.00	1.091	0.469	22.1
Back side-17mm	10	QPSK 1RB 0	27710/2310	1:1	0.339	-0.08	23.62	24.00	1.091	0.370	22.1
Left side-17mm	10	QPSK 1RB 0	27710/2310	1:1	0.478	0.00	23.62	24.00	1.091	0.522	22.1
Right side-15mm	10	QPSK 1RB 0	27710/2310	1:1	0.015	-0.08	23.62	24.00	1.091	0.017	22.1
Top side-14mm	10	QPSK 1RB 0	27710/2310	1:1	0.073	0.04	23.62	24.00	1.091	0.080	22.1
Hotspot Test data(50%RB) Sensor off											
Front side-15mm	10	QPSK 25RB 13	27710/2310	1:1	0.331	0.00	22.67	23.00	1.079	0.357	22.1
Back side-17mm	10	QPSK 25RB 13	27710/2310	1:1	0.277	0.12	22.67	23.00	1.079	0.299	22.1
Left side-17mm	10	QPSK 25RB 13	27710/2310	1:1	0.402	0.06	22.67	23.00	1.079	0.434	22.1
Right side-15mm	10	QPSK 25RB 13	27710/2310	1:1	0.013	0.01	22.67	23.00	1.079	0.014	22.1
Top side-14mm	10	QPSK 25RB 13	27710/2310	1:1	0.073	0.00	22.67	23.00	1.079	0.079	22.1
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch, SGS-CSTC Standards Technical Services Co., Ltd. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 114 of 191

g											
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor on											
Left side	10	QPSK 1RB 0	27710/2310	1:1	1.440	0.02	22.80	23.00	1.047	1.508	22.1
Product specific 10g SAR Test data(Separate 0mm 50%RB)Sensor on											
Left side	10	QPSK 25RB_13	27710/2310	1:1	1.430	0.12	22.67	23.00	1.079	1.543	22.1
Product specific 10g SAR Test data(1RB) Sensor off											
Left side-17mm	10	QPSK 1RB 0	27710/2310	1:1	0.255	0.00	23.62	24.00	1.091	0.278	22.1
Product specific 10g SAR Test data(50%RB) Sensor off											
Left side-17mm	10	QPSK 25RB_13	27710/2310	1:1	0.214	0.06	22.67	23.00	1.079	0.231	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 0	27710/2310	1:1	0.014	0.17	22.87	24.00	1.297	0.018	22.1
Left tilted	10	QPSK 1RB 0	27710/2310	1:1	0.007	0.06	22.87	24.00	1.297	0.009	22.1
Right cheek	10	QPSK 1RB 0	27710/2310	1:1	0.031	0.03	22.87	24.00	1.297	0.041	22.1
Right tilted	10	QPSK 1RB 0	27710/2310	1:1	0.013	0.07	22.87	24.00	1.297	0.016	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB_13	27710/2310	1:1	0.011	0.02	21.65	23.00	1.365	0.015	22.1
Left tilted	10	QPSK 25RB_13	27710/2310	1:1	0.007	0.04	21.65	23.00	1.365	0.009	22.1
Right cheek	10	QPSK 25RB_13	27710/2310	1:1	0.030	0.09	21.65	23.00	1.365	0.041	22.1
Right tilted	10	QPSK 25RB_13	27710/2310	1:1	0.006	0.07	21.65	23.00	1.365	0.008	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	27710/2310	1:1	0.248	0.03	22.87	24.00	1.297	0.322	22.1
Back side	10	QPSK 1RB 0	27710/2310	1:1	0.308	-0.07	22.87	24.00	1.297	0.400	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB_13	27710/2310	1:1	0.203	0.09	21.65	23.00	1.365	0.277	22.1
Back side	10	QPSK 25RB_13	27710/2310	1:1	0.231	0.05	21.65	23.00	1.365	0.315	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	10	QPSK 1RB 0	27710/2310	1:1	0.248	0.03	22.87	24.00	1.297	0.322	22.1
Back side	10	QPSK 1RB 0	27710/2310	1:1	0.308	-0.07	22.87	24.00	1.297	0.400	22.1
Left side	10	QPSK 1RB 0	27710/2310	1:1	0.019	-0.07	22.87	24.00	1.297	0.025	22.1
Right side	10	QPSK 1RB 0	27710/2310	1:1	0.042	0.07	22.87	24.00	1.297	0.054	22.1
Bottom side	10	QPSK 1RB 0	27710/2310	1:1	0.517	0.04	22.87	24.00	1.297	0.671	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	10	QPSK 25RB_13	27710/2310	1:1	0.203	0.09	21.65	23.00	1.365	0.277	22.1
Back side	10	QPSK 25RB_13	27710/2310	1:1	0.231	0.05	21.65	23.00	1.365	0.315	22.1
Left side	10	QPSK 25RB_13	27710/2310	1:1	0.015	0.02	21.65	23.00	1.365	0.021	22.1
Right side	10	QPSK 25RB_13	27710/2310	1:1	0.038	0.15	21.65	23.00	1.365	0.052	22.1
Bottom side	10	QPSK 25RB_13	27710/2310	1:1	0.426	-0.02	21.65	23.00	1.365	0.581	22.1
ANT1 with Simultaneous transmission											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	10	QPSK 1RB 0	27710/2310	1:1	0.580	-0.08	18.71	18.00	0.849	0.493	22.1
Left tilted	10	QPSK 1RB 0	27710/2310	1:1	0.125	0.11	18.71	18.00	0.849	0.106	22.1
Right cheek	10	QPSK 1RB 0	27710/2310	1:1	1.200	0.16	18.71	18.00	0.849	1.019	22.1
Right tilted	10	QPSK 1RB 0	27710/2310	1:1	0.300	0.09	18.71	18.00	0.849	0.255	22.1
Head Test data(50%RB)											
Left cheek	10	QPSK 25RB_13	27710/2310	1:1	0.665	0.08	18.66	18.00	0.859	0.571	22.1
Left tilted	10	QPSK 25RB_13	27710/2310	1:1	0.131	0.04	18.66	18.00	0.859	0.113	22.1
Right cheek	10	QPSK 25RB_13	27710/2310	1:1	1.220	0.07	18.66	18.00	0.859	1.048	22.1
Right cheek-repeat	10	QPSK 25RB_13	27710/2310	1:1	1.180	0.02	18.66	18.00	0.859	1.014	22.1
Right tilted	10	QPSK 25RB_13	27710/2310	1:1	0.309	0.10	18.66	18.00	0.859	0.265	22.1
Head Test data(100%RB)											
Right cheek	10	QPSK 50RB_0	27710/2310	1:1	1.050	0.03	18.62	18.00	0.867	0.910	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	10	QPSK 25RB_13	27710/2310	1:1	1.090	0.02	18.66	19.00	1.081	1.179	22.1
Body worn Test data at the worst case with Second supply											
Back side	10	QPSK 1RB 0	27710/2310	1:1	0.818	-0.08	22.80	23.00	1.047	0.857	22.1
Hotspot Test data at the worst case with Second supply											



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
Shenzhen Branch, 2222 Shenzhen Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com
中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Left side	10	QPSK 50RB 0	27710/2310	1:1	1.010	0.07	22.53	23.00	1.114	1.125	22.1
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)10-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Product specific 10g SAR Test data at the worst case with Second supply											
Left side	10	QPSK 25RB 13	27710/2310	1:1	1.350	0.18	22.67	23.00	1.079	1.457	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	10	QPSK 1RB 0	27710/2310	1:1	0.025	0.01	22.87	24.00	1.297	0.032	22.1
Body worn Test data at the worst case with Second supply											
Back side	10	QPSK 1RB 0	27710/2310	1:1	0.287	-0.04	22.87	24.00	1.297	0.372	22.1
Hotspot Test data at the worst case with Second supply											
Bottom side	10	QPSK 1RB 0	27710/2310	1:1	0.478	-0.19	22.87	24.00	1.297	0.620	22.1

Table 28: SAR of LTE Band 30 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8.2.19 SAR Result of LTE Band 38

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	37850/2580	1:1.58	0.499	-0.08	20.78	21.00	1.052	0.525	22.1
Left tilted	20	QPSK 1RB 0	37850/2580	1:1.58	0.168	-0.09	20.78	21.00	1.052	0.177	22.1
Right cheek	20	QPSK 1RB 0	37850/2580	1:1.58	1.330	0.03	20.78	21.00	1.052	1.399	22.1
Right cheek-repeat	20	QPSK 1RB 0	37850/2580	1:1.58	1.310	0.13	20.78	21.00	1.052	1.378	22.1
Right tilted	20	QPSK 1RB 0	37850/2580	1:1.58	0.367	0.02	20.78	21.00	1.052	0.386	22.1
Right cheek	20	QPSK 1RB 0	38000/2595	1:1.58	1.280	0.06	20.71	21.00	1.069	1.368	22.1
Right cheek	20	QPSK 1RB 0	38150/2610	1:1.58	1.280	0.06	20.68	21.00	1.076	1.378	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	37850/2580	1:1.58	0.521	0.17	20.86	21.00	1.033	0.538	22.1
Left tilted	20	QPSK 50RB 0	37850/2580	1:1.58	0.173	-0.07	20.86	21.00	1.033	0.179	22.1
Right cheek	20	QPSK 50RB 0	37850/2580	1:1.58	1.340	0.02	20.86	21.00	1.033	1.384	22.1
Right tilted	20	QPSK 50RB 0	37850/2580	1:1.58	0.374	0.06	20.86	21.00	1.033	0.386	22.1
Right cheek	20	QPSK 50RB 25	38000/2595	1:1.58	1.281	0.06	20.79	21.00	1.050	1.344	22.1
Right cheek	20	QPSK 50RB 25	38150/2610	1:1.58	1.260	0.06	20.73	21.00	1.064	1.341	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB 0	37850/2580	1:1.58	1.330	0.14	20.87	21.00	1.030	1.370	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 0	38150/2610	1:1.58	0.627	0.06	22.38	24.00	1.452	0.910	22.1
Back side	20	QPSK 1RB 0	38150/2610	1:1.58	0.506	-0.06	22.38	24.00	1.452	0.735	22.1
Front side	20	QPSK 1RB 99	37850/2580	1:1.58	0.632	0.05	22.19	24.00	1.517	0.959	22.1
Front side	20	QPSK 1RB 50	38000/2595	1:1.58	0.620	0.11	22.31	24.00	1.476	0.915	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	38150/2610	1:1.58	0.503	-0.01	21.29	23.00	1.483	0.746	22.1
Back side	20	QPSK 50RB 25	38150/2610	1:1.58	0.408	0.16	21.29	23.00	1.483	0.605	22.1
Body worn Test data (Separate 10mm 100%RB)											
Front side	20	QPSK 100RB 0	38150/2610	1:1.58	0.482	0.08	21.31	23.00	1.476	0.711	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 0	38150/2610	1:1.58	0.627	0.06	22.38	24.00	1.452	0.910	22.1
Back side	20	QPSK 1RB 0	38150/2610	1:1.58	0.506	-0.06	22.38	24.00	1.452	0.735	22.1
Left side	20	QPSK 1RB 0	38150/2610	1:1.58	0.716	0.03	22.38	24.00	1.452	1.040	22.1
Right side	20	QPSK 1RB 0	38150/2610	1:1.58	0.027	0.17	22.38	24.00	1.452	0.038	22.1
Top side	20	QPSK 1RB 0	38150/2610	1:1.58	0.122	-0.06	22.38	24.00	1.452	0.177	22.1
Front side	20	QPSK 1RB 99	37850/2580	1:1.58	0.632	0.05	22.19	24.00	1.517	0.959	22.1
Front side	20	QPSK 1RB 50	38000/2595	1:1.58	0.620	0.11	22.31	24.00	1.476	0.915	22.1
Left side	20	QPSK 1RB 99	37850/2580	1:1.58	0.728	0.02	22.19	24.00	1.517	1.104	22.1
Left side	20	QPSK 1RB 50	38000/2595	1:1.58	0.728	-0.07	22.31	24.00	1.476	1.074	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	38150/2610	1:1.58	0.503	-0.01	21.29	23.00	1.483	0.746	22.1
Back side	20	QPSK 50RB 25	38150/2610	1:1.58	0.408	0.16	21.29	23.00	1.483	0.605	22.1
Left side	20	QPSK 50RB 25	38150/2610	1:1.58	0.532	-0.11	21.29	23.00	1.483	0.789	22.1
Right side	20	QPSK 50RB 25	38150/2610	1:1.58	0.023	-0.11	21.29	23.00	1.483	0.034	22.1
Top side	20	QPSK 50RB 25	38150/2610	1:1.58	0.105	0.12	21.29	23.00	1.483	0.156	22.1
Hotspot Test data (Separate 10mm 100%RB)											
Front side	20	QPSK 100RB 0	38150/2610	1:1.58	0.482	0.08	21.31	23.00	1.476	0.711	22.1
Left side	20	QPSK 100RB 0	38150/2610	1:1.58	0.612	0.09	21.31	23.00	1.476	0.903	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	38000/2595	1:1.58	0.031	-0.12	22.76	24.00	1.330	0.041	22.1
Left tilted	20	QPSK 1RB 0	38000/2595	1:1.58	0.010	0.09	22.76	24.00	1.330	0.013	22.1
Right cheek	20	QPSK 1RB 0	38000/2595	1:1.58	0.020	0.00	22.76	24.00	1.330	0.027	22.1
Right tilted	20	QPSK 1RB 0	38000/2595	1:1.58	0.027	0.07	22.76	24.00	1.330	0.036	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 50	38150/2610	1:1.58	0.014	0.00	21.77	23.00	1.327	0.019	22.1
Left tilted	20	QPSK 50RB 50	38150/2610	1:1.58	0.009	0.05	21.77	23.00	1.327	0.011	22.1
Right cheek	20	QPSK 50RB 50	38150/2610	1:1.58	0.017	0.07	21.77	23.00	1.327	0.022	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Right tilted	20	QPSK 50RB	5038150/2610	1:1.58	0.017	0.01	21.77	23.00	1.327	0.022	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB	038000/2595	1:1.58	0.208	0.06	22.76	24.00	1.330	0.277	22.1
Back side	20	QPSK 1RB	038000/2595	1:1.58	0.374	0.08	22.76	24.00	1.330	0.498	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB	5038150/2610	1:1.58	0.172	0.06	21.77	23.00	1.327	0.228	22.1
Back side	20	QPSK 50RB	5038150/2610	1:1.58	0.243	0.05	21.77	23.00	1.327	0.323	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB	038000/2595	1:1.58	0.208	0.06	22.76	24.00	1.330	0.277	22.1
Back side	20	QPSK 1RB	038000/2595	1:1.58	0.374	0.08	22.76	24.00	1.330	0.498	22.1
Left side	20	QPSK 1RB	038000/2595	1:1.58	0.065	0.04	22.76	24.00	1.330	0.087	22.1
Right side	20	QPSK 1RB	038000/2595	1:1.58	0.119	0.12	22.76	24.00	1.330	0.158	22.1
Bottom side	20	QPSK 1RB	038000/2595	1:1.58	0.453	-0.05	22.76	24.00	1.330	0.603	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB	5038150/2610	1:1.58	0.172	0.06	21.77	23.00	1.327	0.228	22.1
Back side	20	QPSK 50RB	5038150/2610	1:1.58	0.243	0.05	21.77	23.00	1.327	0.323	22.1
Left side	20	QPSK 50RB	5038150/2610	1:1.58	0.053	-0.08	21.77	23.00	1.327	0.070	22.1
Right side	20	QPSK 50RB	5038150/2610	1:1.58	0.099	0.08	21.77	23.00	1.327	0.132	22.1
Bottom side	20	QPSK 50RB	5038150/2610	1:1.58	0.383	-0.02	21.77	23.00	1.327	0.508	22.1
ANT1 with Simultaneous transmission											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB	037850/2580	1:1.58	0.499	-0.08	20.78	20.00	0.836	0.417	22.1
Left tilted	20	QPSK 1RB	037850/2580	1:1.58	0.168	-0.09	20.78	20.00	0.836	0.140	22.1
Right cheek	20	QPSK 1RB	037850/2580	1:1.58	1.330	0.03	20.78	20.00	0.836	1.111	22.1
Right cheek-repeat	20	QPSK 1RB	037850/2580	1:1.58	1.310	0.13	20.78	20.00	0.836	1.095	22.1
Right tilted	20	QPSK 1RB	037850/2580	1:1.58	0.367	0.02	20.78	20.00	0.836	0.307	22.1
Right cheek	20	QPSK 1RB	038000/2595	1:1.58	1.280	0.06	20.71	20.00	0.849	1.087	22.1
Right cheek	20	QPSK 1RB	038150/2610	1:1.58	1.280	0.06	20.68	20.00	0.855	1.094	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB	037850/2580	1:1.58	0.521	0.17	20.86	20.00	0.820	0.427	22.1
Left tilted	20	QPSK 50RB	037850/2580	1:1.58	0.173	-0.07	20.86	20.00	0.820	0.142	22.1
Right cheek	20	QPSK 50RB	037850/2580	1:1.58	1.340	0.02	20.86	20.00	0.820	1.099	22.1
Right tilted	20	QPSK 50RB	037850/2580	1:1.58	0.374	0.06	20.86	20.00	0.820	0.307	22.1
Right cheek	20	QPSK 50RB	2538000/2595	1:1.58	1.281	0.06	20.79	20.00	0.834	1.068	22.1
Right cheek	20	QPSK 50RB	2538150/2610	1:1.58	1.260	0.06	20.73	20.00	0.845	1.065	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB	037850/2580	1:1.58	1.330	0.14	20.87	20.00	0.818	1.089	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK 1RB	037850/2580	1:1.58	1.210	0.01	20.78	21.00	1.052	1.273	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK 1RB	9937850/2580	1:1.58	0.584	0.07	22.19	24.00	1.517	0.886	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK 1RB	9937850/2580	1:1.58	0.715	0.09	22.19	24.00	1.517	1.085	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK 1RB	038000/2595	1:1.58	0.022	-0.17	22.76	24.00	1.330	0.029	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK 1RB	038000/2595	1:1.58	0.355	0.14	22.76	24.00	1.330	0.472	22.1
Hotspot Test data at the worst case with Second supply											
Bottom side	20	QPSK 1RB	038000/2595	1:1.58	0.431	0.03	22.76	24.00	1.330	0.573	22.1

Table 29: SAR of LTE Band 38 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch: 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	37850/2580	1.33	1.31	1.0152672	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

8.2.20 SAR Result of LTE Band 41

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.480	-0.04	20.97	21.00	1.007	0.483	22.1
Left tilted	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.298	0.17	20.97	21.00	1.007	0.300	22.1
Right cheek	20	QPSK 1RB 0	41055/2636.5	1:1.58	1.260	0.02	20.97	21.00	1.007	1.269	22.1
Right tilted	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.343	-0.05	20.97	21.00	1.007	0.345	22.1
Right cheek	20	QPSK 1RB 0	39750/2506	1:1.58	1.210	0.03	20.91	21.00	1.021	1.235	22.1
Right cheek	20	QPSK 1RB 0	40185/2549.5	1:1.58	1.190	0.02	20.64	21.00	1.086	1.293	22.1
Right cheek	20	QPSK 1RB 0	40620/2593	1:1.58	1.150	0.03	20.51	21.00	1.119	1.287	22.1
Right cheek	20	QPSK 1RB 0	41490/2680	1:1.58	1.120	0.02	20.69	21.00	1.074	1.203	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.491	0.16	20.95	21.00	1.012	0.497	22.1
Left tilted	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.238	0.07	20.95	21.00	1.012	0.241	22.1
Right cheek	20	QPSK 50RB 0	41055/2636.5	1:1.58	1.280	0.01	20.95	21.00	1.012	1.295	22.1
Right cheek-repeat	20	QPSK 50RB 0	41055/2636.5	1:1.58	1.220	0.08	20.95	21.00	1.012	1.234	22.1
Right tilted	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.363	0.02	20.95	21.00	1.012	0.367	22.1
Right cheek	20	QPSK 50RB 0	39750/2506	1:1.58	1.260	-0.04	20.94	21.00	1.014	1.278	22.1
Right cheek	20	QPSK 50RB 0	40185/2549.5	1:1.58	1.240	0.18	20.74	21.00	1.062	1.317	22.1
Right cheek	20	QPSK 50RB 0	40620/2593	1:1.58	1.170	0.03	20.61	21.00	1.094	1.280	22.1
Right cheek	20	QPSK 50RB 0	41490/2680	1:1.58	1.170	-0.04	20.75	21.00	1.059	1.239	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB 0	41055/2636.5	1:1.58	1.260	0.08	20.96	21.00	1.009	1.272	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.605	0.00	23.49	24.00	1.125	0.680	22.1
Back side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.490	-0.01	23.49	24.00	1.125	0.551	22.1
Front side	20	QPSK 1RB 99	39750/2506	1:1.58	0.573	-0.07	23.22	24.00	1.197	0.686	22.1
Front side	20	QPSK 1RB 50	40185/2549.5	1:1.58	0.580	0.07	23.22	24.00	1.197	0.694	22.1
Front side	20	QPSK 1RB 0	40620/2593	1:1.58	0.559	0.09	23.47	24.00	1.130	0.632	22.1
Front side	20	QPSK 1RB 0	41490/2680	1:1.58	0.484	0.09	23.46	24.00	1.132	0.548	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.483	0.09	22.60	23.00	1.096	0.530	22.1
Back side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.385	0.10	22.60	23.00	1.096	0.422	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.605	0.00	23.49	24.00	1.125	0.680	22.1
Back side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.490	-0.01	23.49	24.00	1.125	0.551	22.1
Left side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.809	0.03	23.49	24.00	1.125	0.910	22.1
Left side-repeat	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.797	0.13	23.49	24.00	1.125	0.896	22.1
Right side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.030	-0.05	23.49	24.00	1.125	0.033	22.1
Top side	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.139	0.14	23.49	24.00	1.125	0.156	22.1
Front side	20	QPSK 1RB 99	39750/2506	1:1.58	0.573	-0.07	23.22	24.00	1.197	0.686	22.1
Front side	20	QPSK 1RB 50	40185/2549.5	1:1.58	0.580	0.07	23.22	24.00	1.197	0.694	22.1
Front side	20	QPSK 1RB 0	40620/2593	1:1.58	0.559	0.09	23.47	24.00	1.130	0.632	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Front side	20	QPSK 1RB 0	41490/2680	1:1.58	0.484	0.09	23.46	24.00	1.132	0.548	22.1
Left side	20	QPSK 1RB 99	39750/2506	1:1.58	0.705	0.09	23.22	24.00	1.197	0.844	22.1
Left side	20	QPSK 1RB 50	40185/2549.5	1:1.58	0.691	0.09	23.22	24.00	1.197	0.827	22.1
Left side	20	QPSK 1RB 0	40620/2593	1:1.58	0.699	0.07	23.47	24.00	1.130	0.790	22.1
Left side	20	QPSK 1RB 0	41490/2680	1:1.58	0.733	0.06	23.46	24.00	1.132	0.830	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.483	0.09	22.60	23.00	1.096	0.530	22.1
Back side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.385	0.10	22.60	23.00	1.096	0.422	22.1
Left side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.647	0.02	22.60	23.00	1.096	0.709	22.1
Right side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.014	0.07	22.60	23.00	1.096	0.015	22.1
Top side	20	QPSK 50RB 25	41055/2636.5	1:1.58	0.109	0.09	22.60	23.00	1.096	0.120	22.1
Left side	20	QPSK 50RB 25	39750/2506	1:1.58	0.495	0.08	22.31	23.00	1.172	0.580	22.1
Left side	20	QPSK 50RB 50	40185/2549.5	1:1.58	0.580	0.04	22.42	23.00	1.143	0.663	22.1
Left side	20	QPSK 50RB 25	40620/2593	1:1.58	0.572	0.07	22.49	23.00	1.125	0.643	22.1
Left side	20	QPSK 50RB 0	41490/2680	1:1.58	0.595	0.04	22.56	23.00	1.107	0.658	22.1
Hotspot Test data (Separate 10mm 100%RB)											
Left side	20	QPSK 100RB 0	40620/2593	1:1.58	0.573	0.07	22.49	23.00	1.125	0.644	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.036	0.02	22.72	24.00	1.343	0.048	22.1
Left tilted	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.015	0.06	22.72	24.00	1.343	0.020	22.1
Right cheek	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.024	0.09	22.72	24.00	1.343	0.032	22.1
Right tilted	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.031	0.18	22.72	24.00	1.343	0.041	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.019	0.08	21.82	23.00	1.312	0.025	22.1
Left tilted	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.010	0.09	21.82	23.00	1.312	0.013	22.1
Right cheek	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.018	0.00	21.82	23.00	1.312	0.024	22.1
Right tilted	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.021	0.07	21.82	23.00	1.312	0.028	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.240	0.02	22.72	24.00	1.343	0.322	22.1
Back side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.274	0.10	22.72	24.00	1.343	0.368	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.185	0.07	21.82	23.00	1.312	0.243	22.1
Back side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.239	0.04	21.82	23.00	1.312	0.314	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.240	0.02	22.72	24.00	1.343	0.322	22.1
Back side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.274	0.10	22.72	24.00	1.343	0.368	22.1
Left side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.068	0.03	22.72	24.00	1.343	0.092	22.1
Right side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.123	0.10	22.72	24.00	1.343	0.165	22.1
Bottom side	20	QPSK 1RB 99	41055/2636.5	1:1.58	0.440	0.01	22.72	24.00	1.343	0.591	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.185	0.07	21.82	23.00	1.312	0.243	22.1
Back side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.239	0.04	21.82	23.00	1.312	0.314	22.1
Left side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.058	-0.11	21.82	23.00	1.312	0.076	22.1
Right side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.102	0.03	21.82	23.00	1.312	0.134	22.1
Bottom side	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.381	-0.03	21.82	23.00	1.312	0.500	22.1
ANT1 with Simultaneous transmission											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.480	-0.04	20.97	20.00	0.800	0.384	22.1
Left tilted	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.298	0.17	20.97	20.00	0.800	0.238	22.1
Right cheek	20	QPSK 1RB 0	41055/2636.5	1:1.58	1.260	0.02	20.97	20.00	0.800	1.008	22.1
Right tilted	20	QPSK 1RB 0	41055/2636.5	1:1.58	0.343	-0.05	20.97	20.00	0.800	0.274	22.1
Right cheek	20	QPSK 1RB 0	39750/2506	1:1.58	1.210	0.03	20.91	20.00	0.811	0.981	22.1
Right cheek	20	QPSK 1RB 0	40185/2549.5	1:1.58	1.190	0.02	20.64	20.00	0.863	1.027	22.1
Right cheek	20	QPSK 1RB 0	40620/2593	1:1.58	1.150	0.03	20.51	20.00	0.889	1.023	22.1
Right cheek	20	QPSK 1RB 0	41490/2680	1:1.58	1.120	0.02	20.69	20.00	0.853	0.955	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.491	0.16	20.95	20.00	0.804	0.395	22.1
Left tilted	20	QPSK 50RB 0	41055/2636.5	1:1.58	0.238	0.07	20.95	20.00	0.804	0.191	22.1
Right cheek	20	QPSK 50RB 0	41055/2636.5	1:1.58	1.280	0.01	20.95	20.00	0.804	1.029	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Right tilted	20	QPSK 50RB_0	41055/2636.5	1:1.58	0.363	0.02	20.95	20.00	0.804	0.292	22.1
Right cheek	20	QPSK 50RB_0	39750/2506	1:1.58	1.260	-0.04	20.94	20.00	0.805	1.015	22.1
Right cheek	20	QPSK 50RB_0	40185/2549.5	1:1.58	1.240	0.18	20.74	20.00	0.843	1.046	22.1
Right cheek	20	QPSK 50RB_0	40620/2593	1:1.58	1.170	0.03	20.61	20.00	0.869	1.017	22.1
Right cheek	20	QPSK 50RB_0	41490/2680	1:1.58	1.170	-0.04	20.75	20.00	0.841	0.984	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB_0	41055/2636.5	1:1.58	1.260	0.08	20.96	20.00	0.802	1.010	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK 50RB_0	40185/2549.5	1:1.58	1.120	0.11	20.74	21.00	1.062	1.189	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK 1RB_50	40185/2549.5	1:1.58	0.529	0.16	23.22	24.00	1.197	0.633	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK 1RB_0	41055/2636.5	1:1.58	0.753	-0.04	23.49	24.00	1.125	0.847	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK 1RB_99	41055/2636.5	1:1.58	0.031	-0.05	22.72	24.00	1.343	0.042	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK 1RB_99	41055/2636.5	1:1.58	0.255	0.07	22.72	24.00	1.343	0.342	22.1
Hotspot Test data at the worst case with Second supply											
Bottom side	20	QPSK 1RB_99	41055/2636.5	1:1.58	0.410	-0.17	22.72	24.00	1.343	0.551	22.1

Table 30: SAR of LTE Band 41 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	41055/2636.5	1.28	1.22	1.0491803	N/A	N/A
Left side	41055/2636.5	0.809	0.797	1.0150565	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.21 SAR Result of LTE Band 48

ANT2											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 50	56640/3690	1:1.58	0.506	-0.16	19.40	20.00	1.148	0.581	22.1
Left tilted	20	QPSK 1RB 50	56640/3690	1:1.58	0.669	0.08	19.40	20.00	1.148	0.768	22.1
Right cheek	20	QPSK 1RB 50	56640/3690	1:1.58	0.556	0.07	19.40	20.00	1.148	0.638	22.1
Right tilted	20	QPSK 1RB 50	56640/3690	1:1.58	0.430	0.07	19.40	20.00	1.148	0.494	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 50	56640/3690	1:1.58	0.553	-0.08	19.51	20.00	1.119	0.619	22.1
Left tilted	20	QPSK 50RB 50	56640/3690	1:1.58	0.679	0.05	19.51	20.00	1.119	0.760	22.1
Right cheek	20	QPSK 50RB 50	56640/3690	1:1.58	0.456	0.03	19.51	20.00	1.119	0.510	22.1
Right tilted	20	QPSK 50RB 50	56640/3690	1:1.58	0.559	-0.02	19.51	20.00	1.119	0.626	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 50	56640/3690	1:1.58	0.264	0.00	23.60	24.00	1.096	0.289	22.1
Back side	20	QPSK 1RB 50	56640/3690	1:1.58	0.525	-0.03	23.60	24.00	1.096	0.576	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 50	56640/3690	1:1.58	0.215	0.05	22.65	23.00	1.084	0.233	22.1
Back side	20	QPSK 50RB 50	56640/3690	1:1.58	0.402	0.09	22.65	23.00	1.084	0.436	22.1
Front side	20	QPSK 1RB 50	56640/3690	1:1.58	0.264	0.00	23.60	24.00	1.096	0.289	22.1
Back side	20	QPSK 1RB 50	56640/3690	1:1.58	0.525	-0.03	23.60	24.00	1.096	0.576	22.1
Left side	20	QPSK 1RB 50	56640/3690	1:1.58	0.048	0.10	23.60	24.00	1.096	0.052	22.1
Right side	20	QPSK 1RB 50	56640/3690	1:1.58	0.065	-0.09	23.60	24.00	1.096	0.071	22.1
Top side	20	QPSK 1RB 50	56640/3690	1:1.58	0.783	-0.13	23.60	24.00	1.096	0.859	22.1
Top side	20	QPSK 1RB 0	55340/3560	1:1.58	0.623	0.11	23.60	24.00	1.096	0.683	22.1
Top side	20	QPSK 1RB 50	55990/3625	1:1.58	0.792	0.15	23.60	24.00	1.096	0.868	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 50	56640/3690	1:1.58	0.215	0.05	22.65	23.00	1.084	0.233	22.1
Back side	20	QPSK 50RB 50	56640/3690	1:1.58	0.402	0.09	22.65	23.00	1.084	0.436	22.1
Left side	20	QPSK 50RB 50	56640/3690	1:1.58	0.041	0.02	22.65	23.00	1.084	0.045	22.1
Right side	20	QPSK 50RB 50	56640/3690	1:1.58	0.054	-0.06	22.65	23.00	1.084	0.059	22.1
Top side	20	QPSK 50RB 50	56640/3690	1:1.58	0.669	0.14	22.65	23.00	1.084	0.725	22.1
Hotspot Test data (Separate 10mm 100%RB)											
Top side	20	QPSK 100RB 0	55990/3625	1:1.58	0.652	0.11	22.59	23.00	1.099	0.717	22.1
ANT3											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	55340/3560	1:1.58	1.130	0.06	20.49	21.00	1.125	1.271	22.1
Left cheek-repeat	20	QPSK 1RB 0	55340/3560	1:1.58	1.110	0.10	20.49	21.00	1.125	1.248	22.1
Left tilted	20	QPSK 1RB 0	55340/3560	1:1.58	0.160	0.08	20.49	21.00	1.125	0.180	22.1
Right cheek	20	QPSK 1RB 0	55340/3560	1:1.58	0.137	0.02	20.49	21.00	1.125	0.154	22.1
Right tilted	20	QPSK 1RB 0	55340/3560	1:1.58	0.060	0.14	20.49	21.00	1.125	0.068	22.1
Left cheek	20	QPSK 1RB 0	55990/3625	1:1.58	1.020	0.05	20.21	21.00	1.199	1.223	22.1
Left cheek	20	QPSK 1RB 0	56640/3690	1:1.58	0.900	0.05	19.83	21.00	1.309	1.178	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	55340/3560	1:1.58	0.877	-0.11	20.50	21.00	1.122	0.984	22.1
Left tilted	20	QPSK 50RB 0	55340/3560	1:1.58	0.171	0.09	20.50	21.00	1.122	0.192	22.1
Right cheek	20	QPSK 50RB 0	55340/3560	1:1.58	0.136	0.02	20.50	21.00	1.122	0.153	22.1
Right tilted	20	QPSK 50RB 0	55340/3560	1:1.58	0.057	0.06	20.50	21.00	1.122	0.064	22.1
Left cheek	20	QPSK 50RB 0	55990/3625	1:1.58	0.815	0.08	20.21	21.00	1.199	0.978	22.1
Left cheek	20	QPSK 50RB 50	56640/3690	1:1.58	0.737	0.01	19.85	21.00	1.303	0.960	22.1
Head Test data(100%RB)											
Left cheek	20	QPSK 100RB 0	55340/3560	1:1.58	0.716	-0.01	20.51	21.00	1.119	0.802	22.1
Body worn Test data(Separate 15mm 1RB)											
Front side	20	QPSK 1RB 50	56640/3690	1:1.58	0.296	0.04	23.14	24.00	1.219	0.361	22.1
Back side	20	QPSK 1RB 50	56640/3690	1:1.58	0.357	0.02	23.14	24.00	1.219	0.435	22.1
Body worn Test data (Separate 15mm 50%RB)											
Front side	20	QPSK 50RB 50	56640/3690	1:1.58	0.232	0.07	22.18	23.00	1.208	0.280	22.1
Back side	20	QPSK 50RB 50	56640/3690	1:1.58	0.306	0.19	22.18	23.00	1.208	0.370	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 50	56640/3690	1:1.58	0.296	0.04	23.14	24.00	1.219	0.361	22.1
Back side	20	QPSK 1RB 50	56640/3690	1:1.58	0.357	0.02	23.14	24.00	1.219	0.435	22.1
Left side	20	QPSK 1RB 50	56640/3690	1:1.58	0.014	0.04	23.14	24.00	1.219	0.017	22.1
Right side	20	QPSK 1RB 50	56640/3690	1:1.58	0.651	0.02	23.14	24.00	1.219	0.794	22.1
Top side	20	QPSK 1RB 50	56640/3690	1:1.58	0.078	0.01	23.14	24.00	1.219	0.095	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 50	56640/3690	1:1.58	0.232	0.07	22.18	23.00	1.208	0.280	22.1
Back side	20	QPSK 50RB 50	56640/3690	1:1.58	0.306	0.19	22.18	23.00	1.208	0.370	22.1
Left side	20	QPSK 50RB 50	56640/3690	1:1.58	0.007	0.12	22.18	23.00	1.208	0.008	22.1
Right side	20	QPSK 50RB 50	56640/3690	1:1.58	0.509	0.02	22.18	23.00	1.208	0.615	22.1
Top side	20	QPSK 50RB 50	56640/3690	1:1.58	0.059	0.01	22.18	23.00	1.208	0.071	22.1
ANT3 with Simultaneous transmission											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 0	55340/3560	1:1.58	1.130	0.06	20.49	19.50	0.796	0.900	22.1
Left tilted	20	QPSK 1RB 0	55340/3560	1:1.58	0.160	0.08	20.49	19.50	0.796	0.127	22.1
Right cheek	20	QPSK 1RB 0	55340/3560	1:1.58	0.137	0.02	20.49	19.50	0.796	0.109	22.1
Right tilted	20	QPSK 1RB 0	55340/3560	1:1.58	0.060	0.14	20.49	19.50	0.796	0.048	22.1
Left cheek	20	QPSK 1RB 0	55990/3625	1:1.58	1.020	0.05	20.21	19.50	0.849	0.866	22.1
Left cheek	20	QPSK 1RB 0	56640/3690	1:1.58	0.900	0.05	19.83	19.50	0.927	0.834	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	55340/3560	1:1.58	0.877	-0.11	20.50	19.50	0.794	0.697	22.1
Left tilted	20	QPSK 50RB 0	55340/3560	1:1.58	0.171	0.09	20.50	19.50	0.794	0.136	22.1
Right cheek	20	QPSK 50RB 0	55340/3560	1:1.58	0.136	0.02	20.50	19.50	0.794	0.108	22.1
Right tilted	20	QPSK 50RB 0	55340/3560	1:1.58	0.057	0.06	20.50	19.50	0.794	0.045	22.1
Left cheek	20	QPSK 50RB 0	55990/3625	1:1.58	0.815	0.08	20.21	19.50	0.849	0.692	22.1
Left cheek	20	QPSK 50RB 50	56640/3690	1:1.58	0.737	0.01	19.85	19.50	0.923	0.680	22.1
Head Test data(100%RB)											
Left cheek	20	QPSK 100RB 0	55340/3560	1:1.58	0.716	-0.01	20.51	19.50	0.793	0.567	22.1
ANT2											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left tilted	20	QPSK 1RB 50	56640/3690	1:1.58	0.641	0.05	19.40	20.00	1.148	0.736	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK 1RB 50	56640/3690	1:1.58	0.477	-0.07	23.60	24.00	1.096	0.523	22.1
Hotspot Test data at the worst case with Second supply											
Top side	20	QPSK 1RB 50	55990/3625	1:1.58	0.744	0.06	23.60	24.00	1.096	0.816	22.1
ANT3											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK 1RB 0	55340/3560	1:1.58	1.060	-0.02	20.49	21.00	1.125	1.192	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK 1RB 50	56640/3690	1:1.58	0.323	-0.18	23.14	24.00	1.219	0.394	22.1
Hotspot Test data at the worst case with Second supply											
Right side	20	QPSK 1RB 50	56640/3690	1:1.58	0.632	-0.17	23.14	24.00	1.219	0.770	22.1

Table 31: SAR of LTE Band 48 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Left cheek	55340/3560	1.13	1.11	1.018018	N/A	N/A
Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.						
2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).						
3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .						
4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.22 SAR Result of LTE Band 66

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 50	132072/1720	1:1.58	0.498	0.02	20.68	21.00	1.076	0.536	22.1
Left tilted	20	QPSK 1RB 50	132072/1720	1:1.58	0.181	0.03	20.68	21.00	1.076	0.195	22.1
Right cheek	20	QPSK 1RB 50	132072/1720	1:1.58	0.845	0.10	20.68	21.00	1.076	0.910	22.1
Right tilted	20	QPSK 1RB 50	132072/1720	1:1.58	0.232	0.17	20.68	21.00	1.076	0.250	22.1
Right cheek	20	QPSK 1RB 0	132322/1745	1:1.58	0.915	0.10	20.67	21.00	1.079	0.987	22.1
Right cheek	20	QPSK 1RB 0	132572/1770	1:1.58	1.070	0.11	20.55	21.00	1.109	1.187	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 25	132072/1720	1:1.58	0.502	0.02	20.74	21.00	1.062	0.533	22.1
Left tilted	20	QPSK 50RB 25	132072/1720	1:1.58	0.187	0.03	20.74	21.00	1.062	0.199	22.1
Right cheek	20	QPSK 50RB 25	132072/1720	1:1.58	0.858	-0.02	20.74	21.00	1.062	0.911	22.1
Right tilted	20	QPSK 50RB 25	132072/1720	1:1.58	0.279	0.15	20.74	21.00	1.062	0.296	22.1
Right cheek	20	QPSK 50RB 25	132322/1745	1:1.58	0.928	0.05	20.63	21.00	1.089	1.011	22.1
Right cheek	20	QPSK 50RB 25	132572/1770	1:1.58	1.130	0.06	20.73	21.00	1.064	1.202	22.1
Right cheek-repeat	20	QPSK 50RB 25	132572/1770	1:1.58	1.050	0.02	20.73	21.00	1.064	1.117	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK 100RB 0	132072/1720	1:1.58	0.855	0.02	20.70	21.00	1.072	0.916	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 50	132072/1720	1:1.58	0.354	0.17	23.49	24.00	1.125	0.398	22.1
Back side	20	QPSK 1RB 50	132072/1720	1:1.58	0.378	0.03	23.49	24.00	1.125	0.425	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	132072/1720	1:1.58	0.306	0.02	22.51	23.00	1.119	0.343	22.1
Back side	20	QPSK 50RB 25	132072/1720	1:1.58	0.322	0.02	22.51	23.00	1.119	0.360	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 50	132072/1720	1:1.58	0.354	0.17	23.49	24.00	1.125	0.398	22.1
Back side	20	QPSK 1RB 50	132072/1720	1:1.58	0.378	0.03	23.49	24.00	1.125	0.425	22.1
Left side	20	QPSK 1RB 50	132072/1720	1:1.58	0.534	0.05	23.49	24.00	1.125	0.601	22.1
Right side	20	QPSK 1RB 50	132072/1720	1:1.58	0.035	0.08	23.49	24.00	1.125	0.039	22.1
Top side	20	QPSK 1RB 50	132072/1720	1:1.58	0.089	0.14	23.49	24.00	1.125	0.100	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	132072/1720	1:1.58	0.306	0.02	22.51	23.00	1.119	0.343	22.1
Back side	20	QPSK 50RB 25	132072/1720	1:1.58	0.322	0.02	22.51	23.00	1.119	0.360	22.1
Left side	20	QPSK 50RB 25	132072/1720	1:1.58	0.447	0.06	22.51	23.00	1.119	0.500	22.1
Right side	20	QPSK 50RB 25	132072/1720	1:1.58	0.030	0.10	22.51	23.00	1.119	0.033	22.1
Top side	20	QPSK 50RB 25	132072/1720	1:1.58	0.074	0.02	22.51	23.00	1.119	0.083	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 99	132322/1745	1:1.58	0.020	0.10	23.85	24.00	1.035	0.021	22.1
Left tilted	20	QPSK 1RB 99	132322/1745	1:1.58	0.008	0.04	23.85	24.00	1.035	0.008	22.1
Right cheek	20	QPSK 1RB 99	132322/1745	1:1.58	0.012	0.02	23.85	24.00	1.035	0.012	22.1
Right tilted	20	QPSK 1RB 99	132322/1745	1:1.58	0.005	0.03	23.85	24.00	1.035	0.005	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 25	132322/1745	1:1.58	0.010	0.03	22.86	23.00	1.033	0.011	22.1
Left tilted	20	QPSK 50RB 25	132322/1745	1:1.58	0.005	0.13	22.86	23.00	1.033	0.005	22.1
Right cheek	20	QPSK 50RB 25	132322/1745	1:1.58	0.008	0.07	22.86	23.00	1.033	0.009	22.1
Right tilted	20	QPSK 50RB 25	132322/1745	1:1.58	0.004	-0.15	22.86	23.00	1.033	0.004	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 99	132322/1745	1:1.58	0.228	0.04	23.85	24.00	1.035	0.236	22.1
Back side	20	QPSK 1RB 99	132322/1745	1:1.58	0.251	0.01	23.85	24.00	1.035	0.260	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 25	132322/1745	1:1.58	0.246	0.04	22.86	23.00	1.033	0.254	22.1
Back side	20	QPSK 50RB 25	132322/1745	1:1.58	0.208	0.03	22.86	23.00	1.033	0.215	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 99	132322/1745	1:1.58	0.228	0.04	23.85	24.00	1.035	0.236	22.1
Back side	20	QPSK 1RB 99	132322/1745	1:1.58	0.251	0.01	23.85	24.00	1.035	0.260	22.1
Left side	20	QPSK 1RB 99	132322/1745	1:1.58	0.037	0.10	23.85	24.00	1.035	0.039	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 Shenzhen Branch, 2222 Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Right side	20	QPSK 1RB	99	132322/1745	1:1.58	0.029	-0.02	23.85	24.00	1.035	0.030	22.1
Bottom side	20	QPSK 1RB	99	132322/1745	1:1.58	0.713	0.05	23.85	24.00	1.035	0.738	22.1
Hotspot Test data (Separate 10mm 50%RB)												
Front side	20	QPSK 50RB	25	132322/1745	1:1.58	0.246	0.04	22.86	23.00	1.033	0.254	22.1
Back side	20	QPSK 50RB	25	132322/1745	1:1.58	0.208	0.03	22.86	23.00	1.033	0.215	22.1
Left side	20	QPSK 50RB	25	132322/1745	1:1.58	0.031	0.09	22.86	23.00	1.033	0.032	22.1
Right side	20	QPSK 50RB	25	132322/1745	1:1.58	0.023	0.08	22.86	23.00	1.033	0.024	22.1
Bottom side	20	QPSK 50RB	25	132322/1745	1:1.58	0.497	-0.18	22.86	23.00	1.033	0.513	22.1
ANT1												
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.	
Head Test data at the worst case with Second supply												
Right cheek	20	QPSK 50RB	25	132572/1770	1:1.58	1.020	-0.05	20.73	21.00	1.064	1.085	22.1
Body worn Test data at the worst case with Second supply												
Back side	20	QPSK 1RB	50	132072/1720	1:1.58	0.331	0.04	23.49	24.00	1.125	0.372	22.1
Hotspot Test data at the worst case with Second supply												
Left side	20	QPSK 1RB	50	132072/1720	1:1.58	0.510	-0.07	23.49	24.00	1.125	0.574	22.1
ANT0												
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.	
Head Test data at the worst case with Second supply												
Left cheek	20	QPSK 1RB	99	132322/1745	1:1.58	0.015	0.10	23.85	24.00	1.035	0.016	22.1
Body worn Test data at the worst case with Second supply												
Back side	20	QPSK 1RB	99	132322/1745	1:1.58	0.233	0.17	23.85	24.00	1.035	0.241	22.1
Hotspot Test data at the worst case with Second supply												
Bottom side	20	QPSK 1RB	99	132322/1745	1:1.58	0.678	-0.17	23.85	24.00	1.035	0.702	22.1
ANT1 EN-DC												
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.	
Head Test data(1RB)												
Left cheek	20	QPSK 1RB	50	132072/1720	1:1.58	0.498	0.02	20.68	18.00	0.540	0.269	22.1
Left tilted	20	QPSK 1RB	50	132072/1720	1:1.58	0.181	0.03	20.68	18.00	0.540	0.098	22.1
Right cheek	20	QPSK 1RB	50	132072/1720	1:1.58	0.845	0.10	20.68	18.00	0.540	0.456	22.1
Right tilted	20	QPSK 1RB	50	132072/1720	1:1.58	0.232	0.17	20.68	18.00	0.540	0.125	22.1
Right cheek	20	QPSK 1RB	0	132322/1745	1:1.58	0.915	0.10	20.67	18.00	0.541	0.495	22.1
Right cheek	20	QPSK 1RB	0	132572/1770	1:1.58	1.070	0.11	20.55	18.00	0.556	0.595	22.1
Head Test data(50%RB)												
Left cheek	20	QPSK 50RB	25	132072/1720	1:1.58	0.502	0.02	20.74	18.00	0.532	0.267	22.1
Left tilted	20	QPSK 50RB	25	132072/1720	1:1.58	0.187	0.03	20.74	18.00	0.532	0.100	22.1
Right cheek	20	QPSK 50RB	25	132072/1720	1:1.58	0.858	-0.02	20.74	18.00	0.532	0.457	22.1
Right tilted	20	QPSK 50RB	25	132072/1720	1:1.58	0.279	0.15	20.74	18.00	0.532	0.148	22.1
Right cheek	20	QPSK 50RB	25	132322/1745	1:1.58	0.928	0.05	20.63	18.00	0.546	0.506	22.1
Right cheek	20	QPSK 50RB	25	132572/1770	1:1.58	1.130	0.06	20.73	18.00	0.533	0.603	22.1
Right cheek-repeat	20	QPSK 50RB	25	132572/1770	1:1.58	1.050	0.02	20.73	18.00	0.533	0.560	22.1
Head Test data(100%RB)												
Right cheek	20	QPSK 100RB	0	132072/1720	1:1.58	0.855	0.02	20.70	18.00	0.537	0.459	22.1

Table 32: SAR of LTE Band 66 for Head and Body.

Test Position	Channel/ Frequency (MHz)	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
			SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	132572/1770	1.13	1.05	1.0761905	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

8.2.23 SAR Result of LTE Band 71

ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 99	133372/688	1:1	0.417	-0.11	23.36	24.00	1.159	0.483	22.1
Left tilted	20	QPSK 1RB 99	133372/688	1:1	0.072	-0.11	23.36	24.00	1.159	0.083	22.1
Right cheek	20	QPSK 1RB 99	133372/688	1:1	0.260	0.06	23.36	24.00	1.159	0.301	22.1
Right tilted	20	QPSK 1RB 99	133372/688	1:1	0.045	0.07	23.36	24.00	1.159	0.052	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 0	133222/673	1:1	0.511	0.16	22.50	23.00	1.122	0.573	22.1
Left tilted	20	QPSK 50RB 0	133222/673	1:1	0.070	0.08	22.50	23.00	1.122	0.078	22.1
Right cheek	20	QPSK 50RB 0	133222/673	1:1	0.320	0.06	22.50	23.00	1.122	0.359	22.1
Right tilted	20	QPSK 50RB 0	133222/673	1:1	0.064	0.03	22.50	23.00	1.122	0.072	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 99	133372/688	1:1	0.218	-0.13	23.36	24.00	1.159	0.253	22.1
Back side	20	QPSK 1RB 99	133372/688	1:1	0.194	0.09	23.36	24.00	1.159	0.225	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 0	133222/673	1:1	0.256	-0.03	22.50	23.00	1.122	0.287	22.1
Back side	20	QPSK 50RB 0	133222/673	1:1	0.219	0.01	22.50	23.00	1.122	0.246	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 99	133372/688	1:1	0.218	-0.13	23.36	24.00	1.159	0.253	22.1
Back side	20	QPSK 1RB 99	133372/688	1:1	0.194	0.09	23.36	24.00	1.159	0.225	22.1
Left side	20	QPSK 1RB 99	133372/688	1:1	0.353	0.03	23.36	24.00	1.159	0.409	22.1
Right side	20	QPSK 1RB 99	133372/688	1:1	0.009	-0.08	23.36	24.00	1.159	0.010	22.1
Top side	20	QPSK 1RB 99	133372/688	1:1	0.009	-0.02	23.36	24.00	1.159	0.010	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 0	133222/673	1:1	0.256	-0.03	22.50	23.00	1.122	0.287	22.1
Back side	20	QPSK 50RB 0	133222/673	1:1	0.219	0.01	22.50	23.00	1.122	0.246	22.1
Left side	20	QPSK 50RB 0	133222/673	1:1	0.336	-0.02	22.50	23.00	1.122	0.377	22.1
Right side	20	QPSK 50RB 0	133222/673	1:1	0.008	-0.09	22.50	23.00	1.122	0.009	22.1
Top side	20	QPSK 50RB 0	133222/673	1:1	0.009	-0.13	22.50	23.00	1.122	0.010	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data(1RB)											
Left cheek	20	QPSK 1RB 50	133322/683	1:1	0.074	0.01	23.59	24.00	1.099	0.081	22.1
Left tilted	20	QPSK 1RB 50	133322/683	1:1	0.043	0.16	23.59	24.00	1.099	0.047	22.1
Right cheek	20	QPSK 1RB 50	133322/683	1:1	0.097	0.08	23.59	24.00	1.099	0.106	22.1
Right tilted	20	QPSK 1RB 50	133322/683	1:1	0.047	0.18	23.59	24.00	1.099	0.052	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK 50RB 50	133322/683	1:1	0.059	0.02	22.48	23.00	1.127	0.066	22.1
Left tilted	20	QPSK 50RB 50	133322/683	1:1	0.036	0.15	22.48	23.00	1.127	0.041	22.1
Right cheek	20	QPSK 50RB 50	133322/683	1:1	0.077	0.01	22.48	23.00	1.127	0.086	22.1
Right tilted	20	QPSK 50RB 50	133322/683	1:1	0.039	0.09	22.48	23.00	1.127	0.044	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 50	133322/683	1:1	0.155	-0.11	23.59	24.00	1.099	0.170	22.1
Back side	20	QPSK 1RB 50	133322/683	1:1	0.141	-0.04	23.59	24.00	1.099	0.155	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 50	133322/683	1:1	0.129	-0.09	22.48	23.00	1.127	0.145	22.1
Back side	20	QPSK 50RB 50	133322/683	1:1	0.117	-0.05	22.48	23.00	1.127	0.132	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK 1RB 50	133322/683	1:1	0.155	-0.11	23.59	24.00	1.099	0.170	22.1
Back side	20	QPSK 1RB 50	133322/683	1:1	0.141	-0.04	23.59	24.00	1.099	0.155	22.1
Left side	20	QPSK 1RB 50	133322/683	1:1	0.059	0.05	23.59	24.00	1.099	0.065	22.1
Right side	20	QPSK 1RB 50	133322/683	1:1	0.149	0.05	23.59	24.00	1.099	0.164	22.1
Bottom side	20	QPSK 1RB 50	133322/683	1:1	0.134	-0.08	23.59	24.00	1.099	0.147	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK 50RB 50	133322/683	1:1	0.129	-0.09	22.48	23.00	1.127	0.145	22.1
Back side	20	QPSK 50RB 50	133322/683	1:1	0.117	-0.05	22.48	23.00	1.127	0.132	22.1
Left side	20	QPSK 50RB 50	133322/683	1:1	0.050	0.04	22.48	23.00	1.127	0.056	22.1
Right side	20	QPSK 50RB 50	133322/683	1:1	0.142	0.15	22.48	23.00	1.127	0.160	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 Shenzhen Branch 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Bottom side	20	QPSK 50RB_50	133322/683	1:1	0.113	-0.13	22.48	23.00	1.127	0.127	22.1
ANT1											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK 50RB_0	133222/673	1:1	0.477	0.01	22.50	23.00	1.122	0.535	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK 50RB_0	133222/673	1:1	0.221	-0.17	22.50	23.00	1.122	0.248	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK 1RB_99	133372/688	1:1	0.322	0.16	23.36	24.00	1.159	0.373	22.1
ANT0											
Test position	BW.	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg)1-g	Power Drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK 1RB_50	133322/683	1:1	0.083	-0.17	23.59	24.00	1.099	0.091	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK 1RB_50	133322/683	1:1	0.142	0.08	23.59	24.00	1.099	0.156	22.1
Hotspot Test data at the worst case with Second supply											
Front side	20	QPSK 1RB_50	133322/683	1:1	0.142	0.08	23.59	24.00	1.099	0.156	22.1

Table 33: SAR of LTE Band 71 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.24 SAR Result of 5G NR n2

Ant1 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 53	376000/1880	0.287	0.03	16.04	16.50	1.112	0.319	22.1
Left tilted	20	QPSK	1 53	376000/1880	0.068	0.04	16.04	16.50	1.112	0.076	22.1
Right cheek	20	QPSK	1 53	376000/1880	0.635	0.13	16.04	16.50	1.112	0.706	22.1
Right tilted	20	QPSK	1 53	376000/1880	0.140	0.03	16.04	16.50	1.112	0.156	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK	50 56	372000/1860	0.273	-0.01	16.01	16.50	1.119	0.306	22.1
Left tilted	20	QPSK	50 56	372000/1860	0.072	0.10	16.01	16.50	1.119	0.080	22.1
Right cheek	20	QPSK	50 56	372000/1860	0.618	0.06	16.01	16.50	1.119	0.692	22.1
Right tilted	20	QPSK	50 56	372000/1860	0.144	0.06	16.01	16.50	1.119	0.161	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 53	372000/1860	0.381	0.08	22.09	22.50	1.099	0.419	22.1
Back side	20	QPSK	1 53	372000/1860	0.451	0.11	22.09	22.50	1.099	0.496	22.1
Body worn Test data(Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	376000/1880	0.489	0.05	21.92	22.50	1.143	0.559	22.1
Back side	20	QPSK	50 28	376000/1880	0.545	-0.03	21.92	22.50	1.143	0.623	22.1
Body worn Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK	1 53	376000/1880	0.255	0.09	23.05	23.50	1.109	0.283	22.1
Back side-17mm	20	QPSK	1 53	376000/1880	0.230	0.07	23.05	23.50	1.109	0.255	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK	50 28	376000/1880	0.294	0.01	23.02	23.50	1.117	0.328	22.1
Back side-17mm	20	QPSK	50 28	376000/1880	0.212	0.01	23.02	23.50	1.117	0.237	22.1
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	20	QPSK	1 53	372000/1860	0.381	0.08	22.09	22.50	1.099	0.419	22.1
Back side	20	QPSK	1 53	372000/1860	0.451	0.11	22.09	22.50	1.099	0.496	22.1
Left side	20	QPSK	1 53	372000/1860	0.616	-0.13	22.09	22.50	1.099	0.677	22.1
Right side	20	QPSK	1 53	372000/1860	0.031	-0.04	22.09	22.50	1.099	0.034	22.1
Top side	20	QPSK	1 53	372000/1860	0.166	-0.11	22.09	22.50	1.099	0.182	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	376000/1880	0.489	0.05	21.92	22.50	1.143	0.559	22.1
Back side	20	QPSK	50 28	376000/1880	0.545	-0.03	21.92	22.50	1.143	0.623	22.1
Left side	20	QPSK	50 28	376000/1880	0.678	-0.05	21.92	22.50	1.143	0.775	22.1
Right side	20	QPSK	50 28	376000/1880	0.037	0.12	21.92	22.50	1.143	0.042	22.1
Top side	20	QPSK	50 28	376000/1880	0.199	-0.08	21.92	22.50	1.143	0.227	22.1
Hotspot Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK	1 53	376000/1880	0.255	0.09	23.05	23.50	1.109	0.283	22.1
Back side-17mm	20	QPSK	1 53	376000/1880	0.230	0.07	23.05	23.50	1.109	0.255	22.1
Left side-17mm	20	QPSK	1 53	376000/1880	0.280	0.19	23.05	23.50	1.109	0.311	22.1
Right side-15mm	20	QPSK	1 53	376000/1880	0.034	-0.05	23.05	23.50	1.109	0.038	22.1
Top side-14mm	20	QPSK	1 53	376000/1880	0.147	0.01	23.05	23.50	1.109	0.163	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor off											
Front side-15mm	20	QPSK	50 28	376000/1880	0.294	0.01	23.02	23.50	1.117	0.328	22.1
Back side-17mm	20	QPSK	50 28	376000/1880	0.212	0.01	23.02	23.50	1.117	0.237	22.1
Left side-17mm	20	QPSK	50 28	376000/1880	0.319	-0.03	23.02	23.50	1.117	0.356	22.1
Right side-15mm	20	QPSK	50 28	376000/1880	0.028	-0.08	23.02	23.50	1.117	0.031	22.1
Top side-14mm	20	QPSK	50 28	376000/1880	0.171	-0.02	23.02	23.50	1.117	0.191	22.1
Ant0 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 1	376000/1880	0.025	0.07	23.17	23.50	1.079	0.027	22.1
Left tilted	20	QPSK	1 1	376000/1880	0.013	0.05	23.17	23.50	1.079	0.014	22.1
Right cheek	20	QPSK	1 1	376000/1880	0.018	0.08	23.17	23.50	1.079	0.019	22.1
Right tilted	20	QPSK	1 1	376000/1880	0.013	0.03	23.17	23.50	1.079	0.014	22.1
Head Test data(50%RB)											



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch, 2222 Shenzhen Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 129 of 191

Left cheek	20	QPSK	50 28	372000/1860	0.017	0.01	22.34	22.50	1.038	0.017	22.1
Left tilted	20	QPSK	50 28	372000/1860	0.009	0.03	22.34	22.50	1.038	0.010	22.1
Right cheek	20	QPSK	50 28	372000/1860	0.013	0.02	22.34	22.50	1.038	0.013	22.1
Right tilted	20	QPSK	50 28	372000/1860	0.009	0.06	22.34	22.50	1.038	0.009	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 53	376000/1880	0.480	0.02	21.41	21.50	1.021	0.490	22.1
Back side	20	QPSK	1 53	376000/1880	0.380	-0.08	21.41	21.50	1.021	0.388	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	376000/1880	0.482	0.08	21.27	21.50	1.054	0.508	22.1
Back side	20	QPSK	50 28	376000/1880	0.394	0.02	21.27	21.50	1.054	0.415	22.1
Body worn Test data(Separate 15mm 1RB) Sensor off											
Front side-15mm	20	QPSK	1 1	376000/1880	0.362	-0.04	23.17	23.50	1.079	0.391	22.1
Back side-17mm	20	QPSK	1 1	376000/1880	0.227	0.08	23.17	23.50	1.079	0.245	22.1
Body worn Test data (Separate 15mm RB) Sensor off											
Front side-15mm	20	QPSK	50 28	372000/1860	0.334	0.02	22.34	23.50	1.306	0.436	22.1
Back side-17mm	20	QPSK	50 28	372000/1860	0.228	0.12	22.34	23.50	1.306	0.298	22.1
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	20	QPSK	1 53	376000/1880	0.480	0.02	21.41	21.50	1.021	0.490	22.1
Back side	20	QPSK	1 53	376000/1880	0.380	-0.08	21.41	21.50	1.021	0.388	22.1
Left side	20	QPSK	1 53	376000/1880	0.027	-0.07	21.41	21.50	1.021	0.028	22.1
Right side	20	QPSK	1 53	376000/1880	0.033	0.08	21.41	21.50	1.021	0.034	22.1
Bottom side	20	QPSK	1 53	376000/1880	1.160	-0.08	21.41	21.50	1.021	1.184	22.1
Bottom side	20	QPSK	1 104	372000/1860	1.160	-0.04	21.36	21.50	1.033	1.198	22.1
Bottom side	20	QPSK	1 1	380000/1900	1.130	-0.08	21.37	21.50	1.030	1.164	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	376000/1880	0.482	0.08	21.27	21.50	1.054	0.508	22.1
Back side	20	QPSK	50 28	376000/1880	0.394	0.02	21.27	21.50	1.054	0.415	22.1
Left side	20	QPSK	50 28	376000/1880	0.029	0.08	21.27	21.50	1.054	0.031	22.1
Right side	20	QPSK	50 28	376000/1880	0.036	0.13	21.27	21.50	1.054	0.038	22.1
Bottom side	20	QPSK	50 28	376000/1880	1.240	0.01	21.27	21.50	1.054	1.307	22.1
Bottom side-repeat	20	QPSK	50 28	376000/1880	1.190	0.01	21.27	21.50	1.054	1.255	22.1
Bottom side	20	QPSK	50 28	372000/1860	1.120	-0.02	21.24	21.50	1.062	1.189	22.1
Bottom side	20	QPSK	50 28	380000/1900	1.090	-0.04	21.25	21.50	1.059	1.155	22.1
Hotspot Test data(Separate 10mm 100%RB)Sensor on											
Bottom side	20	QPSK	100 0	376000/1880	0.727	-0.10	20.34	20.50	1.038	0.754	22.1
Hotspot Test data(Separate 1RB)Sensor off											
Front side-15mm	20	QPSK	1 1	376000/1880	0.362	-0.04	23.17	23.50	1.079	0.391	22.1
Back side-17mm	20	QPSK	1 1	376000/1880	0.227	0.08	23.17	23.50	1.079	0.245	22.1
Left side-17mm	20	QPSK	1 1	376000/1880	0.022	-0.02	23.17	23.50	1.079	0.024	22.1
Right side-15mm	20	QPSK	1 1	376000/1880	0.039	-0.19	23.17	23.50	1.079	0.042	22.1
Bottom side-19mm	20	QPSK	1 1	376000/1880	0.423	-0.08	23.17	23.50	1.079	0.456	22.1
Hotspot Test data (Separate 50%RB) Sensor off											
Front side-15mm	20	QPSK	50 28	372000/1860	0.334	0.02	22.34	23.50	1.306	0.436	22.1
Back side-17mm	20	QPSK	50 28	372000/1860	0.228	0.12	22.34	23.50	1.306	0.298	22.1
Left side-17mm	20	QPSK	50 28	372000/1860	0.022	0.03	22.34	23.50	1.306	0.029	22.1
Right side-15mm	20	QPSK	50 28	372000/1860	0.040	-0.05	22.34	23.50	1.306	0.052	22.1
Bottom side-19mm	20	QPSK	50 28	372000/1860	0.425	-0.01	22.34	23.50	1.306	0.555	22.1
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor on											
Bottom side	20	QPSK	1 53	376000/1880	1.630	-0.04	21.41	21.50	1.021	1.664	22.1
Product specific 10g SAR Test data (Separate 0mm 50%RB)Sensor on											
Bottom side	20	QPSK	50 28	376000/1880	1.590	0.00	21.27	21.50	1.054	1.676	22.1
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor off											
Bottom side-19mm	20	QPSK	1 1	376000/1880	0.239	-0.08	23.17	23.50	1.079	0.258	22.1
Hotspot Test data (Separate 50%RB) Sensor off											
Bottom side-19mm	20	QPSK	50 28	372000/1860	0.242	-0.01	22.34	23.50	1.306	0.316	22.1
Ant1 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Head Test data at the worst case with Second supply											
Right cheek	20	QPSK	1 53	376000/1880	0.608	0.11	16.04	16.50	1.112	0.676	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK	50 28	376000/1880	0.518	0.07	21.92	22.50	1.143	0.592	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK	50 28	376000/1880	0.642	0.08	21.92	22.50	1.143	0.734	22.1
Ant0 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK	1 1	376000/1880	0.019	0.01	23.17	23.50	1.079	0.020	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK	50 28	376000/1880	0.452	0.07	21.27	21.50	1.054	0.477	22.1
Hotspot Test data at the worst case with Second supply											
Bottom side	20	QPSK	50 28	376000/1880	1.220	0.02	21.27	21.50	1.054	1.286	22.1
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Product specific 10g SAR Test data at the worst case with Second supply											
Bottom side	20	QPSK	50 28	376000/1880	1.520	-0.11	21.27	21.50	1.054	1.603	22.1
Ant0 EN-DC Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Hotspot Test data(Separate 10mm 1RB)Sensor on											
Front side	20	QPSK	1 53	376000/1880	0.480	0.02	21.41	18.50	0.512	0.246	22.1
Back side	20	QPSK	1 53	376000/1880	0.380	-0.08	21.41	18.50	0.512	0.194	22.1
Left side	20	QPSK	1 53	376000/1880	0.027	-0.07	21.41	18.50	0.512	0.014	22.1
Right side	20	QPSK	1 53	376000/1880	0.033	0.08	21.41	18.50	0.512	0.017	22.1
Bottom side	20	QPSK	1 53	376000/1880	1.160	-0.08	21.41	18.50	0.512	0.594	22.1
Bottom side	20	QPSK	1 104	372000/1860	1.160	-0.04	21.36	18.50	0.518	0.600	22.1
Bottom side	20	QPSK	1 1	380000/1900	1.130	-0.08	21.37	18.50	0.516	0.584	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	376000/1880	0.482	0.08	21.27	18.50	0.528	0.255	22.1
Back side	20	QPSK	50 28	376000/1880	0.394	0.02	21.27	18.50	0.528	0.208	22.1
Left side	20	QPSK	50 28	376000/1880	0.029	0.08	21.27	18.50	0.528	0.015	22.1
Right side	20	QPSK	50 28	376000/1880	0.036	0.13	21.27	18.50	0.528	0.019	22.1
Bottom side	20	QPSK	50 28	376000/1880	1.240	0.01	21.27	18.50	0.528	0.655	22.1
Bottom side-repeat	20	QPSK	50 28	376000/1880	1.190	0.01	21.27	18.50	0.528	0.629	22.1
Bottom side	20	QPSK	50 28	372000/1860	1.120	-0.02	21.24	18.50	0.532	0.596	22.1
Bottom side	20	QPSK	50 28	380000/1900	1.090	-0.04	21.25	18.50	0.531	0.579	22.1
Hotspot Test data(Separate 10mm 100%RB)Sensor on											
Bottom side	20	QPSK	100 0	376000/1880	0.727	-0.10	20.34	18.50	0.655	0.476	22.1

Table 34: SAR of 5G NR n2 for Head and Body.

Test Position	Channel/ Frequency (MHz)	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
			SAR (1g)		SAR (1g)	SAR (1g)
Back Side	376000/1880	1.24	1.19	1.0420168	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.

2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).

3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch Laboratory 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.1 SAR Result of 5G NR n5

Ant1 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 1	167800/839	0.493	-0.04	22.85	24.00	1.303	0.642	22.1
Left tilted	20	QPSK	1 1	167800/839	0.083	0.16	22.85	24.00	1.303	0.108	22.1
Right cheek	20	QPSK	1 1	167800/839	0.418	-0.11	22.85	24.00	1.303	0.545	22.1
Right tilted	20	QPSK	1 1	167800/839	0.089	-0.01	22.85	24.00	1.303	0.116	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK	50 28	167800/839	0.367	0.05	22.76	24.00	1.330	0.488	22.1
Left tilted	20	QPSK	50 28	167800/839	0.062	0.19	22.76	24.00	1.330	0.082	22.1
Right cheek	20	QPSK	50 28	167800/839	0.358	0.04	22.76	24.00	1.330	0.476	22.1
Right tilted	20	QPSK	50 28	167800/839	0.076	-0.09	22.76	24.00	1.330	0.102	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK	1 1	167800/839	0.207	0.14	22.85	24.00	1.303	0.270	22.1
Back side	20	QPSK	1 1	167800/839	0.236	0.02	22.85	24.00	1.303	0.308	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK	50 28	167800/839	0.188	0.11	22.76	24.00	1.330	0.250	22.1
Back side	20	QPSK	50 28	167800/839	0.190	-0.17	22.76	24.00	1.330	0.253	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK	1 1	167800/839	0.207	0.14	22.85	24.00	1.303	0.270	22.1
Back side	20	QPSK	1 1	167800/839	0.236	0.02	22.85	24.00	1.303	0.308	22.1
Left side	20	QPSK	1 1	167800/839	0.358	-0.01	22.85	24.00	1.303	0.467	22.1
Right side	20	QPSK	1 1	167800/839	0.004	0.04	22.85	24.00	1.303	0.005	22.1
Top side	20	QPSK	1 1	167800/839	0.014	0.08	22.85	24.00	1.303	0.019	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK	50 28	167800/839	0.188	0.11	22.76	24.00	1.330	0.250	22.1
Back side	20	QPSK	50 28	167800/839	0.190	-0.17	22.76	24.00	1.330	0.253	22.1
Left side	20	QPSK	50 28	167800/839	0.279	-0.03	22.76	24.00	1.330	0.371	22.1
Right side	20	QPSK	50 28	167800/839	0.004	-0.09	22.76	24.00	1.330	0.006	22.1
Top side	20	QPSK	50 28	167800/839	0.014	0.12	22.76	24.00	1.330	0.019	22.1
Ant0 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 1	166800/834	0.115	-0.02	22.55	24.00	1.396	0.161	22.1
Left tilted	20	QPSK	1 1	166800/834	0.071	0.03	22.55	24.00	1.396	0.098	22.1
Right cheek	20	QPSK	1 1	166800/834	0.154	-0.03	22.55	24.00	1.396	0.215	22.1
Right tilted	20	QPSK	1 1	166800/834	0.078	0.01	22.55	24.00	1.396	0.108	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK	50 28	167300/836.5	0.095	0.16	22.58	24.00	1.387	0.132	22.1
Left tilted	20	QPSK	50 28	167300/836.5	0.065	0.04	22.58	24.00	1.387	0.090	22.1
Right cheek	20	QPSK	50 28	167300/836.5	0.145	-0.02	22.58	24.00	1.387	0.201	22.1
Right tilted	20	QPSK	50 28	167300/836.5	0.070	0.02	22.58	24.00	1.387	0.097	22.1
Body worn Test data(Separate 10mm 1RB)											
Front side	20	QPSK	1 1	166800/834	0.346	-0.09	22.55	24.00	1.396	0.483	22.1
Back side	20	QPSK	1 1	166800/834	0.315	0.07	22.55	24.00	1.396	0.440	22.1
Body worn Test data (Separate 10mm 50%RB)											
Front side	20	QPSK	50 28	167300/836.5	0.313	-0.13	22.58	24.00	1.387	0.434	22.1
Back side	20	QPSK	50 28	167300/836.5	0.296	0.03	22.58	24.00	1.387	0.410	22.1
Hotspot Test data(Separate 10mm 1RB)											
Front side	20	QPSK	1 1	166800/834	0.346	-0.09	22.55	24.00	1.396	0.483	22.1
Back side	20	QPSK	1 1	166800/834	0.315	0.07	22.55	24.00	1.396	0.440	22.1
Left side	20	QPSK	1 1	166800/834	0.092	-0.10	22.55	24.00	1.396	0.128	22.1
Right side	20	QPSK	1 1	166800/834	0.232	0.11	22.55	24.00	1.396	0.324	22.1
Bottom side	20	QPSK	1 1	166800/834	0.338	-0.07	22.55	24.00	1.396	0.472	22.1
Hotspot Test data (Separate 10mm 50%RB)											
Front side	20	QPSK	50 28	167300/836.5	0.313	-0.13	22.58	24.00	1.387	0.434	22.1
Back side	20	QPSK	50 28	167300/836.5	0.296	0.03	22.58	24.00	1.387	0.410	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Left side	20	QPSK	50 28	167300/836.5	0.072	-0.07	22.58	24.00	1.387	0.100	22.1
Right side	20	QPSK	50 28	167300/836.5	0.218	0.02	22.58	24.00	1.387	0.302	22.1
Bottom side	20	QPSK	50 28	167300/836.5	0.320	-0.08	22.58	24.00	1.387	0.444	22.1
Ant1 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK	1 1	167800/839	0.455	0.01	22.85	24.00	1.303	0.593	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK	1 1	167800/839	0.203	0.16	22.85	24.00	1.303	0.265	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK	1 1	167800/839	0.331	0.13	22.85	24.00	1.303	0.431	22.1
Ant0 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK	1 1	166800/834	0.143	0.06	22.55	24.00	1.396	0.200	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK	1 1	166800/834	0.309	0.05	22.55	24.00	1.396	0.431	22.1
Hotspot Test data at the worst case with Second supply											
Front side	20	QPSK	1 1	166800/834	0.309	0.05	22.55	24.00	1.396	0.431	22.1

Table 35: SAR of 5G NR n5 for Head and Body.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.2.2 SAR Result of 5G NR n25

Ant1 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 53	372000/1860	0.318	-0.19	16.01	16.50	1.119	0.356	22.1
Left tilted	20	QPSK	1 53	372000/1860	0.075	-0.09	16.01	16.50	1.119	0.084	22.1
Right cheek	20	QPSK	1 53	372000/1860	0.808	0.05	16.01	16.50	1.119	0.905	22.1
Right cheek-repeat	20	QPSK	1 53	372000/1860	0.762	0.05	16.01	16.50	1.119	0.853	22.1
Right tilted	20	QPSK	1 53	372000/1860	0.112	0.01	16.01	16.50	1.119	0.125	22.1
Right cheek	20	QPSK	1 53	376500/1882.5	0.638	0.02	15.91	16.50	1.146	0.731	22.1
Right cheek	20	QPSK	1 53	381000/1905	0.553	0.05	15.81	16.50	1.172	0.648	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK	50 56	376500/1882.5	0.335	-0.02	15.90	16.50	1.148	0.385	22.1
Left tilted	20	QPSK	50 56	376500/1882.5	0.078	0.02	15.90	16.50	1.148	0.089	22.1
Right cheek	20	QPSK	50 56	376500/1882.5	0.568	0.01	15.90	16.50	1.148	0.652	22.1
Right tilted	20	QPSK	50 56	376500/1882.5	0.139	0.07	15.90	16.50	1.148	0.160	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK	100 0	372000/1860	0.551	0.11	15.88	16.50	1.153	0.636	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 104	381000/1905	0.457	0.03	21.99	22.50	1.125	0.514	22.1
Back side	20	QPSK	1 104	381000/1905	0.434	0.02	21.99	22.50	1.125	0.488	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	372000/1860	0.415	0.19	21.92	22.50	1.143	0.474	22.1
Back side	20	QPSK	50 28	372000/1860	0.464	-0.02	21.92	22.50	1.143	0.530	22.1
Body worn Test data(Separate 10mm 1RB) Sensor off											
Front side 15mm	20	QPSK	1 53	376500/1882.5	0.297	0.10	22.58	23.50	1.236	0.367	22.1
Back side 17mm	20	QPSK	1 53	376500/1882.5	0.254	-0.11	22.58	23.50	1.236	0.314	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor off											
Front side 15mm	20	QPSK	50 28	376500/1882.5	0.280	0.11	22.63	23.50	1.222	0.342	22.1
Back side 17mm	20	QPSK	50 28	376500/1882.5	0.257	0.00	22.63	23.50	1.222	0.314	22.1
Hotspot Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 104	381000/1905	0.457	0.03	21.99	22.50	1.125	0.514	22.1
Back side	20	QPSK	1 104	381000/1905	0.434	0.02	21.99	22.50	1.125	0.488	22.1
Left side	20	QPSK	1 104	381000/1905	0.762	-0.03	21.99	22.50	1.125	0.857	22.1
Right side	20	QPSK	1 104	381000/1905	0.054	-0.17	21.99	22.50	1.125	0.061	22.1
Top side	20	QPSK	1 104	381000/1905	0.221	-0.11	21.99	22.50	1.125	0.249	22.1
Left side	20	QPSK	1 104	372000/1860	0.661	-0.11	21.98	22.50	1.127	0.745	22.1
Left side	20	QPSK	1 1	376500/1882.5	0.721	0.00	21.95	22.50	1.135	0.818	22.1
Hotspot Test data(Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	372000/1860	0.415	0.19	21.92	22.50	1.143	0.474	22.1
Back side	20	QPSK	50 28	372000/1860	0.464	-0.02	21.92	22.50	1.143	0.530	22.1
Left side	20	QPSK	50 28	372000/1860	0.632	0.04	21.92	22.50	1.143	0.722	22.1
Right side	20	QPSK	50 28	372000/1860	0.041	-0.18	21.92	22.50	1.143	0.047	22.1
Top side	20	QPSK	50 28	372000/1860	0.177	-0.05	21.92	22.50	1.143	0.202	22.1
Hotspot Test data(Separate 10mm 100%RB) Sensor on											
Left side	20	QPSK	100 0	376500/1882.5	0.431	-0.15	20.80	21.50	1.175	0.506	22.1
Hotspot Test data(Separate 10mm 1RB) Sensor off											
Front side-15mm	20	QPSK	1 53	376500/1882.5	0.297	0.10	22.58	23.50	1.236	0.367	22.1
Back side-17mm	20	QPSK	1 53	376500/1882.5	0.254	-0.11	22.58	23.50	1.236	0.314	22.1
Left side-17mm	20	QPSK	1 53	376500/1882.5	0.321	0.07	22.58	23.50	1.236	0.397	22.1
Right side-15mm	20	QPSK	1 53	376500/1882.5	0.049	-0.07	22.58	23.50	1.236	0.061	22.1
Top side-14mm	20	QPSK	1 53	376500/1882.5	0.235	-0.04	22.58	23.50	1.236	0.290	22.1
Hotspot Test data (Separate 50%RB) Sensor off											
Front side-15mm	20	QPSK	50 28	376500/1882.5	0.280	0.11	22.63	23.50	1.222	0.342	22.1
Back side-17mm	20	QPSK	50 28	376500/1882.5	0.257	0.00	22.63	23.50	1.222	0.314	22.1
Left side-17mm	20	QPSK	50 28	376500/1882.5	0.341	0.04	22.63	23.50	1.222	0.417	22.1
Right side-15mm	20	QPSK	50 28	376500/1882.5	0.028	-0.17	22.63	23.50	1.222	0.034	22.1
Top side-14mm	20	QPSK	50 28	376500/1882.5	0.176	0.04	22.63	23.50	1.222	0.215	22.1
Ant0 Test Record											

Ant0 Test Record

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 134 of 191

Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1- g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 1	376500/1882.5	0.024	0.02	21.66	23.50	1.528	0.036	22.1
Left tilted	20	QPSK	1 1	376500/1882.5	0.010	0.06	21.66	23.50	1.528	0.015	22.1
Right cheek	20	QPSK	1 1	376500/1882.5	0.015	0.09	21.66	23.50	1.528	0.022	22.1
Right tilted	20	QPSK	1 1	376500/1882.5	0.009	0.08	21.66	23.50	1.528	0.013	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK	50 28	372000/1860	0.017	0.09	21.74	23.50	1.500	0.025	22.1
Left tilted	20	QPSK	50 28	372000/1860	0.010	0.04	21.74	23.50	1.500	0.015	22.1
Right cheek	20	QPSK	50 28	372000/1860	0.013	0.03	21.74	23.50	1.500	0.020	22.1
Right tilted	20	QPSK	50 28	372000/1860	0.009	-0.02	21.74	23.50	1.500	0.013	22.1
Body worn Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 1	376500/1882.5	0.471	0.07	19.83	21.50	1.469	0.692	22.1
Back side	20	QPSK	1 1	376500/1882.5	0.385	0.04	19.83	21.50	1.469	0.566	22.1
Body worn Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	372000/1860	0.341	0.06	19.87	21.50	1.455	0.496	22.1
Back side	20	QPSK	50 28	372000/1860	0.309	0.06	19.87	21.50	1.455	0.450	22.1
Body worn Test data(Separate 1RB) Sensor off											
Front side-15mm	20	QPSK	1 1	376500/1882.5	0.345	0.07	21.66	23.50	1.528	0.527	22.1
Back side-17mm	20	QPSK	1 1	376500/1882.5	0.211	0.06	21.66	23.50	1.528	0.322	22.1
Body worn Test data (Separate 50%RB) Sensor off											
Front side-15mm	20	QPSK	50 28	372000/1860	0.306	-0.16	21.74	23.50	1.500	0.459	22.1
Back side-17mm	20	QPSK	50 28	372000/1860	0.201	0.08	21.74	23.50	1.500	0.301	22.1
Hotspot Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 1	376500/1882.5	0.471	0.07	19.83	21.50	1.469	0.692	22.1
Back side	20	QPSK	1 1	376500/1882.5	0.385	0.04	19.83	21.50	1.469	0.566	22.1
Left side	20	QPSK	1 1	376500/1882.5	0.032	-0.05	19.83	21.50	1.469	0.047	22.1
Right side	20	QPSK	1 1	376500/1882.5	0.039	-0.16	19.83	21.50	1.469	0.057	22.1
Bottom side	20	QPSK	1 1	376500/1882.5	0.827	-0.19	19.83	21.50	1.469	1.215	22.1
Bottom side	20	QPSK	1 1	372000/1860	0.831	0.05	19.80	21.50	1.479	1.229	22.1
Bottom side	20	QPSK	1 1	381000/1905	0.876	-0.19	19.82	21.50	1.472	1.290	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	372000/1860	0.341	0.06	19.87	21.50	1.455	0.496	22.1
Back side	20	QPSK	50 28	372000/1860	0.309	0.06	19.87	21.50	1.455	0.450	22.1
Left side	20	QPSK	50 28	372000/1860	0.029	-0.05	19.87	21.50	1.455	0.042	22.1
Right side	20	QPSK	50 28	372000/1860	0.040	0.02	19.87	21.50	1.455	0.058	22.1
Bottom side	20	QPSK	50 28	372000/1860	0.898	-0.03	19.87	21.50	1.455	1.307	22.1
Bottom side-repeat	20	QPSK	50 28	372000/1860	0.833	-0.02	19.87	21.50	1.455	1.212	22.1
Bottom side	20	QPSK	50 28	376500/1882.5	0.838	-0.17	19.77	21.50	1.489	1.248	22.1
Bottom side	20	QPSK	50 28	381000/1905	0.792	-0.19	19.82	21.50	1.472	1.166	22.1
Hotspot Test data (Separate 10mm 100%RB) Sensor on											
Bottom side	20	QPSK	100 0	381000/1905	0.650	-0.09	18.81	20.50	1.476	0.959	22.1
Hotspot Test data(Separate 1RB) Sensor off											
Front side-15mm	20	QPSK	1 1	376500/1882.5	0.345	0.07	21.66	23.50	1.528	0.527	22.1
Back side-17mm	20	QPSK	1 1	376500/1882.5	0.211	0.06	21.66	23.50	1.528	0.322	22.1
Left side-17mm	20	QPSK	1 1	376500/1882.5	0.021	-0.15	21.66	23.50	1.528	0.032	22.1
Right side-15mm	20	QPSK	1 1	376500/1882.5	0.043	0.17	21.66	23.50	1.528	0.066	22.1
Bottom side-19mm	20	QPSK	1 1	376500/1882.5	0.466	0.00	21.66	23.50	1.528	0.712	22.1
Hotspot Test data (Separate 50%RB) Sensor off											
Front side-15mm	20	QPSK	50 28	372000/1860	0.306	-0.16	21.74	23.50	1.500	0.459	22.1
Back side-17mm	20	QPSK	50 28	372000/1860	0.201	0.08	21.74	23.50	1.500	0.301	22.1
Left side-17mm	20	QPSK	50 28	372000/1860	0.023	-0.04	21.74	23.50	1.500	0.035	22.1
Right side-15mm	20	QPSK	50 28	372000/1860	0.028	-0.01	21.74	23.50	1.500	0.042	22.1
Bottom side-19mm	20	QPSK	50 28	372000/1860	0.461	0.12	21.74	23.50	1.500	0.691	22.1
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1- g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor on											
Bottom side	20	QPSK	1 1	376500/1882.5	1.620	0.01	19.83	21.50	1.469	2.380	22.1
Bottom side	20	QPSK	1 1	372000/1860	1.590	0.08	19.80	21.50	1.479	2.352	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch 中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 135 of 191

Bottom side	20	QPSK	1 1	381000/1905	1.480	-0.04	19.82	21.50	1.472	2.179	22.1
Product specific 10g SAR Test data (Separate 0mm 50%RB)Sensor on											
Bottom side	20	QPSK	50 28	372000/1860	1.700	0.06	19.87	21.50	1.455	2.474	22.1
Bottom side	20	QPSK	50 28	376500/1882.5	1.540	0.05	19.77	21.50	1.489	2.294	22.1
Bottom side	20	QPSK	50 28	381000/1905	1.400	0.02	19.82	21.50	1.472	2.061	22.1
Product specific 10g SAR Test data (Separate 0mm 100%RB)Sensor on											
Bottom side	20	QPSK	100 0	381000/1905	1.140	0.04	18.81	21.50	1.858	2.118	22.1
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor off											
Bottom side-19mm	20	QPSK	1 1	376500/1882.5	0.262	0.00	21.66	23.50	1.528	0.400	22.1
Hotspot Test data (Separate 50%RB) Sensor off											
Bottom side-19mm	20	QPSK	50 28	372000/1860	0.259	0.12	21.74	23.50	1.500	0.388	22.1
Ant1 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data at the worst case with Second supply											
Right cheek	20	QPSK	1 53	372000/1860	0.759	0.01	16.01	16.50	1.119	0.850	22.1
Body worn Test data at the worst case with Second supply											
Back side	20	QPSK	50 28	372000/1860	0.434	0.17	21.92	22.50	1.143	0.496	22.1
Hotspot Test data at the worst case with Second supply											
Left side	20	QPSK	1_104	381000/1905	0.744	0.16	21.99	22.50	1.125	0.837	22.1
Ant0 Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data at the worst case with Second supply											
Left cheek	20	QPSK	1 1	376500/1882.5	0.019	0.18	21.66	23.50	1.528	0.029	22.1
Body worn Test data at the worst case with Second supply											
Front side	20	QPSK	1 1	376500/1882.5	0.455	0.02	19.83	21.50	1.469	0.668	22.1
Hotspot Test data at the worst case with Second supply											
Bottom side	20	QPSK	50 28	372000/1860	0.871	0.16	19.87	21.50	1.455	1.268	22.1
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 10-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Product specific 10g SAR Test data at the worst case with Second supply											
Bottom side	20	QPSK	50 28	372000/1860	1.560	0.01	19.87	21.50	1.455	2.271	22.1
Ant1 EN-DC Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Head Test data(1RB)											
Left cheek	20	QPSK	1 53	372000/1860	0.318	-0.19	16.01	15.50	0.889	0.283	22.1
Left tilted	20	QPSK	1 53	372000/1860	0.075	-0.09	16.01	15.50	0.889	0.067	22.1
Right cheek	20	QPSK	1 53	372000/1860	0.808	0.05	16.01	15.50	0.889	0.718	22.1
Right cheek-repeat	20	QPSK	1 53	372000/1860	0.762	0.05	16.01	15.50	0.889	0.678	22.1
Right tilted	20	QPSK	1 53	372000/1860	0.112	0.01	16.01	15.50	0.889	0.100	22.1
Right cheek	20	QPSK	1 53	376500/1882.5	0.638	0.02	15.91	15.50	0.910	0.581	22.1
Right cheek	20	QPSK	1 53	381000/1905	0.553	0.05	15.81	15.50	0.931	0.515	22.1
Head Test data(50%RB)											
Left cheek	20	QPSK	50 56	376500/1882.5	0.335	-0.02	15.90	15.50	0.912	0.306	22.1
Left tilted	20	QPSK	50 56	376500/1882.5	0.078	0.02	15.90	15.50	0.912	0.071	22.1
Right cheek	20	QPSK	50 56	376500/1882.5	0.568	0.01	15.90	15.50	0.912	0.518	22.1
Right tilted	20	QPSK	50 56	376500/1882.5	0.139	0.07	15.90	15.50	0.912	0.127	22.1
Head Test data(100%RB)											
Right cheek	20	QPSK	100 0	372000/1860	0.551	0.11	15.88	15.50	0.916	0.505	22.1
Hotspot Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 104	381000/1905	0.457	0.03	21.99	20.50	0.710	0.324	22.1
Back side	20	QPSK	1104	381000/1905	0.434	0.02	21.99	20.50	0.710	0.308	22.1
Left side	20	QPSK	1 104	381000/1905	0.762	-0.03	21.99	20.50	0.710	0.541	22.1
Right side	20	QPSK	1 104	381000/1905	0.054	-0.17	21.99	20.50	0.710	0.038	22.1
Top side	20	QPSK	1 104	381000/1905	0.221	-0.11	21.99	20.50	0.710	0.157	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch, 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Left side	20	QPSK	1 104	372000/1860	0.661	-0.11	21.98	20.50	0.711	0.470	22.1
Left side	20	QPSK	1 1	376500/1882.5	0.721	0.00	21.95	20.50	0.716	0.516	22.1
Hotspot Test data(Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	372000/1860	0.415	0.19	21.92	20.50	0.721	0.299	22.1
Back side	20	QPSK	50 28	372000/1860	0.464	-0.02	21.92	20.50	0.721	0.335	22.1
Left side	20	QPSK	50 28	372000/1860	0.632	0.04	21.92	20.50	0.721	0.456	22.1
Right side	20	QPSK	50 28	372000/1860	0.041	-0.18	21.92	20.50	0.721	0.030	22.1
Top side	20	QPSK	50 28	372000/1860	0.177	-0.05	21.92	20.50	0.721	0.128	22.1
Hotspot Test data(Separate 10mm 100%RB) Sensor on											
Left side	20	QPSK	100 0	376500/1882.5	0.431	-0.15	20.80	20.50	0.933	0.402	22.1
Ant0 EN-DC Test Record											
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Hotspot Test data(Separate 10mm 1RB) Sensor on											
Front side	20	QPSK	1 1	376500/1882.5	0.471	0.07	19.83	19.00	0.826	0.389	22.1
Back side	20	QPSK	1 1	376500/1882.5	0.385	0.04	19.83	19.00	0.826	0.318	22.1
Left side	20	QPSK	1 1	376500/1882.5	0.032	-0.05	19.83	19.00	0.826	0.027	22.1
Right side	20	QPSK	1 1	376500/1882.5	0.039	-0.16	19.83	19.00	0.826	0.032	22.1
Bottom side	20	QPSK	1 1	376500/1882.5	0.827	-0.19	19.83	19.00	0.826	0.683	22.1
Bottom side	20	QPSK	1 1	372000/1860	0.831	0.05	19.80	19.00	0.832	0.691	22.1
Bottom side	20	QPSK	1 1	381000/1905	0.876	-0.19	19.82	19.00	0.828	0.725	22.1
Hotspot Test data (Separate 10mm 50%RB) Sensor on											
Front side	20	QPSK	50 28	372000/1860	0.341	0.06	19.87	19.00	0.818	0.279	22.1
Back side	20	QPSK	50 28	372000/1860	0.309	0.06	19.87	19.00	0.818	0.253	22.1
Left side	20	QPSK	50 28	372000/1860	0.029	-0.05	19.87	19.00	0.818	0.024	22.1
Right side	20	QPSK	50 28	372000/1860	0.040	0.02	19.87	19.00	0.818	0.033	22.1
Bottom side	20	QPSK	50 28	372000/1860	0.898	-0.03	19.87	19.00	0.818	0.735	22.1
Bottom side-repeat	20	QPSK	50 28	372000/1860	0.833	-0.02	19.87	19.00	0.818	0.682	22.1
Bottom side	20	QPSK	50 28	376500/1882.5	0.838	-0.17	19.77	19.00	0.838	0.702	22.1
Bottom side	20	QPSK	50 28	381000/1905	0.792	-0.19	19.82	19.00	0.828	0.656	22.1
Hotspot Test data (Separate 10mm 100%RB) Sensor on											
Bottom side	20	QPSK	100 0	381000/1905	0.650	-0.09	18.81	19.00	1.045	0.679	22.1
Test position	Test mode			Test ch./Freq.	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset								
Product specific 10g SAR Test data(Separate 0mm 1RB)Sensor on											
Bottom side	20	QPSK	1 1	376500/1882.5	1.620	0.01	19.83	19.00	0.826	1.338	22.1
Bottom side	20	QPSK	1 1	372000/1860	1.590	0.08	19.80	19.00	0.832	1.323	22.1
Bottom side	20	QPSK	1 1	381000/1905	1.480	-0.04	19.82	19.00	0.828	1.225	22.1
Product specific 10g SAR Test data (Separate 0mm 50%RB)Sensor on											
Bottom side	20	QPSK	50 28	372000/1860	1.700	0.06	19.87	19.00	0.818	1.391	22.1
Bottom side	20	QPSK	50 28	376500/1882.5	1.540	0.05	19.77	19.00	0.838	1.290	22.1
Bottom side	20	QPSK	50 28	381000/1905	1.400	0.02	19.82	19.00	0.828	1.159	22.1
Product specific 10g SAR Test data (Separate 0mm 100%RB)Sensor on											
Bottom side	20	QPSK	100 0	381000/1905	1.140	0.04	18.81	19.00	1.045	1.191	22.1

Table 36: SAR of 5G NR n25 for Head and Body.

Test Position	Channel/ Frequency (MHz)	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
			SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	372000/1860	0.808	0.762	1.0603675	N/A	N/A
Bottom side	372000/1860	0.898	0.833	1.0780312	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg



8.2.3 SAR Result of 5G NR n38

Ant3 Test Record												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset									
Head Test data(1RB)												
Left cheek	20	QPSK	1 1	519000/2595	1:1	0.253	0.07	16.38	17.50	1.294	0.327	22.1
Left tilted	20	QPSK	1 1	519000/2595	1:1	0.130	0.14	16.38	17.50	1.294	0.168	22.1
Right cheek	20	QPSK	1 1	519000/2595	1:1	0.167	0.01	16.38	17.50	1.294	0.216	22.1
Right tilted	20	QPSK	1 1	519000/2595	1:1	0.053	0.01	16.38	17.50	1.294	0.068	22.1
Head Test data(50%RB)												
Left cheek	20	QPSK	50 28	516000/2580	1:1	0.237	0.09	16.48	17.50	1.265	0.300	22.1
Left tilted	20	QPSK	50 28	516000/2580	1:1	0.059	0.08	16.48	17.50	1.265	0.075	22.1
Right cheek	20	QPSK	50 28	516000/2580	1:1	0.066	0.04	16.48	17.50	1.265	0.083	22.1
Right tilted	20	QPSK	50 28	516000/2580	1:1	0.020	0.02	16.48	17.50	1.265	0.025	22.1
Body worn Test data(Separate 10mm 1RB)												
Front side	20	QPSK	1 1	519000/2595	1:1	0.069	0.07	16.38	17.50	1.294	0.089	22.1
Back side	20	QPSK	1 1	519000/2595	1:1	0.072	-0.04	16.38	17.50	1.294	0.093	22.1
Body worn Test data (Separate 10mm 50%RB)												
Front side	20	QPSK	50 28	516000/2580	1:1	0.077	0.04	16.48	17.50	1.265	0.097	22.1
Back side	20	QPSK	50 28	516000/2580	1:1	0.084	-0.12	16.48	17.50	1.265	0.107	22.1
Hotspot Test data(Separate 10mm 1RB)												
Front side	20	QPSK	1 1	519000/2595	1:1	0.069	0.07	16.38	17.50	1.294	0.089	22.1
Back side	20	QPSK	1 1	519000/2595	1:1	0.072	-0.04	16.38	17.50	1.294	0.093	22.1
Left side	20	QPSK	1 1	519000/2595	1:1	0.004	0.04	16.38	17.50	1.294	0.005	22.1
Right side	20	QPSK	1 1	519000/2595	1:1	0.132	0.04	16.38	17.50	1.294	0.171	22.1
Top side	20	QPSK	1 1	519000/2595	1:1	0.013	-0.12	16.38	17.50	1.294	0.017	22.1
Hotspot Test data (Separate 10mm 50%RB)												
Front side	20	QPSK	50 28	516000/2580	1:1	0.077	0.04	16.48	17.50	1.265	0.097	22.1
Back side	20	QPSK	50 28	516000/2580	1:1	0.084	-0.12	16.48	17.50	1.265	0.107	22.1
Left side	20	QPSK	50 28	516000/2580	1:1	0.004	0.11	16.48	17.50	1.265	0.005	22.1
Right side	20	QPSK	50 28	516000/2580	1:1	0.151	0.05	16.48	17.50	1.265	0.191	22.1
Top side	20	QPSK	50 28	516000/2580	1:1	0.014	-0.19	16.48	17.50	1.265	0.018	22.1
Ant1 Test Record												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset									
Head Test data(1RB)												
Left cheek	20	QPSK	1 104	516000/2580	1:1	0.338	-0.08	17.03	17.50	1.114	0.377	22.1
Left tilted	20	QPSK	1 104	516000/2580	1:1	0.118	0.05	17.03	17.50	1.114	0.131	22.1
Right cheek	20	QPSK	1 104	516000/2580	1:1	1.050	0.09	17.03	17.50	1.114	1.170	22.1
Right cheek-repeat	20	QPSK	1 104	516000/2580	1:1	1.040	0.01	17.03	17.50	1.114	1.159	22.1
Right tilted	20	QPSK	1 104	516000/2580	1:1	0.261	-0.03	17.03	17.50	1.114	0.291	22.1
Right cheek	20	QPSK	1 53	519000/2595	1:1	0.835	0.07	16.82	17.50	1.169	0.977	22.1
Right cheek	20	QPSK	1 104	522000/2610	1:1	0.883	0.04	17.03	17.50	1.114	0.984	22.1
Head Test data(50%RB)												
Left cheek	20	QPSK	50 28	516000/2580	1:1	0.560	-0.06	16.90	17.50	1.148	0.643	22.1
Left tilted	20	QPSK	50 28	516000/2580	1:1	0.131	-0.09	16.90	17.50	1.148	0.150	22.1
Right cheek	20	QPSK	50 28	516000/2580	1:1	0.979	0.01	16.90	17.50	1.148	1.124	22.1
Right tilted	20	QPSK	50 28	516000/2580	1:1	0.263	-0.05	16.90	17.50	1.148	0.302	22.1
Right cheek	20	QPSK	50 28	519000/2595	1:1	0.910	0.08	16.90	17.50	1.148	1.045	22.1
Right cheek	20	QPSK	50 28	522000/2610	1:1	0.935	0.03	16.90	17.50	1.148	1.074	22.1
Head Test data(100%RB)												
Right cheek	20	QPSK	100RB 0	516000/2580	1:1	0.703	0.31	15.99	16.50	1.125	0.791	22.1
Body worn Test data(Separate 10mm 1RB)												
Front side	20	QPSK	1 104	516000/2580	1:1	0.251	0.02	17.03	17.50	1.114	0.280	22.1
Back side	20	QPSK	1 104	516000/2580	1:1	0.198	0.13	17.03	17.50	1.114	0.221	22.1
Body worn Test data (Separate 10mm 50%RB)												
Front side	20	QPSK	50 28	516000/2580	1:1	0.260	0.04	16.90	17.50	1.148	0.299	22.1
Back side	20	QPSK	50 28	516000/2580	1:1	0.258	0.16	16.90	17.50	1.148	0.296	22.1
Hotspot Test data(Separate 10mm 1RB)												
Front side	20	QPSK	1 104	516000/2580	1:1	0.251	0.02	17.03	17.50	1.114	0.280	22.1
Back side	20	QPSK	1 104	516000/2580	1:1	0.198	0.13	17.03	17.50	1.114	0.221	22.1
Left side	20	QPSK	1 104	516000/2580	1:1	0.272	0.03	17.03	17.50	1.114	0.303	22.1
Right side	20	QPSK	1 104	516000/2580	1:1	0.005	0.03	17.03	17.50	1.114	0.005	22.1
Top side	20	QPSK	1 104	516000/2580	1:1	0.049	0.05	17.03	17.50	1.114	0.054	22.1
Hotspot Test data (Separate 10mm 50%RB)												
Front side	20	QPSK	50 28	516000/2580	1:1	0.260	0.04	16.90	17.50	1.148	0.299	22.1
Back side	20	QPSK	50 28	516000/2580	1:1	0.258	0.16	16.90	17.50	1.148	0.296	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsigroup.com.cn
 Shenzhen Branch, 2222 Zhongyuan Road, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Left side	20	QPSK	50 28	516000/2580	1:1	0.279	0.03	16.90	17.50	1.148	0.320	22.1
Right side	20	QPSK	50 28	516000/2580	1:1	0.005	0.04	16.90	17.50	1.148	0.005	22.1
Top side	20	QPSK	50 28	516000/2580	1:1	0.055	0.14	16.90	17.50	1.148	0.063	22.1
Ant3 Test Record												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset									
Head Test data at the worst case with Second supply												
Left cheek	20	QPSK	1 1	519000/2595	1:1	0.244	0.03	16.38	17.50	1.294	0.316	22.1
Body worn Test data at the worst case with Second supply												
Back side	20	QPSK	50 28	516000/2580	1:1	0.069	-0.12	16.48	17.50	1.265	0.087	22.1
Hotspot Test data at the worst case with Second supply												
Right side	20	QPSK	50 28	516000/2580	1:1	0.142	0.06	16.48	17.50	1.265	0.180	22.1
Ant1 Test Record												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scaled factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW.	Modulation	RB Size_RB offset									
Head Test data at the worst case with Second supply												
Right cheek	20	QPSK	1 104	516000/2580	1:1	0.940	0.03	17.03	17.50	1.114	1.047	22.1
Body worn Test data at the worst case with Second supply												
Front side	20	QPSK	50 28	516000/2580	1:1	0.240	0.16	16.90	17.50	1.148	0.276	22.1
Hotspot Test data at the worst case with Second supply												
Left side	20	QPSK	50 28	516000/2580	1:1	0.253	0.18	16.90	17.50	1.148	0.290	22.1

Table 37: SAR of 5G NR n38 for Head and Body.

Test Position	Channel/ Frequency	Measured SAR (1g)	1 st Repeated	Ratio	2 nd Repeated	3 rd Repeated
	(MHz)		SAR (1g)		SAR (1g)	SAR (1g)
Right cheek	516000/2580	1.05	1.04	1.0096154	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
2) A second repeated measurement was preformed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
3) A third repeated measurement was preformed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .
4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

8.2.4 SAR Result of 5G NR n41

Ant3 Test Record												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scale factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW	Modulation	RB Size_RB offset									
Head Test data(1RB)												
Left cheek	100	QPSK	1_1	523302/2616.51	1:1	0.722	-0.09	18.19	19.00	1.205	0.870	22.1
Left tilted	100	QPSK	1_1	523302/2616.51	1:1	0.247	0.06	18.19	19.00	1.205	0.298	22.1
Right cheek	100	QPSK	1_1	523302/2616.51	1:1	0.255	0.18	18.19	19.00	1.205	0.307	22.1
Right tilted	100	QPSK	1_1	523302/2616.51	1:1	0.093	-0.04	18.19	19.00	1.205	0.112	22.1
Left cheek	100	QPSK	1_1	509202/2546.01	1:1	0.935	0.04	18.18	19.00	1.208	1.129	22.1
Left cheek	100	QPSK	1_137	513900/2569.5	1:1	0.858	-0.03	18.15	19.00	1.216	1.043	22.1
Left cheek	100	QPSK	1_137	518598/2592.99	1:1	0.819	-0.06	18.14	19.00	1.219	0.998	22.1
Left cheek	100	QPSK	1_137	528000/2640	1:1	0.745	0.00	18.18	19.00	1.208	0.900	22.1
Left cheek-repeat	100	QPSK	1_1	509202/2546.01	1:1	0.842	-0.06	18.18	19.00	1.208	1.017	22.1
Head Test data(50%RB)												
Left cheek	100	QPSK	135_69	509202/2546.01	1:1	0.751	0.09	18.37	19.00	1.156	0.868	22.1
Left tilted	100	QPSK	135_69	509202/2546.01	1:1	0.236	-0.09	18.37	19.00	1.156	0.273	22.1
Right cheek	100	QPSK	135_69	509202/2546.01	1:1	0.212	0.03	18.37	19.00	1.156	0.245	22.1
Right tilted	100	QPSK	135_69	509202/2546.01	1:1	0.181	0.18	18.37	19.00	1.156	0.209	22.1
Left cheek	100	QPSK	135_69	513900/2569.5	1:1	0.757	-0.05	18.19	19.00	1.205	0.912	22.1
Left cheek	100	QPSK	135_69	518598/2592.99	1:1	0.693	-0.09	18.23	19.00	1.194	0.827	22.1
Left cheek	100	QPSK	135_69	523302/2616.51	1:1	0.696	-0.09	18.23	19.00	1.194	0.831	22.1
Left cheek	100	QPSK	135_69	528000/2640	1:1	0.719	-0.05	18.30	19.00	1.175	0.845	22.1
Head Test data(100%RB)												
Left cheek	100	QPSK	270RB_0	509202/2546.01	1:1	0.652	-0.08	17.39	18.00	1.151	0.750	22.1
Body worn Test data(Separate 10mm 1RB)												
Front side	100	QPSK	1_137	523302/2616.51	1:1	0.155	0.01	18.19	20.00	1.517	0.235	22.1
Back side	100	QPSK	1_137	523302/2616.51	1:1	0.212	0.09	18.19	20.00	1.517	0.322	22.1
Body worn Test data (Separate 10mm 50%RB)												
Front side	100	QPSK	135_69	509202/2546.01	1:1	0.186	-0.07	18.37	20.00	1.455	0.271	22.1
Back side	100	QPSK	135_69	509202/2546.01	1:1	0.226	0.02	18.37	20.00	1.455	0.329	22.1
Hotspot Test data(Separate 10mm 1RB)												
Front side	100	QPSK	1_137	523302/2616.51	1:1	0.155	0.01	18.19	20.00	1.517	0.235	22.1
Back side	100	QPSK	1_137	523302/2616.51	1:1	0.212	0.09	18.19	20.00	1.517	0.322	22.1
Left side	100	QPSK	1_137	523302/2616.51	1:1	0.002	-0.11	18.19	20.00	1.517	0.003	22.1
Right side	100	QPSK	1_137	523302/2616.51	1:1	0.339	-0.04	18.19	20.00	1.517	0.514	22.1
Top side	100	QPSK	1_137	523302/2616.51	1:1	0.037	0.09	18.19	20.00	1.517	0.055	22.1
Hotspot Test data (Separate 10mm 50%RB)												



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号楼 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Front side	100	QPSK	135_69	509202/2546.0 1	1:1	0.186	-0.07	18.37	20.00	1.455	0.271	22.1
Back side	100	QPSK	135_69	509202/2546.0 1	1:1	0.226	0.02	18.37	20.00	1.455	0.329	22.1
Left side	100	QPSK	135_69	509202/2546.0 1	1:1	0.004	0.01	18.37	20.00	1.455	0.006	22.1
Right side	100	QPSK	135_69	509202/2546.0 1	1:1	0.322	0.03	18.37	20.00	1.455	0.469	22.1
Top side	100	QPSK	135_69	509202/2546.0 1	1:1	0.047	-0.08	18.37	20.00	1.455	0.069	22.1
Ant1 Test Record												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scale factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scale d factor	Scale d SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW	Modulation	RB Size_RB offset									
Head Test data(1RB)												
Left cheek	100	QPSK	1_1	509202/2546.0 1	1:1	0.468	0.00	17.31	18.00	1.172	0.549	22.1
Left tilted	100	QPSK	1_1	509202/2546.0 1	1:1	0.141	-0.03	17.31	18.00	1.172	0.165	22.1
Right cheek	100	QPSK	1_1	509202/2546.0 1	1:1	0.991	0.01	17.31	18.00	1.172	1.162	22.1
Right tilted	100	QPSK	1_1	509202/2546.0 1	1:1	0.314	-0.16	17.31	18.00	1.172	0.368	22.1
Right cheek	100	QPSK	1_1	513900/2569.5	1:1	0.941	0.08	16.94	18.00	1.276	1.201	22.1
Right cheek	100	QPSK	1_1	518598/2592.9 9	1:1	0.892	0.04	16.85	18.00	1.303	1.162	22.1
Right cheek	100	QPSK	1_1	523302/2616.5 1	1:1	0.976	0.07	16.71	18.00	1.346	1.314	22.1
Right cheek-repeat	100	QPSK	1_1	523302/2616.5 1	1:1	0.961	0.17	16.71	18.00	1.346	1.293	22.1
Right cheek	100	QPSK	1_1	528000/2640	1:1	0.841	0.09	16.58	18.00	1.387	1.166	22.1
Head Test data(50%RB)												
Left cheek	100	QPSK	135_69	523302/2616.5 1	1:1	0.350	0.10	16.85	18.00	1.303	0.456	22.1
Left tilted	100	QPSK	135_69	523302/2616.5 1	1:1	0.118	-0.05	16.85	18.00	1.303	0.154	22.1
Right cheek	100	QPSK	135_69	523302/2616.5 1	1:1	0.787	0.10	16.85	18.00	1.303	1.026	22.1
Right tilted	100	QPSK	135_69	523302/2616.5 1	1:1	0.283	-0.19	16.85	18.00	1.303	0.369	22.1
Right cheek	100	QPSK	135_69	509202/2546.0 1	1:1	0.880	0.15	16.80	18.00	1.318	1.160	22.1
Right cheek	100	QPSK	135_69	513900/2569.5	1:1	0.836	0.04	16.78	18.00	1.324	1.107	22.1
Right cheek	100	QPSK	135_69	518598/2592.9 9	1:1	0.834	0.08	16.72	18.00	1.343	1.120	22.1
Right cheek	100	QPSK	135_69	528000/2640	1:1	0.668	0.02	16.60	18.00	1.380	0.922	22.1
Head Test data(100%RB)												
Right cheek	100	QPSK	270RB_0	509202/2546.0 1	1:1	0.668	0.09	15.95	17.00	1.274	0.851	22.1
Body worn Test data(Separate 10mm 1RB)												
Front side	100	QPSK	1_1	509202/2546.0 1	1:1	0.360	0.07	18.25	20.00	1.496	0.539	22.1
Back side	100	QPSK	1_1	509202/2546.0 1	1:1	0.283	0.07	18.25	20.00	1.496	0.423	22.1
Body worn Test data (Separate 10mm 50%RB)												
Front side	100	QPSK	135_69	523302/2616.5 1	1:1	0.272	0.02	17.87	20.00	1.560	0.424	22.1
Back side	100	QPSK	135_69	523302/2616.5 1	1:1	0.230	-0.11	17.87	20.00	1.560	0.359	22.1
Hotspot Test data(Separate 10mm 1RB)												
Front side	100	QPSK	1_1	509202/2546.0 1	1:1	0.360	0.07	18.25	20.00	1.496	0.539	22.1
Back side	100	QPSK	1_1	509202/2546.0	1:1	0.283	0.07	18.25	20.00	1.496	0.423	22.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2021/3002207
Page : 141 of 191

				1								
Left side	100	QPSK	1_1	509202/2546.0 1	1:1	0.352	0.13	18.25	20.00	1.496	0.527	22.1
Right side	100	QPSK	1_1	509202/2546.0 1	1:1	0.022	0.06	18.25	20.00	1.496	0.032	22.1
Top side	100	QPSK	1_1	509202/2546.0 1	1:1	0.090	0.09	18.25	20.00	1.496	0.134	22.1
Hotspot Test data (Separate 10mm 50%RB)												
Front side	100	QPSK	135_69	523302/2616.5 1	1:1	0.272	0.02	17.87	20.00	1.560	0.424	22.1
Back side	100	QPSK	135_69	523302/2616.5 1	1:1	0.230	-0.11	17.87	20.00	1.560	0.359	22.1
Left side	100	QPSK	135_69	523302/2616.5 1	1:1	0.316	0.04	17.87	20.00	1.560	0.493	22.1
Right side	100	QPSK	135_69	523302/2616.5 1	1:1	0.010	0.07	17.87	20.00	1.560	0.016	22.1
Top side	100	QPSK	135_69	523302/2616.5 1	1:1	0.055	0.02	17.87	20.00	1.560	0.086	22.1
Ant1 Test Record with Simultaneous transmission												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scale d factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scale d factor	Scale d SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW .	Modulation	RB Size_RB offset									
Head Test data(1RB)												
Left cheek	100	QPSK	1_1	509202/2546.0 1	1:1	0.468	0.00	17.31	17.00	0.931	0.436	22.1
Left tilted	100	QPSK	1_1	509202/2546.0 1	1:1	0.141	-0.03	17.31	17.00	0.931	0.131	22.1
Right cheek	100	QPSK	1_1	509202/2546.0 1	1:1	0.991	0.01	17.31	17.00	0.931	0.923	22.1
Right tilted	100	QPSK	1_1	509202/2546.0 1	1:1	0.314	-0.16	17.31	17.00	0.931	0.292	22.1
Right cheek	100	QPSK	1_1	513900/2569.5	1:1	0.941	0.08	16.94	17.00	1.014	0.954	22.1
Right cheek	100	QPSK	1_1	518598/2592.9 9	1:1	0.892	0.04	16.85	17.00	1.035	0.923	22.1
Right cheek	100	QPSK	1_1	523302/2616.5 1	1:1	0.976	0.07	16.71	17.00	1.069	1.043	22.1
Right cheek-repeat	100	QPSK	1_1	523302/2616.5 1	1:1	0.961	0.17	16.71	17.00	1.069	1.027	22.1
Right cheek	100	QPSK	1_1	528000/2640	1:1	0.841	0.09	16.58	17.00	1.102	0.926	22.1
Head Test data(50%RB)												
Left cheek	100	QPSK	135_69	523302/2616.5 1	1:1	0.350	0.10	16.85	17.00	1.035	0.362	22.1
Left tilted	100	QPSK	135_69	523302/2616.5 1	1:1	0.118	-0.05	16.85	17.00	1.035	0.122	22.1
Right cheek	100	QPSK	135_69	523302/2616.5 1	1:1	0.787	0.10	16.85	17.00	1.035	0.815	22.1
Right tilted	100	QPSK	135_69	523302/2616.5 1	1:1	0.283	-0.19	16.85	17.00	1.035	0.293	22.1
Right cheek	100	QPSK	135_69	509202/2546.0 1	1:1	0.880	0.15	16.80	17.00	1.047	0.921	22.1
Right cheek	100	QPSK	135_69	513900/2569.5	1:1	0.836	0.04	16.78	17.00	1.052	0.879	22.1
Right cheek	100	QPSK	135_69	518598/2592.9 9	1:1	0.834	0.08	16.72	17.00	1.067	0.890	22.1
Right cheek	100	QPSK	135_69	528000/2640	1:1	0.668	0.02	16.60	17.00	1.096	0.732	22.1
Head Test data(100%RB)												
Right cheek	100	QPSK	270RB_0	509202/2546.0 1	1:1	0.668	0.09	15.95	17.00	1.274	0.851	22.1
Ant3 Test Record with Simultaneous transmission												
Test position	Test mode			Test ch./Freq.	Duty Cycle Scale d factor	SAR (W/kg) 1-g	Power drift (dB)	Conducted Power(dBm)	Tune up Limit(dBm)	Scale d factor	Scale d SAR 1-g (W/kg)	Liquid Temp.(°C)
	BW .	Modulation	RB Size_RB offset									
Head Test data(1RB)												



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
Shenzhen Branch, SGS-CSTC Standards Technical Services Co., Ltd. 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com