

1. Effective (Isotropic) Radiated Power Output Data

1.1 B2_1.4MHz_EIRP

1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	24.10	0.34	24.44	<=33.01	Pass
			2	24.10	0.34	24.44	<=33.01	Pass
			5	24.14	0.34	24.48	<=33.01	Pass
		3	0	24.28	0.34	24.62	<=33.01	Pass
			2	24.28	0.34	24.62	<=33.01	Pass
			3	24.27	0.34	24.61	<=33.01	Pass
		6	0	23.39	0.34	23.73	<=33.01	Pass
	1880	1	0	24.29	0.34	24.63	<=33.01	Pass
			2	24.25	0.34	24.59	<=33.01	Pass
			5	24.30	0.34	24.64	<=33.01	Pass
		3	0	24.39	0.34	24.73	<=33.01	Pass
			2	24.37	0.34	24.71	<=33.01	Pass
			3	24.35	0.34	24.69	<=33.01	Pass
		6	0	23.42	0.34	23.76	<=33.01	Pass
	1909.3	1	0	24.19	0.34	24.53	<=33.01	Pass
			2	24.19	0.34	24.53	<=33.01	Pass
			5	24.19	0.34	24.53	<=33.01	Pass
		3	0	24.30	0.34	24.64	<=33.01	Pass
			2	24.37	0.34	24.71	<=33.01	Pass
			3	24.34	0.34	24.68	<=33.01	Pass
		6	0	23.41	0.34	23.75	<=33.01	Pass
16QAM	1850.7	1	0	23.43	0.34	23.77	<=33.01	Pass
			2	23.45	0.34	23.79	<=33.01	Pass
			5	23.46	0.34	23.80	<=33.01	Pass
		3	0	23.57	0.34	23.91	<=33.01	Pass
			2	23.60	0.34	23.94	<=33.01	Pass
			3	23.62	0.34	23.96	<=33.01	Pass
		6	0	22.39	0.34	22.73	<=33.01	Pass
	1880	1	0	23.60	0.34	23.94	<=33.01	Pass
			2	23.55	0.34	23.89	<=33.01	Pass
			5	23.59	0.34	23.93	<=33.01	Pass
		3	0	23.33	0.34	23.67	<=33.01	Pass
			2	23.31	0.34	23.65	<=33.01	Pass
			3	23.33	0.34	23.67	<=33.01	Pass
		6	0	22.59	0.34	22.93	<=33.01	Pass
	1909.3	1	0	23.44	0.34	23.78	<=33.01	Pass
			2	23.41	0.34	23.75	<=33.01	Pass
			5	23.47	0.34	23.81	<=33.01	Pass
		3	0	23.43	0.34	23.77	<=33.01	Pass
			2	23.41	0.34	23.75	<=33.01	Pass
			3	23.40	0.34	23.74	<=33.01	Pass
		6	0	22.33	0.34	22.67	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.2 B2_3MHz_EIRP

1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	24.39	0.34	24.73	<=33.01	Pass		
			7	24.37	0.34	24.71	<=33.01	Pass		
			14	24.39	0.34	24.73	<=33.01	Pass		
		8	0	23.45	0.34	23.79	<=33.01	Pass		
			4	23.44	0.34	23.78	<=33.01	Pass		
			7	23.42	0.34	23.76	<=33.01	Pass		
		15	0	23.49	0.34	23.83	<=33.01	Pass		
		1880	1	0	24.26	0.34	24.60	<=33.01	Pass	
				7	24.17	0.34	24.51	<=33.01	Pass	
	14			24.01	0.34	24.35	<=33.01	Pass		
	8		0	23.46	0.34	23.80	<=33.01	Pass		
			4	23.39	0.34	23.73	<=33.01	Pass		
			7	23.41	0.34	23.75	<=33.01	Pass		
	15		0	23.43	0.34	23.77	<=33.01	Pass		
	1908.5		1	0	23.91	0.34	24.25	<=33.01	Pass	
				7	23.77	0.34	24.11	<=33.01	Pass	
		14		23.78	0.34	24.12	<=33.01	Pass		
		8	0	23.46	0.34	23.80	<=33.01	Pass		
			4	23.45	0.34	23.79	<=33.01	Pass		
			7	23.44	0.34	23.78	<=33.01	Pass		
		15	0	23.50	0.34	23.84	<=33.01	Pass		
		16QAM	1851.5	1	0	23.84	0.34	24.18	<=33.01	Pass
					7	23.75	0.34	24.09	<=33.01	Pass
	14				23.89	0.34	24.23	<=33.01	Pass	
	8			0	22.67	0.34	23.01	<=33.01	Pass	
				4	22.67	0.34	23.01	<=33.01	Pass	
				7	22.64	0.34	22.98	<=33.01	Pass	
15	0			22.55	0.34	22.89	<=33.01	Pass		
1880	1			0	23.35	0.34	23.69	<=33.01	Pass	
				7	23.29	0.34	23.63	<=33.01	Pass	
			14	23.27	0.34	23.61	<=33.01	Pass		
	8		0	22.58	0.34	22.92	<=33.01	Pass		
			4	22.54	0.34	22.88	<=33.01	Pass		
			7	22.55	0.34	22.89	<=33.01	Pass		
	15		0	22.54	0.34	22.88	<=33.01	Pass		
	1908.5		1	0	23.09	0.34	23.43	<=33.01	Pass	
				7	23.04	0.34	23.38	<=33.01	Pass	
14				23.03	0.34	23.37	<=33.01	Pass		
8			0	22.57	0.34	22.91	<=33.01	Pass		
			4	22.54	0.34	22.88	<=33.01	Pass		
			7	22.55	0.34	22.89	<=33.01	Pass		
15			0	22.53	0.34	22.87	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.3 B2_5MHz_EIRP

1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	24.21	0.34	24.55	<=33.01	Pass
			13	24.05	0.34	24.39	<=33.01	Pass
			24	24.28	0.34	24.62	<=33.01	Pass
		12	0	23.49	0.34	23.83	<=33.01	Pass
			6	23.48	0.34	23.82	<=33.01	Pass
			13	23.47	0.34	23.81	<=33.01	Pass
		25	0	23.50	0.34	23.84	<=33.01	Pass
			0	23.99	0.34	24.33	<=33.01	Pass
			13	23.88	0.34	24.22	<=33.01	Pass
	1880	1	24	24.12	0.34	24.46	<=33.01	Pass
			0	23.54	0.34	23.88	<=33.01	Pass
			6	23.43	0.34	23.77	<=33.01	Pass
		12	13	23.47	0.34	23.81	<=33.01	Pass
			0	23.48	0.34	23.82	<=33.01	Pass
			0	24.19	0.34	24.53	<=33.01	Pass
		25	13	23.86	0.34	24.20	<=33.01	Pass
			24	24.10	0.34	24.44	<=33.01	Pass
			0	23.57	0.34	23.91	<=33.01	Pass
	1907.5	12	6	23.51	0.34	23.85	<=33.01	Pass
			13	23.51	0.34	23.85	<=33.01	Pass
			0	23.52	0.34	23.86	<=33.01	Pass
16QAM	1852.5	1	0	22.97	0.34	23.31	<=33.01	Pass
			13	22.89	0.34	23.23	<=33.01	Pass
			24	22.98	0.34	23.32	<=33.01	Pass
		12	0	22.55	0.34	22.89	<=33.01	Pass
			6	22.51	0.34	22.85	<=33.01	Pass
			13	22.51	0.34	22.85	<=33.01	Pass
		25	0	22.58	0.34	22.92	<=33.01	Pass
	1880	1	0	23.40	0.34	23.74	<=33.01	Pass
			13	23.28	0.34	23.62	<=33.01	Pass
			24	23.39	0.34	23.73	<=33.01	Pass
		12	0	22.69	0.34	23.03	<=33.01	Pass
			6	22.63	0.34	22.97	<=33.01	Pass
			13	22.62	0.34	22.96	<=33.01	Pass
		25	0	22.64	0.34	22.98	<=33.01	Pass
	1907.5	1	0	23.27	0.34	23.61	<=33.01	Pass
			13	23.07	0.34	23.41	<=33.01	Pass
			24	23.15	0.34	23.49	<=33.01	Pass
		12	0	22.58	0.34	22.92	<=33.01	Pass
			6	22.51	0.34	22.85	<=33.01	Pass
			13	22.52	0.34	22.86	<=33.01	Pass
		25	0	22.56	0.34	22.90	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B2_10MHz_EIRP

1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	24.17	0.34	24.51	<=33.01	Pass
			25	23.90	0.34	24.24	<=33.01	Pass

			49	24.18	0.34	24.52	<=33.01	Pass	
		25	0	23.51	0.34	23.85	<=33.01	Pass	
			13	23.53	0.34	23.87	<=33.01	Pass	
			25	23.63	0.34	23.97	<=33.01	Pass	
		50	0	23.62	0.34	23.96	<=33.01	Pass	
	1880	1	0	24.14	0.34	24.48	<=33.01	Pass	
			25	23.91	0.34	24.25	<=33.01	Pass	
			49	24.12	0.34	24.46	<=33.01	Pass	
		25	0	23.50	0.34	23.84	<=33.01	Pass	
			13	23.47	0.34	23.81	<=33.01	Pass	
			25	23.49	0.34	23.83	<=33.01	Pass	
		50	0	23.51	0.34	23.85	<=33.01	Pass	
	1905	1	0	24.07	0.34	24.41	<=33.01	Pass	
			25	23.92	0.34	24.26	<=33.01	Pass	
			49	24.05	0.34	24.39	<=33.01	Pass	
		25	0	23.65	0.34	23.99	<=33.01	Pass	
			13	23.59	0.34	23.93	<=33.01	Pass	
			25	23.60	0.34	23.94	<=33.01	Pass	
		50	0	23.66	0.34	24.00	<=33.01	Pass	
	16QAM	1855	1	0	23.54	0.34	23.88	<=33.01	Pass
				25	23.47	0.34	23.81	<=33.01	Pass
				49	23.57	0.34	23.91	<=33.01	Pass
			25	0	22.58	0.34	22.92	<=33.01	Pass
				13	22.60	0.34	22.94	<=33.01	Pass
25				22.67	0.34	23.01	<=33.01	Pass	
50			0	22.62	0.34	22.96	<=33.01	Pass	
1880		1	0	23.36	0.34	23.70	<=33.01	Pass	
			25	23.28	0.34	23.62	<=33.01	Pass	
			49	23.33	0.34	23.67	<=33.01	Pass	
		25	0	22.70	0.34	23.04	<=33.01	Pass	
			13	22.67	0.34	23.01	<=33.01	Pass	
			25	22.67	0.34	23.01	<=33.01	Pass	
		50	0	22.67	0.34	23.01	<=33.01	Pass	
1905		1	0	23.14	0.34	23.48	<=33.01	Pass	
			25	23.10	0.34	23.44	<=33.01	Pass	
			49	23.10	0.34	23.44	<=33.01	Pass	
		25	0	22.77	0.34	23.11	<=33.01	Pass	
			13	22.67	0.34	23.01	<=33.01	Pass	
			25	22.67	0.34	23.01	<=33.01	Pass	
		50	0	22.64	0.34	22.98	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.5 B2_15MHz_EIRP

1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.95	0.34	24.29	<=33.01	Pass
			38	23.94	0.34	24.28	<=33.01	Pass
			74	23.96	0.34	24.30	<=33.01	Pass
		36	0	23.46	0.34	23.80	<=33.01	Pass
			18	23.46	0.34	23.80	<=33.01	Pass
			39	23.54	0.34	23.88	<=33.01	Pass

		75	0	23.51	0.34	23.85	<=33.01	Pass		
	1880	1	0	23.87	0.34	24.21	<=33.01	Pass		
			38	23.92	0.34	24.26	<=33.01	Pass		
			74	23.89	0.34	24.23	<=33.01	Pass		
			0	23.44	0.34	23.78	<=33.01	Pass		
		36	18	23.44	0.34	23.78	<=33.01	Pass		
			39	23.47	0.34	23.81	<=33.01	Pass		
			75	0	23.47	0.34	23.81	<=33.01	Pass	
		1902.5	1	0	23.86	0.34	24.20	<=33.01	Pass	
				38	23.82	0.34	24.16	<=33.01	Pass	
	74			23.72	0.34	24.06	<=33.01	Pass		
	36		0	23.43	0.34	23.77	<=33.01	Pass		
			18	23.53	0.34	23.87	<=33.01	Pass		
			39	23.46	0.34	23.80	<=33.01	Pass		
	75		0	23.56	0.34	23.90	<=33.01	Pass		
	16QAM		1857.5	1	0	23.48	0.34	23.82	<=33.01	Pass
					38	23.52	0.34	23.86	<=33.01	Pass
		74			23.43	0.34	23.77	<=33.01	Pass	
		36		0	22.52	0.34	22.86	<=33.01	Pass	
				18	22.54	0.34	22.88	<=33.01	Pass	
				39	22.61	0.34	22.95	<=33.01	Pass	
		75		0	22.54	0.34	22.88	<=33.01	Pass	
		1880		1	0	23.22	0.34	23.56	<=33.01	Pass
					38	23.27	0.34	23.61	<=33.01	Pass
74			23.24		0.34	23.58	<=33.01	Pass		
36			0	22.64	0.34	22.98	<=33.01	Pass		
			18	22.61	0.34	22.95	<=33.01	Pass		
			39	22.61	0.34	22.95	<=33.01	Pass		
75			0	22.64	0.34	22.98	<=33.01	Pass		
1902.5			1	0	23.32	0.34	23.66	<=33.01	Pass	
				38	23.36	0.34	23.70	<=33.01	Pass	
		74		23.27	0.34	23.61	<=33.01	Pass		
		36	0	22.64	0.34	22.98	<=33.01	Pass		
			18	22.54	0.34	22.88	<=33.01	Pass		
			39	22.52	0.34	22.86	<=33.01	Pass		
		75	0	22.54	0.34	22.88	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.6 B2_20MHz_EIRP

1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.83	0.34	24.17	<=33.01	Pass
			50	23.81	0.34	24.15	<=33.01	Pass
			99	23.80	0.34	24.14	<=33.01	Pass
		50	0	23.52	0.34	23.86	<=33.01	Pass
			25	23.62	0.34	23.96	<=33.01	Pass
			50	23.57	0.34	23.91	<=33.01	Pass
		100	0	23.57	0.34	23.91	<=33.01	Pass
	1880	1	0	23.80	0.34	24.14	<=33.01	Pass
			50	23.90	0.34	24.24	<=33.01	Pass
			99	24.09	0.34	24.43	<=33.01	Pass

		50	0	23.52	0.34	23.86	<=33.01	Pass	
			25	23.47	0.34	23.81	<=33.01	Pass	
			50	23.51	0.34	23.85	<=33.01	Pass	
		100	0	23.49	0.34	23.83	<=33.01	Pass	
	1900	1	0	24.41	0.34	24.75	<=33.01	Pass	
			50	24.31	0.34	24.65	<=33.01	Pass	
			99	24.24	0.34	24.58	<=33.01	Pass	
		50	0	23.51	0.34	23.85	<=33.01	Pass	
			25	23.43	0.34	23.77	<=33.01	Pass	
			50	23.47	0.34	23.81	<=33.01	Pass	
		100	0	23.39	0.34	23.73	<=33.01	Pass	
16QAM	1860	1	0	23.22	0.34	23.56	<=33.01	Pass	
			50	23.23	0.34	23.57	<=33.01	Pass	
			99	23.22	0.34	23.56	<=33.01	Pass	
		50	0	22.49	0.34	22.83	<=33.01	Pass	
			25	22.59	0.34	22.93	<=33.01	Pass	
			50	22.56	0.34	22.90	<=33.01	Pass	
		100	0	22.54	0.34	22.88	<=33.01	Pass	
		1880	1	0	23.49	0.34	23.83	<=33.01	Pass
				50	23.60	0.34	23.94	<=33.01	Pass
	99			23.84	0.34	24.18	<=33.01	Pass	
	50		0	22.68	0.34	23.02	<=33.01	Pass	
			25	22.62	0.34	22.96	<=33.01	Pass	
			50	22.64	0.34	22.98	<=33.01	Pass	
	100		0	22.64	0.34	22.98	<=33.01	Pass	
	1900	1	0	24.25	0.34	24.59	<=33.01	Pass	
			50	23.98	0.34	24.32	<=33.01	Pass	
			99	23.99	0.34	24.33	<=33.01	Pass	
		50	0	22.63	0.34	22.97	<=33.01	Pass	
			25	22.58	0.34	22.92	<=33.01	Pass	
			50	22.43	0.34	22.77	<=33.01	Pass	
		100	0	22.54	0.34	22.88	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 B2_1.4MHz

2.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.23	4.921	0.0027	-2.5 to 2.5	Pass
					3.8	2.017	0.0011	-2.5 to 2.5	Pass
					4.37	6.623	0.0036	-2.5 to 2.5	Pass
				-30	3.8	5.493	0.0030	-2.5 to 2.5	Pass
				-20	3.8	6.552	0.0035	-2.5 to 2.5	Pass
				-10	3.8	7.467	0.0040	-2.5 to 2.5	Pass
				0	3.8	11.287	0.0061	-2.5 to 2.5	Pass
				10	3.8	6.466	0.0035	-2.5 to 2.5	Pass
				30	3.8	6.781	0.0037	-2.5 to 2.5	Pass
				40	3.8	5.350	0.0029	-2.5 to 2.5	Pass
				50	3.8	9.069	0.0049	-2.5 to 2.5	Pass

	1880	6	0	20	3.23	7.367	0.0039	-2.5 to 2.5	Pass
					3.8	7.911	0.0042	-2.5 to 2.5	Pass
					4.37	5.136	0.0027	-2.5 to 2.5	Pass
				-30	3.8	-0.200	-0.0001	-2.5 to 2.5	Pass
				-20	3.8	0.687	0.0004	-2.5 to 2.5	Pass
				-10	3.8	3.018	0.0016	-2.5 to 2.5	Pass
				0	3.8	3.047	0.0016	-2.5 to 2.5	Pass
				10	3.8	5.980	0.0032	-2.5 to 2.5	Pass
				30	3.8	5.879	0.0031	-2.5 to 2.5	Pass
				40	3.8	-1.931	-0.0010	-2.5 to 2.5	Pass
				50	3.8	1.001	0.0005	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.23	0.486	0.0003	-2.5 to 2.5	Pass
					3.8	2.847	0.0015	-2.5 to 2.5	Pass
					4.37	-0.958	-0.0005	-2.5 to 2.5	Pass
				-30	3.8	-2.174	-0.0011	-2.5 to 2.5	Pass
				-20	3.8	-2.933	-0.0015	-2.5 to 2.5	Pass
				-10	3.8	0.129	0.0001	-2.5 to 2.5	Pass
				0	3.8	-0.243	-0.0001	-2.5 to 2.5	Pass
				10	3.8	3.090	0.0016	-2.5 to 2.5	Pass
				30	3.8	2.203	0.0012	-2.5 to 2.5	Pass
				40	3.8	-1.659	-0.0009	-2.5 to 2.5	Pass
				50	3.8	3.090	0.0016	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.23	7.038	0.0038	-2.5 to 2.5	Pass
					3.8	5.164	0.0028	-2.5 to 2.5	Pass
					4.37	-1.030	-0.0006	-2.5 to 2.5	Pass
				-30	3.8	4.077	0.0022	-2.5 to 2.5	Pass
				-20	3.8	3.047	0.0016	-2.5 to 2.5	Pass
				-10	3.8	5.851	0.0032	-2.5 to 2.5	Pass
				0	3.8	6.909	0.0037	-2.5 to 2.5	Pass
				10	3.8	5.808	0.0031	-2.5 to 2.5	Pass
				30	3.8	0.200	0.0001	-2.5 to 2.5	Pass
				40	3.8	-2.332	-0.0013	-2.5 to 2.5	Pass
				50	3.8	3.319	0.0018	-2.5 to 2.5	Pass
	1880	6	0	20	3.23	3.390	0.0018	-2.5 to 2.5	Pass
					3.8	2.975	0.0016	-2.5 to 2.5	Pass
					4.37	5.136	0.0027	-2.5 to 2.5	Pass
				-30	3.8	7.067	0.0038	-2.5 to 2.5	Pass
				-20	3.8	6.595	0.0035	-2.5 to 2.5	Pass
				-10	3.8	7.768	0.0041	-2.5 to 2.5	Pass
				0	3.8	2.875	0.0015	-2.5 to 2.5	Pass
				10	3.8	4.492	0.0024	-2.5 to 2.5	Pass
				30	3.8	3.963	0.0021	-2.5 to 2.5	Pass
				40	3.8	6.409	0.0034	-2.5 to 2.5	Pass
				50	3.8	5.364	0.0029	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.23	-0.615	-0.0003	-2.5 to 2.5	Pass
					3.8	3.762	0.0020	-2.5 to 2.5	Pass
					4.37	0.887	0.0005	-2.5 to 2.5	Pass
				-30	3.8	3.476	0.0018	-2.5 to 2.5	Pass
				-20	3.8	5.465	0.0029	-2.5 to 2.5	Pass
				-10	3.8	1.960	0.0010	-2.5 to 2.5	Pass
				0	3.8	7.396	0.0039	-2.5 to 2.5	Pass
				10	3.8	3.190	0.0017	-2.5 to 2.5	Pass
				30	3.8	0.744	0.0004	-2.5 to 2.5	Pass
				40	3.8	3.505	0.0018	-2.5 to 2.5	Pass
				50	3.8	5.350	0.0028	-2.5 to 2.5	Pass

2.2 B2_3MHz

2.2.1 Test Result

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.23	1.159	0.0006	-2.5 to 2.5	Pass
					3.8	1.988	0.0011	-2.5 to 2.5	Pass
					4.37	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.8	2.389	0.0013	-2.5 to 2.5	Pass
				-20	3.8	2.017	0.0011	-2.5 to 2.5	Pass
				-10	3.8	2.174	0.0012	-2.5 to 2.5	Pass
				0	3.8	0.815	0.0004	-2.5 to 2.5	Pass
				10	3.8	0.558	0.0003	-2.5 to 2.5	Pass
				30	3.8	2.704	0.0015	-2.5 to 2.5	Pass
				40	3.8	3.376	0.0018	-2.5 to 2.5	Pass
				50	3.8	4.420	0.0024	-2.5 to 2.5	Pass
	1880	15	0	20	3.23	4.163	0.0022	-2.5 to 2.5	Pass
					3.8	3.233	0.0017	-2.5 to 2.5	Pass
					4.37	1.831	0.0010	-2.5 to 2.5	Pass
				-30	3.8	1.373	0.0007	-2.5 to 2.5	Pass
				-20	3.8	4.020	0.0021	-2.5 to 2.5	Pass
				-10	3.8	0.744	0.0004	-2.5 to 2.5	Pass
				0	3.8	3.419	0.0018	-2.5 to 2.5	Pass
				10	3.8	3.119	0.0017	-2.5 to 2.5	Pass
				30	3.8	1.144	0.0006	-2.5 to 2.5	Pass
				40	3.8	0.086	0.0000	-2.5 to 2.5	Pass
				50	3.8	2.618	0.0014	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.23	-0.215	-0.0001	-2.5 to 2.5	Pass
					3.8	-1.359	-0.0007	-2.5 to 2.5	Pass
					4.37	2.718	0.0014	-2.5 to 2.5	Pass
				-30	3.8	-2.604	-0.0014	-2.5 to 2.5	Pass
				-20	3.8	2.890	0.0015	-2.5 to 2.5	Pass
				-10	3.8	2.747	0.0014	-2.5 to 2.5	Pass
				0	3.8	-0.215	-0.0001	-2.5 to 2.5	Pass
				10	3.8	-1.359	-0.0007	-2.5 to 2.5	Pass
				30	3.8	-1.516	-0.0008	-2.5 to 2.5	Pass
				40	3.8	5.951	0.0031	-2.5 to 2.5	Pass
				50	3.8	3.676	0.0019	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.23	4.234	0.0023	-2.5 to 2.5	Pass
					3.8	4.320	0.0023	-2.5 to 2.5	Pass
					4.37	-0.529	-0.0003	-2.5 to 2.5	Pass
				-30	3.8	0.215	0.0001	-2.5 to 2.5	Pass
				-20	3.8	-2.031	-0.0011	-2.5 to 2.5	Pass
				-10	3.8	2.675	0.0014	-2.5 to 2.5	Pass
				0	3.8	-0.958	-0.0005	-2.5 to 2.5	Pass
				10	3.8	5.536	0.0030	-2.5 to 2.5	Pass
				30	3.8	2.432	0.0013	-2.5 to 2.5	Pass
				40	3.8	5.779	0.0031	-2.5 to 2.5	Pass
				50	3.8	1.059	0.0006	-2.5 to 2.5	Pass
	1880	15	0	20	3.23	5.507	0.0029	-2.5 to 2.5	Pass
					3.8	-1.516	-0.0008	-2.5 to 2.5	Pass
					4.37	3.090	0.0016	-2.5 to 2.5	Pass
				-30	3.8	4.478	0.0024	-2.5 to 2.5	Pass
				-20	3.8	5.994	0.0032	-2.5 to 2.5	Pass

				-10	3.8	2.918	0.0016	-2.5 to 2.5	Pass
				0	3.8	4.721	0.0025	-2.5 to 2.5	Pass
				10	3.8	3.519	0.0019	-2.5 to 2.5	Pass
				30	3.8	2.389	0.0013	-2.5 to 2.5	Pass
				40	3.8	1.130	0.0006	-2.5 to 2.5	Pass
				50	3.8	2.375	0.0013	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.23	4.950	0.0026	-2.5 to 2.5	Pass
					3.8	-0.143	-0.0001	-2.5 to 2.5	Pass
					4.37	-0.200	-0.0001	-2.5 to 2.5	Pass
				-30	3.8	-1.402	-0.0007	-2.5 to 2.5	Pass
				-20	3.8	-2.575	-0.0013	-2.5 to 2.5	Pass
				-10	3.8	-0.072	0.0000	-2.5 to 2.5	Pass
				0	3.8	3.276	0.0017	-2.5 to 2.5	Pass
				10	3.8	2.375	0.0012	-2.5 to 2.5	Pass
				30	3.8	-0.587	-0.0003	-2.5 to 2.5	Pass
				40	3.8	-2.160	-0.0011	-2.5 to 2.5	Pass
				50	3.8	-2.103	-0.0011	-2.5 to 2.5	Pass

2.3 B2_5MHz

2.3.1 Test Result

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.23	1.431	0.0008	-2.5 to 2.5	Pass
					3.8	0.401	0.0002	-2.5 to 2.5	Pass
					4.37	1.659	0.0009	-2.5 to 2.5	Pass
				-30	3.8	0.830	0.0004	-2.5 to 2.5	Pass
				-20	3.8	-1.960	-0.0011	-2.5 to 2.5	Pass
				-10	3.8	-0.544	-0.0003	-2.5 to 2.5	Pass
				0	3.8	0.401	0.0002	-2.5 to 2.5	Pass
				10	3.8	0.973	0.0005	-2.5 to 2.5	Pass
				30	3.8	-0.958	-0.0005	-2.5 to 2.5	Pass
				40	3.8	0.987	0.0005	-2.5 to 2.5	Pass
				50	3.8	-1.245	-0.0007	-2.5 to 2.5	Pass
	1880	25	0	20	3.23	1.087	0.0006	-2.5 to 2.5	Pass
					3.8	1.316	0.0007	-2.5 to 2.5	Pass
					4.37	3.848	0.0020	-2.5 to 2.5	Pass
				-30	3.8	3.691	0.0020	-2.5 to 2.5	Pass
				-20	3.8	4.907	0.0026	-2.5 to 2.5	Pass
				-10	3.8	2.131	0.0011	-2.5 to 2.5	Pass
				0	3.8	3.905	0.0021	-2.5 to 2.5	Pass
				10	3.8	5.064	0.0027	-2.5 to 2.5	Pass
				30	3.8	5.078	0.0027	-2.5 to 2.5	Pass
				40	3.8	3.762	0.0020	-2.5 to 2.5	Pass
				50	3.8	4.177	0.0022	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.23	7.839	0.0041	-2.5 to 2.5	Pass
					3.8	4.935	0.0026	-2.5 to 2.5	Pass
					4.37	3.977	0.0021	-2.5 to 2.5	Pass
				-30	3.8	0.830	0.0004	-2.5 to 2.5	Pass
				-20	3.8	1.788	0.0009	-2.5 to 2.5	Pass
				-10	3.8	2.890	0.0015	-2.5 to 2.5	Pass
				0	3.8	0.887	0.0005	-2.5 to 2.5	Pass
				10	3.8	3.247	0.0017	-2.5 to 2.5	Pass

16QAM	1852.5	25	0	30	3.8	3.004	0.0016	-2.5 to 2.5	Pass
				40	3.8	6.180	0.0032	-2.5 to 2.5	Pass
				50	3.8	1.044	0.0005	-2.5 to 2.5	Pass
				20	3.23	2.618	0.0014	-2.5 to 2.5	Pass
					3.8	1.559	0.0008	-2.5 to 2.5	Pass
					4.37	2.089	0.0011	-2.5 to 2.5	Pass
				-30	3.8	6.609	0.0036	-2.5 to 2.5	Pass
				-20	3.8	4.606	0.0025	-2.5 to 2.5	Pass
				-10	3.8	5.436	0.0029	-2.5 to 2.5	Pass
				0	3.8	4.220	0.0023	-2.5 to 2.5	Pass
				10	3.8	3.047	0.0016	-2.5 to 2.5	Pass
				30	3.8	6.452	0.0035	-2.5 to 2.5	Pass
				40	3.8	3.333	0.0018	-2.5 to 2.5	Pass
				50	3.8	3.490	0.0019	-2.5 to 2.5	Pass
	1880	25	0	20	3.23	0.315	0.0002	-2.5 to 2.5	Pass
					3.8	5.121	0.0027	-2.5 to 2.5	Pass
					4.37	4.778	0.0025	-2.5 to 2.5	Pass
				-30	3.8	2.575	0.0014	-2.5 to 2.5	Pass
				-20	3.8	3.262	0.0017	-2.5 to 2.5	Pass
				-10	3.8	5.236	0.0028	-2.5 to 2.5	Pass
				0	3.8	-0.443	-0.0002	-2.5 to 2.5	Pass
				10	3.8	3.319	0.0018	-2.5 to 2.5	Pass
				30	3.8	4.907	0.0026	-2.5 to 2.5	Pass
				40	3.8	4.220	0.0022	-2.5 to 2.5	Pass
				50	3.8	2.775	0.0015	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.23	3.576	0.0019	-2.5 to 2.5	Pass
					3.8	5.794	0.0030	-2.5 to 2.5	Pass
					4.37	4.363	0.0023	-2.5 to 2.5	Pass
				-30	3.8	1.059	0.0006	-2.5 to 2.5	Pass
				-20	3.8	4.935	0.0026	-2.5 to 2.5	Pass
				-10	3.8	2.260	0.0012	-2.5 to 2.5	Pass
				0	3.8	4.635	0.0024	-2.5 to 2.5	Pass
				10	3.8	2.432	0.0013	-2.5 to 2.5	Pass
				30	3.8	-0.715	-0.0004	-2.5 to 2.5	Pass
				40	3.8	1.659	0.0009	-2.5 to 2.5	Pass
				50	3.8	2.632	0.0014	-2.5 to 2.5	Pass

2.4 B2_10MHz

2.4.1 Test Result

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.23	2.460	0.0013	-2.5 to 2.5	Pass
					3.8	1.345	0.0007	-2.5 to 2.5	Pass
					4.37	1.373	0.0007	-2.5 to 2.5	Pass
				-30	3.8	2.060	0.0011	-2.5 to 2.5	Pass
				-20	3.8	2.117	0.0011	-2.5 to 2.5	Pass
				-10	3.8	1.602	0.0009	-2.5 to 2.5	Pass
				0	3.8	1.345	0.0007	-2.5 to 2.5	Pass
				10	3.8	1.531	0.0008	-2.5 to 2.5	Pass
				30	3.8	1.745	0.0009	-2.5 to 2.5	Pass
				40	3.8	4.292	0.0023	-2.5 to 2.5	Pass
				50	3.8	2.875	0.0015	-2.5 to 2.5	Pass

	1880	50	0	20	3.23	-1.459	-0.0008	-2.5 to 2.5	Pass
					3.8	-0.687	-0.0004	-2.5 to 2.5	Pass
					4.37	0.286	0.0002	-2.5 to 2.5	Pass
				-30	3.8	0.458	0.0002	-2.5 to 2.5	Pass
				-20	3.8	-0.930	-0.0005	-2.5 to 2.5	Pass
				-10	3.8	-0.386	-0.0002	-2.5 to 2.5	Pass
				0	3.8	-1.388	-0.0007	-2.5 to 2.5	Pass
				10	3.8	1.388	0.0007	-2.5 to 2.5	Pass
				30	3.8	-0.386	-0.0002	-2.5 to 2.5	Pass
				40	3.8	-2.089	-0.0011	-2.5 to 2.5	Pass
	50	3.8	-0.644	-0.0003	-2.5 to 2.5	Pass			
	1905	50	0	20	3.23	4.864	0.0026	-2.5 to 2.5	Pass
					3.8	2.675	0.0014	-2.5 to 2.5	Pass
					4.37	1.101	0.0006	-2.5 to 2.5	Pass
				-30	3.8	0.973	0.0005	-2.5 to 2.5	Pass
				-20	3.8	0.129	0.0001	-2.5 to 2.5	Pass
				-10	3.8	0.758	0.0004	-2.5 to 2.5	Pass
				0	3.8	2.518	0.0013	-2.5 to 2.5	Pass
10				3.8	3.963	0.0021	-2.5 to 2.5	Pass	
30				3.8	3.676	0.0019	-2.5 to 2.5	Pass	
40				3.8	1.388	0.0007	-2.5 to 2.5	Pass	
50	3.8	3.648	0.0019	-2.5 to 2.5	Pass				
16QAM	1855	50	0	20	3.23	-0.401	-0.0002	-2.5 to 2.5	Pass
					3.8	1.030	0.0006	-2.5 to 2.5	Pass
					4.37	0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.8	-1.273	-0.0007	-2.5 to 2.5	Pass
				-20	3.8	2.189	0.0012	-2.5 to 2.5	Pass
				-10	3.8	0.401	0.0002	-2.5 to 2.5	Pass
				0	3.8	1.302	0.0007	-2.5 to 2.5	Pass
				10	3.8	1.760	0.0009	-2.5 to 2.5	Pass
				30	3.8	0.572	0.0003	-2.5 to 2.5	Pass
				40	3.8	2.203	0.0012	-2.5 to 2.5	Pass
	50	3.8	1.731	0.0009	-2.5 to 2.5	Pass			
	1880	50	0	20	3.23	-0.343	-0.0002	-2.5 to 2.5	Pass
					3.8	0.072	0.0000	-2.5 to 2.5	Pass
					4.37	-1.001	-0.0005	-2.5 to 2.5	Pass
				-30	3.8	-3.247	-0.0017	-2.5 to 2.5	Pass
				-20	3.8	0.615	0.0003	-2.5 to 2.5	Pass
				-10	3.8	-1.416	-0.0008	-2.5 to 2.5	Pass
				0	3.8	-1.388	-0.0007	-2.5 to 2.5	Pass
				10	3.8	0.086	0.0000	-2.5 to 2.5	Pass
				30	3.8	-2.890	-0.0015	-2.5 to 2.5	Pass
				40	3.8	-0.386	-0.0002	-2.5 to 2.5	Pass
	50	3.8	-0.443	-0.0002	-2.5 to 2.5	Pass			
	1905	50	0	20	3.23	4.163	0.0022	-2.5 to 2.5	Pass
					3.8	4.206	0.0022	-2.5 to 2.5	Pass
					4.37	4.663	0.0024	-2.5 to 2.5	Pass
				-30	3.8	3.862	0.0020	-2.5 to 2.5	Pass
				-20	3.8	3.304	0.0017	-2.5 to 2.5	Pass
-10				3.8	4.706	0.0025	-2.5 to 2.5	Pass	
0				3.8	4.549	0.0024	-2.5 to 2.5	Pass	
10				3.8	4.349	0.0023	-2.5 to 2.5	Pass	
30				3.8	3.848	0.0020	-2.5 to 2.5	Pass	
40				3.8	5.436	0.0029	-2.5 to 2.5	Pass	
50	3.8	4.306	0.0023	-2.5 to 2.5	Pass				

2.5 B2_15MHz

2.5.1 Test Result

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.23	-4.907	-0.0026	-2.5 to 2.5	Pass
					3.8	-2.275	-0.0012	-2.5 to 2.5	Pass
					4.37	-2.117	-0.0011	-2.5 to 2.5	Pass
				-30	3.8	-1.516	-0.0008	-2.5 to 2.5	Pass
				-20	3.8	-3.405	-0.0018	-2.5 to 2.5	Pass
				-10	3.8	-1.988	-0.0011	-2.5 to 2.5	Pass
				0	3.8	-1.173	-0.0006	-2.5 to 2.5	Pass
				10	3.8	-2.103	-0.0011	-2.5 to 2.5	Pass
				30	3.8	-1.302	-0.0007	-2.5 to 2.5	Pass
				40	3.8	-3.934	-0.0021	-2.5 to 2.5	Pass
				50	3.8	-1.717	-0.0009	-2.5 to 2.5	Pass
	1880	75	0	20	3.23	1.502	0.0008	-2.5 to 2.5	Pass
					3.8	2.604	0.0014	-2.5 to 2.5	Pass
					4.37	2.890	0.0015	-2.5 to 2.5	Pass
				-30	3.8	0.930	0.0005	-2.5 to 2.5	Pass
				-20	3.8	1.230	0.0007	-2.5 to 2.5	Pass
				-10	3.8	4.964	0.0026	-2.5 to 2.5	Pass
				0	3.8	3.605	0.0019	-2.5 to 2.5	Pass
				10	3.8	3.319	0.0018	-2.5 to 2.5	Pass
				30	3.8	4.263	0.0023	-2.5 to 2.5	Pass
				40	3.8	1.888	0.0010	-2.5 to 2.5	Pass
				50	3.8	0.787	0.0004	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.23	-2.918	-0.0015	-2.5 to 2.5	Pass
					3.8	1.259	0.0007	-2.5 to 2.5	Pass
					4.37	3.390	0.0018	-2.5 to 2.5	Pass
				-30	3.8	0.443	0.0002	-2.5 to 2.5	Pass
				-20	3.8	0.973	0.0005	-2.5 to 2.5	Pass
				-10	3.8	-0.029	0.0000	-2.5 to 2.5	Pass
				0	3.8	-0.157	-0.0001	-2.5 to 2.5	Pass
				10	3.8	0.486	0.0003	-2.5 to 2.5	Pass
				30	3.8	0.472	0.0002	-2.5 to 2.5	Pass
				40	3.8	0.830	0.0004	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.23	-1.087	-0.0006	-2.5 to 2.5	Pass
					3.8	-1.645	-0.0009	-2.5 to 2.5	Pass
					4.37	-2.575	-0.0014	-2.5 to 2.5	Pass
				-30	3.8	-3.276	-0.0018	-2.5 to 2.5	Pass
				-20	3.8	-0.644	-0.0003	-2.5 to 2.5	Pass
				-10	3.8	-2.289	-0.0012	-2.5 to 2.5	Pass
				0	3.8	-3.290	-0.0018	-2.5 to 2.5	Pass
				10	3.8	-1.330	-0.0007	-2.5 to 2.5	Pass
				30	3.8	1.531	0.0008	-2.5 to 2.5	Pass
				40	3.8	2.632	0.0014	-2.5 to 2.5	Pass
				50	3.8	1.988	0.0011	-2.5 to 2.5	Pass
	1880	75	0	20	3.23	2.232	0.0012	-2.5 to 2.5	Pass
					3.8	0.200	0.0001	-2.5 to 2.5	Pass
					4.37	3.934	0.0021	-2.5 to 2.5	Pass
				-30	3.8	4.277	0.0023	-2.5 to 2.5	Pass
				-20	3.8	3.104	0.0017	-2.5 to 2.5	Pass

				-10	3.8	0.944	0.0005	-2.5 to 2.5	Pass
				0	3.8	3.347	0.0018	-2.5 to 2.5	Pass
				10	3.8	1.245	0.0007	-2.5 to 2.5	Pass
				30	3.8	1.359	0.0007	-2.5 to 2.5	Pass
				40	3.8	1.831	0.0010	-2.5 to 2.5	Pass
				50	3.8	0.744	0.0004	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.23	0.114	0.0001	-2.5 to 2.5	Pass
					3.8	0.229	0.0001	-2.5 to 2.5	Pass
					4.37	0.701	0.0004	-2.5 to 2.5	Pass
				-30	3.8	0.172	0.0001	-2.5 to 2.5	Pass
				-20	3.8	0.386	0.0002	-2.5 to 2.5	Pass
				-10	3.8	-1.488	-0.0008	-2.5 to 2.5	Pass
				0	3.8	-1.187	-0.0006	-2.5 to 2.5	Pass
				10	3.8	-0.973	-0.0005	-2.5 to 2.5	Pass
				30	3.8	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.8	0.587	0.0003	-2.5 to 2.5	Pass
				50	3.8	0.029	0.0000	-2.5 to 2.5	Pass

2.6 B2_20MHz

2.6.1 Test Result

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.23	-0.529	-0.0003	-2.5 to 2.5	Pass
					3.8	-2.174	-0.0012	-2.5 to 2.5	Pass
					4.37	-3.834	-0.0021	-2.5 to 2.5	Pass
				-30	3.8	-2.289	-0.0012	-2.5 to 2.5	Pass
				-20	3.8	-0.343	-0.0002	-2.5 to 2.5	Pass
				-10	3.8	-1.874	-0.0010	-2.5 to 2.5	Pass
				0	3.8	-2.561	-0.0014	-2.5 to 2.5	Pass
				10	3.8	-3.047	-0.0016	-2.5 to 2.5	Pass
				30	3.8	-1.774	-0.0010	-2.5 to 2.5	Pass
				40	3.8	-1.001	-0.0005	-2.5 to 2.5	Pass
				50	3.8	-2.332	-0.0013	-2.5 to 2.5	Pass
	1880	100	0	20	3.23	4.864	0.0026	-2.5 to 2.5	Pass
					3.8	6.166	0.0033	-2.5 to 2.5	Pass
					4.37	6.323	0.0034	-2.5 to 2.5	Pass
				-30	3.8	6.309	0.0034	-2.5 to 2.5	Pass
				-20	3.8	5.364	0.0029	-2.5 to 2.5	Pass
				-10	3.8	4.506	0.0024	-2.5 to 2.5	Pass
				0	3.8	7.067	0.0038	-2.5 to 2.5	Pass
				10	3.8	5.865	0.0031	-2.5 to 2.5	Pass
				30	3.8	3.719	0.0020	-2.5 to 2.5	Pass
				40	3.8	7.238	0.0039	-2.5 to 2.5	Pass
				50	3.8	6.323	0.0034	-2.5 to 2.5	Pass
	1900	100	0	20	3.23	1.030	0.0005	-2.5 to 2.5	Pass
					3.8	-1.087	-0.0006	-2.5 to 2.5	Pass
					4.37	-0.572	-0.0003	-2.5 to 2.5	Pass
				-30	3.8	-1.960	-0.0010	-2.5 to 2.5	Pass
				-20	3.8	-3.061	-0.0016	-2.5 to 2.5	Pass
				-10	3.8	0.558	0.0003	-2.5 to 2.5	Pass
				0	3.8	-3.390	-0.0018	-2.5 to 2.5	Pass
				10	3.8	-3.963	-0.0021	-2.5 to 2.5	Pass

				30	3.8	-2.131	-0.0011	-2.5 to 2.5	Pass
				40	3.8	-2.389	-0.0013	-2.5 to 2.5	Pass
				50	3.8	-1.259	-0.0007	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.23	-1.731	-0.0009	-2.5 to 2.5	Pass
					3.8	-0.858	-0.0005	-2.5 to 2.5	Pass
					4.37	-2.675	-0.0014	-2.5 to 2.5	Pass
				-30	3.8	-4.020	-0.0022	-2.5 to 2.5	Pass
				-20	3.8	-4.807	-0.0026	-2.5 to 2.5	Pass
				-10	3.8	-1.631	-0.0009	-2.5 to 2.5	Pass
				0	3.8	-4.735	-0.0025	-2.5 to 2.5	Pass
				10	3.8	-2.675	-0.0014	-2.5 to 2.5	Pass
				30	3.8	-0.358	-0.0002	-2.5 to 2.5	Pass
				40	3.8	-0.629	-0.0003	-2.5 to 2.5	Pass
				50	3.8	-1.702	-0.0009	-2.5 to 2.5	Pass
	1880	100	0	20	3.23	7.153	0.0038	-2.5 to 2.5	Pass
					3.8	5.322	0.0028	-2.5 to 2.5	Pass
					4.37	5.136	0.0027	-2.5 to 2.5	Pass
				-30	3.8	5.565	0.0030	-2.5 to 2.5	Pass
				-20	3.8	5.279	0.0028	-2.5 to 2.5	Pass
				-10	3.8	2.489	0.0013	-2.5 to 2.5	Pass
				0	3.8	2.360	0.0013	-2.5 to 2.5	Pass
				10	3.8	1.817	0.0010	-2.5 to 2.5	Pass
				30	3.8	0.043	0.0000	-2.5 to 2.5	Pass
				40	3.8	0.000	0.0000	-2.5 to 2.5	Pass
				50	3.8	0.944	0.0005	-2.5 to 2.5	Pass
	1900	100	0	20	3.23	-1.874	-0.0010	-2.5 to 2.5	Pass
					3.8	-0.672	-0.0004	-2.5 to 2.5	Pass
					4.37	-3.405	-0.0018	-2.5 to 2.5	Pass
				-30	3.8	-2.246	-0.0012	-2.5 to 2.5	Pass
				-20	3.8	-1.345	-0.0007	-2.5 to 2.5	Pass
				-10	3.8	-1.073	-0.0006	-2.5 to 2.5	Pass
				0	3.8	-2.260	-0.0012	-2.5 to 2.5	Pass
				10	3.8	-1.774	-0.0009	-2.5 to 2.5	Pass
				30	3.8	-4.034	-0.0021	-2.5 to 2.5	Pass
				40	3.8	-0.787	-0.0004	-2.5 to 2.5	Pass
				50	3.8	-2.718	-0.0014	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B2_1.4MHz

3.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B2_3MHz

3.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B2_5MHz

3.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B2_10MHz

3.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




3.5 B2_15MHz

3.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




3.6 B2_20MHz

3.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.6.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band2_OBW


4.1.1 Test Result

Band: 2 / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	1850.7	6	0	2.164	Pass
		1880	6	0	2.018	Pass
		1909.3	6	0	2.165	Pass
	16QAM	1850.7	6	0	2.243	Pass
		1880	6	0	2.125	Pass
		1909.3	6	0	2.213	Pass
3	QPSK	1851.5	15	0	2.729	Pass
		1880	15	0	2.733	Pass
		1908.5	15	0	2.734	Pass
	16QAM	1851.5	15	0	2.735	Pass
		1880	15	0	2.722	Pass
		1908.5	15	0	2.733	Pass
5	QPSK	1852.5	25	0	4.557	Pass
		1880	25	0	4.538	Pass
		1907.5	25	0	4.554	Pass
	16QAM	1852.5	25	0	4.537	Pass
		1880	25	0	4.555	Pass
		1907.5	25	0	4.575	Pass
10	QPSK	1855	50	0	9.066	Pass
		1880	50	0	9.047	Pass
		1905	50	0	9.088	Pass
	16QAM	1855	50	0	9.069	Pass
		1880	50	0	9.066	Pass
		1905	50	0	9.076	Pass
15	QPSK	1857.5	75	0	13.620	Pass
		1880	75	0	13.587	Pass
		1902.5	75	0	13.633	Pass
	16QAM	1857.5	75	0	13.654	Pass
		1880	75	0	13.616	Pass
		1902.5	75	0	13.638	Pass
20	QPSK	1860	100	0	18.114	Pass
		1880	100	0	18.104	Pass
		1900	100	0	18.118	Pass
	16QAM	1860	100	0	18.178	Pass
		1880	100	0	18.110	Pass
		1900	100	0	18.149	Pass


4.1.2 Test Graph




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




4.2 Band2_XDB


4.2.1 Test Result

Band: 2 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	1850.7	6	0	3.674	Pass
		1880	6	0	3.618	Pass
		1909.3	6	0	4.167	Pass
	16QAM	1850.7	6	0	3.745	Pass
		1880	6	0	4.055	Pass
		1909.3	6	0	4.107	Pass
3	QPSK	1851.5	15	0	3.027	Pass
		1880	15	0	3.025	Pass
		1908.5	15	0	3.013	Pass
	16QAM	1851.5	15	0	3.012	Pass
		1880	15	0	3.029	Pass
		1908.5	15	0	3.006	Pass
5	QPSK	1852.5	25	0	5.044	Pass
		1880	25	0	5.033	Pass
		1907.5	25	0	5.044	Pass
	16QAM	1852.5	25	0	5.071	Pass
		1880	25	0	5.073	Pass
		1907.5	25	0	5.061	Pass
10	QPSK	1855	50	0	10.139	Pass
		1880	50	0	9.979	Pass
		1905	50	0	10.055	Pass
	16QAM	1855	50	0	9.954	Pass
		1880	50	0	9.911	Pass
		1905	50	0	9.987	Pass
15	QPSK	1857.5	75	0	15.073	Pass
		1880	75	0	14.964	Pass
		1902.5	75	0	15.032	Pass
	16QAM	1857.5	75	0	14.998	Pass
		1880	75	0	14.904	Pass
		1902.5	75	0	14.914	Pass
20	QPSK	1860	100	0	19.717	Pass
		1880	100	0	19.717	Pass
		1900	100	0	19.720	Pass
	16QAM	1860	100	0	19.756	Pass
		1880	100	0	19.940	Pass
		1900	100	0	19.846	Pass


4.2.2 Test Graph




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B2_1.4MHz


5.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.42	<=13	Pass
	1880	6	0	4.55	<=13	Pass
	1909.3	6	0	3.96	<=13	Pass
16QAM	1850.7	6	0	5.22	<=13	Pass
	1880	6	0	5.30	<=13	Pass
	1909.3	6	0	4.78	<=13	Pass


5.1.2 Test Graph




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV



Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV



Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




5.2 B2_3MHz


5.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.58	<=13	Pass
	1880	15	0	4.67	<=13	Pass
	1908.5	15	0	4.27	<=13	Pass
16QAM	1851.5	15	0	5.41	<=13	Pass
	1880	15	0	5.44	<=13	Pass
	1908.5	15	0	5.11	<=13	Pass


5.2.2 Test Graph




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV



Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV



Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




5.3 B2_5MHz


5.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	4.91	<=13	Pass
	1880	25	0	5.00	<=13	Pass
	1907.5	25	0	4.75	<=13	Pass
16QAM	1852.5	25	0	5.56	<=13	Pass
	1880	25	0	5.65	<=13	Pass
	1907.5	25	0	5.48	<=13	Pass


5.3.2 Test Graph




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




5.4 B2_10MHz


5.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	4.84	<=13	Pass
	1880	50	0	4.99	<=13	Pass
	1905	50	0	4.77	<=13	Pass
16QAM	1855	50	0	5.57	<=13	Pass
	1880	50	0	5.69	<=13	Pass
	1905	50	0	5.53	<=13	Pass


5.4.2 Test Graph




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV



Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV



Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




5.5 B2_15MHz


5.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.93	<=13	Pass
	1880	75	0	5.00	<=13	Pass
	1902.5	75	0	4.85	<=13	Pass
16QAM	1857.5	75	0	5.67	<=13	Pass
	1880	75	0	5.77	<=13	Pass
	1902.5	75	0	5.63	<=13	Pass


5.5.2 Test Graph




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV



Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV



Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




5.6 B2_20MHz


5.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.61	<=13	Pass
	1880	100	0	5.68	<=13	Pass
	1900	100	0	5.67	<=13	Pass
16QAM	1860	100	0	6.60	<=13	Pass
	1880	100	0	6.65	<=13	Pass
	1900	100	0	6.53	<=13	Pass


5.6.2 Test Graph




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




6. Spurious Emission

6.1 B2_1.4MHz


6.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass


6.1.2 Test Graph




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	14.09	1	1848.998	-25.54	-13	Pass
1849	1850	0.039	0	2	1850.000	-23.97	-13	Pass
1850	1851.5	0.039	0	/	/	/	/	/


Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_5_NTNV



Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




6.2 B2_3MHz


6.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


6.2.2 Test Graph



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	15.23	1	1848.902	-16.31	-13	Pass
1849	1850	0.03	0	2	1850.000	-27.48	-13	Pass
1850	1853	0.03	0	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	15.23	1	1848.998	-17.50	-13	Pass
1849	1850	0.03	0	2	1849.982	-29.51	-13	Pass
1850	1853	0.03	0	/	/	/	/	/

Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV

