

<https://www.nanit.com/legal/compliance>

## “Nanit Pro” Camera (N301)

### FCC Compliance Notice

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

1. Reorient or relocate the receiving antenna.
2. Increase the separation between the equipment and receiver.
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
4. Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of FCC rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

Change or modifications that are not expressly approved by the manufacturer could void the user's authority to operate the equipment.

### FCC RF Exposure Information

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 20cm during normal operation. This device must not be collocated or operating in conjunction with any other antenna or transmitter.

#### Industry Canada Compliance Notice

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

1. This device may not cause interference, and
2. This device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-003.

#### Restrictions:

The device could automatically discontinue transmission in case of absence of information to transmit, or operational failure. Note that this is not intended to prohibit transmission of control or signaling information or the use of repetitive codes where required by the technology.

The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 20 cm from all persons.

#### IC Radiation Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be

installed and operated with minimum distance 20cm between the radiator & your body.

### Réglementation IC:

Cet appareil est conforme aux normes d'exemption de licence RSS d'Industrie Canada. Son utilisation est soumise aux deux conditions suivantes:

1. Cet appareil ne doit pas provoquer d'interférences, et
2. Cet appareil doit supporter toute interférence, y compris celles pouvant provoquer un fonctionnement non souhaité de l'appareil.

NMB-003 5 édition

### CAN ICES-3(B)/NMB-3(B)

L'appareil pourrait cesser d'émettre automatiquement en cas d'absence d'informations à transmettre, ou de panne. Il convient cependant de souligner que cela n'est pas destiné à interdire la transmission d'informations de contrôle ou de signalisation de codes répétitifs lorsque la technologie l'exige

L'appareil travaille sur la bande de 5 150 à 5 250 MHz, à n'utiliser qu'à l'intérieur, pour réduire les auto-interférences potentielles sur les canaux des systèmes portables via satellite.

### Déclaration IC sur l'exposition au rayonnement:

Cet appareil est conforme aux limites fixées par IC sous RSS-102 pour l'exposition au rayonnement dans un environnement non contrôlé. Cet appareil doit être installé et utilisé avec une distance d'au moins 20 cm entre la source du rayonnement et votre corps.