




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49



Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
12	704	23060	10	1	0	Fig.1
12	707.5	23095	10	1	0	Fig.2
12	711	23130	10	1	0	Fig.3




Fig.1




Fig.2











Fig.3

6 Band Edges Compliance

Band	Mode	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
12	QPSK	699.7	23017	1.4	1	0	Fig.1
12	QPSK	699.7	23017	1.4	6	0	Fig.2
12	QPSK	715.3	23173	1.4	1	5	Fig.3
12	QPSK	715.3	23173	1.4	6	0	Fig.4
12	QPSK	700.5	23025	3	1	0	Fig.5
12	QPSK	700.5	23025	3	15	0	Fig.6
12	QPSK	714.5	23165	3	1	14	Fig.7
12	QPSK	714.5	23165	3	15	0	Fig.8
12	QPSK	701.5	23035	5	1	0	Fig.9
12	QPSK	701.5	23035	5	25	0	Fig.10
12	QPSK	713.5	23155	5	1	24	Fig.11
12	QPSK	713.5	23155	5	25	0	Fig.12
12	QPSK	704	23060	10	1	0	Fig.13
12	QPSK	704	23060	10	50	0	Fig.14
12	QPSK	711	23130	10	1	49	Fig.15
12	QPSK	711	23130	10	50	0	Fig.16

Test Mode: QPSK








Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band 12 Low Channel QPSK			
		1.4M	3M	5M	10M
-30	NV	0.012	-0.048	-0.008	-0.027
-20	NV	0.021	0.009	-0.022	-0.028
-10	NV	0.028	-0.017	-0.019	-0.013
0	NV	0.016	-0.011	-0.027	-0.038
+10	NV	0.025	-0.013	-0.047	-0.054
+30	NV	0.020	0.015	-0.042	-0.039
+40	NV	0.038	-0.011	0.005	-0.016
+50	NV	0.035	-0.046	-0.051	-0.052
+20	LV	0.009	0.005	-0.023	-0.021
+20	HV	0.021	-0.006	-0.052	-0.031

Temperature(°C)	Voltage	Test Result (ppm) Band 12 High Channel QPSK			
		1.4M	3M	5M	10M
-30	NV	-0.005	0.006	0.002	-0.002
-20	NV	0.022	0.057	0.002	0.014
-10	NV	0.042	0.052	0.006	0.016
0	NV	0.041	0.027	-0.019	-0.004
+10	NV	0.013	0.040	0.015	-0.017
+30	NV	0.007	0.056	-0.007	-0.017
+40	NV	0.007	0.054	0.009	0.022
+50	NV	0.004	-0.006	-0.043	-0.040
+20	LV	0.052	0.020	-0.003	-0.017
+20	HV	0.044	0.029	-0.030	0.008

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	699.7	23017	1.4	1	0	21.49	17.92	0.062
16QAM	699.7	23017	1.4	1	3	21.67	18.10	0.065
16QAM	699.7	23017	1.4	1	5	21.66	18.09	0.064
16QAM	699.7	23017	1.4	3	0	21.55	17.98	0.063
16QAM	699.7	23017	1.4	3	1	21.47	17.90	0.062
16QAM	699.7	23017	1.4	3	3	21.57	18.00	0.063
16QAM	699.7	23017	1.4	6	0	21.03	17.46	0.056
16QAM	707.5	23095	1.4	1	0	21.46	17.89	0.062
16QAM	707.5	23095	1.4	1	3	21.50	17.93	0.062
16QAM	707.5	23095	1.4	1	5	21.48	17.91	0.062
16QAM	707.5	23095	1.4	3	0	21.49	17.92	0.062
16QAM	707.5	23095	1.4	3	1	21.39	17.82	0.061
16QAM	707.5	23095	1.4	3	3	21.56	17.99	0.063
16QAM	707.5	23095	1.4	6	0	20.56	16.99	0.050
16QAM	715.3	23173	1.4	1	0	21.58	18.01	0.063
16QAM	715.3	23173	1.4	1	3	21.33	17.76	0.060
16QAM	715.3	23173	1.4	1	5	21.39	17.82	0.061
16QAM	715.3	23173	1.4	3	0	21.46	17.89	0.062
16QAM	715.3	23173	1.4	3	1	21.40	17.83	0.061
16QAM	715.3	23173	1.4	3	3	21.37	17.80	0.060
16QAM	715.3	23173	1.4	6	0	20.34	16.77	0.048
64QAM	699.7	23017	1.4	1	0	20.84	17.27	0.053
64QAM	699.7	23017	1.4	1	3	20.76	17.19	0.052
64QAM	699.7	23017	1.4	1	5	20.75	17.18	0.052
64QAM	699.7	23017	1.4	3	0	21.20	17.63	0.058
64QAM	699.7	23017	1.4	3	1	20.69	17.12	0.052
64QAM	699.7	23017	1.4	3	3	20.71	17.14	0.052
64QAM	699.7	23017	1.4	6	0	19.90	16.33	0.043
64QAM	707.5	23095	1.4	1	0	20.25	16.68	0.047
64QAM	707.5	23095	1.4	1	3	20.13	16.56	0.045
64QAM	707.5	23095	1.4	1	5	20.14	16.57	0.045
64QAM	707.5	23095	1.4	3	0	20.11	16.54	0.045
64QAM	707.5	23095	1.4	3	1	20.12	16.55	0.045
64QAM	707.5	23095	1.4	3	3	20.11	16.54	0.045
64QAM	707.5	23095	1.4	6	0	19.73	16.16	0.041
64QAM	715.3	23173	1.4	1	0	20.49	16.92	0.049
64QAM	715.3	23173	1.4	1	3	20.28	16.71	0.047
64QAM	715.3	23173	1.4	1	5	20.24	16.67	0.046
64QAM	715.3	23173	1.4	3	0	20.19	16.62	0.046
64QAM	715.3	23173	1.4	3	1	20.11	16.54	0.045
64QAM	715.3	23173	1.4	3	3	20.09	16.52	0.045

64QAM	715.3	23173	1.4	6	0	19.28	15.71	0.037
-------	-------	-------	-----	---	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	707.5	23095	1.4	1	0	21.85	18.28	0.067
QPSK	707.5	23095	1.4	1	3	21.74	18.17	0.066
QPSK	707.5	23095	1.4	1	5	21.76	18.19	0.066
QPSK	707.5	23095	1.4	3	0	21.84	18.27	0.067
QPSK	707.5	23095	1.4	3	1	21.68	18.11	0.065
QPSK	707.5	23095	1.4	3	3	21.79	18.22	0.066
QPSK	707.5	23095	1.4	6	0	21.26	17.69	0.059
QPSK	715.3	23173	1.4	1	0	21.84	18.27	0.067
QPSK	715.3	23173	1.4	1	3	21.89	18.32	0.068
QPSK	715.3	23173	1.4	1	5	21.93	18.36	0.069
QPSK	715.3	23173	1.4	3	0	21.85	18.28	0.067
QPSK	715.3	23173	1.4	3	1	21.83	18.26	0.067
QPSK	715.3	23173	1.4	3	3	21.86	18.29	0.067
QPSK	715.3	23173	1.4	6	0	21.30	17.73	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	700.5	23025	3	1	0	21.77	18.20	0.066
16QAM	700.5	23025	3	1	8	21.73	18.16	0.065
16QAM	700.5	23025	3	1	14	21.93	18.36	0.069
16QAM	700.5	23025	3	8	0	21.12	17.55	0.057
16QAM	700.5	23025	3	8	4	21.17	17.60	0.058
16QAM	700.5	23025	3	8	7	20.64	17.07	0.051
16QAM	700.5	23025	3	15	0	21.09	17.52	0.056
16QAM	707.5	23095	3	1	0	22.02	18.45	0.070
16QAM	707.5	23095	3	1	8	22.05	18.48	0.070
16QAM	707.5	23095	3	1	14	22.10	18.53	0.071
16QAM	707.5	23095	3	8	0	20.68	17.11	0.051
16QAM	707.5	23095	3	8	4	20.46	16.89	0.049
16QAM	707.5	23095	3	8	7	20.51	16.94	0.049
16QAM	707.5	23095	3	15	0	20.49	16.92	0.049
16QAM	714.5	23165	3	1	0	21.42	17.85	0.061
16QAM	714.5	23165	3	1	8	21.29	17.72	0.059
16QAM	714.5	23165	3	1	14	21.16	17.59	0.057
16QAM	714.5	23165	3	8	0	20.58	17.01	0.050
16QAM	714.5	23165	3	8	4	20.54	16.97	0.050
16QAM	714.5	23165	3	8	7	20.32	16.75	0.047
16QAM	714.5	23165	3	15	0	20.43	16.86	0.049
64QAM	700.5	23025	3	1	0	21.57	18.00	0.063
64QAM	700.5	23025	3	1	8	21.58	18.01	0.063
64QAM	700.5	23025	3	1	14	21.07	17.50	0.056
64QAM	700.5	23025	3	8	0	20.03	16.46	0.044
64QAM	700.5	23025	3	8	4	20.06	16.49	0.045
64QAM	700.5	23025	3	8	7	20.09	16.52	0.045
64QAM	700.5	23025	3	15	0	19.89	16.32	0.043
64QAM	707.5	23095	3	1	0	20.28	16.71	0.047
64QAM	707.5	23095	3	1	8	20.10	16.53	0.045
64QAM	707.5	23095	3	1	14	20.11	16.54	0.045
64QAM	707.5	23095	3	8	0	19.67	16.10	0.041
64QAM	707.5	23095	3	8	4	20.13	16.56	0.045
64QAM	707.5	23095	3	8	7	20.05	16.48	0.044
64QAM	707.5	23095	3	15	0	20.23	16.66	0.046
64QAM	714.5	23165	3	1	0	21.54	17.97	0.063
64QAM	714.5	23165	3	1	8	21.58	18.01	0.063
64QAM	714.5	23165	3	1	14	21.46	17.89	0.062
64QAM	714.5	23165	3	8	0	19.53	15.96	0.039
64QAM	714.5	23165	3	8	4	19.51	15.94	0.039
64QAM	714.5	23165	3	8	7	19.47	15.90	0.039

64QAM	714.5	23165	3	15	0	19.53	15.96	0.039
-------	-------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	700.5	23025	3	1	0	22.41	18.84	0.077
QPSK	700.5	23025	3	1	8	22.39	18.82	0.076
QPSK	700.5	23025	3	1	14	22.22	18.65	0.073
QPSK	700.5	23025	3	8	0	21.72	18.15	0.065
QPSK	700.5	23025	3	8	4	21.69	18.12	0.065
QPSK	700.5	23025	3	8	7	21.70	18.13	0.065
QPSK	700.5	23025	3	15	0	21.75	18.18	0.066
QPSK	707.5	23095	3	1	0	22.31	18.74	0.075
QPSK	707.5	23095	3	1	8	22.23	18.66	0.073
QPSK	707.5	23095	3	1	14	22.21	18.64	0.073
QPSK	707.5	23095	3	8	0	21.47	17.90	0.062
QPSK	707.5	23095	3	8	4	21.47	17.90	0.062
QPSK	707.5	23095	3	8	7	21.56	17.99	0.063
QPSK	707.5	23095	3	15	0	21.60	18.03	0.064
QPSK	714.5	23165	3	1	0	22.32	18.75	0.075
QPSK	714.5	23165	3	1	8	22.23	18.66	0.073
QPSK	714.5	23165	3	1	14	22.14	18.57	0.072
QPSK	714.5	23165	3	8	0	21.61	18.04	0.064
QPSK	714.5	23165	3	8	4	21.60	18.03	0.064
QPSK	714.5	23165	3	8	7	21.57	18.00	0.063
QPSK	714.5	23165	3	15	0	21.59	18.02	0.063

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	701.5	23035	5	1	0	20.91	17.34	0.054
16QAM	701.5	23035	5	1	12	20.92	17.35	0.054
16QAM	701.5	23035	5	1	24	21.05	17.48	0.056
16QAM	701.5	23035	5	12	0	20.79	17.22	0.053
16QAM	701.5	23035	5	12	7	20.22	16.65	0.046
16QAM	701.5	23035	5	12	13	20.22	16.65	0.046
16QAM	701.5	23035	5	25	0	20.27	16.70	0.047
16QAM	707.5	23095	5	1	0	21.34	17.77	0.060
16QAM	707.5	23095	5	1	12	21.32	17.75	0.060
16QAM	707.5	23095	5	1	24	21.69	18.12	0.065
16QAM	707.5	23095	5	12	0	20.26	16.69	0.047
16QAM	707.5	23095	5	12	7	20.02	16.45	0.044
16QAM	707.5	23095	5	12	13	19.96	16.39	0.044
16QAM	707.5	23095	5	25	0	20.27	16.70	0.047
16QAM	713.5	23155	5	1	0	21.06	17.49	0.056
16QAM	713.5	23155	5	1	12	21.06	17.49	0.056
16QAM	713.5	23155	5	1	24	21.09	17.52	0.056
16QAM	713.5	23155	5	12	0	20.60	17.03	0.050
16QAM	713.5	23155	5	12	7	20.57	17.00	0.050
16QAM	713.5	23155	5	12	13	20.39	16.82	0.048
16QAM	713.5	23155	5	25	0	20.28	16.71	0.047
64QAM	701.5	23035	5	1	0	20.65	17.08	0.051
64QAM	701.5	23035	5	1	12	20.10	16.53	0.045
64QAM	701.5	23035	5	1	24	20.22	16.65	0.046
64QAM	701.5	23035	5	12	0	19.92	16.35	0.043
64QAM	701.5	23035	5	12	7	19.90	16.33	0.043
64QAM	701.5	23035	5	12	13	19.86	16.29	0.043
64QAM	701.5	23035	5	25	0	19.99	16.42	0.044
64QAM	707.5	23095	5	1	0	20.81	17.24	0.053
64QAM	707.5	23095	5	1	12	20.48	16.91	0.049
64QAM	707.5	23095	5	1	24	20.74	17.17	0.052
64QAM	707.5	23095	5	12	0	19.27	15.70	0.037
64QAM	707.5	23095	5	12	7	19.80	16.23	0.042
64QAM	707.5	23095	5	12	13	19.76	16.19	0.042
64QAM	707.5	23095	5	25	0	19.95	16.38	0.043
64QAM	713.5	23155	5	1	0	20.82	17.25	0.053
64QAM	713.5	23155	5	1	12	20.54	16.97	0.050
64QAM	713.5	23155	5	1	24	20.40	16.83	0.048
64QAM	713.5	23155	5	12	0	19.74	16.17	0.041
64QAM	713.5	23155	5	12	7	19.45	15.88	0.039
64QAM	713.5	23155	5	12	13	19.30	15.73	0.037

64QAM	713.5	23155	5	25	0	19.48	15.91	0.039
-------	-------	-------	---	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	701.5	23035	5	1	0	22.15	18.58	0.072
QPSK	701.5	23035	5	1	12	22.10	18.53	0.071
QPSK	701.5	23035	5	1	24	22.17	18.60	0.072
QPSK	701.5	23035	5	12	0	21.58	18.01	0.063
QPSK	701.5	23035	5	12	7	21.43	17.86	0.061
QPSK	701.5	23035	5	12	13	21.41	17.84	0.061
QPSK	701.5	23035	5	25	0	21.43	17.86	0.061
QPSK	707.5	23095	5	1	0	22.00	18.43	0.070
QPSK	707.5	23095	5	1	12	21.78	18.21	0.066
QPSK	707.5	23095	5	1	24	21.80	18.23	0.067
QPSK	707.5	23095	5	12	0	21.42	17.85	0.061
QPSK	707.5	23095	5	12	7	21.35	17.78	0.060
QPSK	707.5	23095	5	12	13	21.43	17.86	0.061
QPSK	707.5	23095	5	25	0	21.34	17.77	0.060
QPSK	713.5	23155	5	1	0	21.99	18.42	0.070
QPSK	713.5	23155	5	1	12	21.91	18.34	0.068
QPSK	713.5	23155	5	1	24	22.04	18.47	0.070
QPSK	713.5	23155	5	12	0	21.34	17.77	0.060
QPSK	713.5	23155	5	12	7	21.48	17.91	0.062
QPSK	713.5	23155	5	12	13	21.45	17.88	0.061
QPSK	713.5	23155	5	25	0	21.47	17.90	0.062

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
16QAM	704	23060	10	1	0	21.32	19.17	0.083
16QAM	704	23060	10	1	25	21.23	19.08	0.081
16QAM	704	23060	10	1	49	21.17	19.02	0.080
16QAM	704	23060	10	25	0	20.55	18.40	0.069
16QAM	704	23060	10	25	12	20.62	18.47	0.070
16QAM	704	23060	10	25	25	20.76	18.61	0.073
16QAM	704	23060	10	50	0	20.78	18.63	0.073
16QAM	707.5	23095	10	1	0	21.26	19.11	0.081
16QAM	707.5	23095	10	1	25	21.17	19.02	0.080
16QAM	707.5	23095	10	1	49	21.19	19.04	0.080
16QAM	707.5	23095	10	25	0	20.80	18.65	0.073
16QAM	707.5	23095	10	25	12	20.46	18.31	0.068
16QAM	707.5	23095	10	25	25	20.65	18.50	0.071
16QAM	707.5	23095	10	50	0	20.42	18.27	0.067
16QAM	711	23130	10	1	0	21.50	19.35	0.086
16QAM	711	23130	10	1	25	21.35	19.20	0.083
16QAM	711	23130	10	1	49	21.30	19.15	0.082
16QAM	711	23130	10	25	0	20.37	18.22	0.066
16QAM	711	23130	10	25	12	20.82	18.67	0.074
16QAM	711	23130	10	25	25	20.49	18.34	0.068
16QAM	711	23130	10	50	0	20.72	18.57	0.072
64QAM	704	23060	10	1	0	21.69	19.54	0.090
64QAM	704	23060	10	1	25	21.37	19.22	0.084
64QAM	704	23060	10	1	49	21.10	18.95	0.079
64QAM	704	23060	10	25	0	20.05	17.90	0.062
64QAM	704	23060	10	25	12	19.80	17.65	0.058
64QAM	704	23060	10	25	25	19.66	17.51	0.056
64QAM	704	23060	10	50	0	19.63	17.48	0.056
64QAM	707.5	23095	10	1	0	21.10	18.95	0.079
64QAM	707.5	23095	10	1	25	21.15	19.00	0.079
64QAM	707.5	23095	10	1	49	21.72	19.57	0.091
64QAM	707.5	23095	10	25	0	19.73	17.58	0.057
64QAM	707.5	23095	10	25	12	20.28	18.13	0.065
64QAM	707.5	23095	10	25	25	19.66	17.51	0.056
64QAM	707.5	23095	10	50	0	20.15	18.00	0.063
64QAM	711	23130	10	1	0	21.01	18.86	0.077
64QAM	711	23130	10	1	25	21.10	18.95	0.079
64QAM	711	23130	10	1	49	21.06	18.91	0.078
64QAM	711	23130	10	25	0	20.15	18.00	0.063
64QAM	711	23130	10	25	12	19.60	17.45	0.056
64QAM	711	23130	10	25	25	19.58	17.43	0.055

64QAM	711	23130	10	50	0	19.63	17.48	0.056
-------	-----	-------	----	----	---	-------	-------	-------

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	704	23060	10	1	0	22.10	19.95	0.099
QPSK	704	23060	10	1	25	22.16	20.01	0.100
QPSK	704	23060	10	1	49	22.01	19.86	0.097
QPSK	704	23060	10	25	0	21.49	19.34	0.086
QPSK	704	23060	10	25	12	21.92	19.77	0.095
QPSK	704	23060	10	25	25	21.51	19.36	0.086
QPSK	704	23060	10	50	0	21.81	19.66	0.092
QPSK	707.5	23095	10	1	0	22.02	19.87	0.097
QPSK	707.5	23095	10	1	25	21.97	19.82	0.096
QPSK	707.5	23095	10	1	49	22.06	19.91	0.098
QPSK	707.5	23095	10	25	0	21.58	19.43	0.088
QPSK	707.5	23095	10	25	12	21.63	19.48	0.089
QPSK	707.5	23095	10	25	25	21.96	19.81	0.096
QPSK	707.5	23095	10	50	0	21.43	19.28	0.085
QPSK	711	23130	10	1	0	22.45	20.30	0.107
QPSK	711	23130	10	1	25	22.19	20.04	0.101
QPSK	711	23130	10	1	49	22.27	20.12	0.103
QPSK	711	23130	10	25	0	21.46	19.31	0.085
QPSK	711	23130	10	25	12	21.70	19.55	0.090
QPSK	711	23130	10	25	25	21.71	19.56	0.090
QPSK	711	23130	10	50	0	21.76	19.61	0.091