

# TEST REPORT

Product Name : 2.4G remote control  
Model Number : JCHR35H10  
FCC ID : 2ANKDJCHR35H10

Prepared for : ZHEJIANG JIECANG LINEAR MOTION TECHNOLOGY  
CO., LTD  
Address : No.19 XinTao Road, Provincial High Tech Park, Xinchang  
County, Zhejiang Province, China

Prepared by : EMTEK (NINGBO) CO., LTD.  
Address : No. 8, Building 8, Lane 216, Qingyi Road, Ningbo Hi-Tech  
Zone, Ningbo, Zhejiang, China

Tel : +86-0769-22807078  
Fax: +86-0769-22807079

Report Number : ENB2407230132W00102R  
Date(s) of Tests : July 23, 2024 to August 12, 2024  
Date of Issue : August 20, 2024

## TABLE OF CONTENT

<b>TEST REPORT</b> .....	<b>1</b>
<b>1. FACILITIES AND ACCREDITATIONS</b> .....	<b>5</b>
1.1. TEST FACILITY.....	5
1.2. LABORATORY ACCREDITATIONS AND LISTINGS.....	5
<b>2. GENERAL PRODUCT INFORMATION</b> .....	<b>6</b>
<b>3. LIMIT</b> .....	<b>7</b>
<b>4. TEST RESULTS</b> .....	<b>8</b>




## Test Report Description


Applicant : ZHEJIANG JIECANG LINEAR MOTION TECHNOLOGY CO., LTD  
Address : No.19 XinTao Road, Provincial High Tech Park, Xinchang County, Zhejiang Province, China  
Manufacturer : ZHEJIANG JIECANG LINEAR MOTION TECHNOLOGY CO., LTD  
Address : No.19 XinTao Road, Provincial High Tech Park, Xinchang County, Zhejiang Province, China  
EUT : 2.4G remote control  
Model Name : JCHR35H10  
Trademark : N/A


The device described above is tested by EMTEK (NINGBO) CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. This report shows the EUT to be technically compliant with the FCC 1.1310 and KDB 447498 D01 General RF Exposure Guidance v07 requirements. The test results are contained in this report and EMTEK (NINGBO) CO., LTD. is assumed full responsibility for the accuracy and completeness of these tests.


This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (NINGBO) CO., LTD.

Date of Test : July 23, 2024 to August 12, 2024

Prepared by :   
June Gao /Engineer

Reviewer :   
Lucas Xu /Supervisor

Approve & Authorized Signer :   
Tony wei/Manager



## Modified Information

Version	Report No.	Revision Date	Summary
/	ENB2407230132W00102R	/	Original Report



## 1. Facilities And Accreditations

### 1.1. Test Facility

All measurement facilities used to collect the measurement data are located at

No. 8, Building 8, Lane 216, Qingyi Road, Ningbo Hi-Tech Zone, Ningbo, Zhejiang, China

The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4 and CISPR Publication 32.

### 1.2. LABORATORY ACCREDITATIONS AND LISTINGS

#### Site Description

EMC Lab.

: Accredited by CNAS, 2020.08.27  
The certificate is valid until 2024.07.05  
The Laboratory has been assessed and proved to be in compliance with  
CNAS/CL01:2018  
The Certificate Registration Number is L3150

Designation by FCC  
Designation Number: CN1300  
Test Firm Registration Number: 945551

Accredited by A2LA, April 05, 2021  
The Certificate Registration Number is 4321.02

Accredited by Industry Canada  
The Certificate Registration Number is CN0113

Name of Firm

: EMTEK (NINGBO) CO., LTD.

Site Location

: No. 8, Building 8, Lane 216, Qingyi Road, Ningbo Hi-Tech Zone, Ningbo, Zhejiang, China

## 2. General Product Information

Characteristics	Description
<b>Product:</b>	2.4G remote control
<b>Model Number:</b>	JCHR35H10
<b>Sample Number:</b>	ENB2407230132W001-1-1
<b>Modulation:</b>	GFSK
<b>Operating Frequency:</b>	2404MHz, 2419MHz, 2469MHz, 2479 MHz
<b>Number of Channels:</b>	4 channels
<b>Max Transmit Power:</b>	87.54 dBuV/m
<b>Antenna Type :</b>	PCB Antenna
<b>Antenna Gain:</b>	0.0 dBi
<b>Power supply:</b>	DC 3V for Battery
<b>Temperature Range:</b>	0°C ~ +40°C
<b>Date of Received:</b>	July 23, 2024

*Note: for more details, please refer to the User's manual of the EUT.*

### 3. Limit

According to §15.249(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to KDB447498 D01 General RF Exposure Guidance V07

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances  $\leq 50$  mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] * [\sqrt{f(\text{GHz})}] \leq 3.0$  for 1-g SAR and  $\leq 7.5$  for 10-g extremity SAR, where

$f(\text{GHz})$  is the RF channel transmit frequency in GHz;

Power and distance are rounded to the nearest mW and mm before calculation;

The result is rounded to one decimal place for comparison;

The test exclusions are applicable only when the minimum test separation distance is  $\leq 50$  mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is  $< 5$  mm, a distance of 5 mm is applied to determine SAR test exclusion.

We use 5mm as separation distance to calculate.



## 4. Test Results

Maximum measured transmitter power:

2404MHz:  $EIRP = E + 20\log(d) - 104.7 = 87.54 + 9.54 - 104.7 = -7.62$  dBm

2469MHz:  $EIRP = E + 20\log(d) - 104.7 = 84.55 + 9.54 - 104.7 = -10.61$  dBm

2479MHz:  $EIRP = E + 20\log(d) - 104.7 = 83.95 + 9.54 - 104.7 = -11.21$  dBm

Transmit Frequency (MHz)	Mode	EIRP Power (dBm)	tune up maximum power(dBm)	Result calculation	1-g SAR
2404	GFSK	-7.62 dBm	-7.0	0.06	3
2469	GFSK	-10.61 dBm	-10.0	0.03	3
2479	GFSK	-11.21 dBm	-11.0	0.03	3

Conclusion:

For the max result :  $0.06 \leq 3.0$  for 1-g SAR extremity SAR.

\*\*\* End of Report \*\*\*



## 声明 Statement

1. 本报告无授权批准人签字及“检验检测专用章”无效；

This report will be void without authorized signature or special seal for testing report.

2. 未经许可本报告不得部分复制；

This report shall not be copied partly without authorization.

3. 本报告的检测结果仅对送测样品有效，委托方对样品的代表性和资料的真实性负责；

The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material.

4. 本检测报告中检测项目标注有特殊符号则该项目不在资质认定范围内，仅作为客户委托、科研、教学或内部质量控制等目的使用；

The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.

5. 本检测报告以实测值进行符合性判定，未考虑不确定度所带来的风险，本实验室不承担相关责任，特别约定、标准或规范中有明确规定的除外；

The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards or regulations, EMTEK shall not assume any responsibility.

6. 对本检测报告若有异议，请于收到报告之日起 20 日内提出；

Objections shall be raised within 20 days from the date receiving the report.