



TX CH60



Date: 28.DEC.2017 20:56:35

TX CH64




Date: 28.DEC.2017 20:57:18

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH54	5270	87.79	43.40
CH62	5310	56.30	37.20

TX CH54



Date: 29.DEC.2017 10:03:41

TX CH62




Date: 29.DEC.2017 10:04:42

Test Mode: UNII-2A/TX AC80 Mode_CH58

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH58	5290	83.01	76.00

TX CH58




Date: 29.DEC.2017 10:22:21

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	43.19	24.10
CH116	5580	43.91	26.10
CH140	5700	38.79	18.70

TX CH100




Date: 28.DEC.2017 20:58:12

TX CH116



Date: 28.DEC.2017 20:58:40

TX CH140




Date: 28.DEC.2017 20:59:24

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	69.50	37.60
CH110	5550	87.90	44.40
CH134	5670	95.40	47.40

TX CH102




Date: 29.DEC.2017 10:05:35

TX CH110



Date: 29.DEC.2017 10:12:28

TX CH134




Date: 29.DEC.2017 10:14:13

Test Mode: UNII-2C/TX AC80 Mode_CH106

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH106	5530	83.59	76.00

TX CH106




Date: 29.DEC.2017 10:24:40

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.81	24.50	>=500
CH157	5785	17.80	24.20	>=500
CH165	5825	17.85	23.80	>=500

TX CH 149




Date: 28.DEC.2017 21:00:07

TX CH 157



Date: 28.DEC.2017 21:00:53

TX CH 165




Date: 28.DEC.2017 21:01:44

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.70	49.60	≥ 500
CH159	5795	36.50	49.40	≥ 500

TX CH 151



Date: 29.DEC.2017 10:15:41

TX CH 159




Date: 29.DEC.2017 10:16:53

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.60	98.40	>=500

TX CH 155



Date: 29.DEC.2017 10:27:17

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.95	0.00	18.95	24.00	0.25
CH40	5200	19.69	0.00	19.69	24.00	0.25
CH48	5240	19.82	0.00	19.82	24.00	0.25

Test Mode: UNII-1/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.52	0.00	19.52	24.00	0.25
CH40	5200	19.60	0.00	19.60	24.00	0.25
CH48	5240	19.84	0.00	19.84	24.00	0.25

Test Mode: UNII-1/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.12	0.00	16.12	24.00	0.25
CH46	5230	18.67	0.00	18.67	24.00	0.25

Test Mode: UNII-2A/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	20.15	0.00	20.15	24.00	0.25
CH60	5300	20.03	0.00	20.03	24.00	0.25
CH64	5320	18.82	0.00	18.82	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.88	0.00	19.88	24.00	0.25
CH60	5300	19.62	0.00	19.62	24.00	0.25
CH64	5320	18.31	0.00	18.31	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	18.12	0.00	18.12	24.00	0.25
CH62	5310	14.15	0.00	14.15	24.00	0.25

Test Mode: UNII-2C/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.83	0.00	14.83	24.00	0.25
CH116	5580	13.05	0.00	13.05	24.00	0.25
CH140	5700	13.51	0.00	13.51	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.68	0.00	14.68	24.00	0.25
CH116	5580	13.21	0.00	13.21	24.00	0.25
CH140	5700	13.72	0.00	13.72	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.81	0.00	15.81	24.00	0.25
CH110	5550	15.85	0.00	15.85	24.00	0.25
CH134	5670	15.13	0.00	15.13	24.00	0.25

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.71	0.00	18.71	30.00	1.00
CH157	5785	18.24	0.00	18.24	30.00	1.00
CH165	5825	17.85	0.00	17.85	30.00	1.00

Test Mode: UNII-3/TX N20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.81	0.00	18.81	30.00	1.00
CH157	5785	18.25	0.00	18.25	30.00	1.00
CH165	5825	17.71	0.00	17.71	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.45	0.00	18.45	30.00	1.00
CH159	5795	17.81	0.00	17.81	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.85	0.00	19.85	24.00	0.25
CH40	5200	19.42	0.00	19.42	24.00	0.25
CH48	5240	19.23	0.00	19.23	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	16.25	0.00	16.25	24.00	0.25
CH46	5230	18.52	0.00	18.52	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.38	0.00	14.38	24.00	0.25

Test Mode: UNII-2A/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.56	0.00	19.56	24.00	0.25
CH60	5300	19.02	0.00	19.02	24.00	0.25
CH64	5320	18.34	0.00	18.34	24.00	0.25

Test Mode: UNII-2A/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	18.34	0.00	18.34	24.00	0.25
CH62	5310	14.58	0.00	14.58	24.00	0.25

Test Mode: UNII-2A/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	12.17	0.00	12.17	24.00	0.25

Test Mode: UNII-2C/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	14.83	0.00	14.83	24.00	0.25
CH116	5580	13.32	0.00	13.32	24.00	0.25
CH140	5700	17.51	0.00	17.51	24.00	0.25

Test Mode: UNII-2C/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.86	0.00	15.86	24.00	0.25
CH110	5550	16.31	0.00	16.31	24.00	0.25
CH134	5670	15.11	0.00	15.11	24.00	0.25

Test Mode: UNII-2C/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	12.88	0.00	12.88	24.00	0.25

Test Mode: UNII-3/TX AC20 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.16	0.00	19.16	30.00	1.00
CH157	5785	18.34	0.00	18.34	30.00	1.00
CH165	5825	17.84	0.00	17.84	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.13	0.00	18.13	30.00	1.00
CH159	5795	17.49	0.00	17.49	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	17.75	0.00	17.75	30.00	1.00

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.56	0.00	9.56	11.00
CH40	5200	9.92	0.00	9.92	11.00
CH48	5240	10.12	0.00	10.12	11.00




Date: 28.DEC.2017 20:21:09

CH40



Date: 28.DEC.2017 20:23:25


CH48



Date: 28.DEC.2017 20:24:34


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.83	0.00	9.83	11.00
CH40	5200	10.04	0.00	10.04	11.00
CH48	5240	10.17	0.00	10.17	11.00




Date: 28.DEC.2017 20:41:38

CH40



Date: 28.DEC.2017 20:42:18

CH48




Date: 28.DEC.2017 20:43:36

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.55	0.00	2.55	11.00
CH46	5230	5.92	0.00	5.92	11.00

CH38



Date: 29.DEC.2017 08:47:51


CH46



Date: 29.DEC.2017 09:50:37


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.98	0.00	9.98	11.00
CH60	5300	9.94	0.00	9.94	11.00
CH64	5320	9.72	0.00	9.72	11.00




Date: 28.DEC.2017 20:25:37

CH60



Date: 28.DEC.2017 20:26:44


CH64



Date: 28.DEC.2017 20:33:13


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	10.02	0.00	10.02	11.00
CH60	5300	9.90	0.00	9.90	11.00
CH64	5320	9.05	0.00	9.05	11.00




Date: 28.DEC.2017 20:44:52

CH60



Date: 28.DEC.2017 20:45:28

CH64




Date: 28.DEC.2017 20:46:04

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.26	0.00	5.26	11.00
CH62	5310	1.05	0.00	1.05	11.00

CH54



Date: 29.DEC.2017 09:51:45


CH62



Date: 29.DEC.2017 08:58:12


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	9.97	0.00	9.97	11.00
CH116	5580	10.03	0.00	10.03	11.00
CH140	5700	9.32	0.00	9.32	11.00




Date: 28.DEC.2017 20:27:55

CH116



Date: 28.DEC.2017 20:29:18

CH140




Date: 28.DEC.2017 20:35:52

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.19	0.00	10.19	11.00
CH116	5580	9.93	0.00	9.93	11.00
CH140	5700	8.42	0.00	8.42	11.00

CH100




Date: 28.DEC.2017 20:46:47

CH116



Date: 28.DEC.2017 20:47:30

CH140




Date: 28.DEC.2017 20:48:11

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.73	0.00	3.73	11.00
CH110	5550	6.02	0.00	6.02	11.00
CH134	5670	5.92	0.00	5.92	11.00

CH102




Date: 29.DEC.2017 08:59:33

CH110



Date: 29.DEC.2017 09:53:48

CH134




Date: 29.DEC.2017 09:54:57

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.19	0.00	7.19	30.00
CH157	5785	6.90	0.00	6.90	30.00
CH165	5825	6.26	0.00	6.26	30.00

TX CH149




Date: 28.DEC.2017 20:36:54

TX CH157



Date: 28.DEC.2017 20:37:44


TX CH165



Date: 28.DEC.2017 20:38:32


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.55	0.00	7.55	30.00
CH157	5785	7.14	0.00	7.14	30.00
CH165	5825	6.41	0.00	6.41	30.00




Date: 28.DEC.2017 20:48:49

TX CH157



Date: 28.DEC.2017 20:49:37

TX CH165




Date: 28.DEC.2017 20:50:26

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.61	0.00	3.61	30.00
CH159	5795	3.29	0.00	3.29	30.00

TX CH151



Date: 29.DEC.2017 09:56:22


TX CH159



Date: 29.DEC.2017 09:57:33


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.03	0.00	10.03	11.00
CH40	5200	9.88	0.00	9.88	11.00
CH48	5240	10.14	0.00	10.14	11.00




Date: 28.DEC.2017 20:52:16

CH40



Date: 28.DEC.2017 20:54:27

CH48




Date: 28.DEC.2017 20:55:09

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.50	0.00	3.50	11.00
CH46	5230	5.92	0.00	5.92	11.00

CH38



Date: 29.DEC.2017 10:01:48


CH46



Date: 29.DEC.2017 10:03:03

Test Mode: UNII-1/TX AC80 Mode_CH42


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.21	0.00	0.21	11.00



Date: 29.DEC.2017 10:21:03


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.90	0.00	9.90	11.00
CH60	5300	9.89	0.00	9.89	11.00
CH64	5320	8.95	0.00	8.95	11.00




Date: 28.DEC.2017 20:55:47

CH60



Date: 28.DEC.2017 20:56:19

CH64




Date: 28.DEC.2017 20:56:59

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	5.25	0.00	5.25	11.00
CH62	5310	1.97	0.00	1.97	11.00

CH54



Date: 29.DEC.2017 10:03:53


CH62



Date: 29.DEC.2017 10:04:53

Test Mode: UNII-2A/TX AC80 Mode_CH58


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.85	0.00	-1.85	11.00



Date: 29.DEC.2017 10:22:32


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	10.11	0.00	10.11	11.00
CH116	5580	9.94	0.00	9.94	11.00
CH140	5700	7.95	0.00	7.95	11.00




Date: 28.DEC.2017 20:57:57

CH116



Date: 28.DEC.2017 20:58:27

CH140




Date: 28.DEC.2017 20:59:06

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.54	0.00	3.54	11.00
CH110	5550	6.08	0.00	6.08	11.00
CH134	5670	5.69	0.00	5.69	11.00

CH102




Date: 29.DEC.2017 10:05:46

CH110



Date: 29.DEC.2017 10:12:40


CH134



Date: 29.DEC.2017 10:14:25

Test Mode: UNII-2C/TX AC80 Mode_CH106

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-0.68	0.00	-0.68	11.00




Date: 29.DEC.2017 10:24:52

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.10	0.00	7.10	30.00
CH157	5785	6.83	0.00	6.83	30.00
CH165	5825	6.14	0.00	6.14	30.00

TX CH149




Date: 28.DEC.2017 21:00:17

TX CH157



Date: 28.DEC.2017 21:01:03

TX CH165




Date: 28.DEC.2017 21:01:53

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.40	0.00	3.40	30.00
CH159	5795	3.23	0.00	3.23	30.00

TX CH151



Date: 29.DEC.2017 10:15:53


TX CH159



Date: 29.DEC.2017 10:17:05

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	1.59	0.00	1.59	30.00



Date: 29.DEC.2017 10:27:29

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0540
120	5180.0548
108	5180.0552
Max. Deviation (MHz)	0.0552
Max. Deviation (ppm)	10.6564

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0556
5	5180.0536
15	5180.0552
25	5180.0552
35	5180.0552
45	5180.0560
50	5180.0568
Max. Deviation (MHz)	0.0568
Max. Deviation (ppm)	10.9653

Test Mode:	UNII-2A
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5260.0584
120	5260.0596
108	5260.0604
Max. Deviation (MHz)	0.0604
Max. Deviation (ppm)	11.4829

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5260.0612
5	5260.0620
15	5260.0620
25	5260.0620
35	5260.0608
45	5260.0588
50	5260.0588
Max. Deviation (MHz)	0.0620
Max. Deviation (ppm)	11.7871

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5500.0448
120	5500.0456
108	5500.0464
Max. Deviation (MHz)	0.0464
Max. Deviation (ppm)	8.4364

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5500.0460
5	5500.0460
15	5500.0460
25	5500.0456
35	5500.0468
45	5500.0476
50	5500.0480
Max. Deviation (MHz)	0.0480
Max. Deviation (ppm)	8.7273

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0156
120	5745.0156
108	5745.0164
Max. Deviation (MHz)	0.0164
Max. Deviation (ppm)	2.8547

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0144
5	5745.0140
15	5745.0136
25	5745.0132
35	5745.0136
45	5745.0136
50	5745.0136
Max. Deviation (MHz)	0.0144
Max. Deviation (ppm)	2.5065