

Description of Basic Operation

Power on/Standby

Insert the power plug into the outlet. If the Digital Signage has the switch button "I", turn it on. In power on state, press the "U" button on the remote control, and the Digital Signage enters standby state.

Interface and Home Screen

After power on, the machine will launch home screen, as shown below:

Icon	Function		
	App Drawer		
٥	Back		
0	Home page		
	Background applications		
	Sound -		
	Sound +		





Description of Wallpaper Switch

We suggest using a mouse to change the wallpaper.

Connect a mouse with the digital panel through USB port, then follow the steps below:

- 1. Click "Setting"
- 2. At the setting menu, click "Display"
- 3. At the Display setting menu, click "Wallpaper", then choose a folder.
- 4. Then select an image you would like to set up as background.
- 5. Confirm the selection by clicking "Set wallpaper".

File Manager

- 1. Click the Main Apps button " in the Home screen to enter the "APPS" menu interface (Fig. 1);
- 2. Click the "Explorer" icon in the "APPS" menu interface (Fig. 2) and enter "Explorer" menu (Fig. 3);
- 3. Choose storage in the "Explorer" menu to read the files from different devices.






Fig. 1





Fig. 3



Local Settings

- 1. Click the App Drawer icon " 🕮 " in the Home page to enter the "APPS" menu interface (Fig. 1);
- 2. Click the "Settings" icon (Fig. 1) and enter "Settings" menu (Fig. 2);
- 3. Click "Wi-Fi" and choose options then set up the WIFI connection (Fig. 3).






Fig. 2



Fig. 3

Description of Settings Interface (shown on the right)

Icon	Function
•	WIFI switch
*	Bluetooth
0	Data usage
•	Display
	Notifications
4)	Sound
-	Apps
!?	Screenshot Setting
	Storage
	Battery
2	Memory
-	Users
•	Location
•	Security
B	Accounts
G	Google
(Languages & input
۵	Backup & reset
0	Date & time





Status of Menu Bar

- 1. Click the setting (Fig.1)
- 2. At the setting menu click the display menu (Fig. 2);
- 3. At the display setting menu unselect the display navigation check box. (Fig. 3)





Fig. 1

Paging

Supplementari

State

Fig. 3

Fig. 2

DiViEx APP Introduction

System requirements:

Step 1: Before using the APP, make sure your device meets or exceeds the following system requirements:

СРИ	RK3288
Operating system	Android 7.1

How to upload media files:

Step 2: Plug in your USB drive to the computer. Open the drive in Windows Explorer and create a new folder, rename it "MediaFolder". As shown below:






Open "MediaFolder", create 3 subfolders, and change their names to "Images", "Videos", "Music". Copy the media file to be displayed, image to "Images", video to "Videos", Music to "Music"




Supported Media Format:

Image	JPG/JPEG/BMP/PNG
Video	MPEG1, MPEG2, MPEG3, MPEG4, WMV, MKV, TS, FLV
Music	MP3

Step 3: Plug the USB drive into the device and click the DiViEx APP.



Step 4: When the screen shows "Copy finished" after "Usb Disk:", the media files are ready to be displayed.





Settings:

- 1. Set the time each picture is to be shown on the screen by dragging the bar to the desired time.
- 2. Select how you would like the images to display. Select the desired transition effect between pictures:
- Auto Boot

DiViEX APP will automatic open when the digital signage is turned on.

Auto Play


DiViEX APP will automatically play the Slideshow when it is opened.

Choose Picture display mode

Check a fit option how you want the pictures to be displayed.

• Set Picture switch mode

Choose an animation option to set the fade in and fade out effects.



Edit picture:

This function shows all pictures, you can edit all pictures, and remove it.

Crop

There are four corner handles and four border handles to crop the picture. Click and drag a handle to reshape the image to any size you need.

Filter

You can browse and try different filters in the filter gallery below the image. The APP support the following filter: AUTO_FIX, BLACK_WHITE, BRIGHTNESS, CONTRAST, CROSS_PROCESS, DOCUMENTARY, DUE_TONE, FILL_LIGHT, FISH_EYE, FLIP_HORIZONTAL, FILP_VERTICAL, GRAIN, GRAY_SCALE, LOMISH, NEGATIVE, PSTERIZE, ROTATE, SATURATE, SEPIA, SHARPEN, TEMPERATURE, TINT, VIGNETTE.

Reset

Click "Reset" to remove all the editing you applied to the image.

Save " \(\bigchar`\) "

Click the icon to save the edited image as a new image.





Image deletion
 Click " " to delete unwanted pictures







Music:

List all music files in the Playlist library

Add music to "Playing List Music" (Background music) from "Playlist Library". Click "right arrow", music title will show in the "Playlist Music" on the right.



To remove the added music file from the playlist, click the "left arrow" in the playlist.



Factory Reset:

- 1. Go to Settings, then click "Backup & reset" (Fig. 1)
- 2. Click "Factory data reset" (Fig. 2)
- 3. Choose "Reset Tablet", then click "ERASE EVERYTHING" to get the unit to Factory Reset. (Fig. 3)






Fig. 3

Fig. 2



Screen Rotation

- 1. Click the Main Apps button " in the Home page to enter the "APPS" menu interface (Fig. 1)
- 2. Click "System assistant" into Fig. 2
- 3. Choose the degree to Rotate screen, then click "Confirm", after the restart, the screen will be rotated (Fig. 3 & Fig. 4)












Choose System Language:

- 1. Get into Settings, then click "Language & input" (Fig. 1)
- 2. Click "Languages", then click "Add a language" (Fig. 2)
- 3. You can add the required system language (Fig. 3)
- 4. Drag the system language you just added up to the front (Fig. 4)-Please use a mouse to operate.





Technical Specifications

	ITEM	SPECIFICATION
	Material	Plastic+Steel
	Panel Type	15.6" Commercial Grade LCD Screen
	Display Area	344.16(H)*193.59(V)
	Optimum Resolution	1920*1080
	Contrast Ratio	3000:1
	Viewing Angles	89/89
	Response Time	30ms
	Light Source	LED
Dua du at /I CD	Brightness	1000nits
Product/LCD	Pixel Pitch	0.17925(H)*0.17925(V)
	Display Colors	16.2M
	Color Temp	Cold white
	Aspect Ratio	16:9
	Refresh Rate	50/60HZ
	Panel Surface Material	TFT
	Touch	NO
	Operating Time	Max 18hrs/day
	Panel Life (hours)	30000hrs
	Operating System	Android 7.1
	Software	DiViEX
	Player	Integrated in software
	Drive Type	Integrated in software
	External or Integrated	Integrated
Playback Software	Templates	yes
Jortware	Maximum video decoding	1080P
	HTML5	No
	IP Streaming	yes, but subject to bandwitch, support BT4.2
	Live Text & Media Feeds	USB; WIFI; Wire Network
	Multi-Zone	YES



	Transitions	YES	
	Day Parting	YES	
	Scheduling	YES	
Dlovbook	Drag & Drop Functionality	YES	
Playback Software	Loops	YES	
	Campaigns	YES	
	Remote Content Update	YES	
Video	Video playback	YES	
Audio	Audio format	MP3	
Image	Picture format	JPG, JPEG, BMP, PNG, GIF	
Input / output	Video Input	NO	
	Control Input/Output	Output	
Storage	Internal Storage Capacity	16GB	
Speaker	Amplifier	YES	
	СРИ	Rockchip RK3288W, Quad-core ARM Cortex A17 CPU (Up to 1.6GHz)	
	SD Slot	NO	
	Ethernet LAN	YES	
	Audio_IN	NO	
Connector	USB	YES	
	HDMI Output	YES	
	VGA	NO	
	Digital	NO	
	USB/SD/Micro SC/HDMI: list all	USB/HDMI/Output/RJ45	
	Power	YES	
	Material	Acrylic+Plastic	
Crystal Light	Frame Size	430*280*48mm	
Box	Viewing Size	343*192mm	
	Poster Size	354*204mm	



Crystal Light	Brightness	About 2000lux		
Box	Color Temp.	6000±500K		
	Voltage (in/out)	AC100-240V		
		LCD Screen: ≈ 18W*4		
	Consumption (Watts)	LED light box≈15W*4		
Power		Total≈132W		
	Cord Length	1.5m		
	Compliance Listed (on power source)	Power supply with UL listed		
	Temperature	Operating temperature:0-40°C		
Operating Conditions	remperature	Storage temperature:-20-60°C "		
	Humidity	10-80%		
Dimensions	Screen	15.6"		
Dimensions	Overall Unit	430*280*48mm		
	Packing Size (mm)	600*400*350mm		
Packing of LCD	N.W.(kgs)	16kgs		
	G.W.(kgs)	21.5kgs		
Packing of	Size (mm)	710*190*110mm		
Top Electrical	N.W.(kgs)	3kgs		
Box	G.W. (kgs)	3.5kgs		
	Regulations / Compliance	Will apply for FCC		
General	Package Contents	Product, Instruction Manual, Powercord, Remote control, Antenna		
	Warranty	1 year		
	UPC	Barcode		



Troubleshooting the Digital Sign				
Issue	Probable Cause	Solutions		
No picture or sound	 Unit not plugged into wall outlet Power cord not properly connected to the terminal on the back of the unit. Unit not powered on Wall outlet not working 	 □ Check that the unit is plugged into wall outlet. □ Confirm that the power cord is connected to the terminal on the back of the unit. □ Turn the on/off toggle switch located on the back of the unit, lower center, to the "on" position. □ Unplug unit, wait 20 seconds, plug unit back into outlet and try again. □ Make sure that outlet is working by plugging in a different electrical device. ❖ If all of the above have been checked and the issue is not resolved, contact a customer service representative. 		
 No sound (but picture is working) 	 Volume not adjusted on the remote control. Content/Video does not have sound. Content format is not compatible. Speakers do not work. 	 □ Adjust volume using the remote control □ Confirm content is one of the following compatible formats: AVI, MPEG4, WMV, MKV, flv, MP3, MP4, MOV. □ If unit is connected to Wi-Fi, go to YouTube and play video that has sound □ Unplug unit, wait 20 seconds, plug unit back into outlet and try again. □ Try playing the content on a different device (smart phone, computer or tablet) ❖ If all of the above have been checked and the issue is not resolved, contact a customer service representative. 		
No picture (but sound is working)	 Content file damaged. Content format is not compatible. Screen damaged or defective. 	 □ Confirm content is one of the following compatible formats: AVI, MPEG4, WMV, □ MKV, flv, MP3, MP4, MOV. □ Try playing the content on a different device (smart phone, computer or tablet) □ Unplug unit, wait 20 seconds, plug unit back into outlet and try again. ❖ If all of the above have been checked and the issue is not resolved, contact a customer service representative. 		
Remote control not working	 Batteries not inserted properly. Batteries are dead. Standing too close or too far from the unit. 	 □ Check that battery is inserted properly with positive and negative orientation. □ Insert new batteries. □ Stand within 1 foot of the front of the unit and point the remote directly at the sensor (green dot) ❖ If all of the above have been checked and the issue is not resolved, contact a customer service representative. 		



 No Wi-Fi signal Parts missing or Damaged 	 Wi-Fi is not turned on in product settings. Wi-Fi is not connected to a network Low or no signal from the router Antenna is missing or not pointed upward. Damaged PC board 	Check that Wi-Fi is turned on in settings
C C	replacements) Parts lost or damaged by the customer. (There is charge for replacements)	
Having problems with installing software or getting content to play	 Did you purchase the DisplayIt!Xpress software from Displays2go? Did the customer purchase or downloaded another 3rd party software onto the product? 	☐ If you purchased DisplayIt!Xpress software from Displays2go or from Best Wave directly, please contact Best Wave at support@bestwave. com or (480)368-8900 ext. 2 ☐ If you purchased or downloaded another 3 rd party software onto the product, please contact the 3 rd party software company's customer support for assistance.
Cannot upload content	 Content format is not compatible. Content files are too large. Port being used is defective App being used to play content is defective. Android board is defective. 	 □ Confirm content is one of the following compatible formats: AVI, MPEG4, WMV, MKV, flv, MP3, MP4, MOV. □ Confirm file size is less than available space. ❖ If all of the above have been checked and the issue is not resolved, contact a customer service representative.



		1		
Issues using pre-	Mistake in storing content to		SlideShow App steps Explorer > Select USB >	
installed apps	NAND Flash (shown on pg. 11)		Select Multi > highlight files > Editor > Select	
	App is defective		Copy > Home > NAND > MediaFolder >	
	Android board is defective.		Images> Editor > Paste	
			 Open SlideShow app and select 	
			desired trasitions, slide time and	
			looping > Play	
			MX Player steps > Follow same steps as	
			SlideShow App > MediaFolder > Video >	
			Editor > Paste.	
			 Open MX Player and select video to 	
			play.	
			 Loop video: While the video is 	
			playing, click on the video and there	
			should be 3 dots in the top right	
			corner. Click on the 3 dots > play >	
			check desired Loop option	
			If all of the above have been checked and	
			the issue is not resolved, contact a customer	
			service representative.	
If Keypad doesn't	> Batteries need to be replaced		Replace batteries	
work.	Batteries incorrectly inserted		Check if batteries are inserted correctly	
			Need to replace the keypad locker	
If battery booster doesn't work	> Batteries need to be replaced		Contact customer service representative	
Locker not charging	> Cable malfunction		Contact customer service for replacement cable	

Cleaning and Maintenance

- 1. Avoid strong vibration or impact on the product.
- 2. Keep the product dry to avoid possible damage by moisture.
- 3. Don't place the product under direct sunlight which may shorten the service life of the screen.
- 4. Clean screen and product by using a glass cleaner.
- 5. If the product will not be used for a long time, pull out the power cord to prevent the internal short circuit or other potential dangers.



Names and Contents of Toxic and Hazardous Substances or Elements in the Product

Dort name		Toxic and hazardous substances or elements					
Part name	Pb	Hg	Cd	Cr ⁶⁺	PBB	PBDE	
Display		0	0	0	0	0	
Shell	0	0	0	0	×	×	
Circuit board assembly *		0	0	0	0	0	
Wires	0	0	0	0	0	0	
Metal parts	0	0	0	0	0	0	
Packaging materials*	0	0	0	0	0	0	
Remote control		0	0	0	0	0	
Speaker		0	0	0	0	0	
Accessories*	0	0	0	0	0	0	

^{* :} Circuit board assembly includes PCB and the electronic elements thereof; Packaging materials include packaging box, styrofoam, etc.;

Other accessories include instruction manual.

O: the content of the toxic and hazardous substances or elements in the part is lower than the limit specified in GB/T 26572-2011 standard.

X: the content of the toxic and hazardous substances or elements in the part is higher than the limit specified in GB/T 26572-2011 standard.

The table shows that the machine contains harmful substances inside. The data is provided by material suppliers and verified by the company according to the material type. Some materials contain harmful substances that can't be replaced in present technology. We are dedicated to improving this.

The EFUP of the product is ten years. The pollution control label is shown on the right. The EFUP is valid only when the user operates in the normal conditions specified in the manual herein.

Waste Electrical and Electronic Products Recycling and Disposal Regulations

To protect the earth, if you do not need this product or its service life expires, please abide by your local *Waste Electrical and Electronic Products Recycling and Disposal Regulations* or send it to qualified local manufacture for recycling.

This Manual is for reference only and is subject to change without prior notice.

Visit www.displays2go.com for the latest product information and manual updates.



FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum 20cm distance between the radiator and your body: Use only the supplied antenna.