

Report No.: SEWA2204000010RG06

Rev.: 01 1 of 8 Page:

TEST REPORT

SEWA2204000010RG **Application No.:**

Fibocom Auto Inc. Applicant:

13th Floor, Building A, Building 6, Shenzhen International Innovation **Address of Applicant:**

Valley, Xili Community, Xili Street, Nanshan District, Shenzhen

Fibocom Auto Inc. Manufacturer:

13th Floor, Building A, Building 6, Shenzhen International Innovation Address of Manufacturer:

Valley, Xili Community, Xili Street, Nanshan District, Shenzhen

EUT Description: WIFI Module Model No.: AW916-GL Trade Mark: Fibocom

FCC ID: 2A8RBAW916GL Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2022/09/27 Date of Issue: 2022/10/25

Test Result: PASS*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-conditions/Terms-and-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com

In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWA2204000010RG06

Rev.: 01 Page: 2 of 8

Version

Revision Record								
Version Chapter Date Modifier Remark								
01		2022/10/25		Original				

Prepared By	weller lin
	(Weller Liu) / Test Engineer
Checked By	men mei,
	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company; Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sg.com



Report No.: SEWA2204000010RG06

Rev.: 01 Page: 3 of 8

Contents

1	Ver	sion	. 2
2		neral Information	
	2.1	Client Information	. 4
	2.2 2.3	Test FacilityGeneral Description of EUT	
3	RF	Exposure Evaluation	. 6
	3.1 3.1	RF Exposure Compliance Requirement	
	3.1.	.2 Test Procedure	. 7
		.3 EUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company; Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Pant, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 · 苏州 · 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.cor t (86–512) 62992980 sgs.china@sgs.cor



Report No.: SEWA2204000010RG06

Rev.: 01 Page: 4 of 8

2 General Information

2.1 Client Information

Applicant:	Fibocom Auto Inc.			
Address of Applicant:	13th Floor,Building A,Building 6,Shenzhen International Innovation Valley,Xili Community,Xili Street,Nanshan District,Shenzhen			
Manufacturer:	Fibocom Auto Inc.			
Address of Manufacturer:	13th Floor,Building A,Building 6,Shenzhen International Innovation Valley,Xili Community,Xili Street,Nanshan District,Shenzhen			

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SEWA2204000010RG06

Rev.: 01 Page: 5 of 8

2.3 General Description of EUT

Product Name:	WIFI Module
Model No. (EUT):	AW916-GL
Trade Mark:	Fibocom
Hardware Version:	AW916-GL-00-01_PCBA
Software Version:	T02L-GA-EAU_R2.1_V.B.1.05
Antenna Type:	External Antenna
	BT/BLE: 2.82dBi
	2.4GWIFI:2.82dBi(Ant1); 2.82dBi(Ant2)
	5GWIFI:
	5150MHz to 5250MHz: 2.05dBi(Ant1); 2.05dBi(Ant2);
Antenna Gain:	5250MHz to 5350MHz: 2.35dBi(Ant1); 2.35dBi(Ant2);
	5470MHz to 5725MHz: 4.21dBi(Ant1); 4.21dBi(Ant2);
	5725MHz to 5850MHz: 3.97dBi(Ant1); 3.97dBi(Ant2);
	Note:
	The antenna gain are derived from the gain information report provided by the manufacturer.
Remark:	
	rovided and confirmed by the applicant. SGS is not liable to the accuracy, d integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company; Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sg.com



Report No.: SEWA2204000010RG06

Rev.: 01 Page: 6 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)				Averaging time (minutes)								
	(A) Limits for Occupational/Controlled Exposures											
0.3-3.0	614	1.63	1.63 *(100)									
3.0-30	1842/f	4.89/f	*(900/f2)	6								
30-300	61.4	0.163	1.0	6								
300-1500	300-1500 /		f/300	6								
1500-100,000	1	1	5	6								
	(B) Limits for General P	opulation/Uncontrolled	Exposure									
0.3-1.34	614	1.63	*(100)	30								
1.34-30	824/f	2.19/f	*(180/f2)	30								
30-300	27.5	0.073	0.2	30								
300-1500	1	1	f/1500	30								
1500-100,000	/	1	1.0	30								

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R²)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetcronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Pank, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sgs.

^{*=}Plane-wave equivalent power density



Report No.: SEWA2204000010RG06

Rev.: 01 7 of 8 Page:

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel

3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale. Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequenc y (MHz)	Antenna Gain (dBi)	Max Conducted Average Output Power (dBm)	Output Power to Antenna (dBm)	EIRP(ERP) Limit (dBm)	Output Power to Antenna (mw)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
BT	2402.0	2.82	12.00	14.82	30.00	15.8489	0.0060	1.0000				Pass
2.4GWIFI	2412.0	2.82	18.50	21.32	30.00	70.7946	0.0270	1.0000		NA		Pass
5GWIFI	5500.0	4.21	18.50	22.71	30.00	70.7946	0.0371	1.0000				Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetcronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con



Report No.: SEWA2204000010RG06

Rev.: 01 Page: 8 of 8

3.1.4 Exposure calculations for multiple sources

When a number of sources at different frequencies, and/or broadband sources, contribute to the total exposure, it becomes necessary to weigh each contribution relative to the MPE in accordance with the provisions of Table(A) and Table(B). To comply with the MPE, the fraction of the MPE in terms of E2, H2 (or power density) incurred within each frequency interval should be determined and the sum of all such fractions should not exceed unity.

In order to ensure compliance with the MPE for a controlled environment, the sum of the ratios of the power density to the corresponding MPE should not exceed unity. That is

$$\sum_{i=1}^{n} \frac{S_i}{MPE_i} \leq 1$$

The product also has multiple transmitters The Simultaneous Transmission Possibilities are as below:

Simultaneous Tx Combination	Configuration			
1	Bluetooth + WiFi 2.4G+ WiFi 5G			

No.	Mode	Power Density (mW/cm²)	MPE Limit (mW/cm²)	Result Ratio	Total Ratio	Limit	Result
	Bluetooth	0.0060	1.0000	0.0060			1.00 Pass
1	WiFi 2.4G	0.0270	1.0000	0.0270	0.0701	1.00	
	WiFi 5G	0.0371	1.0000	0.0371			

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: ON_Doccheck@sas.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编:215000

t (86–512) 62992980 t (86–512) 62992980