


4.9.2.27 11A20_48 ANT 2_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.9954	46.06	12.43	54.00	7.94	150	250	Vertical
2	6909.6955	54.04	12.44	74.00	19.96	150	191	Vertical
3	10480.000	39.07	-4.49	54.00	14.93	150	113	Vertical
4	10480.000	49.91	-4.49	74.00	24.09	150	170	Vertical
5	15720.000	51.15	-2.65	74.00	22.85	150	56	Vertical
6	15720.000	39.59	-2.65	54.00	14.41	150	342	Vertical
7	17834.991	45.78	-0.89	54.00	8.22	150	2	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.28 11A20_52 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6861.9931	45.56	12.26	54.00	8.44	150	335	Vertical
2	6988.2994	54.75	12.73	74.00	19.25	150	359	Vertical
3	10520.000	38.76	-4.37	54.00	15.24	150	255	Vertical
4	10520.000	50.47	-4.37	74.00	23.53	150	313	Vertical
5	15780.000	51.50	-2.36	74.00	22.50	150	54	Vertical
6	15780.000	39.42	-2.36	54.00	14.58	150	255	Vertical
7	17784.389	45.66	-0.80	54.00	8.34	150	226	Vertical




4.9.2.29 11A20_60 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6907.5954	44.63	12.43	54.00	9.37	150	359	Vertical
2	6968.1984	54.47	12.65	74.00	19.53	150	222	Vertical
3	10600.000	39.03	-4.75	54.00	14.97	150	170	Vertical
4	10600.000	50.01	-4.75	74.00	23.99	150	2	Vertical
5	15900.000	49.84	-3.75	74.00	24.16	150	26	Vertical
6	15900.000	37.76	-3.75	54.00	16.24	150	198	Vertical
7	17531.376	45.83	0.75	54.00	8.17	150	2	Vertical



4.9.2.30 11A20_64 ANT 2_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.1975	44.75	12.59	54.00	9.25	150	192	Vertical
2	6993.3997	54.43	12.75	74.00	19.57	150	18	Vertical
3	10640.000	39.27	-4.69	54.00	14.73	150	198	Vertical
4	10640.000	50.79	-4.69	74.00	23.21	150	112	Vertical
5	15960.000	48.33	-3.70	74.00	25.67	150	285	Vertical
6	15960.000	38.14	-3.70	54.00	15.86	150	84	Vertical
7	17814.090	45.57	-0.82	54.00	8.43	150	198	Vertical




4.9.2.31 11A20_100 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.8955	54.04	12.44	74.00	19.96	150	277	Vertical
2	6928.5964	44.49	12.51	54.00	9.51	150	277	Vertical
3	11000.000	37.80	-4.28	54.00	16.20	150	285	Vertical
4	11000.000	48.74	-4.28	74.00	25.26	150	2	Vertical
5	16500.000	50.99	-3.62	74.00	23.01	150	57	Vertical
6	16500.000	39.81	-3.62	54.00	14.19	150	256	Vertical
7	17552.827	45.62	1.03	54.00	8.38	150	285	Vertical




4.9.2.32 11A20_116 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6858.3929	44.06	12.24	54.00	9.94	150	163	Vertical
2	6980.1990	54.11	12.70	74.00	19.89	150	134	Vertical
3	11160.000	39.81	-3.43	54.00	14.19	150	228	Vertical
4	11160.000	51.24	-3.43	74.00	22.76	150	85	Vertical
5	16740.000	50.78	-3.33	74.00	23.22	150	113	Vertical
6	16740.000	39.65	-3.33	54.00	14.35	150	313	Vertical
7	17533.576	45.67	0.78	54.00	8.33	150	228	Vertical




4.9.2.33 11A20_140 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6752.4876	54.16	11.84	74.00	19.84	150	76	Vertical
2	6841.2921	43.99	12.18	54.00	10.01	150	360	Vertical
3	11400.000	38.16	-4.42	54.00	15.84	150	284	Vertical
4	11400.000	49.01	-4.42	74.00	24.99	150	199	Vertical
5	17100.000	53.45	-3.09	74.00	20.55	150	114	Vertical
6	17100.000	41.78	-3.09	54.00	12.22	150	142	Vertical
7	17533.576	45.57	0.78	54.00	8.43	150	114	Vertical




4.9.2.34 11A20_149 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.1965	45.18	12.51	54.00	8.82	150	223	Vertical
2	6982.5991	54.11	12.71	74.00	19.89	150	78	Vertical
3	11490.000	35.62	-5.65	54.00	18.38	150	342	Vertical
4	11490.000	47.45	-5.65	74.00	26.55	150	342	Vertical
5	17235.000	55.23	-1.47	74.00	18.77	150	342	Vertical
6	17235.000	43.79	-1.47	54.00	10.21	150	142	Vertical
7	17800.340	45.73	-0.77	54.00	8.27	150	228	Vertical




4.9.2.35 11A20_157 ANT 2_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6849.6925	53.77	12.21	74.00	20.23	150	342	Vertical
2	6972.3986	44.75	12.67	54.00	9.25	150	164	Vertical
3	11570.000	37.72	-3.87	54.00	16.28	150	113	Vertical
4	11570.000	48.43	-3.87	74.00	25.57	150	27	Vertical
5	17355.000	54.23	-1.07	74.00	19.77	150	256	Vertical
6	17355.000	43.42	-1.07	54.00	10.58	150	113	Vertical
7	17558.327	45.84	1.10	54.00	8.16	150	27	Vertical



4.9.2.36 11A20_165 ANT 2_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6894.9948	54.39	12.38	74.00	19.61	150	18	Vertical
2	6941.7971	44.43	12.55	54.00	9.57	150	18	Vertical
3	11650.000	39.10	-3.16	54.00	14.90	150	342	Vertical
4	11650.000	51.06	-3.16	74.00	22.94	150	198	Vertical
5	17475.000	54.70	0.02	74.00	19.30	150	227	Vertical
6	17475.000	43.22	0.02	54.00	10.78	150	256	Vertical
7	17557.777	45.79	1.09	54.00	8.21	150	170	Vertical




4.9.2.37 11A20_36 ANT 2_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6904.8952	54.34	12.42	74.00	19.66	150	310	Horizontal
2	6947.7974	44.30	12.58	54.00	9.70	150	189	Horizontal
3	10360.000	37.76	-5.35	54.00	16.24	150	46	Horizontal
4	10360.000	48.57	-5.35	74.00	25.43	150	46	Horizontal
5	15540.000	48.43	-3.26	74.00	25.57	150	190	Horizontal
6	15540.000	37.91	-3.26	54.00	16.09	150	75	Horizontal
7	17529.176	45.75	0.72	54.00	8.25	150	358	Horizontal




4.9.2.38 11A20_44 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6866.7933	44.68	12.27	54.00	9.32	150	111	Horizontal
2	6924.9963	53.92	12.49	74.00	20.08	150	226	Horizontal
3	10440.000	38.32	-4.92	54.00	15.68	150	82	Horizontal
4	10440.000	49.71	-4.92	74.00	24.29	150	82	Horizontal
5	15660.000	49.87	-3.54	74.00	24.13	150	48	Horizontal
6	15660.000	37.84	-3.54	54.00	16.16	150	196	Horizontal
7	17527.526	45.61	0.70	54.00	8.39	150	48	Horizontal




4.9.2.39 11A20_48 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6946.5973	53.55	12.57	74.00	20.45	150	80	Horizontal
2	6970.2985	44.96	12.66	54.00	9.04	150	138	Horizontal
3	10480.000	39.07	-4.49	54.00	14.93	150	113	Vertical
4	10480.000	50.12	-4.49	74.00	23.88	150	109	Horizontal
5	15720.000	49.76	-2.65	74.00	24.24	150	81	Horizontal
6	15720.000	39.59	-2.65	54.00	14.41	150	342	Vertical
7	17834.991	45.78	-0.89	54.00	8.22	150	2	Vertical




4.9.2.40 11A20_52 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6891.9946	53.71	12.37	74.00	20.29	150	227	Horizontal
2	6901.8951	44.70	12.41	54.00	9.30	150	342	Horizontal
3	10520.000	39.07	-4.37	54.00	14.93	150	359	Horizontal
4	10520.000	49.53	-4.37	74.00	24.47	150	18	Horizontal
5	15780.000	50.27	-2.36	74.00	23.73	150	79	Horizontal
6	15780.000	39.68	-2.36	54.00	14.32	150	252	Horizontal
7	17784.939	45.81	-0.80	54.00	8.19	150	107	Horizontal


4.9.2.41 11A20_60 ANT2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.0943	44.44	12.34	54.00	9.56	150	1	Horizontal
2	6971.4986	54.64	12.66	74.00	19.36	150	111	Horizontal
3	10600.000	39.17	-4.75	54.00	14.83	150	222	Horizontal
4	10600.000	51.00	-4.75	74.00	23.00	150	47	Horizontal
5	15900.000	50.20	-3.75	74.00	23.80	150	279	Horizontal
6	15900.000	38.37	-3.75	54.00	15.63	150	136	Horizontal
7	17534.126	45.91	0.79	54.00	8.09	150	18	Horizontal




4.9.2.42 11A20_64 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.0943	44.55	12.34	54.00	9.45	150	342	Horizontal
2	6955.5978	53.93	12.61	74.00	20.07	150	217	Horizontal
3	10640.000	39.46	-4.69	54.00	14.54	150	165	Horizontal
4	10640.000	49.66	-4.69	74.00	24.34	150	360	Horizontal
5	15960.000	49.06	-3.70	74.00	24.94	150	360	Horizontal
6	15960.000	38.41	-3.70	54.00	15.59	150	133	Horizontal
7	17531.376	45.58	0.75	54.00	8.42	150	46	Horizontal




4.9.2.43 11A20_100 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6850.8925	53.78	12.21	74.00	20.22	150	1	Horizontal
2	6908.4954	45.16	12.43	54.00	8.84	150	81	Horizontal
3	11000.000	37.70	-4.28	54.00	16.30	150	76	Horizontal
4	11000.000	49.17	-4.28	74.00	24.83	150	76	Horizontal
5	16500.000	50.68	-3.62	74.00	23.32	150	307	Horizontal
6	16500.000	39.26	-3.62	54.00	14.74	150	359	Horizontal
7	17531.926	45.82	0.76	54.00	8.18	150	359	Horizontal




4.9.2.44 11A20_116 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6869.1935	54.50	12.28	74.00	19.50	150	83	Horizontal
2	6975.6988	44.64	12.68	54.00	9.36	150	140	Horizontal
3	11160.000	39.90	-3.43	54.00	14.10	150	133	Horizontal
4	11160.000	51.17	-3.43	74.00	22.83	150	133	Horizontal
5	16740.000	51.44	-3.33	74.00	22.56	150	305	Horizontal
6	16740.000	39.61	-3.33	54.00	14.39	150	305	Horizontal
7	17801.440	45.85	-0.77	54.00	8.15	150	104	Horizontal



4.9.2.45 11A20_140 ANT 2_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6928.5964	44.75	12.51	54.00	9.25	150	284	Horizontal
2	6963.6982	54.17	12.64	74.00	19.83	150	226	Horizontal
3	11400.000	37.96	-4.42	54.00	16.04	150	304	Horizontal
4	11400.000	49.30	-4.42	74.00	24.70	150	104	Horizontal
5	17100.000	53.48	-3.09	74.00	20.52	150	358	Horizontal
6	17100.000	41.36	-3.09	54.00	12.64	150	133	Horizontal
7	17530.826	45.63	0.74	54.00	8.37	150	104	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.46 11A20_149 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6899.1950	54.07	12.40	74.00	19.93	150	70	Horizontal
2	6912.9957	44.99	12.45	54.00	9.01	150	342	Horizontal
3	11490.000	35.78	-5.65	54.00	18.22	150	190	Horizontal
4	11490.000	46.12	-5.65	74.00	27.88	150	305	Horizontal
5	17235.000	54.45	-1.47	74.00	19.55	150	133	Horizontal
6	17235.000	43.16	-1.47	54.00	10.84	150	133	Horizontal
7	17800.340	45.91	-0.77	54.00	8.09	150	218	Horizontal




4.9.2.47 11A20_157 ANT 2_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6753.6877	44.74	11.85	54.00	9.26	150	168	Horizontal
2	6881.7941	53.62	12.33	74.00	20.38	150	226	Horizontal
3	11570.000	38.13	-3.87	54.00	15.87	150	278	Horizontal
4	11570.000	49.63	-3.87	74.00	24.37	150	307	Horizontal
5	17355.000	54.24	-1.07	74.00	19.76	150	278	Horizontal
6	17355.000	43.56	-1.07	54.00	10.44	150	134	Horizontal
7	17535.776	45.67	0.81	54.00	8.33	150	191	Horizontal



4.9.2.48 11A20_165 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6930.9966	44.80	12.51	54.00	9.20	150	80	Horizontal
2	6952.2976	54.30	12.59	74.00	19.70	150	342	Horizontal
3	11650.000	38.98	-3.16	54.00	15.02	150	109	Horizontal
4	11650.000	50.47	-3.16	74.00	23.53	150	48	Horizontal
5	17475.000	54.98	0.02	74.00	19.02	150	76	Horizontal
6	17475.000	44.04	0.02	54.00	9.96	150	138	Horizontal
7	17530.276	45.74	0.74	54.00	8.26	150	285	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.49 11AC20_36_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6880.2940	55.10	12.33	74.00	18.90	150	305	Vertical
2	6939.6970	44.88	12.55	54.00	9.12	150	18	Vertical
3	10360.000	37.68	-5.35	54.00	16.32	150	170	Vertical
4	10360.000	47.66	-5.35	74.00	26.34	150	256	Vertical
5	15540.000	49.01	-3.26	74.00	24.99	150	256	Vertical
6	15540.000	37.70	-3.26	54.00	16.30	150	113	Vertical
7	17523.126	45.70	0.65	54.00	8.30	150	314	Vertical




4.9.2.50 11AC20_44 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.0953	44.69	12.42	54.00	9.31	150	18	Vertical
2	6958.5979	54.20	12.62	74.00	19.80	150	47	Vertical
3	10440.000	38.48	-4.92	54.00	15.52	150	285	Vertical
4	10440.000	49.07	-4.92	74.00	24.93	150	198	Vertical
5	15660.000	49.74	-3.54	74.00	24.26	150	285	Vertical
6	15660.000	38.05	-3.54	54.00	15.95	150	26	Vertical
7	17525.876	45.71	0.68	54.00	8.29	150	314	Vertical




4.9.2.51 11AC20_48 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6834.9918	54.50	12.15	74.00	19.50	150	47	Vertical
2	6920.7960	44.81	12.48	54.00	9.19	150	286	Vertical
3	10480.000	38.87	-4.49	54.00	15.13	150	284	Vertical
4	10480.000	50.31	-4.49	74.00	23.69	150	199	Vertical
5	15720.000	50.37	-2.65	74.00	23.63	150	199	Vertical
6	15720.000	39.29	-2.65	54.00	14.71	150	342	Vertical
7	17528.626	45.70	0.72	54.00	8.30	150	256	Vertical




4.9.2.52 11AC20_52 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6921.9961	54.68	12.48	74.00	19.32	150	76	Vertical
2	6969.9985	44.68	12.66	54.00	9.32	150	76	Vertical
3	10520.000	38.79	-4.37	54.00	15.21	150	170	Vertical
4	10520.000	51.14	-4.37	74.00	22.86	150	284	Vertical
5	15780.000	50.59	-2.36	74.00	23.41	150	256	Vertical
6	15780.000	39.11	-2.36	54.00	14.89	150	199	Vertical
7	17535.776	45.82	0.81	54.00	8.18	150	26	Vertical




4.9.2.53 11AC20_60 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6726.9863	44.56	11.75	54.00	9.44	150	223	Vertical
2	6921.0961	53.87	12.48	74.00	20.13	150	18	Vertical
3	10600.000	38.85	-4.75	54.00	15.15	150	313	Vertical
4	10600.000	49.77	-4.75	74.00	24.23	150	26	Vertical
5	15900.000	49.30	-3.75	74.00	24.70	150	2	Vertical
6	15900.000	37.67	-3.75	54.00	16.33	150	2	Vertical
7	17538.526	45.44	0.84	54.00	8.56	150	54	Vertical




4.9.2.54 11AC20_64 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6868.2934	44.48	12.28	54.00	9.52	150	47	Vertical
2	6966.6983	54.42	12.65	74.00	19.58	150	134	Vertical
3	10640.000	39.15	-4.69	54.00	14.85	150	342	Vertical
4	10640.000	49.95	-4.69	74.00	24.05	150	199	Vertical
5	15960.000	48.92	-3.70	74.00	25.08	150	256	Vertical
6	15960.000	38.24	-3.70	54.00	15.76	150	199	Vertical
7	17810.790	45.62	-0.81	54.00	8.38	150	342	Vertical




4.9.2.55 11AC20_100_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6665.7833	53.70	11.57	74.00	20.30	150	105	Vertical
2	6892.5946	44.68	12.37	54.00	9.32	150	249	Vertical
3	11000.000	38.21	-4.28	54.00	15.79	150	199	Vertical
4	11000.000	49.57	-4.28	74.00	24.43	150	2	Vertical
5	16500.000	51.61	-3.62	74.00	22.39	150	342	Vertical
6	16500.000	39.95	-3.62	54.00	14.05	150	114	Vertical
7	17522.576	45.63	0.64	54.00	8.37	150	142	Vertical




4.9.2.56 11AC20_116_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.3941	54.24	12.33	74.00	19.76	150	18	Vertical
2	6934.5967	45.51	12.53	54.00	8.49	150	341	Vertical
3	11160.000	39.99	-3.43	54.00	14.01	150	27	Vertical
4	11160.000	51.80	-3.43	74.00	22.20	150	55	Vertical
5	16740.000	52.45	-3.33	74.00	21.55	150	55	Vertical
6	16740.000	39.89	-3.33	54.00	14.11	150	27	Vertical
7	17533.026	46.00	0.77	54.00	8.00	150	170	Vertical



4.9.2.57 11AC20_140 _MIMO _Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.5984	55.07	12.65	74.00	18.93	150	75	Vertical
2	6990.6995	44.78	12.74	54.00	9.22	150	191	Vertical
3	11400.000	38.23	-4.42	54.00	15.77	150	108	Vertical
4	11400.000	48.73	-4.42	74.00	25.27	150	0	Vertical
5	17100.000	52.62	-3.09	74.00	21.38	150	0	Vertical
6	17100.000	41.36	-3.09	54.00	12.64	150	256	Vertical
7	17993.949	45.84	-0.40	54.00	8.16	150	225	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.2.58 11AC20_149 _MIMO _Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6881.7941	44.62	12.33	54.00	9.38	150	250	Vertical
2	6987.9994	55.17	12.73	74.00	18.83	150	76	Vertical
3	11490.000	35.67	-5.65	54.00	18.33	150	142	Vertical
4	11490.000	47.65	-5.65	74.00	26.35	150	84	Vertical
5	17235.000	55.38	-1.47	74.00	18.62	150	227	Vertical
6	17235.000	43.35	-1.47	54.00	10.65	150	170	Vertical
7	17532.476	45.73	0.77	54.00	8.27	150	2	Vertical




4.9.2.59 11AC20_157 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6909.3955	45.04	12.43	54.00	8.96	150	133	Vertical
2	6921.3961	54.54	12.48	74.00	19.46	150	162	Vertical
3	11570.000	37.57	-3.87	54.00	16.43	150	199	Vertical
4	11570.000	49.65	-3.87	74.00	24.35	150	2	Vertical
5	17355.000	54.17	-1.07	74.00	19.83	150	2	Vertical
6	17355.000	43.20	-1.07	54.00	10.80	150	256	Vertical
7	17533.576	45.59	0.78	54.00	8.41	150	285	Vertical




4.9.2.60 11AC20_165_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.2984	54.14	12.65	74.00	19.86	150	220	Vertical
2	6998.1999	46.32	12.76	54.00	7.68	150	250	Vertical
3	11650.000	38.67	-3.16	54.00	15.33	150	313	Vertical
4	11650.000	50.67	-3.16	74.00	23.33	150	198	Vertical
5	17475.000	54.62	0.02	74.00	19.38	150	83	Vertical
6	17475.000	42.97	0.02	54.00	11.03	150	55	Vertical
7	17526.426	45.70	0.69	54.00	8.30	150	342	Vertical




4.9.2.61 11AC20_36 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6903.3952	44.94	12.41	54.00	9.06	150	1	Horizontal
2	6958.2979	54.26	12.62	74.00	19.74	150	227	Horizontal
3	10360.000	37.46	-5.35	54.00	16.54	150	18	Horizontal
4	10360.000	48.56	-5.35	74.00	25.44	150	304	Horizontal
5	15540.000	49.10	-3.26	74.00	24.90	150	276	Horizontal
6	15540.000	37.28	-3.26	54.00	16.72	150	190	Horizontal
7	17522.026	45.68	0.63	54.00	8.32	150	218	Horizontal


4.9.2.62 11AC20_44 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6888.6944	54.30	12.36	74.00	19.70	150	313	Horizontal
2	6950.4975	44.74	12.59	54.00	9.26	150	342	Horizontal
3	10440.000	38.24	-4.92	54.00	15.76	150	76	Horizontal
4	10440.000	49.13	-4.92	74.00	24.87	150	104	Horizontal
5	15660.000	50.07	-3.54	74.00	23.93	150	224	Horizontal
6	15660.000	37.58	-3.54	54.00	16.42	150	195	Horizontal
7	17537.426	45.77	0.83	54.00	8.23	150	224	Horizontal




4.9.2.63 11AC20_48 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6952.2976	45.27	12.59	54.00	8.73	150	313	Horizontal
2	6993.6997	54.27	12.75	74.00	19.73	150	313	Horizontal
3	10480.000	39.01	-4.49	54.00	14.99	150	334	Horizontal
4	10480.000	50.62	-4.49	74.00	23.38	150	50	Horizontal
5	15720.000	50.46	-2.65	74.00	23.54	150	170	Horizontal
6	15720.000	39.54	-2.65	54.00	14.46	150	76	Horizontal
7	17532.476	45.99	0.77	54.00	8.01	150	219	Horizontal




4.9.2.64 11AC20_52 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6776.4888	54.08	11.93	74.00	19.92	150	110	Horizontal
2	6911.4956	44.98	12.44	54.00	9.02	150	110	Horizontal
3	10520.000	39.05	-4.37	54.00	14.95	150	360	Horizontal
4	10520.000	50.66	-4.37	74.00	23.34	150	252	Horizontal
5	15780.000	49.95	-2.36	74.00	24.05	150	195	Horizontal
6	15780.000	39.51	-2.36	54.00	14.49	150	338	Horizontal
7	17526.426	45.51	0.69	54.00	8.49	150	104	Horizontal




4.9.2.65 11AC20_60 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6866.7933	44.36	12.27	54.00	9.64	150	256	Horizontal
2	6928.5964	54.44	12.51	74.00	19.56	150	26	Horizontal
3	10600.000	39.19	-4.75	54.00	14.81	150	191	Horizontal
4	10600.000	50.12	-4.75	74.00	23.88	150	220	Horizontal
5	15900.000	49.39	-3.75	74.00	24.61	150	306	Horizontal
6	15900.000	37.83	-3.75	54.00	16.17	150	335	Horizontal
7	17536.326	45.38	0.81	54.00	8.62	150	359	Horizontal




4.9.2.66 11AC20_64 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6820.8910	44.45	12.10	54.00	9.55	150	140	Horizontal
2	6928.2964	54.41	12.50	74.00	19.59	150	284	Horizontal
3	10640.000	39.26	-4.69	54.00	14.74	150	49	Horizontal
4	10640.000	50.45	-4.69	74.00	23.55	150	336	Horizontal
5	15960.000	49.57	-3.70	74.00	24.43	150	279	Horizontal
6	15960.000	38.69	-3.70	54.00	15.31	150	106	Horizontal
7	17532.476	45.73	0.77	54.00	8.27	150	359	Horizontal



4.9.2.67 11AC20_100 _MIMO _Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6817.2909	53.85	12.09	74.00	20.15	150	82	Horizontal
2	6925.2963	45.09	12.49	54.00	8.91	150	111	Horizontal
3	11000.000	38.09	-4.28	54.00	15.91	150	76	Horizontal
4	11000.000	48.99	-4.28	74.00	25.01	150	104	Horizontal
5	16500.000	50.32	-3.62	74.00	23.68	150	47	Horizontal
6	16500.000	39.57	-3.62	54.00	14.43	150	18	Horizontal
7	17537.426	45.79	0.83	54.00	8.21	150	219	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.68 11AC20_116 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6684.9842	54.41	11.62	74.00	19.59	150	140	Horizontal
2	6927.6964	45.03	12.50	54.00	8.97	150	313	Horizontal
3	11160.000	40.06	-3.43	54.00	13.94	150	50	Horizontal
4	11160.000	50.99	-3.43	74.00	23.01	150	18	Horizontal
5	16740.000	51.13	-3.33	74.00	22.87	150	342	Horizontal
6	16740.000	40.33	-3.33	54.00	13.67	150	227	Horizontal
7	17533.026	45.69	0.77	54.00	8.31	150	256	Horizontal



4.9.2.69 11AC20_140 _MIMO _Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6676.8838	53.22	11.60	74.00	20.78	150	1	Horizontal
2	6913.2957	44.72	12.45	54.00	9.28	150	1	Horizontal
3	11400.000	38.44	-4.42	54.00	15.56	150	276	Horizontal
4	11400.000	48.95	-4.42	74.00	25.05	150	18	Horizontal
5	17100.000	52.13	-3.09	74.00	21.87	150	18	Horizontal
6	17100.000	41.64	-3.09	54.00	12.36	150	358	Horizontal
7	17526.426	45.70	0.69	54.00	8.30	150	334	Horizontal




4.9.2.70 11AC20_149 _MIMO _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.6974	54.22	12.58	74.00	19.78	150	313	Horizontal
2	6980.7990	45.20	12.70	54.00	8.80	150	228	Horizontal
3	11490.000	35.67	-5.65	54.00	18.33	150	306	Horizontal
4	11490.000	46.98	-5.65	74.00	27.02	150	77	Horizontal
5	17235.000	55.36	-1.47	74.00	18.64	150	359	Horizontal
6	17235.000	43.85	-1.47	54.00	10.15	150	77	Horizontal
7	17556.127	45.51	1.07	54.00	8.49	150	249	Horizontal



4.9.2.71 11AC20_157 _MIMO _Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.0986	44.87	12.67	54.00	9.13	150	226	Horizontal
2	6972.3986	54.74	12.67	74.00	19.26	150	53	Horizontal
3	11570.000	38.03	-3.87	54.00	15.97	150	77	Horizontal
4	11570.000	50.25	-3.87	74.00	23.75	150	48	Horizontal
5	17355.000	54.29	-1.07	74.00	19.71	150	359	Horizontal
6	17355.000	42.98	-1.07	54.00	11.02	150	192	Horizontal
7	17550.627	45.64	1.00	54.00	8.36	150	106	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.72 11AC20_165 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6907.5954	44.81	12.43	54.00	9.19	150	198	Horizontal
2	6923.7962	54.00	12.49	74.00	20.00	150	256	Horizontal
3	11650.000	38.68	-3.16	54.00	15.32	150	191	Horizontal
4	11650.000	50.38	-3.16	74.00	23.62	150	359	Horizontal
5	17475.000	54.20	0.02	74.00	19.80	150	47	Horizontal
6	17475.000	43.12	0.02	54.00	10.88	150	162	Horizontal
7	17530.826	45.99	0.74	54.00	8.01	150	76	Horizontal




4.9.2.73 11AC40_38 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6883.5942	54.73	12.34	74.00	19.27	150	136	Vertical
2	6891.6946	45.19	12.37	54.00	8.81	150	339	Vertical
3	10380.000	37.39	-5.36	54.00	16.61	150	198	Vertical
4	10380.000	48.42	-5.36	74.00	25.58	150	54	Vertical
5	15570.000	48.88	-4.02	74.00	25.12	150	342	Vertical
6	15570.000	37.03	-4.02	54.00	16.97	150	342	Vertical
7	17532.476	45.59	0.77	54.00	8.41	150	342	Vertical




4.9.2.74 11AC40_46 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6904.8952	44.83	12.42	54.00	9.17	150	47	Vertical
2	6971.4986	54.48	12.66	74.00	19.52	150	250	Vertical
3	10460.000	38.33	-4.70	54.00	15.67	150	342	Vertical
4	10460.000	49.51	-4.70	74.00	24.49	150	141	Vertical
5	15690.000	49.80	-2.93	74.00	24.20	150	170	Vertical
6	15690.000	39.56	-2.93	54.00	14.44	150	170	Vertical
7	17528.626	45.69	0.72	54.00	8.31	150	141	Vertical




4.9.2.75 11AC40_54 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6778.8889	53.72	11.94	74.00	20.28	150	221	Vertical
2	6967.2984	44.97	12.65	54.00	9.03	150	135	Vertical
3	10540.000	39.58	-4.46	54.00	14.42	150	56	Vertical
4	10540.000	50.04	-4.46	74.00	23.96	150	284	Vertical
5	15810.000	50.88	-2.42	74.00	23.12	150	2	Vertical
6	15810.000	39.56	-2.42	54.00	14.44	150	2	Vertical
7	17529.726	45.68	0.73	54.00	8.32	150	27	Vertical




4.9.2.76 11AC40_62 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6881.4941	53.90	12.33	74.00	20.10	150	47	Vertical
2	6926.4963	45.04	12.50	54.00	8.96	150	277	Vertical
3	10620.000	38.71	-4.72	54.00	15.29	150	83	Vertical
4	10620.000	49.73	-4.72	74.00	24.27	150	227	Vertical
5	15930.000	49.35	-3.73	74.00	24.65	150	112	Vertical
6	15930.000	38.72	-3.73	54.00	15.28	150	83	Vertical
7	17534.126	45.87	0.79	54.00	8.13	150	284	Vertical




4.9.2.77 11AC40_102 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6886.8943	44.70	12.35	54.00	9.30	150	46	Vertical
2	6955.5978	54.81	12.61	74.00	19.19	150	162	Vertical
3	11020.000	38.02	-4.09	54.00	15.98	150	198	Vertical
4	11020.000	49.64	-4.09	74.00	24.36	150	198	Vertical
5	16530.000	51.00	-3.84	74.00	23.00	150	142	Vertical
6	16530.000	39.53	-3.84	54.00	14.47	150	170	Vertical
7	17530.276	45.80	0.74	54.00	8.20	150	256	Vertical



4.9.2.78 11AC40_110 _MIMO _Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.6974	54.29	12.58	74.00	19.71	150	249	Vertical
2	6990.6995	45.06	12.74	54.00	8.94	150	18	Vertical
3	11100.000	39.49	-3.36	54.00	14.51	150	227	Vertical
4	11100.000	51.55	-3.36	74.00	22.45	150	26	Vertical
5	16650.000	51.38	-4.20	74.00	22.62	150	84	Vertical
6	16650.000	40.04	-4.20	54.00	13.96	150	313	Vertical
7	17529.176	45.69	0.72	54.00	8.31	150	284	Vertical




4.9.2.79 11AC40_134 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6828.9915	44.27	12.13	54.00	9.73	150	162	Vertical
2	6954.6977	53.75	12.60	74.00	20.25	150	47	Vertical
3	11340.000	38.97	-4.59	54.00	15.03	150	112	Vertical
4	11340.000	49.94	-4.59	74.00	24.06	150	112	Vertical
5	17010.000	50.78	-3.20	74.00	23.22	150	198	Vertical
6	17010.000	39.43	-3.20	54.00	14.57	150	169	Vertical
7	17787.139	45.79	-0.80	54.00	8.21	150	169	Vertical




4.9.2.80 11AC40_151 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6739.8870	54.06	11.80	74.00	19.94	150	191	Vertical
2	6984.0992	44.81	12.71	54.00	9.19	150	307	Vertical
3	11510.000	35.80	-5.50	54.00	18.20	150	256	Vertical
4	11510.000	47.13	-5.50	74.00	26.87	150	54	Vertical
5	17265.000	55.85	-1.33	74.00	18.15	150	169	Vertical
6	17265.000	43.88	-1.33	54.00	10.12	150	113	Vertical
7	17533.576	45.73	0.78	54.00	8.27	150	313	Vertical




4.9.2.81 11AC40_159 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6822.9912	54.93	12.11	74.00	19.07	150	249	Vertical
2	6899.1950	44.79	12.40	54.00	9.21	150	307	Vertical
3	11590.000	37.95	-3.32	54.00	16.05	150	256	Vertical
4	11590.000	50.21	-3.32	74.00	23.79	150	227	Vertical
5	17385.000	53.94	-1.02	74.00	20.06	150	227	Vertical
6	17385.000	43.49	-1.02	54.00	10.51	150	113	Vertical
7	17533.576	45.73	0.78	54.00	8.27	150	313	Vertical




4.9.2.82 11AC40_38 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6947.4974	45.19	12.58	54.00	8.81	150	284	Horizontal
2	6991.2996	54.39	12.74	74.00	19.61	150	284	Horizontal
3	10380.000	38.18	-5.36	54.00	15.82	150	334	Horizontal
4	10380.000	49.28	-5.36	74.00	24.72	150	47	Horizontal
5	15570.000	48.10	-4.02	74.00	25.90	150	306	Horizontal
6	15570.000	37.13	-4.02	54.00	16.87	150	276	Horizontal
7	17532.476	45.61	0.77	54.00	8.39	150	358	Horizontal




4.9.2.83 11AC40_46 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6971.7986	54.35	12.67	74.00	19.65	150	20	Horizontal
2	6996.6998	45.09	12.76	54.00	8.91	150	80	Horizontal
3	10460.000	38.66	-4.70	54.00	15.34	150	18	Horizontal
4	10460.000	50.12	-4.70	74.00	23.88	150	334	Horizontal
5	15690.000	51.27	-2.93	74.00	22.73	150	277	Horizontal
6	15690.000	38.79	-2.93	54.00	15.21	150	277	Horizontal
7	17808.590	45.80	-0.80	54.00	8.20	150	18	Horizontal



4.9.2.84 11AC40_54 _MIMO _Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6839.7920	44.52	12.17	54.00	9.48	150	197	Horizontal
2	6995.7998	54.40	12.75	74.00	19.60	150	136	Horizontal
3	10540.000	39.16	-4.46	54.00	14.84	150	166	Horizontal
4	10540.000	50.38	-4.46	74.00	23.62	150	223	Horizontal
5	15810.000	49.72	-2.42	74.00	24.28	150	223	Horizontal
6	15810.000	39.40	-2.42	54.00	14.60	150	359	Horizontal
7	17532.476	45.48	0.77	54.00	8.52	150	109	Horizontal



4.9.2.85 11AC40_62 _MIMO _Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6809.7905	54.07	12.06	74.00	19.93	150	196	Horizontal
2	6963.6982	45.31	12.64	54.00	8.69	150	23	Horizontal
3	10620.000	38.82	-4.72	54.00	15.18	150	278	Horizontal
4	10620.000	49.60	-4.72	74.00	24.40	150	76	Horizontal
5	15930.000	48.71	-3.73	74.00	25.29	150	134	Horizontal
6	15930.000	38.35	-3.73	54.00	15.65	150	163	Horizontal
7	17534.126	45.73	0.79	54.00	8.27	150	278	Horizontal



4.9.2.86 11AC40_102 _MIMO _Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6946.8973	44.64	12.57	54.00	9.36	150	83	Horizontal
2	6950.1975	53.92	12.59	74.00	20.08	150	83	Horizontal
3	11020.000	38.16	-4.09	54.00	15.84	150	339	Horizontal
4	11020.000	48.77	-4.09	74.00	25.23	150	225	Horizontal
5	16530.000	51.49	-3.84	74.00	22.51	150	282	Horizontal
6	16530.000	39.83	-3.84	54.00	14.17	150	18	Horizontal
7	17539.077	45.71	0.85	54.00	8.29	150	76	Horizontal




4.9.2.87 11AC40_110 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6935.1968	44.84	12.53	54.00	9.16	150	78	Horizontal
2	6942.9972	54.27	12.56	74.00	19.73	150	108	Horizontal
3	11100.000	39.30	-3.36	54.00	14.70	150	190	Horizontal
4	11100.000	50.89	-3.36	74.00	23.11	150	248	Horizontal
5	16650.000	51.02	-4.20	74.00	22.98	150	47	Horizontal
6	16650.000	39.82	-4.20	54.00	14.18	150	219	Horizontal
7	17528.626	45.56	0.72	54.00	8.44	150	219	Horizontal




4.9.2.88 11AC40_134 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6934.8967	53.66	12.53	74.00	20.34	150	256	Horizontal
2	6961.8981	45.33	12.63	54.00	8.67	150	199	Horizontal
3	11340.000	38.70	-4.59	54.00	15.30	150	47	Horizontal
4	11340.000	49.81	-4.59	74.00	24.19	150	77	Horizontal
5	17010.000	51.29	-3.20	74.00	22.71	150	165	Horizontal
6	17010.000	40.04	-3.20	54.00	13.96	150	345	Horizontal
7	17528.076	45.82	0.71	54.00	8.18	150	316	Horizontal




4.9.2.89 11AC40_151_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6780.3890	54.18	11.95	74.00	19.82	150	284	Horizontal
2	6990.0995	45.37	12.73	54.00	8.63	150	79	Horizontal
3	11510.000	35.85	-5.50	54.00	18.15	150	161	Horizontal
4	11510.000	46.94	-5.50	74.00	27.06	150	18	Horizontal
5	17265.000	54.72	-1.33	74.00	19.28	150	46	Horizontal
6	17265.000	43.80	-1.33	54.00	10.20	150	104	Horizontal
7	17529.726	45.55	0.73	54.00	8.45	150	219	Horizontal




4.9.2.90 11AC40_159_MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6944.1972	45.26	12.56	54.00	8.74	150	255	Horizontal
2	6954.6977	55.11	12.60	74.00	18.89	150	284	Horizontal
3	11590.000	38.10	-3.32	54.00	15.90	150	104	Horizontal
4	11590.000	49.88	-3.32	74.00	24.12	150	76	Horizontal
5	17385.000	54.69	-1.02	74.00	19.31	150	47	Horizontal
6	17385.000	43.56	-1.02	54.00	10.44	150	190	Horizontal
7	17524.226	45.63	0.66	54.00	8.37	150	190	Horizontal



4.9.2.91 11AC80_42 _MIMO _Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6898.8949	45.40	12.40	54.00	8.60	150	194	Vertical
2	6981.9991	54.59	12.70	74.00	19.41	150	18	Vertical
3	10420.000	37.61	-5.14	54.00	16.39	150	334	Vertical
4	10420.000	50.11	-5.14	74.00	23.89	150	276	Vertical
5	15630.000	47.85	-4.14	74.00	26.15	150	104	Vertical
6	15630.000	37.00	-4.14	54.00	17.00	150	276	Vertical
7	17538.526	45.66	0.84	54.00	8.34	150	219	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.9.2.92 11AC80_58 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6846.9924	54.03	12.20	74.00	19.97	150	47	Vertical
2	6891.6946	44.48	12.37	54.00	9.52	150	249	Vertical
3	10580.000	38.96	-4.65	54.00	15.04	150	76	Vertical
4	10580.000	50.02	-4.65	74.00	23.98	150	333	Vertical
5	15870.000	49.64	-3.31	74.00	24.36	150	18	Vertical
6	15870.000	38.09	-3.31	54.00	15.91	150	47	Vertical
7	17790.439	45.63	-0.79	54.00	8.37	150	247	Vertical




4.9.2.93 11AC80_106_MIMO_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6808.5904	44.77	12.05	54.00	9.23	150	134	Vertical
2	6994.5997	54.79	12.75	74.00	19.21	150	76	Vertical
3	11060.000	38.84	-3.73	54.00	15.16	150	306	Vertical
4	11060.000	49.72	-3.73	74.00	24.28	150	335	Vertical
5	16590.000	49.33	-4.27	74.00	24.67	150	104	Vertical
6	16590.000	38.20	-4.27	54.00	15.80	150	220	Vertical
7	17532.476	45.58	0.77	54.00	8.42	150	192	Vertical




4.9.2.94 11AC80_122 _MIMO _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6902.4951	54.34	12.41	74.00	19.66	150	278	Vertical
2	6944.4972	44.87	12.56	54.00	9.13	150	307	Vertical
3	11220.000	40.08	-3.73	54.00	13.92	150	104	Vertical
4	11220.000	51.06	-3.73	74.00	22.94	150	190	Vertical
5	16830.000	52.37	-2.15	74.00	21.63	150	276	Vertical
6	16830.000	40.97	-2.15	54.00	13.03	150	190	Vertical
7	17536.876	45.68	0.82	54.00	8.32	150	358	Vertical



4.9.2.95 11AC80_155 _MIMO _Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6897.6949	54.65	12.39	74.00	19.35	150	359	Vertical
2	6924.9963	45.20	12.49	54.00	8.80	150	76	Vertical
3	11550.000	37.58	-4.41	54.00	16.42	150	257	Vertical
4	11550.000	47.99	-4.41	74.00	26.01	150	229	Vertical
5	17325.000	54.23	-1.12	74.00	19.77	150	286	Vertical
6	17325.000	43.35	-1.12	54.00	10.65	150	56	Vertical
7	17541.827	45.55	0.89	54.00	8.45	150	56	Vertical




4.9.2.96 11AC80_42 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.9975	54.17	12.58	74.00	19.83	150	140	Horizontal
2	6959.1980	45.00	12.62	54.00	9.00	150	111	Horizontal
3	10420.000	37.78	-5.14	54.00	16.22	150	140	Horizontal
4	10420.000	48.53	-5.14	74.00	25.47	150	283	Horizontal
5	15630.000	48.94	-4.14	74.00	25.06	150	226	Horizontal
6	15630.000	37.00	-4.14	54.00	17.00	150	54	Horizontal
7	17528.076	45.47	0.71	54.00	8.53	150	312	Horizontal




4.9.2.97 11AC80_58 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6888.0944	44.64	12.35	54.00	9.36	150	284	Horizontal
2	6927.6964	53.96	12.50	74.00	20.04	150	1	Horizontal
3	10580.000	39.39	-4.65	54.00	14.61	150	138	Horizontal
4	10580.000	50.08	-4.65	74.00	23.92	150	52	Horizontal
5	15870.000	50.51	-3.31	74.00	23.49	150	195	Horizontal
6	15870.000	38.43	-3.31	54.00	15.57	150	1	Horizontal
7	17534.676	45.61	0.79	54.00	8.39	150	281	Horizontal




4.9.2.98 11AC80_106 _MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.5955	45.07	12.44	54.00	8.93	150	309	Horizontal
2	6970.2985	54.85	12.66	74.00	19.15	150	44	Horizontal
3	11060.000	39.06	-3.73	54.00	14.94	150	165	Horizontal
4	11060.000	50.41	-3.73	74.00	23.59	150	136	Horizontal
5	16590.000	49.90	-4.27	74.00	24.10	150	165	Horizontal
6	16590.000	37.83	-4.27	54.00	16.17	150	0	Horizontal
7	17843.792	45.43	-0.92	54.00	8.57	150	136	Horizontal




4.9.2.99 11AC80_122 _MIMO_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.6953	45.14	12.42	54.00	8.86	150	342	Horizontal
2	6942.3971	55.08	12.56	74.00	18.92	150	0	Horizontal
3	11220.000	40.09	-3.73	54.00	13.91	150	26	Horizontal
4	11220.000	52.00	-3.73	74.00	22.00	150	2	Horizontal
5	16830.000	51.92	-2.15	74.00	22.08	150	26	Horizontal
6	16830.000	41.06	-2.15	54.00	12.94	150	26	Horizontal
7	17526.976	45.53	0.70	54.00	8.47	150	141	Horizontal




4.9.2.100 11AC80_155 _MIMO _Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6925.8963	54.13	12.50	74.00	19.87	150	47	Horizontal
2	6963.6982	44.96	12.64	54.00	9.04	150	342	Horizontal
3	11550.000	37.28	-4.41	54.00	16.72	150	199	Horizontal
4	11550.000	48.67	-4.41	74.00	25.33	150	342	Horizontal
5	17325.000	54.74	-1.12	74.00	19.26	150	284	Horizontal
6	17325.000	43.40	-1.12	54.00	10.60	150	342	Horizontal
7	17558.327	45.52	1.10	54.00	8.48	150	199	Horizontal



4.9.2.101 11N20_36 _MIMO _Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6880.5940	53.44	12.33	74.00	20.56	150	105	Vertical
2	6981.3991	44.76	12.70	54.00	9.24	150	18	Vertical
3	10360.000	37.34	-5.35	54.00	16.66	150	56	Vertical
4	10360.000	49.31	-5.35	74.00	24.69	150	171	Vertical
5	15540.000	49.31	-3.26	74.00	24.69	150	199	Vertical
6	15540.000	37.70	-3.26	54.00	16.30	150	256	Vertical
7	17527.526	45.76	0.70	54.00	8.24	150	2	Vertical

