

Test Report S/N:	101403-439KBC
Test Date(s):	October 28-31, 2003
Test Type:	FCC/IC SAR Evaluation

APPENDIX H - SAR TEST SETUP PHOTOGRAPHS



Test Report S/N:	101403-439KBC
Test Date(s):	October 28-31, 2003
Test Type:	FCC/IC SAR Evaluation

0.5 cm Separation Distance from Right Side of Handheld PC to Planar Phantom












Test Report S/N: 101403-439KBC
Test Date(s): October 28-31, 2003
Test Type: FCC/IC SAR Evaluation

BODY SAR TEST SETUP PHOTOGRAPHS

0.0 cm Separation Distance from Back of Handheld PC to Planar Phantom











Test Report S/N:	101403-439KBC
Test Date(s):	October 28-31, 2003
Test Type:	FCC/IC SAR Evaluation

0.0 cm Separation Distance from Right Side of Carry Case to Planar Phantom with Nylon Carry Case & Ear-Microphone Accessories Right Side of Handheld PC facing Planar Phantom Handheld PC Keypad Side Facing Front of Carry Case












Test Report S/N:	101403-439KBC
Test Date(s):	October 28-31, 2003
Test Type:	FCC/IC SAR Evaluation

0.0 cm Separation Distance from Front Side of Carry Case to Planar Phantom with Nylon Carry Case & Ear-Microphone Accessories

DUT Keypad Side Facing Front of Carry Case











Test Report S/N:	101403-439KBC
Test Date(s):	October 28-31, 2003
Test Type:	FCC/IC SAR Evaluation

0.0 cm Separation Distance from Left Side of Carry Case to Planar Phantom with Nylon Carry Case & Ear-Microphone Accessories
Right Side of Handheld PC facing Planar Phantom
DUT Keypad Side Facing Back of Carry-Case











Test Report S/N:	101403-439KBC
Test Date(s):	October 28-31, 2003
Test Type:	FCC/IC SAR Evaluation

0.0 cm Separation Distance from Front Side of Carry Case to Planar Phantom with Nylon Carry Case & Ear-Microphone Accessories

Back Side of Handheld PC Facing Front Side of Carry-Case







