

Part Number: 2084820150

Product Description: Wi-Fi 6E Flex Cabled 2x2 MIMO Antenna, 150.00mm Cable Length, Compatible with U.FL / I-PEX MHF Connectors

Series Number: 208482

Status: Active

Product Category: Antennas



Documents & Resources

Drawings

2084820150_sd.pdf 2084820100-001.pdf

3D Models and Design Files

2084820150_stp.zip

Specifications

2084820100-001.pdf 2084820100-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	©
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Antennas
Series	208482
Description	Wi-Fi 6E Flex Cabled 2x2 MIMO Antenna, 150.00mm Cable Length, Compatible with U.FL / I-PEX MHF Connectors
Component Type	Flexible Antenna with Cable
Function	Signal
Product Name	2.4/5GHz Flexible Antenna
Protocol	BLE, BT, Thread, Wi-Fi, Zigbee
Туре	Internal, Wi-Fi Antenna
UPC	191130083442

Electrical

Band#1 F_End (MHz)	2483.5
Band#1 F_Start (MHz)	2400
Band#2 F_End (MHz)	5850
Band#2 F_Start (MHz)	5150
Electrical Connectivity	Cable
Peak Gain (dBi)	2.7 @ 2.4G, 4.8 @ 5G (Port 1), 3.2 @ 2.4G, 5.7 @ 5G (Port 2)
Return Loss - S11 (dB)	< -8 < -13 (Port 1), < -9 < -13 (Port 2)
Total Efficiency	62%@2.4GHz, 70%@5GHz (Port 1), 72%@2.4GHz, 66%@5GHz (Port 2)

Physical

Cable Length	150.00mm
Length	55.20mm

Mounting Style	Adhesive
Net Weight	1.628/g
Packaging Type	PET Film
Polarization	Linear
Radiation Pattern	Omnidirectional
Thickness	0.16mm
Width	19.20mm

Mates With / Use With

Mates with Part(s)

Description	Part Number
50 Ohms, MCRF, PCB Vertical Jack Receptacle, SMT, 1.25mm Mounted Height	734120110

This document was generated on Dec 16, 2024