




EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ax80_5210MHz	Antenna	Vertical

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.





	i det itteddit i er zama dage zimeelen at itteddit dande			
EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO	
Temperature	24.7°C	Relative Humidity	57%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11a_5320MHz	Antenna	Horizontal	

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO	
Temperature	24.7°C	Relative Humidity	57%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11a_5320MHz	Antenna	Vertical	

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO	
Temperature	24.7°C	Relative Humidity	57%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11n40_5310MHz	Antenna	Horizontal	

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n40_5310MHz	Antenna	Vertical

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ac80_5290MHz	Antenna	Horizontal

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.





EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ac80_5290MHz	Antenna	Vertical


Test Graph for Peak Measurement



Test Graph for Average Measurement




Result: Pass






	i det ittedant i ei Eania dage Einident at ittedant at ana			
EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO	
Temperature	24.7°C	Relative Humidity	57%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11ax80_5290MHz	Antenna	Horizontal	

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.





EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ax80_5290MHz	Antenna	Vertical

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11a_5500MHz	Antenna	Horizontal

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11a_5500MHz	Antenna	Vertical

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO	
Temperature	24.7°C	Relative Humidity	57%	
Pressure	960hPa	Test Voltage	Normal Voltage	
Test Mode	802.11n40_5510MHz	Antenna	Horizontal	


Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n40_5510MHz	Antenna	Vertical


Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ac80_5530MHz	Antenna	Horizontal

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ac80_5530MHz	Antenna	Vertical

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.






EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ax80_5530MHz	Antenna	Horizontal

Test Graph for Peak Measurement




Test Graph for Average Measurement



Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.





EUT Name	Video and Audio Production Console	Model Name	RØDECASTER VIDEO
Temperature	24.7°C	Relative Humidity	57%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11ax80_5530MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass



Report No.: AGC10232240701FR04

Page 447 of 452

Note:

- 1. The factor had been edited in the "Input Correction" of the Spectrum Analyzer.
- 2. All test modes had been pre-tested, Refer to Chapter 5 of the report for details.



12. AC Power Line Conducted Emission Test


12.1 Measurement limit

Frequency	Maximum RF Line Voltage		
Frequency	Q.P (dBµV)	Average (dBμV)	
150kHz~500kHz	66-56	56-46	
500kHz~5MHz	56	46	
5MHz~30MHz	60	50	

Note:

- 1. The lower limit shall apply at the transition frequency.
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50MHz.

12.2 Block Diagram of Line Conducted Emission Test





Report No.: AGC10232240701FR04

Page 449 of 452

12.3 Preliminary Procedure of Line Conducted Emission Test

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 20V power from adapter which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 Ohm load; the second scan had Line 1 connected to a 50 Ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.


Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4 Final Procedure of Line Conducted Emission Test

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- 2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less – 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case was reported on the Summary Data page.
- 4. The worst mode is 802.11ax20 5500MHz, Chain A and Chain B work together.



12.5 Test Result of Line Conducted Emission Test



Result: Pass



	A	C Power I	Line Cond	ucted E	mission Te	est	
Test Mode	802.11ax(20MF	lz)_5500Ml		LIS	SN Line	Neut	ral Side
Leve	el [dBµ∀]						
80				,	,,		
70 -				<u> </u>			
60		<u> </u>			<u>!</u>	1 1 1	-
50 %	/ -			 		111	
40		+					
30	77-1		A PARTICIPATION OF THE PARTICI		me 🗷 🚓 🥷	and the state of t	
20	Marson	the same of the sa	- war and the same of the				
10 -		+	}		*		
0				-			
-10 L	50k 300k 400k	600k 800k 1	M 2	M 3M	4M 5M 6M	8M 10M	20M 30M
			Frequ	ency [Hz]			
x x x M	ES agc_fin						
20	024/7/24 14: Frequency		Transd	Limit	Margin	Detector	Line
	MHz	dΒμV	dB	dΒμV	dB		
	0.158000	45.30	6.1	66	20.3	QP	N
	0.450000	26.40	6.1	E 7			41
	4.394000	29.50		57	30.5	QP	N
			6.3	56	26.5	QP QP	
	4.966000	29.90	6.3	56 56	26.5 26.1	QP QP	N N N
	5.290000	29.90 34.50	6.3 6.4	56 56 60	26.5 26.1 25.5	QP QP QP	N N N
		29.90	6.3	56 56	26.5 26.1	QP QP	N N N
м	5.290000	29.90 34.50 33.10	6.3 6.4 6.4	56 56 60 60	26.5 26.1 25.5	QP QP QP	N N N
	5.290000 5.866000	29.90 34.50 33.10 RESULT	6.3 6.4 6.4	56 56 60 60	26.5 26.1 25.5	QP QP QP	N N N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency	29.90 34.50 33.10 RESULT 05 Level	6.3 6.4 6.4 : " agc_ :	56 56 60 60 fin2" Limit	26.5 26.1 25.5 26.9	QP QP QP QP	N N N N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency	29.90 34.50 33.10 RESULT	6.3 6.4 6.4 : " agc_ :	56 56 60 60	26.5 26.1 25.5 26.9	QP QP QP QP	N N N N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency	29.90 34.50 33.10 RESULT 05 Level dBµV	6.3 6.4 6.4 : " agc_ : Transd dB	56 56 60 60 fin2" Limit	26.5 26.1 25.5 26.9 Margin dB	QP QP QP QP	N N N N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency MHz	29.90 34.50 33.10 RESULT 05 Level dBµV	6.3 6.4 6.4 : "agc_: Transd dB 6.1 6.3	56 56 60 60 fin2" Limit dBµV	26.5 26.1 25.5 26.9 Margin dB	QP QP QP QP Detector	N N N N N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency MHz 0.166000 4.390000 4.966000	29.90 34.50 33.10 RESULT 05 Level dBμV 27.10 21.50 20.40	6.3 6.4 6.4 : "agc_: Transd dB 6.1 6.3 6.3	56 56 60 60 fin2" Limit dBµV 55 46 46	26.5 26.1 25.5 26.9 Margin dB 28.1 24.5 25.6	QP QP QP QP QP AV AV	N N N N N Line N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency MHz 0.166000 4.390000 4.966000 5.206000	29.90 34.50 33.10 RESULT 05 Level dBµV 27.10 21.50 20.40 24.70	6.3 6.4 6.4 : "agc_: Transd dB 6.1 6.3 6.3 6.4	56 56 60 60 fin2" Limit dBµV 55 46 46 50	26.5 26.1 25.5 26.9 Margin dB 28.1 24.5 25.6 25.3	QP QP QP QP QP AV AV AV	N N N N N N N N
	5.290000 5.866000 EASUREMENT 024/7/24 14: Frequency MHz 0.166000 4.390000 4.966000 5.206000 5.870000	29.90 34.50 33.10 RESULT 05 Level dBμV 27.10 21.50 20.40	6.3 6.4 6.4 : "agc_: Transd dB 6.1 6.3 6.3 6.4	56 56 60 60 fin2" Limit dBµV 55 46 46	26.5 26.1 25.5 26.9 Margin dB 28.1 24.5 25.6 25.3 25.4	QP QP QP QP QP Detector AV AV AV AV	N N N N N Line N

Result: Pass



Report No.: AGC10232240701FR04

Page 452 of 452

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC10232240701AP02

Appendix II: Photographs of EUT

Refer to the Report No.: AGC10232240701AP03

----End of Report----



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.