


Test Mode	UNII-2C_TX N(HT20) Mode 5580 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11157.2500	36.41	2.97	39.38	54.00	-14.62	Avg	
2	11159.4000	48.34	2.96	51.30	74.00	-22.70	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5700 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5703.8000	60.32	39.85	100.17	68.30	31.87	Peak	主波訊號不予以判定
2 *	5706.8000	53.36	39.86	93.22	54.00	39.22	AVG	主波訊號不予以判定
3	5725.0000	25.05	39.91	64.96	68.30	-3.34	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5700 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1	11399.8400	47.84	2.22	50.06	74.00	-23.94	Peak
2 *	11404.5700	37.60	2.20	39.80	54.00	-14.20	AVG

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5700 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5693.8000	54.84	39.82	94.66	68.30	26.36	Peak	主波訊號不予以判定
2 *	5694.8000	48.88	39.83	88.71	54.00	34.71	AVG	主波訊號不予以判定
3	5725.0000	17.19	39.91	57.10	68.30	-11.20	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT20) Mode 5700 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11395.6400	37.43	2.24	39.67	54.00	-14.33	Avg	
2	11399.2300	47.82	2.23	50.05	74.00	-23.95	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5510 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1	5460.0000	21.65	39.48	61.13	74.00	-12.87	Peak	
2	5460.0000	10.76	39.48	50.24	54.00	-3.76	AVG	
3	5470.0000	24.75	39.48	64.23	68.30	-4.07	Peak	
4 *	5495.8000	46.22	39.47	85.69	54.00	31.69	AVG	主波訊號不予判定
5	5522.8000	54.03	39.49	93.52	68.30	25.22	Peak	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5510 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11017.8600	46.31	3.64	49.95	74.00	-24.05	Peak	
2 *	11019.6500	35.60	3.63	39.23	54.00	-14.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5510 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	15.93	39.48	55.41	74.00	-18.59	Peak	
2	5460.0000	7.06	39.48	46.54	54.00	-7.46	AVG	
3	5470.0000	17.05	39.48	56.53	68.30	-11.77	Peak	
4	5494.8000	48.87	39.47	88.34	68.30	20.04	Peak	主波訊號不予判定
5 *	5495.4000	42.17	39.47	81.64	54.00	27.64	AVG	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5510 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11020.0000	47.07	3.63	50.70	74.00	-23.30	Peak	
2 *	11020.0000	35.75	3.63	39.38	54.00	-14.62	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5550 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	19.32	39.48	58.80	74.00	-15.20	Peak	
2	5460.0000	10.83	39.48	50.31	54.00	-3.69	AVG	
3	5470.0000	21.89	39.48	61.37	68.30	-6.93	Peak	
4	5562.8000	59.64	39.52	99.16	68.30	30.86	Peak	主波訊號不予判定
5 *	5565.0000	52.28	39.53	91.81	54.00	37.81	AVG	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5550 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11097.2200	36.22	3.26	39.48	54.00	-14.52	Avg	
2	11100.4600	46.21	3.24	49.45	74.00	-24.55	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5550 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5564.6000	45.96	39.53	85.49	54.00	31.49	AVG	主波訊號不予以判定
2	5564.8000	53.13	39.53	92.66	68.30	24.36	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5550 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11100.0000	47.30	3.25	50.55	74.00	-23.45	Peak	
2 *	11100.0000	36.20	3.25	39.45	54.00	-14.55	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5670 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5659.0000	55.84	39.72	95.56	68.30	27.26	Peak	主波訊號不予以判定
2 *	5683.4000	47.75	39.79	87.54	54.00	33.54	AVG	主波訊號不予以判定
3	5725.0000	24.94	39.91	64.85	68.30	-3.45	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5670 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11336.4400	37.26	2.40	39.66	54.00	-14.34	Avg	
2	11343.2300	47.99	2.38	50.37	74.00	-23.63	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5670 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit Value dB	Margin Detector	Comment
1 *	5655.4000	45.87	39.71	85.58	54.00	31.58	AVG 主波訊號不予判定
2	5685.6000	54.48	39.80	94.28	68.30	25.98	Peak 主波訊號不予判定
3	5725.0000	16.69	39.91	56.60	68.30	-11.70	Peak

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX N(HT40) Mode 5670 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.0000	48.41	2.39	50.80	74.00	-23.20	Peak	
2 *	11340.0000	37.21	2.39	39.60	54.00	-14.40	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5460.0000	23.88	39.48	63.36	74.00	-10.64	Peak	
2	5460.0000	11.04	39.48	50.52	54.00	-3.48	AVG	
3	5470.0000	25.19	39.48	64.67	68.30	-3.63	Peak	
4 *	5494.2000	52.41	39.47	91.88	54.00	37.88	AVG	主波訊號不予判定
5	5494.6000	59.55	39.47	99.02	68.30	30.72	Peak	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10999.7400	45.72	3.72	49.44	74.00	-24.56	Peak	
2 *	11003.7699	35.49	3.70	39.19	54.00	-14.81	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1	5460.0000	16.76	39.48	56.24	74.00	-17.76	Peak	
2	5460.0000	8.85	39.48	48.33	54.00	-5.67	AVG	
3	5470.0000	22.64	39.48	62.12	68.30	-6.18	Peak	
4 *	5495.2000	49.56	39.47	89.03	54.00	35.03	AVG	主波訊號不予判定
5	5497.4000	57.87	39.47	97.34	68.30	29.04	Peak	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5500 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11000.0000	46.98	3.72	50.70	74.00	-23.30	Peak	
2 *	11000.0000	35.54	3.72	39.26	54.00	-14.74	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit Value dBuV/m	Margin dB	Detector	Comment
1	5585.0000	63.75	39.54	103.29	68.30	34.99	Peak	主波訊號不予以判定
2 *	5585.2000	57.63	39.54	97.17	54.00	43.17	AVG	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11155.9800	36.50	2.98	39.48	54.00	-14.52	Avg	
2	11159.4300	46.14	2.96	49.10	74.00	-24.90	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5572.8000	56.41	39.53	95.94	68.30	27.64	Peak	主波訊號不予以判定
2 *	5585.8000	51.12	39.54	90.66	54.00	36.66	AVG	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5580 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11160.0000	47.57	2.96	50.53	74.00	-23.47	Peak	
2 *	11160.0000	36.52	2.96	39.48	54.00	-14.52	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit Value dB	Margin dB	Detector	Comment
1	5696.6000	57.97	39.83	97.80	68.30	29.50	Peak	主波訊號不予以判定
2 *	5705.4000	50.01	39.86	89.87	54.00	35.87	AVG	主波訊號不予以判定
3	5725.0000	24.65	39.91	64.56	68.30	-3.74	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11403.7000	37.68	2.20	39.88	54.00	-14.12	Avg	
2	11403.9100	48.06	2.20	50.26	74.00	-23.74	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit Value dB	Margin Detector	Comment
1	5696.6000	56.89	39.83	96.72	68.30	28.42	Peak 主波訊號不予判定
2 *	5705.8000	47.62	39.86	87.48	54.00	33.48	AVG 主波訊號不予判定
3	5725.0000	22.33	39.91	62.24	68.30	-6.06	Peak

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11400.0000	48.91	2.22	51.13	74.00	-22.87	Peak	
2 *	11400.0000	37.58	2.22	39.80	54.00	-14.20	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	19.31	39.48	58.79	74.00	-15.21	Peak	
2	5460.0000	7.90	39.48	47.38	54.00	-6.62	AVG	
3	5470.0000	25.16	39.48	64.64	68.30	-3.66	Peak	
4	5521.2000	53.61	39.49	93.10	68.30	24.80	Peak	主波訊號不予判定
5 *	5524.0000	44.80	39.49	84.29	54.00	30.29	AVG	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11024.5800	47.18	3.60	50.78	74.00	-23.22	Peak	
2 *	11024.7600	35.47	3.60	39.07	54.00	-14.93	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit Value dBuV/m	Margin Value dB	Detector	Comment
1	5460.0000	15.12	39.48	54.60	74.00	-19.40	Peak	
2	5460.0000	7.00	39.48	46.48	54.00	-7.52	AVG	
3	5470.0000	21.51	39.48	60.99	68.30	-7.31	Peak	
4 *	5496.6000	41.77	39.47	81.24	54.00	27.24	AVG	主波訊號不予判定
5	5506.0000	49.49	39.48	88.97	68.30	20.67	Peak	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11020.0000	46.67	3.63	50.30	74.00	-23.70	Peak	
2 *	11020.0000	35.68	3.63	39.31	54.00	-14.69	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	17.08	39.48	56.56	74.00	-17.44	Peak	
2	5460.0000	10.48	39.48	49.96	54.00	-4.04	AVG	
3	5470.0000	21.32	39.48	60.80	68.30	-7.50	Peak	
4	5561.8000	59.28	39.52	98.80	68.30	30.50	Peak	主波訊號不予判定
5 *	5564.0000	51.66	39.52	91.18	54.00	37.18	AVG	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11095.2900	36.08	3.27	39.35	54.00	-14.65	AVG	
2	11101.9400	47.33	3.24	50.57	74.00	-23.43	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5564.4000	45.88	39.53	85.41	54.00	31.41	AVG	主波訊號不予以判定
2	5565.0000	53.22	39.53	92.75	68.30	24.45	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11100.0000	48.27	3.25	51.52	74.00	-22.48	Peak	
2 *	11100.0000	36.06	3.25	39.31	54.00	-14.69	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5682.8000	46.95	39.79	86.74	54.00	32.74	AVG	主波訊號不予以判定
2	5683.4000	55.56	39.79	95.35	68.30	27.05	Peak	主波訊號不予以判定
3	5725.0000	24.89	39.91	64.80	68.30	-3.50	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11335.0800	37.11	2.40	39.51	54.00	-14.49	Avg	
2	11344.9500	47.79	2.37	50.16	74.00	-23.84	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5654.4000	46.35	39.71	86.06	54.00	32.06	AVG	主波訊號不予判定
2	5682.6000	54.53	39.79	94.32	68.30	26.02	Peak	主波訊號不予判定
3	5725.0000	21.57	39.91	61.48	68.30	-6.82	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.0000	49.55	2.39	51.94	74.00	-22.06	Peak	
2 *	11340.0000	36.99	2.39	39.38	54.00	-14.62	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1	5460.0000	19.80	39.48	59.28	74.00	-14.72	Peak	
2	5460.0000	10.41	39.48	49.89	54.00	-4.11	AVG	
3	5470.0000	22.33	39.48	61.81	68.30	-6.49	Peak	
4 *	5557.2000	43.39	39.52	82.91	54.00	28.91	AVG	主波訊號不予判定
5	5557.6000	51.70	39.52	91.22	68.30	22.92	Peak	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11061.5100	47.19	3.43	50.62	74.00	-23.38	Peak	
2 *	11063.9200	35.95	3.42	39.37	54.00	-14.63	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dB	Margin dB	Detector	Comment
1	5460.0000	11.33	39.48	50.81	74.00	-23.19	Peak	
2	5460.0000	7.26	39.48	46.74	54.00	-7.26	AVG	
3	5470.0000	14.92	39.48	54.40	68.30	-13.90	Peak	
4 *	5502.8000	38.63	39.47	78.10	54.00	24.10	AVG	主波訊號不予判定
5	5565.2000	45.98	39.53	85.51	68.30	17.21	Peak	主波訊號不予判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11060.0000	47.04	3.44	50.48	74.00	-23.52	Peak	
2 *	11060.0000	35.83	3.44	39.27	54.00	-14.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5637.2000	48.88	39.66	88.54	54.00	34.54	AVG	主波訊號不予判定
2	5646.0000	58.81	39.69	98.50	68.30	30.20	Peak	主波訊號不予判定
3	5725.0000	25.17	39.91	65.08	68.30	-3.22	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11217.0100	36.94	2.73	39.67	54.00	-14.33	Avg	
2	11219.3400	48.30	2.72	51.02	74.00	-22.98	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5636.4000	44.92	39.66	84.58	54.00	30.58	AVG	主波訊號不予判定
2	5646.8000	53.28	39.69	92.97	68.30	24.67	Peak	主波訊號不予判定
3	5725.0000	19.03	39.91	58.94	68.30	-9.36	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11220.0000	47.69	2.72	50.41	74.00	-23.59	Peak	
2 *	11220.0000	36.88	2.72	39.60	54.00	-14.40	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	18.17	39.88	58.05	109.40	-51.35	Peak	
2	5725.0000	34.50	39.91	74.41	122.20	-47.79	Peak	
3 *	5748.6000	62.20	39.98	102.18	122.20	-20.02	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11487.7900	48.31	1.76	50.07	74.00	-23.93	Peak	
2 *	11490.8300	38.09	1.75	39.84	54.00	-14.16	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	16.44	39.88	56.32	109.40	-53.08	Peak	
2	5725.0000	26.49	39.91	66.40	122.20	-55.80	Peak	
3 *	5750.0000	57.41	39.98	97.39	122.20	-24.81	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.9500	38.05	1.75	39.80	54.00	-14.20	Avg	
2	11494.8600	49.36	1.73	51.09	74.00	-22.91	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5779.0000	63.02	40.07	103.09	122.20	-19.11	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11567.2500	48.37	1.73	50.10	74.00	-23.90	Peak	
2 *	11569.3400	38.08	1.73	39.81	54.00	-14.19	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit Value dBuV/m	Margin dB	Detector	Comment
1 *	5780.2000	59.09	40.07	99.16	122.20	-23.04	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.4900	49.22	1.74	50.96	74.00	-23.04	Peak	
2 *	11571.0400	38.02	1.74	39.76	54.00	-14.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5830.4000	62.29	40.20	102.49	122.20	-19.71	Peak	主波訊號不予以判定
2	5850.0000	19.28	40.25	59.53	122.20	-62.67	Peak	
3	5860.0000	15.25	40.27	55.52	109.40	-53.88	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11647.5000	38.23	1.65	39.88	54.00	-14.12	AVG	
2	11653.3400	48.88	1.64	50.52	74.00	-23.48	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5829.4000	55.57	40.20	95.77	122.20	-26.43	Peak	主波訊號不予以判定
2	5850.0000	16.33	40.25	56.58	122.20	-65.62	Peak	
3	5860.0000	14.28	40.27	54.55	109.40	-54.85	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11648.1800	48.90	1.65	50.55	74.00	-23.45	Peak	
2 *	11654.2500	38.38	1.64	40.02	54.00	-13.98	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector		Comment
							Detector	Comment	
1	5715.0000	21.05	39.88	60.93	109.40	-48.47	Peak		
2	5725.0000	32.75	39.91	72.66	122.20	-49.54	Peak		
3 *	5750.6000	62.35	39.99	102.34	122.20	-19.86	Peak	主波訊號不予以判定	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11485.8099	48.53	1.77	50.30	74.00	-23.70	Peak	
2 *	11488.3900	38.00	1.76	39.76	54.00	-14.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	17.64	39.88	57.52	109.40	-51.88	Peak	
2	5725.0000	26.75	39.91	66.66	122.20	-55.54	Peak	
3 *	5748.0000	58.46	39.98	98.44	122.20	-23.76	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11491.6200	48.49	1.74	50.23	74.00	-23.77	Peak	
2 *	11494.7900	38.17	1.73	39.90	54.00	-14.10	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5787.8000	63.16	40.09	103.25	122.20	-18.95	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11566.9500	48.81	1.73	50.54	74.00	-23.46	Peak	
2 *	11567.9100	38.03	1.73	39.76	54.00	-14.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5778.0000	57.99	40.06	98.05	122.20	-24.15	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5785 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11571.8400	38.04	1.74	39.78	54.00	-14.22	AVG	
2	11573.0300	48.82	1.74	50.56	74.00	-23.44	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5818.2000	62.52	40.17	102.69	122.20	-19.51	Peak	主波訊號不予以判定
2	5850.0000	18.15	40.25	58.40	122.20	-63.80	Peak	
3	5860.0000	15.40	40.27	55.67	109.40	-53.73	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	11646.2200	38.33	1.66	39.99	54.00	-14.01	AVG	
2	11648.2500	48.93	1.65	50.58	74.00	-23.42	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5820.2000	55.46	40.18	95.64	122.20	-26.56	Peak	主波訊號不予以判定
2	5850.0000	17.56	40.25	57.81	122.20	-64.39	Peak	
3	5860.0000	12.83	40.27	53.10	109.40	-56.30	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT20) Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11654.4500	48.78	1.64	50.42	74.00	-23.58	Peak	
2 *	11654.8500	38.38	1.64	40.02	54.00	-13.98	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	31.43	39.88	71.31	109.40	-38.09	Peak	
2	5725.0000	31.05	39.91	70.96	122.20	-51.24	Peak	
3 *	5759.0000	60.63	40.01	100.64	122.20	-21.56	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11507.0400	38.23	1.70	39.93	54.00	-14.07	Avg	
2	11512.8800	48.58	1.71	50.29	74.00	-23.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	22.69	39.88	62.57	109.40	-46.83	Peak	
2	5725.0000	25.58	39.91	65.49	122.20	-56.71	Peak	
3 *	5757.4000	54.89	40.01	94.90	122.20	-27.30	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5755 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	49.26	1.70	50.96	74.00	-23.04	Peak	
2 *	11510.0000	37.99	1.70	39.69	54.00	-14.31	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1 *	5811.2000	60.17	40.15	100.32	122.20	-21.88	Peak	主波訊號不予以判定
2	5850.0000	19.53	40.25	59.78	122.20	-62.42	Peak	
3	5860.0000	13.80	40.27	54.07	109.40	-55.33	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Vertical
-----------	---------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11585.0800	48.93	1.74	50.67	74.00	-23.33	Peak	
2 *	11588.7100	37.89	1.74	39.63	54.00	-14.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5780.2000	55.10	40.07	95.17	122.20	-27.03	Peak	主波訊號不予以判定
2	5850.0000	15.14	40.25	55.39	122.20	-66.81	Peak	
3	5860.0000	14.71	40.27	54.98	109.40	-54.42	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX N(HT40) Mode 5795 MHz	Polarization	Horizontal
-----------	---------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	49.52	1.74	51.26	74.00	-22.74	Peak	
2 *	11590.0000	37.93	1.74	39.67	54.00	-14.33	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit Value dBuV/m	Margin dB	Detector	Comment
1	5715.0000	20.16	39.88	60.04	109.40	-49.36	Peak	
2	5725.0000	32.85	39.91	72.76	122.20	-49.44	Peak	
3 *	5750.6000	62.09	39.99	102.08	122.20	-20.12	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11489.4800	38.04	1.76	39.80	54.00	-14.20	Avg	
2	11492.6700	49.02	1.74	50.76	74.00	-23.24	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	16.36	39.88	56.24	109.40	-53.16	Peak	
2	5725.4000	29.02	39.91	68.93	122.20	-53.27	Peak	
3 *	5738.2000	59.74	39.95	99.69	122.20	-22.51	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	11490.0000	49.48	1.75	51.23	74.00	-22.77	Peak	
2 *	11490.0000	38.30	1.75	40.05	54.00	-13.95	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5778.4000	63.93	40.07	104.00	122.20	-18.20	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11565.6900	38.06	1.73	39.79	54.00	-14.21	Avg	
2	11571.8300	48.95	1.74	50.69	74.00	-23.31	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5779.4000	58.22	40.07	98.29	122.20	-23.91	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.0000	49.65	1.73	51.38	74.00	-22.62	Peak	
2 *	11570.0000	38.05	1.73	39.78	54.00	-14.22	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5828.8000	62.81	40.20	103.01	122.20	-19.19	Peak	主波訊號不予以判定
2	5850.0000	20.13	40.25	60.38	122.20	-61.82	Peak	
3	5860.0000	15.85	40.27	56.12	109.40	-53.28	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11646.0000	49.77	1.66	51.43	74.00	-22.57	Peak	
2 *	11650.4400	38.33	1.65	39.98	54.00	-14.02	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5818.0000	55.49	40.17	95.66	122.20	-26.54	Peak	主波訊號不予以判定
2	5850.0000	17.00	40.25	57.25	122.20	-64.95	Peak	
3	5860.0000	16.20	40.27	56.47	109.40	-52.93	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.0000	50.16	1.65	51.81	74.00	-22.19	Peak	
2 *	11650.0000	38.18	1.65	39.83	54.00	-14.17	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	27.74	39.88	67.62	109.40	-41.78	Peak	
2	5725.0000	36.86	39.91	76.77	122.20	-45.43	Peak	
3 *	5769.4000	61.62	40.04	101.66	122.20	-20.54	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11507.0800	38.07	1.70	39.77	54.00	-14.23	Avg	
2	11513.3800	48.48	1.71	50.19	74.00	-23.81	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1	5715.0000	27.69	39.88	67.57	109.40	-41.83	Peak	
2	5725.0000	28.81	39.91	68.72	122.20	-53.48	Peak	
3 *	5768.4000	55.86	40.04	95.90	122.20	-26.30	Peak	主波訊號不予以判定

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	49.58	1.70	51.28	74.00	-22.72	Peak	
2 *	11510.0000	38.13	1.70	39.83	54.00	-14.17	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5780.4000	62.37	40.07	102.44	122.20	-19.76	Peak	主波訊號不予以判定
2	5850.0000	24.45	40.25	64.70	122.20	-57.50	Peak	
3	5860.0000	17.10	40.27	57.37	109.40	-52.03	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11588.1100	48.74	1.74	50.48	74.00	-23.52	Peak	
2 *	11591.1400	37.85	1.75	39.60	54.00	-14.40	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	5778.6000	55.56	40.07	95.63	122.20	-26.57	Peak	主波訊號不予以判定
2	5850.0000	17.62	40.25	57.87	122.20	-64.33	Peak	
3	5860.0000	16.67	40.27	56.94	109.40	-52.46	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.0000	49.30	1.74	51.04	74.00	-22.96	Peak	
2 *	11590.0000	38.03	1.74	39.77	54.00	-14.23	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level	Correct Factor	Measure ment	Limit	Margin	Detector	Comment
		dBuV/m	dB	dBuV/m	dB			
1	5715.0000	31.32	39.88	71.20	109.40	-38.20	Peak	
2	5725.0000	33.57	39.91	73.48	122.20	-48.72	Peak	
3 *	5811.0000	60.18	40.15	100.33	122.20	-21.87	Peak	主波訊號不予以判定
4	5850.0000	32.61	40.25	72.86	122.20	-49.34	Peak	
5	5860.0000	29.84	40.27	70.11	109.40	-39.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11546.8800	49.13	1.72	50.85	74.00	-23.15	Peak	
2 *	11551.8700	38.12	1.73	39.85	54.00	-14.15	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	23.05	39.88	62.93	109.40	-46.47	Peak	
2	5725.0000	27.75	39.91	67.66	122.20	-54.54	Peak	
3 *	5748.2000	56.33	39.98	96.31	122.20	-25.89	Peak	主波訊號不予以判定
4	5850.0000	24.37	40.25	64.62	122.20	-57.58	Peak	
5	5860.0000	24.42	40.27	64.69	109.40	-44.71	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector
1	11550.0000	50.14	1.72	51.86	74.00	-22.14	Peak
2 *	11550.0000	38.04	1.72	39.76	54.00	-14.24	AVG


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	40.40	23.40
40	5200	42.39	23.80
48	5240	32.39	17.70

CH36


Date: 23.APR.2021 14:19:16

**CH40
26 dB Bandwidth**


Date: 23.APR.2021 14:59:46

CH48


Date: 23.APR.2021 15:04:13

99 % Occupied Bandwidth

Date: 23.APR.2021 14:19:27






Date: 23.APR.2021 14:59:18



Date: 23.APR.2021 15:04:17

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	43.89	24.50
40	5200	44.79	26.10
48	5240	36.99	18.60

CH36**CH40**
26 dB Bandwidth**CH48**

Date: 23.APR.2021 15:14:36

Date: 23.APR.2021 15:15:09

Date: 23.APR.2021 15:15:46

99 % Occupied Bandwidth



Date: 23.APR.2021 15:14:24

Date: 23.APR.2021 15:14:59

Date: 23.APR.2021 15:15:32



Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	54.99	37.60
46	5230	55.60	38.60

CH38**CH46**
26 dB Bandwidth

Date: 23.APR.2021 15:20:49

Date: 23.APR.2021 15:35:41




99 % Occupied Bandwidth

Date: 23.APR.2021 15:28:25

Date: 23.APR.2021 15:31:39

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	42.79	20.80
40	5200	40.55	23.10
48	5240	35.09	18.60

CH36**CH40
26 dB Bandwidth****CH48**

Date: 23.APR.2021 16:01:14

Date: 23.APR.2021 16:01:50

Date: 23.APR.2021 16:02:16

99 % Occupied Bandwidth

Date: 23.APR.2021 16:01:04


Date: 23.APR.2021 16:01:38

Date: 23.APR.2021 16:02:12


Test Mode UNII-1_TX AC(VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	56.40	37.40
46	5230	62.90	37.80

CH38





CH46
26 dB Bandwidth



Date: 23.APR.2021 16:12:09

Date: 23.APR.2021 16:14:11

99 % Occupied Bandwidth




Date: 23.APR.2021 16:11:28

Date: 23.APR.2021 16:13:07

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	87.99	76.40

CH42
26 dB Bandwidth



Date: 23.MAY.2021 09:23:01


99 % Occupied Bandwidth




Date: 23.MAY.2021 09:20:12

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	40.39	23.30
60	5300	43.79	26.40
64	5320	39.39	21.80

CH52



Date: 23.APR.2021 15:05:25

**CH60
26 dB Bandwidth**



Date: 23.APR.2021 15:06:08

CH64



Date: 23.APR.2021 15:06:43

99 % Occupied Bandwidth


Date: 23.APR.2021 15:05:13



Date: 23.APR.2021 15:05:58




Date: 23.APR.2021 15:06:31

Test Mode UNII-2A_TX N(HT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	43.79	25.80
60	5300	44.89	27.40
64	5320	43.69	24.20

CH52




Date: 23.APR.2021 15:11:04

CH60
26 dB Bandwidth




Date: 23.APR.2021 15:17:28

CH64




Date: 23.APR.2021 15:18:01


99 % Occupied Bandwidth



Date: 23.APR.2021 15:11:32





Date: 23.APR.2021 15:17:18



Date: 23.APR.2021 15:17:51



Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	83.39	40.20
62	5310	50.40	37.40

CH54**CH62**
26 dB Bandwidth

Date: 23.APR.2021 16:31:02

Date: 23.APR.2021 16:31:55

99 % Occupied Bandwidth


Date: 23.APR.2021 16:30:38

Date: 23.APR.2021 16:31:31


Test Mode UNII-2A_TX AC(VHT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	40.89	22.400
60	5300	41.29	23.200
64	5320	33.90	19.000


CH52



CH60
26 dB Bandwidth



CH64





Date: 23.APR.2021 16:03:05

Date: 23.APR.2021 16:03:39

Date: 23.APR.2021 16:04:23

99 % Occupied Bandwidth





Date: 23.APR.2021 16:02:54

Date: 23.APR.2021 16:03:28

Date: 23.APR.2021 16:04:02


Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	75.19	39.20
62	5310	59.51	37.60

CH54**CH62**
26 dB Bandwidth

Date: 23.APR.2021 16:17:41

Date: 23.APR.2021 16:20:19


99 % Occupied Bandwidth

Date: 23.APR.2021 16:16:31


Date: 23.APR.2021 16:19:59

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	87.00	76.80






Date: 23.MAY.2021 09:32:56



Date: 23.MAY.2021 09:24:51

Test Mode	UNII-2C_TX A Mode
-----------	-------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	44.15	27.40
116	5580	43.890	28.30
140	5700	44.05	28.20

CH100**CH116
26 dB Bandwidth****CH140**

Date: 23.APR.2021 15:07:31

Date: 23.APR.2021 15:10:18

Date: 23.APR.2021 15:11:03

99 % Occupied Bandwidth

Date: 23.APR.2021 15:10:21

Date: 23.APR.2021 15:10:06

Date: 23.APR.2021 15:10:53