








hp HEWLETT
PACKARD
8593A

SPECTRUM ANALYZER

9 kHz-22 GHz

INSTRUMENT STATE

PRESET CONFIG RUN COPY
MODE SAVE RECALL MEAS USER
SOL TMR

FREQUENCY

SPAN

AMPLITUDE

MARKER

MAX DATA

CONTROL

SWEEP

PR

TMR

SYSTEM TRACK

AUTO CORRE

TRACE

DISPLAY

DATA

7

8

9

4

5

6

1

2

3

0

DEL

ENT

UNIT

dBm

dBV

Hz

kHz

MHz

GHz

dB

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

dBm

dBV

dBc

RF OUT 50 Ω
300 kHz - 2.9 GHz

LINE

30VDC MAX
+30 dBm (1W) MAX

100 MHz
COMB OUT

VOL $\odot$ INTEN

CAL OUT

300 MHz
-20 dBm

PROBE PWR

INPUT 50 Ω
9 kHz - 22 GHz

0 VDC MAX

OUTPUT OFF