

Report No.: SEWM2207000119RG01

Rev.: 01 Page: 1 of 28

Appendix B.3

LTE Cat-M1 Band4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.pxp and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued seftlend therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州 | 上区苏州 工业园区测胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 2 of 28

Effective (Isotropic) Radiated Power Output Data

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dBm) | EIRP (dBm) | Limit (dBm) | Verdict |
|-------|-----------|------------|---------|---------------------|-------------|---------------|----------------|---------|
| Band4 | 1.4M | QPSK | L | 1RB0 | 20.06 | 23.06 | 30 | PASS |
| Band4 | 1.4M | QPSK | L | 1RB5 | 20.05 | 23.05 | 30 | PASS |
| Band4 | 1.4M | QPSK | L | 6RB0 | 18.16 | 21.16 | 30 | PASS |
| Band4 | 1.4M | QPSK | М | 1RB0 | 20.11 | 23.11 | 30 | PASS |
| Band4 | 1.4M | QPSK | М | 1RB5 | 20.05 | 23.05 | 30 | PASS |
| Band4 | 1.4M | QPSK | М | 6RB0 | 18.05 | 21.05 | 30 | PASS |
| Band4 | 1.4M | QPSK | Н | 1RB0 | 20.16 | 23.16 | 30 | PASS |
| Band4 | 1.4M | QPSK | Н | 1RB5 | 20.04 | 23.04 | 30 | PASS |
| Band4 | 1.4M | QPSK | Н | 6RB0 | 18.08 | 21.08 | 30 | PASS |
| Band4 | 3M | QPSK | L | 1RB0 | 20.03 | 23.03 | 30 | PASS |
| Band4 | 3M | QPSK | L | 1RB5 | 20.05 | 23.05 | 30 | PASS |
| Band4 | 3M | QPSK | L | 6RB0 | 18.12 | 21.12 | 30 | PASS |
| Band4 | 3M | QPSK | М | 1RB0 | 20.12 | 23.12 | 30 | PASS |
| Band4 | 3M | QPSK | М | 1RB5 | 20.05 | 23.05 | 30 | PASS |
| Band4 | 3M | QPSK | М | 6RB0 | 18.08 | 21.08 | 30 | PASS |
| Band4 | 3M | QPSK | Н | 1RB0 | 20.15 | 23.15 | 30 | PASS |
| Band4 | 3M | QPSK | Н | 1RB5 | 20.02 | 23.02 | 30 | PASS |
| Band4 | 3M | QPSK | Н | 6RB0 | 18.13 | 21.13 | 30 | PASS |
| Band4 | 5M | QPSK | L | 1RB0 | 20.12 | 23.12 | 30 | PASS |
| Band4 | 5M | QPSK | L | 1RB5 | 20.36 | 23.36 | 30 | PASS |
| Band4 | 5M | QPSK | L | 6RB0 | 18.87 | 21.87 | 30 | PASS |
| Band4 | 5M | QPSK | М | 1RB0 | 20.32 | 23.32 | 30 | PASS |
| Band4 | 5M | QPSK | М | 1RB5 | 20.02 | 23.02 | 30 | PASS |
| Band4 | 5M | QPSK | М | 6RB0 | 18.79 | 21.79 | 30 | PASS |
| Band4 | 5M | QPSK | Н | 1RB0 | 20.25 | 23.25 | 30 | PASS |
| Band4 | 5M | QPSK | Н | 1RB5 | 20.14 | 23.14 | 30 | PASS |
| Band4 | 5M | QPSK | Н | 6RB0 | 18.79 | 21.79 | 30 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Indushial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 3 of 28

Peak-to-Average Ratio(CCDF)

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band4 | 5MHz | QPSK | 19975 | 6RB#0 | 8.96 | 13 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | 8.88 | 13 | PASS |
| Band4 | 5MHz | QPSK | 20375 | 6RB#0 | 8.92 | 13 | PASS |






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 4 of 28

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD Doccheck@ass.com"

South of No. 6 Plent, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pitot Free Trade Zone 215000 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 5 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**).

or email: CM. Doccheck (図Sgs.com Sound rNo. Fight, No. 1, Russheng Rost, Soubou Indostel Park, Suchou Area, Chine (Jangsu) Pint Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区海胜路1号的6号厂房南部 単編: 215000



Report No.: SEWM2207000119RG01


Rev.: 01 Page: 6 of 28

Modulation Characteristics

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result | Verdict |
|-------|-----------|------------|---------|------------------|--------|---------|
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | PASS | PASS |

Test Graphs







Report No.: SEWM2207000119RG01

Rev.: 01 Page: 7 of 28

26dB Bandwidth and Occupied Bandwidth

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configuration | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) | Verdict |
|-------|-----------|------------|---------|------------------|--------------------------------|-------------------------|---------|
| Band4 | 1.4MHz | QPSK | 19957 | 6RB#0 | 1.086 | 1.14 | PASS |
| Band4 | 1.4MHz | QPSK | 20175 | 6RB#0 | 1.084 | 1.26 | PASS |
| Band4 | 1.4MHz | QPSK | 20393 | 6RB#0 | 1.084 | 1.15 | PASS |
| Band4 | 3MHz | QPSK | 19965 | 6RB#0 | 1.069 | 1.24 | PASS |
| Band4 | 3MHz | QPSK | 20175 | 6RB#0 | 1.110 | 1.33 | PASS |
| Band4 | 3MHz | QPSK | 20385 | 6RB#0 | 1.110 | 1.33 | PASS |
| Band4 | 5MHz | QPSK | 19975 | 6RB#0 | 1.102 | 1.25 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | 1.128 | 1.35 | PASS |
| Band4 | 5MHz | QPSK | 20375 | 6RB#0 | 1.124 | 1.42 | PASS |






Report No.: SEWM2207000119RG01

Rev.: 01 Page: 8 of 28

Test Graphs






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN. <u>Doccheck@sgs.com</u> | Soundriva Firth, to, Fursheng Road, Suchou Indastriel Park, Suchou Area, China (Jángsa) Pikt Free Trade Zone 215000 | 中国・苏州・中国(江苏)自由原房试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄭塢: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 9 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


or email: CN. <u>Doccheck@sgs.com</u> | Sound VN. Flarts(N. or), Subnou (Note in Lateral Park, Subnou Area, China (Jangsi) Plut Free Trade Zone 215000 |中国・苏州・中国(江苏)自由贸易试验区苏州 ID 医洲 工业国区测胜路1号的5号 房南部 鄭第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN_Doccheck@sgs_com Dount thike Revit No. Fluxisherg Road, Subnou Indastell Park, Subnou Area, China (Jiangsi) Plut Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业国区河胜路1号的6号厂房南部 単編: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 11 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: <u>CN. Doccheck(Øsgs.com</u> South (Nto, Picth, N. I, Runsheng Rod, Jozdun (Industrial Park, Suzhou Aea, China (Jangsu) Pilof Free Trade Zone 中国・苏州・中国(江苏)自由限易试验区苏州片区苏州工业园区润胜路1号的5号厂房商部 邮第: 215000

t (86–512) 62992980 t (86–512) 62992980


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 12 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: CM_Doccheck@sgs.com South of No Plant, No. 1, Punsheny Road, Subrou Industrial Pad, Suzhou Area, China (Jangsu) Phot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州に万洲 T业园区河胜路1号から「房南部 蜘蛛: 215000




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 13 of 28

Band Edge

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN. <u>Doccheck@sgs.com</u> | Soundriko Fibruk, N. Farsheng Pools, Johno Indastriel Park, Suchou Area, China (Jiangsi) Pikt Free Trade Zone 215000 | 中国・苏州・中国(江苏)自由原易试验区苏州上区苏州工业国区海胜路1号的6号厂房南部 - 鄭塢: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 14 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co


or email: CN_Doccheck@sgs.com | Sudn dhk, 6 Pixth th, I, Runsheng Road, Subnu Indastiel Park, Suzhou Area, China (Jangsu) Phot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は第区苏州上区苏州工业园区园胜路号的6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.:

Page: 15 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2207000119RG01

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN. <u>Doccheck@sgs.com</u> | Soundriva Firth, to, Fursheng Road, Suchou Indastriel Park, Suchou Area, China (Jángsa) Pikt Free Trade Zone 215000 | 中国・苏州・中国(江苏)自由原房试验区苏州上区苏州工业园区河胜路1号的6号厂房南部 鄭塢: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 17 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co


or email: CN. <u>Doccheck@sgs.com</u> | Soundriko Fibruk, N. Farsheng Pools, Johno Indastriel Park, Suchou Area, China (Jiangsi) Pikt Free Trade Zone 215000 | 中国・苏州・中国(江苏)自由原易试验区苏州上区苏州工业国区海胜路1号的6号厂房南部 - 鄭塢: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 18 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: CN_Doccheck(図sgs_com | Sund n/ka, Flark, Mo. (Russharg Road, Sunbun Indastrial Park, Suzhou Area, Chira (Jangsu) Pkd Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易设置区苏州上区苏州工业园区园胜路(号的6号厂房南部 鄭塢: 215000




Report No.: SEWM2207000119RG01

Rev.: 01

Page: 19 of 28

Conducted Spurious Emission

Test Graphs








Report No.: SEWM2207000119RG01

Rev.: 01 Page: 20 of 28





11:25:14 25.07.2022


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@sgs_com | Such who, 8-Pixth, h. Runsheng Road, Suchou Indastel Park, Suchou Area, Chine (Jángsu) Pital Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的5号 房南部 鄭錦 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 21 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@sgs.com Sound n/b, 6 Pixth, bo, Taunsherg Read, Subou Indashei Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路1号的6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 22 of





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

.9 GHz/

40001 pt


11:25:32 25.07.2022



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 23 of 28






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

or email: CN_Doccheck@egs.com Sound r/M.6 Files M.0. (Runsher) Read, Subou Indashia Park, Suzhou Area, Chira (Jangsu) Plot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路(号約6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01 Page: 24 of 28





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Co

or email: CN_Doccheck@sgs.com | Sudn dhk, 6 Pixth th, I, Runsheng Road, Subnu Indastiel Park, Suzhou Area, China (Jangsu) Phot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は第区苏州上区苏州工业园区园胜路号的6号厂房南部 郷第: 215000



Report No.: SEWM2207000119RG01

Rev.: 01

Page: 25 of 28

Field Strength of Spurious Radiation

Test Band = CAT M1 Band 4_ TM1
Test Channel = Low

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|--|--|--|
| NO. | Frequency | Reading | Factor | ΛΕ[dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 3423 | 78.73 | -46.28 | 29.45 | -33.35 | -13.00 | 20.35 | 149 | 239 | Horizontal | | | | |
| 2 | 5133.2700 | 47.70 | -45.34 | 32.95 | -59.95 | -13.00 | 46.95 | 234 | 164 | Horizontal | | | | |
| 3 | 6844.3600 | 47.12 | -44.14 | 35.89 | -56.39 | -13.00 | 43.39 | 168 | 254 | Horizontal | | | | |
| 4 | 8555.4500 | 44.36 | -41.46 | 37.66 | -54.70 | -13.00 | 41.70 | 226 | 194 | Horizontal | | | | |
| 5 | 10266.5400 | 39.61 | -39.23 | 38.83 | -56.05 | -13.00 | 43.05 | 251 | 60 | Horizontal | | | | |
| 6 | 11977.6300 | 35.75 | -37.51 | 38.95 | -58.08 | -13.00 | 45.08 | 246 | 30 | Horizontal | | | | |

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|--|--|
| NO | Frequency | Reading | Factor | ↑ □ [dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 3423 | 69.21 | -46.28 | 29.45 | -42.87 | -13.00 | 29.87 | 214 | 269 | Vertical | | | | |
| 2 | 5133.2700 | 48.62 | -45.34 | 32.95 | -59.03 | -13.00 | 46.03 | 156 | 88 | Vertical | | | | |
| 3 | 6844.3600 | 48.63 | -44.14 | 35.89 | -54.88 | -13.00 | 41.88 | 253 | 208 | Vertical | | | | |
| 4 | 8555.4500 | 44.19 | -41.46 | 37.66 | -54.87 | -13.00 | 41.87 | 228 | 103 | Vertical | | | | |
| 5 | 10266.5400 | 38.34 | -39.23 | 38.83 | -57.32 | -13.00 | 44.32 | 237 | 255 | Vertical | | | | |
| 6 | 11977.6300 | 36.26 | -37.51 | 38.95 | -57.57 | -13.00 | 44.57 | 271 | 43 | Vertical | | | | |





Report No.: SEWM2207000119RG01

Rev.: 01 Page: 26 of 28

Test Band = CAT M1 Band 4_ TM1 Test Channel = Mid

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|--------|-----------|--------|--------|--------|--------|-------|------------|--|--|--|--|
| NO. | Frequency | Reading | Factor | VEIGD/201 | Level | Limit | Margin | Height | Angle | Dolority | | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 3447.1800 | 77.93 | -46.27 | 29.47 | -34.13 | -13.00 | 21.13 | 161 | 312 | Horizontal | | | | |
| 2 | 5170.7700 | 48.97 | -45.31 | 32.97 | -58.62 | -13.00 | 45.62 | 158 | 132 | Horizontal | | | | |
| 3 | 6894.3600 | 47.65 | -44.10 | 35.95 | -55.76 | -13.00 | 42.76 | 215 | 177 | Horizontal | | | | |
| 4 | 8617.9500 | 44.07 | -41.40 | 37.78 | -54.81 | -13.00 | 41.81 | 217 | 59 | Horizontal | | | | |
| 5 | 10341.5400 | 40.39 | -39.06 | 38.85 | -55.08 | -13.00 | 42.08 | 246 | 132 | Horizontal | | | | |
| 6 | 12065.1300 | 36.48 | -37.44 | 39.02 | -57.20 | -13.00 | 44.20 | 238 | 283 | Horizontal | | | | |

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|--|--|
| NO. | Frequency | Reading | Factor | ∧ ⊏[dD/mm] | Level | Limit | Margin | Height | Angle | Dalavitu | | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 3447.1800 | 65.23 | -46.27 | 29.47 | -46.83 | -13.00 | 33.83 | 241 | 255 | Vertical | | | | |
| 2 | 5170.7700 | 47.52 | -45.31 | 32.97 | -60.07 | -13.00 | 47.07 | 258 | 269 | Vertical | | | | |
| 3 | 6894.3600 | 47.03 | -44.10 | 35.95 | -56.38 | -13.00 | 43.38 | 263 | 60 | Vertical | | | | |
| 4 | 8617.9500 | 45.12 | -41.40 | 37.78 | -53.76 | -13.00 | 40.76 | 198 | 46 | Vertical | | | | |
| 5 | 10341.5400 | 40.13 | -39.06 | 38.85 | -55.34 | -13.00 | 42.34 | 176 | 60 | Vertical | | | | |
| 6 | 12065.1300 | 35.91 | -37.44 | 39.02 | -57.77 | -13.00 | 44.77 | 193 | 300 | Vertical | | | | |





Report No.: SEWM2207000119RG01

Rev.: 01 Page: 27 of 28

Test Band = CAT M1 Band 4_ TM1 Test Channel = High

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|--------|----------|--------|--------|--------|--------|-------|------------|--|--|--|--|
| NO. | Frequency | Reading | Factor | AF[dB/m] | Level | Limit | Margin | Height | Angle | Polarity | | | | |
| NO. | [MHz] | [dBµV] | [dB] | | [dBm] | [dBm] | [dB] | [cm] | [°] | Polatily | | | | |
| 1 | 3472.1800 | 76.68 | -46.27 | 29.50 | -35.35 | -13.00 | 22.35 | 162 | 225 | Horizontal | | | | |
| 2 | 5208.2700 | 48.46 | -45.26 | 32.98 | -59.08 | -13.00 | 46.08 | 158 | 59 | Horizontal | | | | |
| 3 | 6944.3600 | 47.36 | -43.85 | 36.01 | -55.74 | -13.00 | 42.74 | 214 | 194 | Horizontal | | | | |
| 4 | 8680.4500 | 44.12 | -41.62 | 37.88 | -54.88 | -13.00 | 41.88 | 239 | 179 | Horizontal | | | | |
| 5 | 10416.5400 | 37.66 | -38.97 | 38.88 | -57.70 | -13.00 | 44.70 | 248 | 88 | Horizontal | | | | |
| 6 | 12152.6300 | 37.03 | -37.42 | 39.09 | -56.56 | -13.00 | 43.56 | 237 | 225 | Horizontal | | | | |

| Final | Final Data List | | | | | | | | | | | | | |
|-------|-----------------|---------|--------|------------|--------|--------|--------|--------|-------|----------|--|--|--|--|
| NO. | Frequency | Reading | Factor | ↑ □ [dD/m] | Level | Limit | Margin | Height | Angle | Dolority | | | | |
| NO. | [MHz] | [dBµV] | [dB] | AF[dB/m] | [dBm] | [dBm] | [dB] | [cm] | [°] | Polarity | | | | |
| 1 | 3473.25 | 64.33 | -46.27 | 29.50 | -47.70 | -13.00 | 34.70 | 156 | 299 | Vertical | | | | |
| 2 | 5208.2700 | 47.77 | -45.26 | 32.98 | -59.77 | -13.00 | 46.77 | 161 | 195 | Vertical | | | | |
| 3 | 6944.3600 | 48.22 | -43.85 | 36.01 | -54.88 | -13.00 | 41.88 | 213 | 61 | Vertical | | | | |
| 4 | 8680.4500 | 43.73 | -41.62 | 37.88 | -55.27 | -13.00 | 42.27 | 251 | 44 | Vertical | | | | |
| 5 | 10416.5400 | 38.77 | -38.97 | 38.88 | -56.59 | -13.00 | 43.59 | 246 | 210 | Vertical | | | | |
| 6 | 12152.6300 | 36.09 | -37.42 | 39.09 | -57.50 | -13.00 | 44.50 | 217 | 359 | Vertical | | | | |

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading Level + AF(dB/m) + Factor(dB)

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain (dB)

Margin = Limit(dBm) - Level(dBm)

 $dBm = dB\mu V - 95.26$





Report No.: SEWM2207000119RG01

Rev.: 01

Page: 28 of 28

Frequency Stability

Test Result

| Band | Bandwidth | Modulation | Channel | RB Configure | Voltag e [Vdc] | Temperatur e (°ℂ) | Deviation (Hz) | Deviation (ppm) | Verdict |
|-------|-----------|------------|---------|-----------------|----------------------|-------------------------|-------------------|-----------------|---------|
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | VL | NT | -3.00 | -0.001732 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | VN | NT | -1.80 | -0.001039 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | VH | NT | -8.10 | -0.004675 | PASS |

| Band | Bandwidth | Modulation | Channel | RB Configure | Voltag e [Vdc] | Temperatur e (°ℂ) | Deviation (Hz) | Deviation (ppm) | Verdict |
|-------|-----------|------------|---------|-----------------|----------------------|-------------------------|-------------------|-----------------|---------|
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | -30 | -2.70 | -0.001558 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | -20 | 1.40 | 0.000808 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | -10 | -7.20 | -0.004156 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | 0 | -1.20 | -0.000693 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | 10 | -4.40 | -0.002540 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | 20 | -4.60 | -0.002655 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | 30 | -1.00 | -0.000577 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | 40 | -5.10 | -0.002944 | PASS |
| Band4 | 5MHz | QPSK | 20175 | 6RB#0 | NV | 50 | 1.90 | 0.001097 | PASS |

---End of Attachment---

