



U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.19	4.55	68.3	11.11	Peak	0.00	100	Vertical	Pass
2	5975.625	60.57	6.36	68.2	7.63	Peak	185.00	150	Vertical	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.938	61.63	4.17	68.2	6.57	Peak	187.00	100	Vertical	Pass
2	5650.000	58.57	4.48	68.2	9.63	Peak	156.00	150	Vertical	Pass


U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.54	4.55	68.3	9.76	Peak	344.00	200	Vertical	Pass
2	5967.825	60.82	6.91	68.2	7.38	Peak	291.00	200	Vertical	Pass

Aux. Antenna


U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	63.75	3.89	74.0	10.25	Peak	360.00	100	Horizontal	Pass
1**	5148.700	50.25	3.89	54.0	3.75	AV	360.00	100	Horizontal	Pass
2	5149.675	62.93	3.93	74.0	11.07	Peak	28.00	100	Horizontal	Pass
2**	5149.675	50.38	3.93	54.0	3.62	AV	28.00	100	Horizontal	Pass

U-NII-1 11a CH48


Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.99	4.22	74.0	16.01	Peak	41.00	200	Horizontal	Pass
1**	5350.000	47.57	4.22	54.0	6.43	AV	41.00	200	Horizontal	Pass
2	5410.500	59.55	4.17	74.0	14.45	Peak	16.00	100	Horizontal	Pass
2**	5410.500	47.35	4.17	54.0	6.65	AV	16.00	100	Horizontal	Pass


U-NII-1 11n20 CH36

Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	65.07	3.88	74.0	8.93	Peak	28.00	200	Horizontal	Pass
1**	5148.375	49.96	3.88	54.0	4.04	AV	28.00	200	Horizontal	Pass
2	5149.675	60.65	3.93	74.0	13.35	Peak	79.00	200	Horizontal	Pass
2**	5149.675	50.91	3.93	54.0	3.09	AV	79.00	200	Horizontal	Pass


U-NII-1 11n20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.13	4.22	74.0	16.87	Peak	348.00	100	Horizontal	Pass
1**	5350.000	47.56	4.22	54.0	6.44	AV	348.00	100	Horizontal	Pass
2	5441.300	59.41	5.10	74.0	14.59	Peak	19.00	100	Horizontal	Pass
2**	5441.300	47.35	5.10	54.0	6.65	AV	19.00	100	Horizontal	Pass

U-NII-1 11n40 CH38


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	63.30	3.88	74.0	10.70	Peak	73.00	200	Horizontal	Pass
1**	5148.050	50.00	3.88	54.0	4.00	AV	73.00	200	Horizontal	Pass
2	5149.675	61.27	3.93	74.0	12.73	Peak	353.00	150	Horizontal	Pass
2**	5149.675	50.75	3.93	54.0	3.25	AV	353.00	150	Horizontal	Pass


U-NII-1 11n40 CH46

Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.13	4.22	74.0	16.87	Peak	114.00	200	Horizontal	Pass
1**	5350.000	47.00	4.22	54.0	7.00	AV	114.00	200	Horizontal	Pass
2	5382.450	58.98	4.65	74.0	15.02	Peak	60.00	200	Horizontal	Pass
2**	5382.450	47.11	4.65	54.0	6.89	AV	60.00	200	Horizontal	Pass


U-NII-1 11ac20 CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	62.47	3.88	74.0	11.53	Peak	31.00	100	Horizontal	Pass
1**	5148.050	50.37	3.88	54.0	3.63	AV	31.00	100	Horizontal	Pass
2	5149.675	62.36	3.93	74.0	11.64	Peak	16.00	100	Horizontal	Pass
2**	5149.675	50.50	3.93	54.0	3.50	AV	16.00	100	Horizontal	Pass


U-NII-1 11ac20 CH48

Bandedge_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.00	4.22	74.0	16.00	Peak	360.00	150	Horizontal	Pass
1**	5350.000	47.60	4.22	54.0	6.40	AV	360.00	150	Horizontal	Pass
2	5393.450	59.89	4.55	74.0	14.11	Peak	6.00	150	Horizontal	Pass
2**	5393.450	47.84	4.55	54.0	6.16	AV	6.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	60.62	3.86	74.0	13.38	Peak	63.00	100	Horizontal	Pass
1**	5146.100	48.92	3.86	54.0	5.08	AV	63.00	100	Horizontal	Pass
2	5149.675	59.81	3.93	74.0	14.19	Peak	13.00	100	Horizontal	Pass
2**	5149.675	50.03	3.93	54.0	3.97	AV	13.00	100	Horizontal	Pass

U-NII-1 11ac40 CH46



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.68	4.22	74.0	17.32	Peak	15.00	100	Horizontal	Pass
1**	5350.000	47.21	4.22	54.0	6.79	AV	15.00	100	Horizontal	Pass
2	5393.450	59.91	4.55	74.0	14.09	Peak	341.00	100	Horizontal	Pass
2**	5393.450	47.86	4.55	54.0	6.14	AV	341.00	100	Horizontal	Pass


U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.200	60.83	4.31	74.0	13.17	Peak	21.00	200	Horizontal	Pass
1**	5142.200	49.22	4.31	54.0	4.78	AV	21.00	200	Horizontal	Pass
2	5149.675	58.31	3.93	74.0	15.69	Peak	80.00	200	Horizontal	Pass
2**	5149.675	48.91	3.93	54.0	5.09	AV	80.00	200	Horizontal	Pass
3	5142.525	59.01	4.31	74.0	14.99	Peak	34.00	100	Horizontal	Pass
3**	5142.525	49.83	4.31	54.0	4.17	AV	34.00	100	Horizontal	Pass


U-NII-1 11ac80 CH42

Bandedge_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.52	4.22	74.0	14.48	Peak	9.00	150	Horizontal	Pass
1**	5350.000	48.84	4.22	54.0	5.16	AV	9.00	150	Horizontal	Pass
2	5350.183	60.15	4.21	74.0	13.85	Peak	1.00	150	Horizontal	Pass
2**	5350.183	48.30	4.21	54.0	5.70	AV	1.00	150	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.175	59.05	4.29	74.0	14.95	Peak	16.00	100	Horizontal	Pass
1**	5130.175	48.64	4.29	54.0	5.36	AV	16.00	100	Horizontal	Pass
2	5149.675	57.33	3.93	74.0	16.67	Peak	353.00	200	Horizontal	Pass
2**	5149.675	48.18	3.93	54.0	5.82	AV	353.00	200	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.23	4.22	74.0	11.77	Peak	360.00	100	Horizontal	Pass
1**	5350.000	50.87	4.22	54.0	3.13	AV	360.00	100	Horizontal	Pass
2	5351.100	64.69	4.17	74.0	9.31	Peak	32.00	200	Horizontal	Pass
2**	5351.100	50.61	4.17	54.0	3.39	AV	32.00	200	Horizontal	Pass

U-NII-2A 11n20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	59.13	4.15	74.0	14.87	Peak	1.00	100	Horizontal	Pass
1**	5123.025	47.93	4.15	54.0	6.07	AV	1.00	100	Horizontal	Pass
2	5149.675	57.41	3.93	74.0	16.59	Peak	360.00	100	Horizontal	Pass
2**	5149.675	48.53	3.93	54.0	5.47	AV	360.00	100	Horizontal	Pass


U-NII-2A 11n20 CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.92	4.22	74.0	9.08	Peak	43.00	100	Horizontal	Pass
1**	5350.000	50.77	4.22	54.0	3.23	AV	43.00	100	Horizontal	Pass
2	5353.850	64.07	4.27	74.0	9.93	Peak	335.00	200	Horizontal	Pass
2**	5353.850	48.98	4.27	54.0	5.02	AV	335.00	200	Horizontal	Pass


U-NII-2A 11n40 CH54

Bandedge_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.200	59.66	4.36	74.0	14.34	Peak	75.00	150	Horizontal	Pass
1**	5103.200	48.59	4.36	54.0	5.41	AV	75.00	150	Horizontal	Pass
2	5149.675	57.76	3.93	74.0	16.24	Peak	17.00	100	Horizontal	Pass
2**	5149.675	48.24	3.93	54.0	5.76	AV	17.00	100	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.07	4.22	74.0	12.93	Peak	0.00	150	Horizontal	Pass
1**	5350.000	50.96	4.22	54.0	3.04	AV	0.00	150	Horizontal	Pass
2	5350.183	62.18	4.21	74.0	11.82	Peak	353.00	200	Horizontal	Pass
2**	5350.183	50.62	4.21	54.0	3.38	AV	353.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	59.28	4.42	74.0	14.72	Peak	62.00	100	Horizontal	Pass
1**	5126.600	48.48	4.42	54.0	5.52	AV	62.00	100	Horizontal	Pass
2	5149.675	58.10	3.93	74.0	15.90	Peak	71.00	150	Horizontal	Pass
2**	5149.675	48.22	3.93	54.0	5.78	AV	71.00	150	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.78	4.22	74.0	10.22	Peak	4.00	150	Horizontal	Pass
1**	5350.000	50.25	4.22	54.0	3.75	AV	4.00	150	Horizontal	Pass
2	5350.367	65.75	4.20	74.0	8.25	Peak	14.00	200	Horizontal	Pass
2**	5350.367	50.80	4.20	54.0	3.20	AV	14.00	200	Horizontal	Pass
3	5350.367	65.75	4.20	74.0	8.25	Peak	14.00	100	Horizontal	Pass
3**	5350.367	50.80	4.20	54.0	3.20	AV	14.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.200	59.44	4.15	74.0	14.56	Peak	360.00	150	Horizontal	Pass
1**	5116.200	48.43	4.15	54.0	5.57	AV	360.00	150	Horizontal	Pass
2	5149.675	57.48	3.93	74.0	16.52	Peak	298.00	100	Horizontal	Pass
2**	5149.675	48.42	3.93	54.0	5.58	AV	298.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.96	4.22	74.0	12.04	Peak	11.00	150	Horizontal	Pass
1**	5350.000	50.85	4.22	54.0	3.15	AV	11.00	150	Horizontal	Pass
2	5350.733	61.97	4.18	74.0	12.03	Peak	29.00	150	Horizontal	Pass
2**	5350.733	50.74	4.18	54.0	3.26	AV	29.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.975	58.92	4.10	74.0	15.08	Peak	344.00	150	Horizontal	Pass
1**	5137.975	47.67	4.10	54.0	6.33	AV	344.00	150	Horizontal	Pass
2	5149.675	56.38	3.93	74.0	17.62	Peak	356.00	150	Horizontal	Pass
2**	5149.675	47.39	3.93	54.0	6.61	AV	356.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.24	4.22	74.0	10.76	Peak	0.00	150	Horizontal	Pass
1**	5350.000	50.98	4.22	54.0	3.02	AV	0.00	150	Horizontal	Pass
2	5353.300	67.15	4.20	74.0	6.85	Peak	6.00	150	Horizontal	Pass
2**	5353.300	50.96	4.20	54.0	3.04	AV	6.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.600	60.85	5.61	74.0	13.15	Peak	358.00	150	Horizontal	Pass
1**	5455.600	49.14	5.61	54.0	4.86	AV	358.00	150	Horizontal	Pass
2	5459.980	58.94	5.37	74.0	15.06	Peak	28.00	150	Horizontal	Pass
2**	5459.980	49.13	5.37	54.0	4.87	AV	28.00	150	Horizontal	Pass
3	5463.100	61.28	5.22	68.2	6.92	Peak	28.00	150	Horizontal	Pass
3**	5463.100	49.14	5.22	--	---	AV	28.00	150	Horizontal	N/A
4	5469.940	59.90	5.05	68.2	8.30	Peak	336.00	150	Horizontal	Pass
4**	5469.940	50.52	5.05	--	---	AV	336.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.48	4.76	68.2	5.72	Peak	78.00	150	Horizontal	Pass
2	5725.313	61.68	4.78	68.2	6.52	Peak	70.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.460	61.20	5.66	74.0	12.80	Peak	343.00	150	Horizontal	Pass
1**	5457.460	49.46	5.66	54.0	4.54	AV	343.00	150	Horizontal	Pass
2	5459.980	59.42	5.37	74.0	14.58	Peak	13.00	150	Horizontal	Pass
2**	5459.980	49.35	5.37	54.0	4.65	AV	13.00	150	Horizontal	Pass
3	5469.400	61.40	5.01	68.2	6.80	Peak	341.00	150	Horizontal	Pass
3**	5469.400	50.54	5.01	--	---	AV	341.00	150	Horizontal	N/A
4	5469.940	60.20	5.05	68.2	8.00	Peak	51.00	150	Horizontal	Pass
4**	5469.940	50.70	5.05	--	---	AV	51.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	64.30	4.77	68.2	3.90	Peak	65.00	150	Horizontal	Pass
2	5725.687	62.26	4.80	68.2	5.94	Peak	71.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.400	61.33	5.67	74.0	12.67	Peak	60.00	150	Horizontal	Pass
1**	5457.400	50.19	5.67	54.0	3.81	AV	60.00	150	Horizontal	Pass
2	5459.980	58.83	5.37	74.0	15.17	Peak	23.00	150	Horizontal	Pass
2**	5459.980	49.32	5.37	54.0	4.68	AV	23.00	150	Horizontal	Pass
3	5469.760	64.65	5.04	68.2	3.55	Peak	26.00	150	Horizontal	Pass
3**	5469.760	52.59	5.04	--	---	AV	26.00	150	Horizontal	N/A
4	5469.940	63.39	5.05	68.2	4.81	Peak	26.00	150	Horizontal	Pass
4**	5469.940	53.22	5.05	--	---	AV	26.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.92	4.76	68.2	9.28	Peak	75.00	150	Horizontal	Pass
2	5845.188	59.83	6.31	68.2	8.37	Peak	292.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.100	61.65	5.51	74.0	12.35	Peak	70.00	150	Horizontal	Pass
1**	5451.100	49.38	5.51	54.0	4.62	AV	70.00	150	Horizontal	Pass
2	5459.980	59.74	5.37	74.0	14.26	Peak	56.00	150	Horizontal	Pass
2**	5459.980	49.15	5.37	54.0	4.85	AV	56.00	150	Horizontal	Pass
3	5467.480	61.13	4.90	68.2	7.07	Peak	344.00	150	Horizontal	Pass
3**	5467.480	49.71	4.90	--	---	AV	344.00	150	Horizontal	N/A
4	5469.940	59.33	5.05	68.2	8.87	Peak	28.00	150	Horizontal	Pass
4**	5469.940	50.40	5.05	--	---	AV	28.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.25	4.76	68.2	4.95	Peak	83.00	150	Horizontal	Pass
2	5725.188	63.62	4.77	68.2	4.58	Peak	74.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.580	60.95	5.64	74.0	13.05	Peak	337.00	150	Horizontal	Pass
1**	5457.580	49.73	5.64	54.0	4.27	AV	337.00	150	Horizontal	Pass
2	5459.980	59.13	5.37	74.0	14.87	Peak	329.00	150	Horizontal	Pass
2**	5459.980	49.17	5.37	54.0	4.83	AV	329.00	150	Horizontal	Pass
3	5467.300	64.71	4.93	68.2	3.49	Peak	329.00	150	Horizontal	Pass
3**	5467.300	51.62	4.93	--	---	AV	329.00	150	Horizontal	N/A
4	5469.940	64.10	5.05	68.2	4.10	Peak	329.00	150	Horizontal	Pass
4**	5469.940	52.66	5.05	--	---	AV	329.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	59.78	4.77	68.2	8.42	Peak	75.00	150	Horizontal	Pass
2	5730.812	60.15	5.18	68.2	8.05	Peak	72.00	150	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.380	62.80	5.34	74.0	11.20	Peak	344.00	150	Horizontal	Pass
1**	5459.380	49.90	5.34	54.0	4.10	AV	344.00	150	Horizontal	Pass
2	5459.980	59.74	5.37	74.0	14.26	Peak	322.00	200	Horizontal	Pass
2**	5459.980	49.72	5.37	54.0	4.28	AV	322.00	200	Horizontal	Pass
3	5460.340	63.04	5.39	68.2	5.16	Peak	24.00	200	Horizontal	Pass
3**	5460.340	50.07	5.39	--	--	AV	24.00	200	Horizontal	N/A
4	5469.940	58.69	5.05	68.2	9.51	Peak	350.00	150	Horizontal	Pass
4**	5469.940	49.29	5.05	--	--	AV	350.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.68	4.77	68.2	7.52	Peak	80.00	150	Horizontal	Pass
2	5726.750	64.08	4.86	68.2	4.12	Peak	75.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.583	58.36	3.47	68.2	9.84	Peak	28.00	150	Horizontal	Pass
2	5650.000	57.47	3.60	68.2	10.73	Peak	90.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.51	4.55	68.3	10.79	Peak	348.00	200	Horizontal	Pass
2	5997.750	60.63	6.34	68.2	7.57	Peak	55.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.000	58.79	3.96	68.2	9.41	Peak	141.00	150	Horizontal	Pass
2	5650.000	57.44	4.48	68.2	10.76	Peak	153.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.09	4.55	68.3	10.21	Peak	324.00	100	Horizontal	Pass
2	5999.850	60.72	6.43	68.2	7.48	Peak	355.00	100	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.062	59.07	3.92	68.2	9.13	Peak	8.00	100	Horizontal	Pass
2	5650.000	57.07	4.48	68.2	11.13	Peak	360.00	100	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.42	4.55	68.3	10.88	Peak	214.00	150	Horizontal	Pass
2	5997.600	60.52	6.32	68.2	7.68	Peak	97.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5604.063	58.93	4.24	68.2	9.27	Peak	25.00	150	Horizontal	Pass
2	5650.000	57.29	4.48	68.2	10.91	Peak	99.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.66	4.55	68.3	10.64	Peak	63.00	150	Horizontal	Pass
2	5966.775	60.27	6.92	68.2	7.93	Peak	63.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.563	59.19	4.18	68.2	9.01	Peak	103.00	150	Horizontal	Pass
2	5650.000	56.89	4.48	68.2	11.31	Peak	77.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.75	4.55	68.3	10.55	Peak	83.00	150	Horizontal	Pass
2	5968.125	61.10	6.87	68.2	7.10	Peak	105.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.563	62.49	4.09	68.2	5.71	Peak	63.00	200	Horizontal	Pass
2	5650.000	60.60	4.48	68.2	7.60	Peak	45.00	100	Horizontal	Pass


U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	59.61	4.55	68.3	8.69	Peak	71.00	150	Horizontal	Pass
2	5990.850	60.73	5.70	68.2	7.47	Peak	327.00	200	Horizontal	Pass

MIMO


U-NII-1 11a CH36



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.900	59.77	4.28	74.0	14.23	Peak	52.00	200	Horizontal	Pass
1**	5140.900	48.92	4.28	54.0	5.08	AV	52.00	200	Horizontal	Pass
2	5149.675	58.08	3.93	74.0	15.92	Peak	28.00	100	Horizontal	Pass
2**	5149.675	48.78	3.93	54.0	5.22	AV	28.00	100	Horizontal	Pass

U-NII-1 11a CH48


Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.93	4.22	74.0	17.07	Peak	327.00	100	Horizontal	Pass
1**	5350.000	46.97	4.22	54.0	7.03	AV	327.00	100	Horizontal	Pass
2	5455.234	59.15	5.59	74.0	14.85	Peak	109.00	200	Horizontal	Pass
2**	5455.234	47.24	5.59	54.0	6.76	AV	109.00	200	Horizontal	Pass

U-NII-1 11n20 CH36

Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	63.15	3.91	74.0	10.85	Peak	28.00	150	Horizontal	Pass
1**	5149.350	50.76	3.91	54.0	3.24	AV	28.00	150	Horizontal	Pass
2	5149.675	62.12	3.93	74.0	11.88	Peak	48.00	100	Horizontal	Pass
2**	5149.675	50.90	3.93	54.0	3.10	AV	48.00	100	Horizontal	Pass


U-NII-1 11n20 CH48



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.94	4.22	74.0	17.06	Peak	19.00	200	Horizontal	Pass
1**	5350.000	47.06	4.22	54.0	6.94	AV	19.00	200	Horizontal	Pass
2	5446.617	59.33	5.35	74.0	14.67	Peak	101.00	150	Horizontal	Pass
2**	5446.617	47.57	5.35	54.0	6.43	AV	101.00	150	Horizontal	Pass

U-NII-1 11n40 CH38


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	61.21	3.88	74.0	12.79	Peak	37.00	200	Horizontal	Pass
1**	5148.050	49.09	3.88	54.0	4.91	AV	37.00	200	Horizontal	Pass
2	5149.675	59.03	3.93	74.0	14.97	Peak	42.00	150	Horizontal	Pass
2**	5149.675	49.47	3.93	54.0	4.53	AV	42.00	150	Horizontal	Pass

U-NII-1 11n40 CH46


Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.87	4.22	74.0	17.13	Peak	298.00	100	Horizontal	Pass
1**	5350.000	46.98	4.22	54.0	7.02	AV	298.00	100	Horizontal	Pass
2	5454.683	59.42	5.58	74.0	14.58	Peak	165.00	150	Horizontal	Pass
2**	5454.683	47.49	5.58	54.0	6.51	AV	165.00	150	Horizontal	Pass

U-NII-1 11ac20 CH36

Bandedge_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	64.22	3.86	74.0	9.78	Peak	33.00	100	Horizontal	Pass
1**	5147.075	49.95	3.86	54.0	4.05	AV	33.00	100	Horizontal	Pass
2	5149.675	63.05	3.93	74.0	10.95	Peak	33.00	100	Horizontal	Pass
2**	5149.675	50.64	3.93	54.0	3.36	AV	33.00	100	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.10	4.22	74.0	16.90	Peak	21.00	150	Horizontal	Pass
1**	5350.000	46.97	4.22	54.0	7.03	AV	21.00	150	Horizontal	Pass
2	5363.200	59.73	4.75	74.0	14.27	Peak	334.00	100	Horizontal	Pass
2**	5363.200	47.22	4.75	54.0	6.78	AV	334.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	59.64	4.00	74.0	14.36	Peak	28.00	100	Horizontal	Pass
1**	5144.150	49.35	4.00	54.0	4.65	AV	28.00	100	Horizontal	Pass
2	5149.675	59.30	3.93	74.0	14.70	Peak	55.00	150	Horizontal	Pass
2**	5149.675	50.53	3.93	54.0	3.47	AV	55.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.73	4.22	74.0	16.27	Peak	208.00	200	Horizontal	Pass
1**	5350.000	46.86	4.22	54.0	7.14	AV	208.00	200	Horizontal	Pass
2	5451.383	59.37	5.54	74.0	14.63	Peak	0.00	100	Horizontal	Pass
2**	5451.383	47.46	5.54	54.0	6.54	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	61.63	3.87	74.0	12.37	Peak	36.00	200	Horizontal	Pass
1**	5145.125	49.93	3.87	54.0	4.07	AV	36.00	200	Horizontal	Pass
2	5149.675	59.10	3.93	74.0	14.90	Peak	42.00	150	Horizontal	Pass
2**	5149.675	50.05	3.93	54.0	3.95	AV	42.00	150	Horizontal	Pass

U-NII-1 11ac80 CH42



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.00	4.22	74.0	17.00	Peak	127.00	200	Horizontal	Pass
1**	5350.000	46.33	4.22	54.0	7.67	AV	127.00	200	Horizontal	Pass
2	5384.834	59.36	4.68	74.0	14.64	Peak	111.00	100	Horizontal	Pass
2**	5384.834	46.67	4.68	54.0	7.33	AV	111.00	100	Horizontal	Pass


U-NII-2A 11a CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	58.96	4.34	74.0	15.04	Peak	87.00	100	Horizontal	Pass
1**	5127.900	47.65	4.34	54.0	6.35	AV	87.00	100	Horizontal	Pass
2	5149.675	56.43	3.93	74.0	17.57	Peak	151.00	200	Horizontal	Pass
2**	5149.675	47.78	3.93	54.0	6.22	AV	151.00	200	Horizontal	Pass


U-NII-2A 11a CH64

Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.42	4.22	74.0	16.58	Peak	344.00	100	Horizontal	Pass
1**	5350.000	47.83	4.22	54.0	6.17	AV	344.00	100	Horizontal	Pass
2	5353.300	61.77	4.20	74.0	12.23	Peak	342.00	100	Horizontal	Pass
2**	5353.300	48.38	4.20	54.0	5.62	AV	342.00	100	Horizontal	Pass


U-NII-2A 11n20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	58.88	4.44	74.0	15.12	Peak	355.00	200	Horizontal	Pass
1**	5132.125	48.01	4.44	54.0	5.99	AV	355.00	200	Horizontal	Pass
2	5149.675	57.11	3.93	74.0	16.89	Peak	90.00	200	Horizontal	Pass
2**	5149.675	47.58	3.93	54.0	6.42	AV	90.00	200	Horizontal	Pass

U-NII-2A 11n20 CH64


Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.26	4.22	74.0	15.74	Peak	43.00	150	Horizontal	Pass
1**	5350.000	47.20	4.22	54.0	6.80	AV	43.00	150	Horizontal	Pass
2	5352.200	60.72	4.16	74.0	13.28	Peak	67.00	100	Horizontal	Pass
2**	5352.200	46.92	4.16	54.0	7.08	AV	67.00	100	Horizontal	Pass

U-NII-2A 11n40 CH54

Bandedge_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4901.700	59.01	3.82	74.0	14.99	Peak	8.00	150	Horizontal	Pass
1**	4901.700	46.99	3.82	54.0	7.01	AV	8.00	150	Horizontal	Pass
2	5149.675	57.63	3.93	74.0	16.37	Peak	307.00	100	Horizontal	Pass
2**	5149.675	47.74	3.93	54.0	6.26	AV	307.00	100	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.08	4.22	74.0	15.92	Peak	18.00	100	Horizontal	Pass
1**	5350.000	47.29	4.22	54.0	6.71	AV	18.00	100	Horizontal	Pass
2	5385.933	59.69	4.65	74.0	14.31	Peak	332.00	200	Horizontal	Pass
2**	5385.933	47.28	4.65	54.0	6.72	AV	332.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH52



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.675	58.72	4.61	74.0	15.28	Peak	35.00	150	Horizontal	Pass
1**	5097.675	47.98	4.61	54.0	6.02	AV	35.00	150	Horizontal	Pass
2	5149.675	56.73	3.93	74.0	17.27	Peak	5.00	100	Horizontal	Pass
2**	5149.675	47.56	3.93	54.0	6.44	AV	5.00	100	Horizontal	Pass


U-NII-2A 11ac20 CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.14	4.22	74.0	14.86	Peak	58.00	200	Horizontal	Pass
1**	5350.000	47.48	4.22	54.0	6.52	AV	58.00	200	Horizontal	Pass
2	5353.483	60.21	4.22	74.0	13.79	Peak	343.00	150	Horizontal	Pass
2**	5353.483	47.38	4.22	54.0	6.62	AV	343.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54


Bandedge_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5065.825	58.00	4.10	74.0	16.00	Peak	70.00	100	Horizontal	Pass
1**	5065.825	46.38	4.10	54.0	7.62	AV	70.00	100	Horizontal	Pass
2	5149.675	57.05	3.93	74.0	16.95	Peak	157.00	100	Horizontal	Pass
2**	5149.675	47.76	3.93	54.0	6.24	AV	157.00	100	Horizontal	Pass


U-NII-2A 11ac40 CH62

Bandedge_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.12	4.22	74.0	13.88	Peak	26.00	150	Horizontal	Pass
1**	5350.000	50.19	4.22	54.0	3.81	AV	26.00	150	Horizontal	Pass
2	5350.917	60.84	4.17	74.0	13.16	Peak	26.00	100	Horizontal	Pass
2**	5350.917	49.95	4.17	54.0	4.05	AV	26.00	100	Horizontal	Pass
3	5359.533	58.64	4.75	74.0	15.36	Peak	31.00	100	Horizontal	Pass
3**	5359.533	50.74	4.75	54.0	3.26	AV	31.00	100	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4807.450	59.00	3.87	74.0	15.00	Peak	13.00	100	Horizontal	Pass
1**	4807.450	46.94	3.87	54.0	7.06	AV	13.00	100	Horizontal	Pass
2	5149.675	56.42	3.93	74.0	17.58	Peak	59.00	200	Horizontal	Pass
2**	5149.675	47.13	3.93	54.0	6.87	AV	59.00	200	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.36	4.22	74.0	16.64	Peak	325.00	200	Horizontal	Pass
1**	5350.000	47.47	4.22	54.0	6.53	AV	325.00	200	Horizontal	Pass
2	5364.666	60.15	4.74	74.0	13.85	Peak	27.00	150	Horizontal	Pass
2**	5364.666	47.51	4.74	54.0	6.49	AV	27.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.500	60.34	5.39	74.0	13.66	Peak	322.00	150	Horizontal	Pass
1**	5447.500	48.56	5.39	54.0	5.44	AV	322.00	150	Horizontal	Pass
2	5459.980	57.59	5.37	74.0	16.41	Peak	97.00	150	Horizontal	Pass
2**	5459.980	48.31	5.37	54.0	5.69	AV	97.00	150	Horizontal	Pass
3	5469.760	59.54	5.04	68.2	8.66	Peak	11.00	200	Horizontal	Pass
3**	5469.760	48.21	5.04	--	--	AV	11.00	200	Horizontal	N/A
4	5469.940	57.77	5.05	68.2	10.43	Peak	345.00	150	Horizontal	Pass
4**	5469.940	48.16	5.05	--	--	AV	345.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.93	4.76	68.2	10.27	Peak	96.00	150	Horizontal	Pass
2	5729.250	60.69	5.18	68.2	7.51	Peak	71.00	100	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.000	60.09	5.40	74.0	13.91	Peak	68.00	100	Horizontal	Pass
1**	5446.000	48.70	5.40	54.0	5.30	AV	68.00	100	Horizontal	Pass
2	5459.980	57.61	5.37	74.0	16.39	Peak	31.00	100	Horizontal	Pass
2**	5459.980	48.53	5.37	54.0	5.47	AV	31.00	100	Horizontal	Pass
3	5467.660	60.28	4.87	68.2	7.92	Peak	71.00	150	Horizontal	Pass
3**	5467.660	48.41	4.87	--	--	AV	71.00	150	Horizontal	N/A
4	5469.940	57.90	5.05	68.2	10.30	Peak	4.00	200	Horizontal	Pass
4**	5469.940	48.58	5.05	--	--	AV	4.00	200	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.85	4.76	68.2	9.35	Peak	59.00	200	Horizontal	Pass
2	5834.937	60.49	5.82	68.2	7.71	Peak	25.00	100	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.420	59.37	5.60	74.0	14.63	Peak	72.00	150	Horizontal	Pass
1**	5455.420	47.95	5.60	54.0	6.05	AV	72.00	150	Horizontal	Pass
2	5459.980	57.86	5.37	74.0	16.14	Peak	65.00	100	Horizontal	Pass
2**	5459.980	47.65	5.37	54.0	6.35	AV	65.00	100	Horizontal	Pass
3	5468.680	59.86	4.95	68.2	8.34	Peak	65.00	200	Horizontal	Pass
3**	5468.680	48.40	4.95	--	--	AV	65.00	200	Horizontal	N/A
4	5469.940	57.92	5.05	68.2	10.28	Peak	26.00	200	Horizontal	Pass
4**	5469.940	48.82	5.05	--	--	AV	26.00	200	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.76	4.77	68.2	10.44	Peak	93.00	200	Horizontal	Pass
2	5842.563	59.72	6.28	68.2	8.48	Peak	213.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.880	60.07	5.57	74.0	13.93	Peak	70.00	100	Horizontal	Pass
1**	5454.880	48.45	5.57	54.0	5.55	AV	70.00	100	Horizontal	Pass
2	5459.980	57.76	5.37	74.0	16.24	Peak	24.00	100	Horizontal	Pass
2**	5459.980	48.44	5.37	54.0	5.56	AV	24.00	100	Horizontal	Pass
3	5465.320	59.22	5.20	68.2	8.98	Peak	61.00	200	Horizontal	Pass
3**	5465.320	48.30	5.20	--	--	AV	61.00	200	Horizontal	N/A
4	5469.940	57.67	5.05	68.2	10.53	Peak	360.00	200	Horizontal	Pass
4**	5469.940	48.59	5.05	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.99	4.77	68.2	10.21	Peak	63.00	150	Horizontal	Pass
2	5842.625	60.58	6.28	68.2	7.62	Peak	92.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.960	60.14	5.66	74.0	13.86	Peak	333.00	100	Horizontal	Pass
1**	5452.960	49.01	5.66	54.0	4.99	AV	333.00	100	Horizontal	Pass
2	5459.980	57.95	5.37	74.0	16.05	Peak	350.00	150	Horizontal	Pass
2**	5459.980	48.82	5.37	54.0	5.18	AV	350.00	150	Horizontal	Pass
3	5468.560	61.51	4.94	68.2	6.69	Peak	75.00	100	Horizontal	Pass
3**	5468.560	50.25	4.94	--	--	AV	75.00	100	Horizontal	N/A
4	5469.940	60.66	5.05	68.2	7.54	Peak	360.00	200	Horizontal	Pass
4**	5469.940	50.80	5.05	--	--	AV	360.00	200	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.67	4.77	68.2	10.53	Peak	89.00	200	Horizontal	Pass
2	5843.812	60.30	6.33	68.2	7.90	Peak	331.00	200	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.080	60.79	5.37	74.0	13.21	Peak	346.00	100	Horizontal	Pass
1**	5447.080	48.49	5.37	54.0	5.51	AV	346.00	100	Horizontal	Pass
2	5459.980	58.23	5.37	74.0	15.77	Peak	58.00	150	Horizontal	Pass
2**	5459.980	48.70	5.37	54.0	5.30	AV	58.00	150	Horizontal	Pass
3	5465.620	61.43	5.20	68.2	6.77	Peak	61.00	200	Horizontal	Pass
3**	5465.620	48.89	5.20	--	--	AV	61.00	200	Horizontal	N/A
4	5469.940	58.14	5.05	68.2	10.06	Peak	36.00	150	Horizontal	Pass
4**	5469.940	48.74	5.05	--	--	AV	36.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.01	4.76	68.2	10.19	Peak	72.00	150	Horizontal	Pass
2	5843.438	60.09	6.31	68.2	8.11	Peak	228.00	150	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.250	59.14	4.05	68.2	9.06	Peak	316.00	150	Horizontal	Pass
2	5650.000	56.37	4.48	68.2	11.83	Peak	32.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.70	4.55	68.3	10.60	Peak	17.00	150	Horizontal	Pass
2	5996.400	60.53	6.20	68.2	7.67	Peak	70.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.000	59.11	4.39	68.2	9.09	Peak	152.00	150	Horizontal	Pass
2	5650.000	56.58	4.48	68.2	11.62	Peak	287.00	200	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.92	4.55	68.3	10.38	Peak	159.00	200	Horizontal	Pass
2	5998.875	61.37	6.48	68.2	6.83	Peak	62.00	100	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.125	58.23	3.98	68.2	9.97	Peak	16.00	100	Horizontal	Pass
2	5650.000	56.45	4.48	68.2	11.75	Peak	16.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.98	4.55	68.3	11.32	Peak	0.00	200	Horizontal	Pass
2	5972.250	60.21	6.48	68.2	7.99	Peak	219.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.688	58.55	4.30	68.2	9.65	Peak	67.00	200	Horizontal	Pass
2	5650.000	56.60	4.48	68.2	11.60	Peak	127.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	4.55	68.3	11.51	Peak	128.00	200	Horizontal	Pass
2	5997.825	60.91	6.35	68.2	7.29	Peak	120.00	150	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.438	58.94	4.18	68.2	9.26	Peak	81.00	200	Horizontal	Pass
2	5650.000	57.19	4.48	68.2	11.01	Peak	92.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.96	4.55	68.3	10.34	Peak	106.00	100	Horizontal	Pass
2	5964.450	61.16	6.43	68.2	7.04	Peak	74.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.500	59.68	3.96	68.2	8.52	Peak	72.00	200	Horizontal	Pass
2	5650.000	56.75	4.48	68.2	11.45	Peak	21.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.18	4.55	68.3	11.12	Peak	0.00	100	Horizontal	Pass
2	5970.075	60.70	6.66	68.2	7.50	Peak	154.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ22B0401-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ22B0401-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ22B0401-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--