DENSO

DENSO INTERNATIONAL AMERICA, INC.

LA Laboratories 5770 Armada Drive Carlsbad, CA 92008-4608

Tel: (760) 929-3300, Fax: (760) 929-3304

June 14, 2000

Federal Communications Commission Applications Processing Branch 7435 Oakland Mills Road Columbia, MD 21046 Attn: Frank Coperich

RE: FCC ID: LXC-E210

Class II Permissive Change - EA97598 Correspondence Ref. No. 14541

Dear Frank:

This is in reference to your email dated June 13, 2000 requesting additional information on the above-referenced cellular phone and your telephone conversation with PCTEST Lab today.

This is to confirm that there were no phones sold or marketed under the original grant FCC ID: LXC-E210 (EA97270). Attached is the original copy of the grant for your records. We respectfully request for the issuance of a new grant with the requested power levels as indicated in the SAR measurement report.

If you have any questions regarding this matter, please contact me or PCTEST Lab.

Best regards,

Dave Ponsford

Vice President Wireless Technologies Denso International America, Inc.

FEDERAL COMMUNICATIONS COMMISSION

WASHINGTON, D.C. 20554

GRANT OF EQUIPMENT AUTHORIZATION

Certification

Denso International America, Inc 5770 Armada Drive

Carlsbad CA 92008-4608

Date of Grant: 5/4/00

Application Dated: 4/6/00

Attention: Steve Burrington, Supervisor Test and Verification Group

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER

LXC-E210

Name of Grantee

Denso International America, Inc

Equipment Class:

Part 24 Licensed Portable transmitter held to ear

Notes:

Dual-Band Analog/PCS Phone (AMPS/CDMA)

			Output	Frequency	Emission
Grant Notes BC	FCC Rule Parts FrequencyRange (MHZ) 22(H) 824.04 - 848.97	orto Erequerro/Range (MHZ)	Watts	Tolerance	<u>Designator</u>
		0.6	2.5 PM	40K0F8W	
		0.6	2.5 PM	40K0F1D	
BC	22(H)		0.531	2.5 PM	1M25F9W
	24(E)	1851.25 - 1908.75	0.001	2.5 1 10	

Power output listed is ERP for Part 22 and EIRP for Part 24. For AMPS mode operation, units produced must not exceed 389 mW conducted output, as tested for this filing, for satisfying RF exposure requirement. SAR compliance for body-worn operating configurations is limited to the specific configurations, including a specific belt-clip, tested for this filing. Other belt-clips, holsters or similar accessories used with this device for body-worn operations must not contain any metallic component in the assembly and must provide at least 2.5 cm separation between the device, including its anterina, and the user's body. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance.

BC: The output power is continuously variable from the value listed in this entry to 5%-10% of the value listed.

Mail To: Randy Ortanez, President PCTEST Engineering Laboratory, Inc. 6660-B Dobbin Road Columbia, MD 21045 EA97270