





Plot 7-367. ISED PSD Antenna WF2 (160MHz BW 11ac – Ch.50, MCS2)









Plot 7-368. ISED PSD Antenna WF2 (160MHz BW 11ax (SU) – Ch.50, MCS2)


FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 144 of 380

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 145 of 380



Plot 7-375. ISED PSD Antenna WF2 (160MHz BW 11ac – Ch.50, MCS4)









Plot 7-376. ISED PSD Antenna WF2 (160MHz BW 11ax (SU) – Ch.50, MCS4)

FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 146 of 380

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 147 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-383. ISED PSD Antenna WF2 (160MHz BW 11ac – Ch.50, MCS9)



Plot 7-384. ISED PSD Antenna WF2 (160MHz BW 11ax (SU) – Ch.50, MCS11)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 148 of 380

7.5.3 Summed CDD/SDM Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Ant WFST Power Density [dBm/MHz]	Ant WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	5.73	6.98	9.41	11.00	-1.59
	5200	40	n (20MHz)	CDD	39/43.3 (MCS10)	5.97	7.08	9.57	11.00	-1.43
	5240	48	n (20MHz)	CDD	39/43.3 (MCS10)	6.13	7.13	9.67	11.00	-1.33
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.15	5.29	7.77	11.00	-3.23
	5200	40	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.42	5.78	8.17	11.00	-2.83
	5240	48	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.35	5.70	8.09	11.00	-2.91
	5190	38	n (40MHz)	CDD	81/60 (MCS10)	0.87	1.86	4.40	11.00	-6.60
	5230	46	n (40MHz)	CDD	81/60 (MCS10)	5.48	6.55	9.06	11.00	-1.94
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.42	0.64	3.15	11.00	-7.85
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.17	5.10	7.67	11.00	-3.33
	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-3.48	-2.22	0.21	11.00	-10.79
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-4.07	-2.93	-0.45	11.00	-11.45
Band 1/2	5250	50	ac (160MHz)	CDD	175.5/195 (MCS2)	-5.58	-5.25	-2.40	11.00	-13.40
	5250	50	ax (SU) (160MHz)	CDD	204/216.2 (MCS2)	-7.17	-6.33	-3.72	11.00	-14.72
Band 2A	5260	52	n (20MHz)	SDM	39/43.3 (MCS10)	6.13	7.10	9.65	11.00	-1.35
	5300	60	n (20MHz)	SDM	39/43.3 (MCS10)	6.08	7.27	9.73	11.00	-1.27
	5320	64	n (20MHz)	SDM	39/43.3 (MCS10)	5.80	6.92	9.40	11.00	-1.60
	5260	52	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.35	5.69	8.08	11.00	-2.92
	5300	60	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.70	5.46	8.11	11.00	-2.89
	5320	64	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.52	5.16	7.86	11.00	-3.14
	5270	54	n (40MHz)	SDM	81/60 (MCS10)	5.70	6.72	9.25	11.00	-1.75
	5310	62	n (40MHz)	CDD	81/60 (MCS10)	1.65	2.16	4.92	11.00	-6.08
	5270	54	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	4.45	5.15	7.83	11.00	-3.17
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.18	0.51	3.19	11.00	-7.81
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-1.78	-1.06	1.61	11.00	-9.39
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-2.95	-2.41	0.34	11.00	-10.66
Band 2C	5500	100	n (20MHz)	SDM	39/43.3 (MCS10)	6.37	6.62	9.51	11.00	-1.49
	5580	116	n (20MHz)	SDM	39/43.3 (MCS10)	6.68	7.27	9.99	11.00	-1.01
	*5600	120	n (20MHz)	SDM	39/43.3 (MCS10)	7.30	7.42	10.37	11.00	-0.63
	5700	140	n (20MHz)	SDM	39/43.3 (MCS10)	6.40	7.04	9.74	11.00	-1.26
	5720	144	n (20MHz)	SDM	39/43.3 (MCS10)	6.73	7.23	10.00	11.00	-1.00
	5500	100	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.76	5.14	7.96	11.00	-3.04
	5580	116	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.14	5.80	8.49	11.00	-2.51
	*5600	120	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	6.22	6.19	9.22	11.00	-1.78
	5700	140	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.99	5.65	8.34	11.00	-2.66
	5720	144	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.11	5.47	8.30	11.00	-2.70
	5510	102	n (40MHz)	CDD	81/60 (MCS10)	1.34	1.74	4.55	11.00	-6.45
	5550	110	n (40MHz)	SDM	81/60 (MCS10)	5.70	6.18	8.96	11.00	-2.04
	*5590	118	n (40MHz)	SDM	81/60 (MCS10)	6.11	6.80	9.47	11.00	-1.53
	5670	134	n (40MHz)	SDM	81/60 (MCS10)	6.16	6.48	9.34	11.00	-1.66
	5710	142	n (40MHz)	SDM	81/60 (MCS10)	6.10	6.87	9.51	11.00	-1.49
	5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.36	0.35	3.02	11.00	-7.98
	5550	110	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	4.05	5.14	7.64	11.00	-3.36
	*5590	118	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	4.40	5.22	7.84	11.00	-3.16
	5670	134	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	5.02	5.35	8.19	11.00	-2.81
	5710	142	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	4.83	5.35	8.11	11.00	-2.89
	5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.07	-1.13	1.43	11.00	-9.57
	*5610	122	ac (80MHz)	CDD	175.5/195 (MCS2)	3.50	4.30	6.93	11.00	-4.07
	5690	138	ac (80MHz)	CDD	175.5/195 (MCS2)	3.77	4.51	7.16	11.00	-3.84
	5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.85	-3.04	-0.42	11.00	-11.42
	*5610	122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	1.66	2.46	5.09	11.00	-5.91
	5690	138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	2.11	3.11	5.65	11.00	-5.35
	*5570	114	ac (160MHz)	CDD	175.5/195 (MCS2)	-6.75	-5.56	-3.10	11.00	-14.10
	*5570	114	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-7.90	-7.42	-4.65	11.00	-15.65

Table 7-134. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 149 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Ant WFST Power Density [dBm/MHz]	Ant WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	78/86.7 (MCS12)	6.01	7.12	9.61	11.00	-1.39
	5200	40	n (20MHz)	CDD	78/86.7 (MCS12)	5.99	7.49	9.81	11.00	-1.19
	5240	48	n (20MHz)	CDD	78/86.7 (MCS12)	5.87	7.13	9.55	11.00	-1.45
	5180	36	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	3.93	5.09	7.56	11.00	-3.44
	5200	40	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.41	5.60	8.06	11.00	-2.94
	5240	48	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.49	5.96	8.30	11.00	-2.70
	5190	38	n (40MHz)	CDD	162/180 (MCS12)	1.02	2.18	4.65	11.00	-6.35
	5230	46	n (40MHz)	CDD	162/180 (MCS12)	5.54	6.65	9.14	11.00	-1.86
	5190	38	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.38	0.18	2.92	11.00	-8.08
	5230	46	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.16	5.32	7.79	11.00	-3.21
	5210	42	ac (80MHz)	CDD	351/390 (MCS4)	-3.15	-2.20	0.36	11.00	-10.64
	5210	42	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-3.96	-2.85	-0.36	11.00	-11.36
Band 1/2	5250	50	ac (160MHz)	CDD	351/390 (MCS4)	-6.61	-5.85	-3.20	11.00	-14.20
	5250	50	ax (SU) (160MHz)	CDD	408/432.4 (MCS4)	-7.99	-7.22	-4.58	11.00	-15.58
Band 2A	5260	52	n (20MHz)	SDM	78/86.7 (MCS12)	6.06	7.43	9.81	11.00	-1.19
	5300	60	n (20MHz)	SDM	78/86.7 (MCS12)	6.30	6.99	9.67	11.00	-1.33
	5320	64	n (20MHz)	SDM	78/86.7 (MCS12)	6.15	7.06	9.64	11.00	-1.36
	5260	52	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	4.40	5.18	7.82	11.00	-3.18
	5300	60	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	4.86	5.51	8.21	11.00	-2.79
	5320	64	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	4.22	4.63	7.44	11.00	-3.56
	5270	54	n (40MHz)	CDD	162/180 (MCS12)	5.74	6.68	9.24	11.00	-1.76
	5310	62	n (40MHz)	CDD	162/180 (MCS12)	1.81	2.45	5.15	11.00	-5.85
	5270	54	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	4.35	5.02	7.71	11.00	-3.29
	5310	62	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.56	0.59	3.07	11.00	-7.93
	5290	58	ac (80MHz)	CDD	351/390 (MCS4)	-1.95	-1.20	1.45	11.00	-9.55
	5290	58	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-2.97	-2.36	0.36	11.00	-10.64
Band 2C	5500	100	n (20MHz)	SDM	78/86.7 (MCS12)	6.33	6.37	9.36	11.00	-1.64
	5580	116	n (20MHz)	SDM	78/86.7 (MCS12)	6.49	7.47	10.02	11.00	-0.98
	*5600	120	n (20MHz)	SDM	78/86.7 (MCS12)	7.38	7.51	10.45	11.00	-0.55
	5700	140	n (20MHz)	SDM	78/86.7 (MCS12)	6.42	7.28	9.88	11.00	-1.12
	5720	144	n (20MHz)	SDM	78/86.7 (MCS12)	6.70	7.58	10.17	11.00	-0.83
	5500	100	ax (SU) (20MHz)	CDD	98/103.2 (MCS4)	3.19	3.41	6.31	11.00	-4.69
	5580	116	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	5.28	5.24	8.27	11.00	-2.73
	*5600	120	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	6.22	6.12	9.18	11.00	-1.82
	5700	140	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	4.50	5.06	7.80	11.00	-3.20
	5720	144	ax (SU) (20MHz)	SDM	98/103.2 (MCS4)	4.70	5.53	8.14	11.00	-2.86
	5510	102	n (40MHz)	CDD	162/180 (MCS12)	0.97	1.02	4.00	11.00	-7.00
	5550	110	n (40MHz)	SDM	162/180 (MCS12)	5.50	6.34	8.95	11.00	-2.05
	*5590	118	n (40MHz)	SDM	162/180 (MCS12)	6.47	7.36	9.94	11.00	-1.06
	5670	134	n (40MHz)	CDD	162/180 (MCS12)	5.77	6.24	9.02	11.00	-1.98
	5710	142	n (40MHz)	SDM	162/180 (MCS12)	6.27	6.89	9.60	11.00	-1.40
	5510	102	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	-0.31	-0.19	2.76	11.00	-8.24
	5550	110	ax (SU) (40MHz)	SDM	196/206.5 (MCS4)	3.71	4.38	7.07	11.00	-3.93
	*5590	118	ax (SU) (40MHz)	SDM	196/206.5 (MCS4)	4.68	5.47	8.10	11.00	-2.90
	5670	134	ax (SU) (40MHz)	CDD	196/206.5 (MCS4)	2.98	3.40	6.20	11.00	-4.80
	5710	142	ax (SU) (40MHz)	SDM	196/206.5 (MCS4)	4.74	5.23	8.00	11.00	-3.00
	5530	106	ac (80MHz)	CDD	351/390 (MCS4)	-2.57	-1.79	0.85	11.00	-10.15
	*5610	122	ac (80MHz)	CDD	351/390 (MCS4)	3.00	4.09	6.59	11.00	-4.41
	5690	138	ac (80MHz)	CDD	351/390 (MCS4)	3.95	4.48	7.23	11.00	-3.77
	5530	106	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-4.21	-3.53	-0.85	11.00	-11.85
	*5610	122	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	1.44	1.78	4.62	11.00	-6.38
	5690	138	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	2.40	3.30	5.89	11.00	-5.11
	*5570	114	ac (160MHz)	CDD	351/390 (MCS4)	-7.72	-6.93	-4.30	11.00	-15.30
	*5570	114	ax (SU) (80MHz)	CDD	408/432.4 (MCS4)	-8.89	-8.21	-5.53	11.00	-16.53

Table 7-135. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 150 of 380

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 MODE	Mode	Data Rate [Mbps]	Ant WF5T Power Density [dBm/MHz]	Ant WF2 Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	130/144.4 (MCS15)	4.77	5.76	8.30	11.00	-2.70
	5200	40	n (20MHz)	CDD	130/144.4 (MCS15)	4.97	5.94	8.49	11.00	-2.51
	5240	48	n (20MHz)	CDD	130/144.4 (MCS15)	5.99	6.21	9.11	11.00	-1.89
	5180	36	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.55	4.88	7.28	11.00	-3.72
	5200	40	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.74	5.59	8.19	11.00	-2.81
	5240	48	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	4.50	5.26	7.91	11.00	-3.09
	5190	38	n (40MHz)	CDD	270/300 (MCS15)	-0.27	0.74	3.27	11.00	-7.73
	5230	46	n (40MHz)	CDD	270/300 (MCS15)	4.26	5.57	7.98	11.00	-3.02
	5190	38	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-0.64	0.10	2.75	11.00	-8.25
	5230	46	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	4.01	5.33	7.73	11.00	-3.27
Band 1/2	5210	42	ac (80MHz)	CDD	780/866.7 (MCS9)	-5.24	-3.84	-1.47	11.00	-12.47
	5210	42	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-5.03	-4.06	-1.50	11.00	-12.50
	5250	50	ac (160MHz)	CDD	780/866.7 (MCS9)	-8.15	-7.42	-4.76	11.00	-15.76
Band 2A	5250	50	ax (SU) (160MHz)	CDD	1134/1201 (MCS11)	-8.40	-7.78	-5.07	11.00	-16.07
	5260	52	n (20MHz)	SDM	130/144.4 (MCS15)	4.78	5.92	8.39	11.00	-2.61
	5300	60	n (20MHz)	SDM	130/144.4 (MCS15)	4.85	6.04	8.50	11.00	-2.50
	5320	64	n (20MHz)	SDM	130/144.4 (MCS15)	5.07	5.44	8.26	11.00	-2.74
	5260	52	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	4.84	5.97	8.46	11.00	-2.54
	5300	60	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	5.00	5.45	8.24	11.00	-2.76
	5320	64	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.36	4.05	6.73	11.00	-4.27
	5270	54	n (40MHz)	CDD	270/300 (MCS15)	4.81	5.78	8.33	11.00	-2.67
	5310	62	n (40MHz)	CDD	270/300 (MCS15)	-0.28	0.62	3.20	11.00	-7.80
	5270	54	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	4.56	5.36	7.99	11.00	-3.01
	5310	62	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-0.14	-0.13	2.88	11.00	-8.12
	5290	58	ac (80MHz)	CDD	780/866.7 (MCS9)	-2.79	-2.35	0.45	11.00	-10.55
	5290	58	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-2.94	-2.59	0.25	11.00	-10.75
Band 2C	5500	100	n (20MHz)	CDD	130/144.4 (MCS15)	3.28	3.61	6.46	11.00	-4.54
	5580	116	n (20MHz)	SDM	130/144.4 (MCS15)	5.60	5.77	8.70	11.00	-2.30
	*5600	120	n (20MHz)	SDM	130/144.4 (MCS15)	6.22	6.28	9.26	11.00	-1.74
	5700	140	n (20MHz)	SDM	130/144.4 (MCS15)	3.71	4.29	7.02	11.00	-3.98
	5720	144	n (20MHz)	SDM	130/144.4 (MCS15)	5.33	5.95	8.66	11.00	-2.34
	5500	100	ax (SU) (20MHz)	CDD	270/286.8 (MCS11)	3.28	3.41	6.36	11.00	-4.64
	5580	116	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	5.32	5.74	8.54	11.00	-2.46
	*5600	120	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	6.32	6.19	9.26	11.00	-1.74
	5700	140	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	3.16	3.39	6.28	11.00	-4.72
	5720	144	ax (SU) (20MHz)	SDM	270/286.8 (MCS11)	5.21	5.48	8.36	11.00	-2.64
	5510	102	n (40MHz)	CDD	270/300 (MCS15)	-0.89	-0.27	2.44	11.00	-8.56
	5550	110	n (40MHz)	CDD	270/300 (MCS15)	5.19	4.83	8.02	11.00	-2.98
	*5590	118	n (40MHz)	SDM	270/300 (MCS15)	4.90	5.80	8.38	11.00	-2.62
	5670	134	n (40MHz)	CDD	270/300 (MCS15)	1.57	2.41	5.02	11.00	-5.98
	5710	142	n (40MHz)	SDM	270/300 (MCS15)	5.56	5.58	8.58	11.00	-2.42
	5510	102	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	-0.99	-0.27	2.40	11.00	-8.60
	5550	110	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	3.48	4.19	6.85	11.00	-4.15
	*5590	118	ax (SU) (40MHz)	SDM	271/286.8 (MCS11)	4.84	5.66	8.28	11.00	-2.72
	5670	134	ax (SU) (40MHz)	CDD	271/286.8 (MCS11)	1.61	1.93	4.78	11.00	-6.22
	5710	142	ax (SU) (40MHz)	SDM	271/286.8 (MCS11)	5.09	5.52	8.32	11.00	-2.68
	5530	106	ac (80MHz)	CDD	780/866.7 (MCS9)	-4.48	-4.32	-1.39	11.00	-12.39
	*5610	122	ac (80MHz)	CDD	780/866.7 (MCS9)	0.62	1.80	4.26	11.00	-6.74
	5690	138	ac (80MHz)	CDD	780/866.7 (MCS9)	2.94	3.40	6.19	11.00	-4.81
	5530	106	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-5.42	-4.52	-1.93	11.00	-12.93
	*5610	122	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	0.29	1.31	3.84	11.00	-7.16
	5690	138	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	2.32	3.39	5.89	11.00	-5.11
	*5570	114	ac (160MHz)	CDD	780/866.7 (MCS9)	-9.65	-9.03	-6.32	11.00	-17.32
	*5570	114	ax (SU) (80MHz)	CDD	1134/1201 (MCS11)	-10.05	-9.24	-6.61	11.00	-17.61







Table 7-136. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (High Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)







FCC ID: BCGA2993 IC: 579C-A2993	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 151 of 380

V 10.6 10/27/2023







Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.









FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 152 of 380









FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 153 of 380









FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG			Page 154 of 380
Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device		



FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 155 of 380



FCC ID: BCGA2993 IC: 579C-A2993	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG	Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device	Page 156 of 380



FCC ID: BCGA2993 IC: 579C-A2993		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2405200017-11.BCG			Page 157 of 380
Test Dates: 5/20/2024 - 8/28/2024	EUT Type: Tablet Device		

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.