

## Appendix G.6: Band edge measurements

### Test Result B4

| TestMode       | Antenna | ChName | Freq(MHz) | FreqRange [MHz] | Result [dBm] | Limit [dBm] | Verdict |
|----------------|---------|--------|-----------|-----------------|--------------|-------------|---------|
| 11A            | Ant1    | Low    | 5745      | 5650~5700       | -40.22       | ≤-26.70     | PASS    |
|                |         |        |           | 5700~5720       | -35.83       | ≤10.09      | PASS    |
|                |         |        |           | 5720~5725       | -28.01       | ≤20.01      | PASS    |
|                |         |        |           | 5760~5650       | -38.93       | ≤-27        | PASS    |
|                |         | High   | 5825      | 5850~5855       | -31.42       | ≤16.96      | PASS    |
|                |         |        |           | 5855~5875       | -35.02       | ≤11.87      | PASS    |
|                |         |        |           | 5875~5925       | -39.41       | ≤-26.81     | PASS    |
|                |         |        |           | 5925~5935       | -38.11       | ≤-27        | PASS    |
| 11N20SI<br>SO  | Ant1    | Low    | 5745      | 5650~5700       | -39.49       | ≤-26.19     | PASS    |
|                |         |        |           | 5700~5720       | -28.09       | ≤15.59      | PASS    |
|                |         |        |           | 5720~5725       | -22.57       | ≤20.54      | PASS    |
|                |         |        |           | 5760~5650       | -39.05       | ≤-27        | PASS    |
|                |         | High   | 5825      | 5850~5855       | -32.44       | ≤17.26      | PASS    |
|                |         |        |           | 5855~5875       | -31.24       | ≤15.35      | PASS    |
|                |         |        |           | 5875~5925       | -38.51       | ≤-26.61     | PASS    |
|                |         |        |           | 5925~5935       | -38.74       | ≤-27        | PASS    |
| 11N40SI<br>SO  | Ant1    | Low    | 5755      | 5650~5700       | -40.27       | ≤-26.90     | PASS    |
|                |         |        |           | 5700~5720       | -20.86       | ≤13.01      | PASS    |
|                |         |        |           | 5720~5725       | -15.31       | ≤18.20      | PASS    |
|                |         |        |           | 5780~5650       | -39.34       | ≤-27        | PASS    |
|                |         | High   | 5795      | 5850~5855       | -25.16       | ≤23.56      | PASS    |
|                |         |        |           | 5855~5875       | -35.23       | ≤11.13      | PASS    |
|                |         |        |           | 5875~5925       | -38.66       | ≤-26.46     | PASS    |
|                |         |        |           | 5925~5935       | -35.55       | ≤-27        | PASS    |
| 11AC20S<br>ISO | Ant1    | Low    | 5745      | 5650~5700       | -38.47       | ≤-24.66     | PASS    |
|                |         |        |           | 5700~5720       | -28.89       | ≤15.59      | PASS    |
|                |         |        |           | 5720~5725       | -27          | ≤16.60      | PASS    |
|                |         |        |           | 5760~5650       | -39.06       | ≤-27        | PASS    |
|                |         | High   | 5825      | 5850~5855       | -31.89       | ≤17.88      | PASS    |
|                |         |        |           | 5855~5875       | -30.4        | ≤15.09      | PASS    |
|                |         |        |           | 5875~5925       | -37.19       | ≤-26.91     | PASS    |
|                |         |        |           | 5925~5935       | -37.32       | ≤-27        | PASS    |
| 11AC40S<br>ISO | Ant1    | Low    | 5755      | 5650~5700       | -40.08       | ≤-26.60     | PASS    |
|                |         |        |           | 5700~5720       | -22.07       | ≤13.88      | PASS    |
|                |         |        |           | 5720~5725       | -22.5        | ≤17.58      | PASS    |
|                |         |        |           | 5780~5650       | -39.61       | ≤-27        | PASS    |

|                |      |      |      |           |        |               |      |
|----------------|------|------|------|-----------|--------|---------------|------|
|                |      | High | 5795 | 5850~5855 | -31.82 | $\leq 16.41$  | PASS |
|                |      |      |      | 5855~5875 | -33.87 | $\leq 12.47$  | PASS |
|                |      |      |      | 5875~5925 | -38.62 | $\leq -26.83$ | PASS |
|                |      |      |      | 5925~5935 | -38.1  | $\leq -27$    | PASS |
| 11AC80S<br>ISO | Ant1 | Low  | 5775 | 5650~5700 | -38.47 | $\leq -26.57$ | PASS |
|                |      |      |      | 5700~5720 | -25.7  | $\leq 10.48$  | PASS |
|                |      |      |      | 5720~5725 | -21.51 | $\leq 17.77$  | PASS |
|                |      |      |      | 5800~5650 | -37.66 | $\leq -27$    | PASS |
|                |      | High | 5775 | 5850~5855 | -28.74 | $\leq 16.68$  | PASS |
|                |      |      |      | 5855~5875 | -29.28 | $\leq 11.07$  | PASS |
|                |      |      |      | 5875~5925 | -32.88 | $\leq -24.00$ | PASS |
|                |      |      |      | 5925~5935 | -34.56 | $\leq -27$    | PASS |
| 11AX20SI<br>SO | Ant1 | Low  | 5745 | 5650~5700 | -39.65 | $\leq -26.27$ | PASS |
|                |      |      |      | 5700~5720 | -27.43 | $\leq 14.92$  | PASS |
|                |      |      |      | 5720~5725 | -21.77 | $\leq 20.27$  | PASS |
|                |      |      |      | 5760~5650 | -39.99 | $\leq -27$    | PASS |
|                |      | High | 5825 | 5850~5855 | -31.15 | $\leq 16.96$  | PASS |
|                |      |      |      | 5855~5875 | -29.89 | $\leq 12.52$  | PASS |
|                |      |      |      | 5875~5925 | -38.8  | $\leq -26.91$ | PASS |
|                |      |      |      | 5925~5935 | -38.27 | $\leq -27$    | PASS |
| 11AX40SI<br>SO | Ant1 | Low  | 5755 | 5650~5700 | -39.99 | $\leq -26.10$ | PASS |
|                |      |      |      | 5700~5720 | -21.71 | $\leq 14.07$  | PASS |
|                |      |      |      | 5720~5725 | -21.76 | $\leq 15.74$  | PASS |
|                |      |      |      | 5780~5650 | -37.68 | $\leq -27$    | PASS |
|                |      | High | 5795 | 5850~5855 | -32.98 | $\leq 15.66$  | PASS |
|                |      |      |      | 5855~5875 | -34.46 | $\leq 11.68$  | PASS |
|                |      |      |      | 5875~5925 | -39.63 | $\leq -26.83$ | PASS |
|                |      |      |      | 5925~5935 | -38.22 | $\leq -27$    | PASS |
| 11AX80SI<br>SO | Ant1 | Low  | 5775 | 5650~5700 | -37.67 | $\leq -26.57$ | PASS |
|                |      |      |      | 5700~5720 | -25.14 | $\leq 10.18$  | PASS |
|                |      |      |      | 5720~5725 | -23.68 | $\leq 17.06$  | PASS |
|                |      |      |      | 5800~5650 | -34.8  | $\leq -27$    | PASS |
|                |      | High | 5775 | 5850~5855 | -28.22 | $\leq 15.84$  | PASS |
|                |      |      |      | 5855~5875 | -29.24 | $\leq 11.28$  | PASS |
|                |      |      |      | 5875~5925 | -37.45 | $\leq -26.87$ | PASS |
|                |      |      |      | 5925~5935 | -37.34 | $\leq -27$    | PASS |

## Test Graphs B4

11A\_Ant1\_Low\_5745



11A\_Ant1\_High\_5825



## 11N20SISO\_Ant1\_Low\_5745



## 11N20SISO\_Ant1\_High\_5825




## 11N40SISO\_Ant1\_Low\_5755




## 11N40SISO\_Ant1\_High\_5795







## 11AC40SISO\_Ant1\_Low\_5755



## 11AC40SISO\_Ant1\_High\_5795




## 11AC80SISO\_Ant1\_Low\_5775



## 11AC80SISO\_Ant1\_High\_5775









## 11AX80SISO\_Ant1\_Low\_5775



## 11AX80SISO\_Ant1\_High\_5775



## Appendix G.7: Conducted Spurious Emission


### Test Result

| TestMode   | Antenna | Freq(MHz) | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Limit [dBm] | Verdict |
|------------|---------|-----------|-----------------|----------------|------------------|-------------|---------|
| 11A        | Ant1    | 5745      | 30~5650         | 2643.11        | -40.55           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24193.51       | -31.84           | ≤-27        | PASS    |
|            |         | 5785      | 30~5650         | 3176.45        | -39.71           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24874.94       | -32.12           | ≤-27        | PASS    |
|            |         | 5825      | 30~5650         | 2637.12        | -39.76           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 23533.87       | -31.29           | ≤-27        | PASS    |
| 11N20SISO  | Ant1    | 5745      | 30~5650         | 2675.15        | -39.55           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26487.18       | -31.44           | ≤-27        | PASS    |
|            |         | 5785      | 30~5650         | 2656.6         | -40              | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24224.42       | -31.75           | ≤-27        | PASS    |
|            |         | 5825      | 30~5650         | 5351.02        | -39.47           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26043.9        | -31.7            | ≤-27        | PASS    |
| 11N40SISO  | Ant1    | 5755      | 30~5650         | 5430.07        | -40.22           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24315.75       | -31.71           | ≤-27        | PASS    |
|            |         | 5795      | 30~5650         | 5603.73        | -40.15           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26820.86       | -31.76           | ≤-27        | PASS    |
| 11AC20SISO | Ant1    | 5745      | 30~5650         | 5497.7         | -39.92           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26012.29       | -32.01           | ≤-27        | PASS    |
|            |         | 5785      | 30~5650         | 5312.99        | -39.63           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26027.74       | -31.81           | ≤-27        | PASS    |
|            |         | 5825      | 30~5650         | 5495.08        | -40.35           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24166.82       | -31.28           | ≤-27        | PASS    |
| 11AC40SISO | Ant1    | 5755      | 30~5650         | 5434.19        | -40.02           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26780.82       | -32.03           | ≤-27        | PASS    |
|            |         | 5795      | 30~5650         | 5475.03        | -39.32           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24082.52       | -31.51           | ≤-27        | PASS    |
| 11AC80SISO | Ant1    | 5775      | 30~5650         | 5645.69        | -38.4            | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 24197.03       | -31.37           | ≤-27        | PASS    |
| 11AX20SISO | Ant1    | 5745      | 30~5650         | 5486.27        | -39.44           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26010.88       | -31.8            | ≤-27        | PASS    |
|            |         | 5785      | 30~5650         | 5310.93        | -39.15           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26073.4        | -31.44           | ≤-27        | PASS    |
|            |         | 5825      | 30~5650         | 5353.83        | -39.56           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26618.54       | -30.73           | ≤-27        | PASS    |
| 11AX40SISO | Ant1    | 5755      | 30~5650         | 5522.43        | -40.37           | ≤-27        | PASS    |
|            |         |           | 5925~40000      | 26484.37       | -31.51           | ≤-27        | PASS    |


|            |      |      |            |          |        |            |      |
|------------|------|------|------------|----------|--------|------------|------|
|            |      | 5795 | 30~5650    | 5431.94  | -39.29 | $\leq -27$ | PASS |
|            |      |      | 5925~40000 | 24277.11 | -31.84 | $\leq -27$ | PASS |
| 11AX80SISO | Ant1 | 5775 | 30~5650    | 5456.86  | -40.43 | $\leq -27$ | PASS |
|            |      |      | 5925~40000 | 26545.48 | -31.98 | $\leq -27$ | PASS |




## Test Graphs




## 11A\_Ant1\_5785\_30~5650




## 11A\_Ant1\_5785\_5925~40000





## 11A\_Ant1\_5825\_30~5650



## 11A\_Ant1\_5825\_5925~40000












## 11N20SISO\_Ant1\_5825\_30~5650




## 11N20SISO\_Ant1\_5825\_5925~40000











## 11AC20SISO\_Ant1\_5745\_30~5650




## 11AC20SISO\_Ant1\_5745\_5925~40000




## 11AC20SISO\_Ant1\_5785\_30~5650




## 11AC20SISO\_Ant1\_5785\_5925~40000



## 11AC20SISO\_Ant1\_5825\_30~5650




## 11AC20SISO\_Ant1\_5825\_5925~40000








## 11AC40SISO\_Ant1\_5755\_30~5650




## 11AC40SISO\_Ant1\_5755\_5925~40000










## 11AX20SISO\_Ant1\_5785\_30~5650



## 11AX20SISO\_Ant1\_5785\_5925~40000







## 11AX20SISO\_Ant1\_5825\_30~5650




## 11AX20SISO\_Ant1\_5825\_5925~40000







## 11AX40SISO\_Ant1\_5795\_30~5650



## 11AX40SISO\_Ant1\_5795\_5925~40000





## Appendix G.8: Emissions in Restricted Bands

### Test Result

| TestMode   | Antenna | ChName | Freq(MHz) | Detector | Freq [MHz] | Result [dBm] | Limit [dBm] | Result [dBuV/m] | Limit [dBuV/m] | Verdict |
|------------|---------|--------|-----------|----------|------------|--------------|-------------|-----------------|----------------|---------|
| 11A        | Ant1    | Low    | 5745      | Peak     | 5650.000   | -38.74<br>5  | ≤-27.00     | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5700.000   | -38.84       | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5720.000   | -37.05       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5725.000   | -30.24       | ≤27.00      | ---             | ---            | PASS    |
|            |         | High   | 5825      | Peak     | 5850.000   | -29.68<br>6  | ≤27.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5855.000   | -37.33       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5875.000   | -38          | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5925.000   | -38.64       | ≤-27.00     | ---             | ---            | PASS    |
| 11N20SISO  | Ant1    | Low    | 5745      | Peak     | 5650.000   | -38.83       | ≤-27.00     | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5700.000   | -37.67       | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5720.000   | -29.73       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5725.000   | -27.9        | ≤27.00      | ---             | ---            | PASS    |
|            |         | High   | 5825      | Peak     | 5850.000   | -25.63<br>1  | ≤27.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5855.000   | -31.03       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5875.000   | -38.85       | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5925.000   | -39.34       | ≤-27.00     | ---             | ---            | PASS    |
| 11N40SISO  | Ant1    | Low    | 5755      | Peak     | 5650.000   | -39.85<br>6  | ≤-27.00     | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5700.000   | -29.57       | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5720.000   | -25.49       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5725.000   | -23.46       | ≤27.00      | ---             | ---            | PASS    |
|            |         | High   | 5795      | Peak     | 5850.000   | -34.09<br>5  | ≤27.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5855.000   | -34.08       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5875.000   | -38.82       | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5925.000   | -39.26       | ≤-27.00     | ---             | ---            | PASS    |
| 11AC20SISO | Ant1    | Low    | 5745      | Peak     | 5650.000   | -40.23<br>3  | ≤-27.00     | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5700.000   | -38.87       | ≤10.00      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5720.000   | -30.08       | ≤15.60      | ---             | ---            | PASS    |
|            |         |        |           | Peak     | 5725.000   | -26.38       | ≤27.00      | ---             | ---            | PASS    |
|            |         | High   | 5825      | Peak     | 5850.000   | -32.05<br>6  | ≤27.00      | ---             | ---            | PASS    |




|                |      |      |      |      |          |             |         |     |     |      |
|----------------|------|------|------|------|----------|-------------|---------|-----|-----|------|
|                |      |      |      | Peak | 5855.000 | -35.44      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5875.000 | -38.73      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5925.000 | -38.2       | ≤-27.00 | --- | --- | PASS |
| 11AC40SI<br>SO | Ant1 | Low  | 5755 | Peak | 5650.000 | -39.65<br>5 | ≤-27.00 | --- | --- | PASS |
|                |      |      |      | Peak | 5700.000 | -34.29      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5720.000 | -25.5       | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5725.000 | -22.01      | ≤27.00  | --- | --- | PASS |
|                |      | High | 5795 | Peak | 5850.000 | -30.86<br>8 | ≤27.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5855.000 | -33.65      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5875.000 | -38.67      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5925.000 | -39.69      | ≤-27.00 | --- | --- | PASS |
| 11AC80SI<br>SO | Ant1 | Low  | 5775 | Peak | 5650.000 | -39.7       | ≤-27.00 | --- | --- | PASS |
|                |      |      |      | Peak | 5700.000 | -26.12      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5720.000 | -26.8       | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5725.000 | -23.65      | ≤27.00  | --- | --- | PASS |
|                |      | High | 5775 | Peak | 5850.000 | -26.89<br>5 | ≤27.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5855.000 | -28.81      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5875.000 | -31.87      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5925.000 | -34.58      | ≤-27.00 | --- | --- | PASS |
| 11AX20SI<br>SO | Ant1 | Low  | 5745 | Peak | 5650.000 | -39.25<br>1 | ≤-27.00 | --- | --- | PASS |
|                |      |      |      | Peak | 5700.000 | -38.46      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5720.000 | -25.11      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5725.000 | -24.22      | ≤27.00  | --- | --- | PASS |
|                |      | High | 5825 | Peak | 5850.000 | -26.95<br>9 | ≤27.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5855.000 | -31.56      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5875.000 | -38.97      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5925.000 | -36.56      | ≤-27.00 | --- | --- | PASS |
| 11AX40SI<br>SO | Ant1 | Low  | 5755 | Peak | 5650.000 | -39.87<br>8 | ≤-27.00 | --- | --- | PASS |
|                |      |      |      | Peak | 5700.000 | -34.35      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5720.000 | -22.02      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5725.000 | -24.74      | ≤27.00  | --- | --- | PASS |
|                |      | High | 5795 | Peak | 5850.000 | -32.45<br>5 | ≤27.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5855.000 | -30.76      | ≤15.60  | --- | --- | PASS |
|                |      |      |      | Peak | 5875.000 | -38.42      | ≤10.00  | --- | --- | PASS |
|                |      |      |      | Peak | 5925.000 | -39.63      | ≤-27.00 | --- | --- | PASS |
| 11AX80SI       | Ant1 | Low  | 5775 | Peak | 5650.000 | -39.85      | ≤-27.00 | --- | --- | PASS |

|    |  |      |      |      |          |             |         |     |     |      |
|----|--|------|------|------|----------|-------------|---------|-----|-----|------|
| SO |  |      |      |      |          | 9           |         |     |     |      |
|    |  |      |      | Peak | 5700.000 | -28.4       | ≤10.00  | --- | --- | PASS |
|    |  |      |      | Peak | 5720.000 | -22.62      | ≤15.60  | --- | --- | PASS |
|    |  |      |      | Peak | 5725.000 | -24.73      | ≤27.00  | --- | --- | PASS |
|    |  | High | 5775 | Peak | 5850.000 | -29.71<br>4 | ≤27.00  | --- | --- | PASS |
|    |  |      |      | Peak | 5855.000 | -29.62      | ≤15.60  | --- | --- | PASS |
|    |  |      |      | Peak | 5875.000 | -31.54      | ≤10.00  | --- | --- | PASS |
|    |  |      |      | Peak | 5925.000 | -36.64      | ≤-27.00 | --- | --- | PASS |

## Note:

1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs



## 11N20SISO\_Ant1\_Low\_5745\_Peak



## 11N20SISO\_Ant1\_High\_5825\_Peak



## 11N40SISO\_Ant1\_Low\_5755\_Peak



## 11N40SISO\_Ant1\_High\_5795\_Peak






## 11AC20SISO\_Ant1\_Low\_5745\_Peak



## 11AC20SISO\_Ant1\_High\_5825\_Peak



## 11AC40SISO\_Ant1\_Low\_5755\_Peak




## 11AC40SISO\_Ant1\_High\_5795\_Peak



## 11AC80SISO\_Ant1\_Low\_5775\_Peak



## 11AC80SISO\_Ant1\_High\_5775\_Peak



## 11AX20SISO\_Ant1\_Low\_5745\_Peak



## 11AX20SISO\_Ant1\_High\_5825\_Peak





## 11AX40SISO\_Ant1\_Low\_5755\_Peak



## 11AX40SISO\_Ant1\_High\_5795\_Peak





## 11AX80SISO\_Ant1\_Low\_5775\_Peak



## 11AX80SISO\_Ant1\_High\_5775\_Peak

