

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

<EUT only>

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5149.00	58.37	48.22	10.15	74.00	-15.63	310	190	Peak	Horizontal		
2 *	5100.00	113.31	103.02	10.29	68.20	45.11	310	190	Peak	Horizontal		
3	5394.00	55.52	45.04	10.48	74.00	-18.48	310	190	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5149.50	56.96	46.81	10.15	74.00	-17.04	282	250	Peak	Vertical		
2 *	5100.00	112.04	101.75	10.29	68.20	43.84	282	250	Peak	Vertical		
3	5412.00	55.44	44.99	10.45	74.00	-18.56	282	250	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	46.29	36.14	10.15	54.00	-7.71	310	190	Average	Horizontal	
2 *	5180.00	102.91	92.62	10.29	54.00	48.91	310	190	Average	Horizontal	
3	5407.00	42.51	32.62	10.49	54.00	-11.49	310	190	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	45.62	35.47	10.15	54.00	-8.38	282	250	Average	Vertical	
2 *	5180.00	102.63	92.34	10.29	54.00	48.63	282	250	Average	Vertical	
3	5400.00	42.66	32.13	10.53	54.00	-11.34	282	250	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5086.00	55.44	45.15	10.29	74.00	-18.56	306	191	Peak	Horizontal	
2 *	5200.00	113.50	103.10	10.40	68.10	45.30	306	191	Peak	Horizontal	
3	5391.00	55.67	45.20	10.47	74.00	-18.33	306	191	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	55.25	45.05	10.20	74.00	-18.75	257	272	Peak	Vertical	
2 *	5200.00	112.47	102.07	10.40	68.10	44.27	257	272	Peak	Vertical	
3	5372.50	55.64	45.30	10.34	74.00	-18.36	257	272	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	42.90	32.75	10.15	54.00	-11.10	306	191	Average	Horizontal	
2 *	5200.00	103.18	92.78	10.40	54.00	49.18	306	191	Average	Horizontal	
3	5405.50	42.87	32.38	10.49	54.00	-11.13	306	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	43.28	33.13	10.15	54.00	-10.72	257	272	Average	Vertical	
2 *	5200.00	103.72	93.32	10.40	54.00	49.72	257	272	Average	Vertical	
3	5405.00	42.80	32.31	10.49	54.00	-11.20	257	272	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4933.58	55.58	45.49	10.09	74.00	-18.42	316	191	Peak	Horizontal	
2 *	5240.00	113.28	103.24	10.04	68.20	45.08	316	191	Peak	Horizontal	
3	5396.50	54.98	44.47	10.51	74.00	-19.02	316	191	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4917.50	55.46	45.48	9.98	74.00	-18.54	334	279	Peak	Vertical	
2 *	5240.00	113.31	103.27	10.04	68.20	45.11	334	279	Peak	Vertical	
3	5415.50	55.28	44.86	10.42	74.00	-18.72	334	279	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5148.50	42.67	32.52	10.15	54.00	-11.33	316	191	Average	Horizontal
2 *	5240.00	103.64	93.60	10.04	54.00	49.64	316	191	Average	Horizontal
3	5393.00	42.74	32.27	10.47	54.00	-11.26	316	191	Average	Horizontal

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5131.50	42.61	32.41	10.20	54.00	-11.39	334	279	Average	Vertical
2 *	5240.00	103.99	93.95	10.04	54.00	49.99	334	279	Average	Vertical
3	5404.50	42.97	32.48	10.49	54.00	-11.03	334	279	Average	Vertical

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5180.00	72.51	62.36	10.15	74.00	-1.49	321	191	Peak	Horizontal	
2	5180.00	112.13	101.84	10.29	68.20	43.93	321	191	Peak	Horizontal	
3	5427.00	55.84	45.50	10.34	74.00	-18.16	321	191	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5180.00	69.18	59.02	10.16	74.00	-4.82	350	245	Peak	Vertical	
2	5180.00	111.79	101.50	10.29	68.20	43.59	350	245	Peak	Vertical	
3	5411.00	55.28	44.83	10.45	74.00	-18.72	350	245	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	50.83	40.68	10.15	54.00	-3.17	321	191	Average	Horizontal	
2 *	5180.00	100.45	90.15	10.29	54.00	46.45	321	191	Average	Horizontal	
3	5382.50	42.51	32.10	10.41	54.00	-11.49	321	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	50.23	40.08	10.15	54.00	-3.77	350	245	Average	Vertical	
2 *	5180.00	100.62	90.33	10.29	54.00	46.62	350	245	Average	Vertical	
3	5392.50	42.53	32.06	10.47	54.00	-11.47	350	245	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	70.43	60.27	10.16	74.00	-3.57	318	194	Peak	Horizontal	
2	5200.00	113.78	103.38	10.40	68.20	45.58	318	194	Peak	Horizontal	
3	5450.50	55.50	45.32	10.18	74.00	-18.50	318	194	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	69.61	59.46	10.15	74.00	-4.39	226	254	Peak	Vertical	
2	5200.00	113.84	103.44	10.40	68.20	45.64	226	254	Peak	Vertical	
3	5354.50	55.26	45.05	10.21	74.00	-18.74	226	254	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	46.18	36.03	10.15	54.00	-7.82	318	194	Average	Horizontal	
2 *	5200.00	101.76	91.36	10.40	54.00	47.76	318	194	Average	Horizontal	
3	5390.50	42.60	32.14	10.46	54.00	-11.40	318	194	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	46.21	36.06	10.15	54.00	-7.79	226	254	Average	Vertical	
2 *	5200.00	101.79	91.39	10.40	54.00	47.79	226	254	Average	Vertical	
3	5388.50	42.68	32.23	10.45	54.00	-11.32	226	254	Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	59.49	49.33	10.16	74.00	-14.51	318	184	Peak	Horizontal	
2 *	5240.00	112.90	102.94	10.04	68.20	44.70	318	184	Peak	Horizontal	
3	5351.50	56.32	46.14	10.18	74.00	-17.68	318	184	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	57.68	47.53	10.15	74.00	-16.32	292	248	Peak	Vertical	
2 *	5240.00	112.87	102.83	10.04	68.20	44.67	292	248	Peak	Vertical	
3	5358.00	56.60	46.38	10.22	74.00	-17.40	292	248	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	42.66	32.49	10.17	54.00	-11.34	318	184	Average	Horizontal	
2 *	5240.00	100.30	90.26	10.04	54.00	46.30	318	184	Average	Horizontal	
3	5350.00	42.53	32.36	10.17	54.00	-11.47	318	184	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	42.59	32.44	10.15	54.00	-11.41	292	248	Average	Vertical	
2 *	5240.00	100.59	90.55	10.04	54.00	46.59	292	248	Average	Vertical	
3	5379.50	42.61	32.23	10.38	54.00	-11.39	292	248	Average	Vertical	


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.58	70.84	59.89	10.15	74.00	-3.96	320	196	Peak	Horizontal	
2 *	5190.00	105.20	95.85	10.35	68.20	38.00	320	196	Peak	Horizontal	
3	5402.50	56.47	45.95	10.52	74.00	-17.53	320	196	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	66.97	56.82	10.15	74.00	-7.03	236	273	Peak	Vertical	
2 *	5190.00	107.84	96.69	10.35	68.20	38.84	236	273	Peak	Vertical	
3	5365.00	55.23	44.95	10.28	74.00	-18.77	236	273	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	48.27	38.12	10.15	54.00	-5.73	320	196	Average	Horizontal	
2	5190.00	93.95	83.60	10.35	54.00	39.65	320	196	Average	Horizontal	
3	5424.00	42.64	32.27	10.37	54.00	-11.36	320	196	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	48.80	38.65	10.15	54.00	-5.20	236	273	Average	Vertical	
2	5190.00	94.52	84.17	10.35	54.00	40.52	236	273	Average	Vertical	
3	5391.00	42.65	32.18	10.47	54.00	-11.35	236	273	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	66.45	56.30	10.15	74.00	-7.55	317	194	Peak	Horizontal	
2 *	5238.00	111.21	101.07	10.14	68.20	43.01	317	194	Peak	Horizontal	
3	5350.00	66.01	55.84	10.17	74.00	-7.99	317	194	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	67.42	57.27	10.15	74.00	-6.58	294	250	Peak	Vertical	
2 *	5238.00	109.89	99.75	10.14	68.20	41.69	294	250	Peak	Vertical	
3	5351.50	65.92	55.74	10.18	74.00	-8.08	294	250	Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	47.44	37.29	10.15	54.00	-6.56	317	194	Average	Horizontal	
2 *	5230.00	99.77	89.63	10.14	54.00	45.77	317	194	Average	Horizontal	
3	5353.50	44.02	33.82	10.20	54.00	-9.98	317	194	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	48.35	38.20	10.15	54.00	-5.65	294	250	Average	Vertical	
2 *	5230.00	90.65	80.51	10.14	54.00	44.65	294	250	Average	Vertical	
3	5350.50	44.56	34.39	10.17	54.00	-9.44	294	250	Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	72.48	62.33	10.15	74.00	-1.52	317	192	Peak	Horizontal	
2 *	5210.00	104.11	93.88	10.31	68.20	35.91	317	192	Peak	Horizontal	
3	5359.00	56.49	46.25	10.24	74.00	-17.51	317	192	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.00	72.05	61.90	10.15	74.00	-1.95	233	283	Peak	Vertical	
2 *	5210.00	102.98	92.67	10.31	68.20	34.78	233	283	Peak	Vertical	
3	5367.50	57.62	47.32	10.30	74.00	-16.38	233	283	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5128.50	51.22	41.02	10.20	54.00	-2.78	317	192	Average	Horizontal	
2	5210.00	91.92	81.61	10.31	54.00	37.61	317	192	Average	Horizontal	
3	5379.00	43.44	33.06	10.38	54.00	-10.56	317	192	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	51.71	41.55	10.16	54.00	-2.29	233	283	Average	Vertical	
2	5210.00	92.02	81.71	10.31	54.00	38.02	233	283	Average	Vertical	
3	5394.50	43.66	33.16	10.50	54.00	-10.34	233	283	Average	Vertical	

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak


CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	42.61	32.46	10.15	54.00	-11.39	264	192	Average	Horizontal	
2 *	5260.00	103.77	93.79	10.07	54.00	40.77	264	192	Average	Horizontal	
3	5390.00	42.74	32.28	10.46	54.00	-11.26	264	192	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.50	42.50	32.25	10.25	54.00	-11.50	231	287	Average	Vertical	
2 *	5260.00	105.29	95.22	10.07	54.00	51.29	231	287	Average	Vertical	
3	5402.50	43.05	32.53	10.52	54.00	-10.95	231	287	Average	Vertical	


802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4952.50	54.95	44.75	10.20	74.00	-19.05	135	191	Peak	Horizontal	
2 *	5300.00	113.87	103.35	10.51	68.20	45.67	135	191	Peak	Horizontal	
3	5373.50	55.59	45.24	10.35	74.00	-18.41	135	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4533.00	55.13	45.87	9.26	74.00	-18.87	229	287	Peak	Vertical	
2 *	5300.00	115.64	105.13	10.51	68.20	47.44	229	287	Peak	Vertical	
3	5377.00	56.03	45.66	10.37	74.00	-17.97	229	287	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.00	42.49	32.31	10.18	54.00	-11.51	135	191	Average	Horizontal	
2 *	5300.00	104.51	95.00	10.51	54.00	50.51	135	191	Average	Horizontal	
3	5350.00	43.74	33.57	10.17	54.00	-10.26	135	191	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	42.42	32.23	10.19	54.00	-11.58	229	287	Average	Vertical	
2 *	5300.00	106.19	95.68	10.51	54.00	52.19	229	287	Average	Vertical	
3	5351.50	43.91	33.73	10.18	54.00	-10.09	229	287	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4975.00	55.56	45.47	10.00	74.00	-18.44	305	191	Peak	Horizontal	
2 *	5320.00	113.56	103.18	10.38	68.20	45.36	305	191	Peak	Horizontal	
3	5350.00	60.72	50.55	10.17	74.00	-13.28	305	191	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.00	56.03	45.85	10.18	74.00	-17.97	238	286	Peak	Vertical	
2 *	5320.00	114.99	104.61	10.38	68.20	46.79	238	286	Peak	Vertical	
3	5351.50	63.13	52.95	10.18	74.00	-10.87	238	286	Peak	Vertical	

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	42.36	32.20	10.16	54.00	-11.64	305	191	Average	Horizontal	
2 *	5320.00	103.77	93.39	10.38	54.00	49.77	305	191	Average	Horizontal	
3 !	5350.00	48.09	37.52	10.17	54.00	-5.91	305	191	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4940.00	42.42	32.22	10.20	54.00	-11.58	238	286	Average	Vertical	
2 *	5320.00	105.00	94.62	10.38	54.00	51.00	238	286	Average	Vertical	
3 !	5350.50	50.04	39.87	10.17	54.00	-3.96	238	286	Average	Vertical	


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5125.50	56.60	46.38	10.22	74.00	-17.40	301	180	Peak	Horizontal		
2 *	5260.00	113.54	103.47	10.07	68.20	45.34	301	180	Peak	Horizontal		
3 !	5354.00	68.19	57.99	10.20	74.00	-5.81	301	180	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.50	55.82	45.79	10.03	74.00	-18.18	244	238	Peak	Vertical		
2 *	5260.00	114.25	104.18	10.07	68.20	46.05	244	238	Peak	Vertical		
3	5352.00	67.74	57.55	10.19	74.00	-6.26	244	238	Peak	Vertical		

802.11ax HE20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	42.63	32.46	10.17	54.00	-11.37	301	180	Average	Horizontal	
2 *	5260.00	102.01	91.94	10.07	54.00	48.01	301	180	Average	Horizontal	
3	5354.00	43.20	33.00	10.20	54.00	-10.80	301	180	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.41	32.26	10.15	54.00	-11.59	244	238	Average	Vertical	
2 *	5260.00	102.12	92.05	10.07	54.00	48.12	244	238	Average	Vertical	
3	5351.00	42.97	32.79	10.18	54.00	-11.03	244	238	Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4572.50	55.57	46.20	9.37	74.00	-18.43	300	159	Peak	Horizontal	
2 *	5368.00	113.17	102.65	10.51	68.20	44.97	300	159	Peak	Horizontal	
3 !	5368.50	68.08	57.83	10.25	74.00	-5.92	300	159	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5060.50	55.49	45.17	10.32	74.00	-18.51	288	238	Peak	Vertical	
2 *	5300.00	115.00	104.49	10.51	68.20	46.80	288	238	Peak	Vertical	
3 !	5351.50	70.96	60.78	10.18	74.00	-3.04	288	238	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5090.00	42.29	31.99	10.30	54.00	-11.71	300	159	Average	Horizontal	
2 *	5300.00	102.16	91.65	10.51	54.00	48.16	300	159	Average	Horizontal	
3	5351.00	45.46	35.28	10.18	54.00	-8.54	300	159	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.00	42.37	32.19	10.18	54.00	-11.63	288	238	Average	Vertical	
2 *	5300.00	103.03	92.52	10.51	54.00	49.03	288	238	Average	Vertical	
3 !	5350.00	48.00	37.83	10.17	54.00	-6.00	288	238	Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4862.50	95.57	45.69	9.88	74.00	-18.43	311	159	Peak	Horizontal	
2 *	5320.00	109.76	99.38	10.38	68.20	-41.56	311	159	Peak	Horizontal	
3	5352.00	67.54	57.35	10.19	74.00	-6.46	311	159	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5129.00	55.84	45.64	10.20	74.00	-18.16	284	238	Peak	Vertical	
2 *	5320.00	111.35	100.97	10.38	68.20	-43.15	284	238	Peak	Vertical	
3 !	5355.50	71.39	61.18	10.21	74.00	-2.61	284	238	Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	42.27	32.10	10.17	54.00	-11.73	311	159	Average	Horizontal	
2 *	5320.00	98.41	88.03	10.38	54.00	44.41	311	159	Average	Horizontal	
3	5350.50	43.86	33.69	10.17	54.00	-10.14	311	159	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	42.25	32.10	10.15	54.00	-11.75	284	238	Average	Vertical	
2 *	5320.00	99.97	89.59	10.38	54.00	45.97	284	238	Average	Vertical	
3	5350.00	45.75	35.58	10.17	54.00	-8.25	284	238	Average	Vertical	


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5137.50	63.90	53.71	10.19	74.00	-10.10		326	193	Peak	Horizontal	
2 *	5270.00	119.92	100.74	10.18	68.20	42.72		326	193	Peak	Horizontal	
3 !	5354.50	70.55	60.34	10.21	74.00	-3.45		326	193	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5135.50	64.03	53.84	10.19	74.00	-9.97		320	267	Peak	Vertical	
2 *	5270.00	111.20	101.02	10.18	68.20	43.00		320	267	Peak	Vertical	
3 !	5364.50	72.23	61.95	10.28	74.00	-1.77		220	267	Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	43.99	33.84	10.15	54.00	-10.01	326	193	Average	Horizontal	
2 *	5270.00	98.83	88.65	10.18	54.00	44.83	326	193	Average	Horizontal	
3	5357.50	46.47	36.25	10.22	54.00	-7.53	326	193	Average	Horizontal	

CH 54 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	43.67	33.52	10.15	54.00	-10.33	220	267	Average	Vertical	
2 *	5270.00	99.25	89.07	10.18	54.00	45.25	220	267	Average	Vertical	
3	5353.50	47.70	37.50	10.20	54.00	-6.30	220	267	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4974.50	55.93	45.84	10.00	74.00	-18.07	306	186 Peak	Horizontal	
2 *	5310.00	109.55	99.21	10.44	68.20	40.45	306	186 Peak	Horizontal	
3 !	5352.50	72.11	61.92	10.19	74.00	-1.89	306	186 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5127.50	55.78	45.58	10.20	74.00	-18.22	220	260 Peak	Vertical	
2 *	5310.00	109.78	99.34	10.44	68.20	40.58	220	260 Peak	Vertical	
3 !	5352.50	71.79	61.60	10.19	74.00	-2.21	220	260 Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4945.50	42.49	32.32	10.17	54.00	-11.51	306	186	Average	Horizontal	
2 *	5319.00	96.47	86.03	10.44	54.00	42.47	306	186	Average	Horizontal	
3	5356.00	47.43	37.22	10.21	54.00	-6.57	306	186	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5134.00	42.55	32.37	10.18	54.00	-11.45	220	260	Average	Vertical	
2 *	5319.00	97.13	86.69	10.44	54.00	43.13	220	260	Average	Vertical	
3 !	5353.00	50.74	40.55	10.19	54.00	-3.26	220	260	Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.50	55.50	45.31	10.19	74.00	-18.50	129	191	Peak	Horizontal	
2 *	5290.00	103.52	93.11	10.41	68.20	35.32	129	191	Peak	Horizontal	
3 !	5355.50	69.61	59.40	10.21	74.00	-4.39	129	191	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4510.00	55.37	46.23	9.14	74.00	-18.63	238	288	Peak	Vertical	
2 *	5290.00	104.06	93.65	10.41	68.20	35.86	238	288	Peak	Vertical	
3 !	5358.00	68.84	58.62	10.22	74.00	-5.16	238	288	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	43.22	33.06	10.16	54.00	-10.78	129	191	Average	Horizontal	
2 *	5290.00	91.42	81.01	10.41	54.00	37.42	129	191	Average	Horizontal	
3 !	5351.00	52.84	42.66	10.18	54.00	-1.16	129	191	Average	Horizontal	

CH 58 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	43.05	32.88	10.17	54.00	-10.95	238	288	Average	Vertical	
2 *	5290.00	92.90	82.49	10.41	54.00	38.90	238	288	Average	Vertical	
3 !	5354.00	52.84	42.64	10.20	54.00	-1.16	238	288	Average	Vertical	


802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5093.00	64.69	54.40	10.29	74.00	-9.31	371	184	Peak	Horizontal	
2 *	5250.00	98.17	88.22	9.95	68.20	29.97	371	184	Peak	Horizontal	
3 !	5401.50	69.80	59.28	10.52	74.00	-4.20	371	184	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5093.50	61.90	51.75	10.23	74.00	-12.02	237	286	Peak	Vertical	
2 *	5250.00	99.75	89.80	9.95	68.20	31.55	237	286	Peak	Vertical	
3 !	5396.50	72.15	61.64	10.51	74.00	-1.85	237	286	Peak	Vertical	

802.11ax HE160

CH 50 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.50	47.72	37.43	10.29	54.00	-6.28	371	184	Average	Horizontal	
2 *	5250.00	87.73	77.78	9.95	54.00	33.73	371	184	Average	Horizontal	
3	5402.50	47.72	37.20	10.52	54.00	-6.28	371	184	Average	Horizontal	

CH 50 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5105.00	48.01	37.74	10.27	54.00	-5.99	237	286	Average	Vertical	
2 *	5250.00	88.44	78.49	9.95	54.00	34.44	237	286	Average	Vertical	
3	5401.00	50.52	40.00	10.52	54.00	-3.48	237	286	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5487.00	56.43	45.94	10.49	74.00	-17.57	123	183	Peak	Horizontal	
2	5470.00	57.10	46.81	10.29	68.20	-11.10	123	183	Peak	Horizontal	
3 *	5500.00	111.88	101.44	10.44	68.20	43.68	123	183	Peak	Horizontal	
4	6155.50	57.37	45.96	11.41	68.20	-10.83	123	183	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5451.50	56.59	46.40	10.19	74.00	-17.41	302	283	Peak	Vertical	
2	5470.00	58.31	48.02	10.29	68.20	-9.89	302	283	Peak	Vertical	
3 *	5500.00	110.99	100.55	10.44	68.20	42.79	302	283	Peak	Vertical	
4	6130.00	57.79	46.35	11.44	68.20	-10.41	302	283	Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.58	43.75	33.52	10.23	54.00	-10.25	123	183	Average	Horizontal	
2 *	5500.00	101.40	90.96	10.44	54.00	47.40	123	183	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	44.07	33.83	10.24	54.00	-9.93	302	283	Average	Vertical	
2 *	5500.00	102.31	91.87	10.44	54.00	48.31	302	283	Average	Vertical	


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5384.00	55.45	45.03	10.42	74.00	-18.55	115	182	Peak	Horizontal	
2	5464.00	54.52	44.57	10.25	68.20	-13.38	115	182	Peak	Horizontal	
3 *	5580.00	111.95	101.63	10.32	68.20	43.75	115	182	Peak	Horizontal	
4	6050.50	57.32	46.39	10.93	68.20	-10.88	115	182	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.00	55.81	45.33	10.48	74.00	-18.19	212	273	Peak	Vertical	
2	5467.50	53.89	43.60	10.29	68.20	-14.31	212	273	Peak	Vertical	
3 *	5580.00	111.22	100.90	10.32	68.20	43.02	212	273	Peak	Vertical	
4	6137.50	57.06	45.62	11.44	68.20	-11.14	212	273	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
		dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5481.58	42.91	32.39	10.52	54.00	-11.09	115	182 Average	Horizontal	
2 *	5580.00	101.75	91.43	10.32	54.00	47.75	115	182 Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
		dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5423.00	42.99	32.62	10.37	54.00	-11.01	212	273 Average	Vertical	
2 *	5580.00	101.42	91.10	10.32	54.00	47.42	212	273 Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5372.00	54.84	44.50	10.34	74.00	-19.16	121	183 Peak	Horizontal	
2	5460.00	54.56	44.32	10.24	74.00	-19.68	121	183 Peak	Horizontal	
3 *	5700.00	112.21	101.97	10.24	68.20	44.01	121	183 Peak	Horizontal	
4 !	5725.00	65.91	55.46	10.45	68.20	-2.29	121	183 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5397.50	55.52	45.01	10.51	74.00	-18.48	173	289 Peak	Vertical	
2	5461.50	54.90	44.73	10.25	68.20	-13.22	173	289 Peak	Vertical	
3 *	5700.00	112.93	102.69	10.24	68.20	44.73	173	289 Peak	Vertical	
4 !	5725.00	67.02	56.57	10.45	68.20	-1.18	173	289 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5482.00	42.87	32.35	10.52	54.00	-11.13	121	183 Average	Horizontal	
2 *	5700.00	102.34	92.10	10.24	54.00	48.34	121	183 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5416.00	42.97	32.56	10.41	54.00	-11.03	173	289 Average	Vertical	
2 *	5700.00	103.04	93.60	10.24	54.00	49.04	173	289 Average	Vertical	


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.50	55.34	44.93	10.41	74.00	-10.66	121	183 Peak	Horizontal	
2	5465.50	54.14	43.87	10.27	68.20	-14.06	121	183 Peak	Horizontal	
3	5720.00	112.51	102.10	10.41	122.20	-9.69	121	183 Peak	Horizontal	
4	5850.00	56.13	45.58	10.55	122.20	-66.07	121	183 Peak	Horizontal	
5	5867.00	55.37	44.75	10.62	107.44	-52.07	121	183 Peak	Horizontal	
6	5914.00	56.11	45.33	10.78	76.31	-20.20	121	183 Peak	Horizontal	
7	5961.00	57.93	47.06	10.87	68.20	-10.27	121	183 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.50	55.36	44.91	10.45	74.00	-18.64	161	288 Peak	Vertical	
2	5465.50	54.86	44.59	10.27	68.20	-13.34	161	288 Peak	Vertical	
3	5720.00	113.83	103.42	10.41	122.20	-8.37	161	288 Peak	Vertical	
4	5852.50	54.75	44.20	10.55	116.50	-61.75	161	288 Peak	Vertical	
5	5858.00	55.57	44.99	10.58	109.96	-54.39	161	288 Peak	Vertical	
6	5901.50	56.41	45.66	10.75	85.55	-29.14	161	288 Peak	Vertical	
7	5969.00	56.80	45.91	10.89	68.20	-11.40	161	288 Peak	Vertical	

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5399.00	42.97	32.45	10.52	54.00	-11.03	121	183 Average	Horizontal	
2 *	5720.00	102.40	91.99	10.41	54.00	48.40	121	183 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5402.50	42.79	32.27	10.52	54.00	-11.21	161	288 Average	Vertical	
2 *	5720.00	104.69	94.28	10.41	54.00	50.69	161	288 Average	Vertical	


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5469.00	63.17	52.93	10.24	74.00	-10.83	302	185	Peak	Horizontal		
2	5469.50	66.95	56.66	10.29	68.20	-1.25	302	185	Peak	Horizontal		
3 *	5500.00	109.34	98.90	10.44	68.20	41.14	302	185	Peak	Horizontal		
4	5979.50	57.47	46.56	10.91	68.20	-10.73	302	185	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5453.50	59.18	48.97	10.21	74.00	-14.82	290	295	Peak	Vertical		
2	5469.50	61.57	51.28	10.29	68.20	-6.63	290	295	Peak	Vertical		
3 *	5500.00	109.30	98.86	10.44	68.20	41.10	290	295	Peak	Vertical		
4	6737.50	57.76	46.89	10.87	68.20	-10.44	290	295	Peak	Vertical		

802.11ax HE20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.58	43.07	32.85	10.22	54.00	-10.93	302	185	Average	Horizontal	
2 *	5500.00	97.40	86.96	10.44	54.00	43.40	302	185	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.25	34.01	10.24	54.00	-9.75	298	295	Average	Vertical	
2 *	5500.00	97.39	86.95	10.44	54.00	43.39	298	295	Average	Vertical	


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5480.50	55.58	45.05	10.53	74.00	-18.42	119	190	Peak	Horizontal	
2	5464.50	55.36	45.10	10.26	68.20	-12.84	119	190	Peak	Horizontal	
3 *	5588.00	113.38	103.66	10.32	68.20	45.18	119	190	Peak	Horizontal	
4	6919.50	58.27	47.35	10.92	68.20	-9.93	119	190	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5387.00	54.88	44.54	10.44	74.00	-19.02	204	290	Peak	Vertical	
2	5464.50	54.48	44.22	10.26	68.20	-13.72	204	290	Peak	Vertical	
3 *	5588.00	113.02	102.70	10.32	68.20	44.82	204	290	Peak	Vertical	
4	5958.50	57.37	46.51	10.86	68.20	-10.83	204	290	Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5425.58	42.95	32.59	10.36	54.00	-11.05	119	190	Average	Horizontal	
2 *	5580.00	99.95	89.63	10.32	54.00	45.95	119	190	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5480.50	42.87	32.39	10.48	54.00	-11.13	204	290	Average	Vertical	
2 *	5580.00	100.54	90.22	10.32	54.00	46.54	204	290	Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5391.00	54.90	44.43	10.47	74.00	-19.10	285	177	Peak	Horizontal	
2	5461.00	54.13	43.88	10.25	68.20	-14.07	285	177	Peak	Horizontal	
3 *	5700.00	107.19	96.55	10.24	68.20	38.99	285	177	Peak	Horizontal	
4 !	5726.00	62.36	51.90	10.46	68.20	-5.84	285	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5420.00	55.66	45.33	10.33	74.00	-18.34	295	285	Peak	Vertical	
2	5470.00	54.39	44.10	10.29	68.20	-13.81	295	285	Peak	Vertical	
3 *	5700.00	107.26	97.02	10.24	68.20	39.06	295	285	Peak	Vertical	
4 !	5725.00	65.15	54.70	10.45	68.20	-3.05	295	285	Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5400.00	42.52	31.99	10.53	54.00	-11.48	285	177 Average	Horizontal	
2 *	5700.00	94.52	84.28	10.24	54.00	40.52	285	177 Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5397.00	42.36	31.84	10.52	54.00	-11.64	295	285 Average	Vertical	
2 *	5700.00	95.40	85.16	10.24	54.00	41.40	295	285 Average	Vertical	


802.11ax HE20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5453.50	55.48	45.27	10.21	74.00	-18.52	322	155 Peak	Horizontal	
2	5462.00	54.29	44.05	10.24	68.20	-13.91	322	155 Peak	Horizontal	
3	5720.00	110.79	100.38	10.41	122.20	-11.41	322	155 Peak	Horizontal	
4	5853.00	55.84	45.28	10.56	115.36	-59.52	322	155 Peak	Horizontal	
5	5869.00	57.17	46.54	10.63	106.88	-49.71	322	155 Peak	Horizontal	
6	5906.00	56.51	45.75	10.76	82.22	-25.71	322	155 Peak	Horizontal	
7	5940.50	57.31	46.48	10.83	68.20	-10.89	322	155 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.00	55.99	45.51	10.48	74.00	-18.01	272	284 Peak	Vertical	
2	5461.50	55.36	45.11	10.25	68.20	-12.84	272	284 Peak	Vertical	
3	5720.00	113.07	102.66	10.41	122.20	-9.13	272	284 Peak	Vertical	
4	5850.00	57.27	46.72	10.55	122.20	-64.93	272	284 Peak	Vertical	
5	5863.50	56.11	45.52	10.59	108.42	-52.31	272	284 Peak	Vertical	
6	5913.50	56.53	45.75	10.78	76.68	-20.15	272	284 Peak	Vertical	
7	5963.50	56.30	45.42	10.88	68.20	-11.90	272	284 Peak	Vertical	