



|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode |
|-----------|------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 17.549               | 17.800                        | 0.5                             | Complies |
| 157     | 5785            | 17.700               | 17.800                        | 0.5                             | Complies |
| 165     | 5825            | 17.489               | 17.800                        | 0.5                             | Complies |

CH149




Date: 13.SEP.2022 15:08:59

CH157  
6 dB Bandwidth



Date: 13.SEP.2022 15:10:22

CH165




Date: 13.SEP.2022 15:13:27


99 % Occupied Bandwidth



Date: 13.SEP.2022 15:08:27



Date: 13.SEP.2022 15:09:49




Date: 13.SEP.2022 15:12:55

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode |
|-----------|------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 36.399               | 36.400                        | 0.5                             | Complies |
| 159     | 5795            | 36.390               | 36.400                        | 0.5                             | Complies |

CH151




Date: 13.SRP.2022 16:39:29

**CH159**  
6 dB Bandwidth




Date: 13.SEP.2022 16:44:10

99 % Occupied Bandwidth



Date: 13.SRP.2022 16:38:43




Date: 13.SEP.2022 16:43:24

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 75.600               | 76.000                        | 0.5                             | Complies |

### CH155 6 dB Bandwidth



Date: 13,SEP,2022 18:18:51

### 99 % Occupied Bandwidth




Date: 13,SEP,2022 18:18:11


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode |
|-----------|-------------------------|

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149     | 5745            | 19.050               | 19.000                        | 0.5                             | Complies |
| 157     | 5785            | 18.698               | 19.100                        | 0.5                             | Complies |
| 165     | 5825            | 18.950               | 19.200                        | 0.5                             | Complies |

CH149




Date: 13.SEP.2022 16:04:11

CH157  
6 dB Bandwidth



Date: 13.SEP.2022 16:08:52

CH165




Date: 13.SEP.2022 16:11:36


99 % Occupied Bandwidth



Date: 13.SEP.2022 16:03:39




Date: 13.SEP.2022 16:08:20



Date: 13.SEP.2022 16:11:04

| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 37.809               | 38.200                        | 0.5                             | Complies |
| 159     | 5795            | 37.999               | 38.000                        | 0.5                             | Complies |

**CH159**  
6 dB Bandwidth



Date: 13.SEP.2022 17:51:33


[illegible]

Date: 13.8BP.2022 17:50:50

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 77.600               | 77.600                        | 0.5                             | Complies |

### CH155 6 dB Bandwidth



Date: 13,SEP,2022 16:37:16

### 99 % Occupied Bandwidth



Date: 13,SEP,2022 16:36:33

## APPENDIX F - MAXIMUM OUTPUT POWER

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 13.70              | 0.00        | 13.70                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.05              | 0.00        | 15.05                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.04              | 0.00        | 15.04                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 14.00              | 0.00        | 14.00                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.09              | 0.00        | 15.09                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.42              | 0.00        | 15.42                            | 23.98            | 0.2500         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 16.86              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.08              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.24              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.24              | 0.00        | 15.24                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.13              | 0.00        | 15.13                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.03              | 0.00        | 15.03                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.26              | 0.00        | 15.26                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.32              | 0.00        | 15.32                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.16              | 0.00        | 15.16                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.26              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.24              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.11              | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.05              | 0.00        | 15.05                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.36              | 0.00        | 15.36                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.27              | 0.00        | 15.27                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.50              | 0.00        | 15.50                            | 23.98            | 0.2500         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 18.17              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 18.44              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.09              | 0.00        | 15.09                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.04              | 0.00        | 15.04                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 14.86              | 0.00        | 14.86                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.18              | 0.00        | 15.18                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.28              | 0.00        | 15.28                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.11              | 0.00        | 15.11                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.15              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.17              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.00              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.03              | 0.00        | 15.03                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.34              | 0.00        | 15.34                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.22              | 0.00        | 15.22                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.42              | 0.00        | 15.42                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 18.14              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 18.39              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 12.53              | 0.00        | 12.53                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.18              | 0.00        | 13.18                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 15.88              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.47              | 0.00        | 15.47                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.32              | 0.00        | 15.32                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.16              | 0.00        | 15.16                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.50              | 0.00        | 15.50                            | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 15.48              | 0.00        | 15.48                            | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 15.47              | 0.00        | 15.47                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.50              | 23.98            | 0.2500         | Complies |
| 40      | 5200            | 18.41              | 23.98            | 0.2500         | Complies |
| 48      | 5240            | 18.33              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.19              | 0.00        | 15.19                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.14              | 0.00        | 15.14                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 15.29              | 0.00        | 15.29                            | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 15.19              | 0.00        | 15.19                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 18.25              | 23.98            | 0.2500         | Complies |
| 46      | 5230            | 18.18              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.64              | 0.00        | 13.64                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 13.77              | 0.00        | 13.77                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 16.72              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.22              | 0.00        | 15.22                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.11              | 0.00        | 15.11                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.24              | 0.00        | 13.24                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.26              | 0.00        | 15.26                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.37              | 0.00        | 15.37                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 13.69              | 0.00        | 13.69                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.25              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.25              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 16.48              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.26              | 0.00        | 15.26                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.16              | 0.00        | 15.16                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.20              | 0.00        | 15.20                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.49              | 0.00        | 15.49                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.55              | 0.00        | 15.55                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.23              | 0.00        | 15.23                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.39              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.37              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.23              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 15.17              | 0.00        | 15.17                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.78              | 0.00        | 13.78                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 15.27              | 0.00        | 15.27                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.60              | 0.00        | 14.60                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 18.23              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.22              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.11              | 0.00        | 15.11                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.15              | 0.00        | 15.15                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.12              | 0.00        | 15.12                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.40              | 0.00        | 15.40                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.43              | 0.00        | 15.43                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.18              | 0.00        | 15.18                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.27              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.30              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.16              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 15.08              | 0.00        | 15.08                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.78              | 0.00        | 13.78                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 15.09              | 0.00        | 15.09                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.58              | 0.00        | 14.58                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 18.10              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.21              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.06              | 0.00        | 13.06                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 14.14              | 0.00        | 14.14                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 16.64              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.19              | 0.00        | 15.19                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.29              | 0.00        | 15.29                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.14              | 0.00        | 15.14                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.20              | 0.00        | 15.20                            | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 15.78              | 0.00        | 15.78                            | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 15.33              | 0.00        | 15.33                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.21              | 23.98            | 0.2500         | Complies |
| 60      | 5300            | 18.55              | 23.98            | 0.2500         | Complies |
| 64      | 5320            | 18.25              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 15.15              | 0.00        | 15.15                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 13.70              | 0.00        | 13.70                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 15.38              | 0.00        | 15.38                            | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 14.70              | 0.00        | 14.70                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 18.28              | 23.98            | 0.2500         | Complies |
| 62      | 5310            | 17.24              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 12.92              | 0.00        | 12.92                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 13.01              | 0.00        | 13.01                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 15.98              | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.17              | 0.00        | 15.17                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.14              | 0.00        | 15.14                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.27              | 0.00        | 15.27                            | 23.98            | 0.2500         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 16.06              | 0.00        | 16.06                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.94              | 0.00        | 15.94                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.91              | 0.00        | 15.91                            | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.65              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.57              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.61              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.07              | 0.00        | 15.07                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.46              | 0.00        | 15.46                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.48              | 0.00        | 15.48                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.68              | 0.00        | 15.68                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.24              | 0.00        | 16.24                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.29              | 0.00        | 16.29                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.40              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.88              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.91              | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.44              | 0.00        | 15.44                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 15.46              | 0.00        | 15.46                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.08              | 0.00        | 15.08                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 16.33              | 0.00        | 16.33                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.58              | 0.00        | 16.58                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.95              | 0.00        | 15.95                            | 23.98            | 0.2500         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 18.92              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 19.07              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.55              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.06              | 0.00        | 15.06                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.44              | 0.00        | 15.44                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.46              | 0.00        | 15.46                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.63              | 0.00        | 15.63                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 16.21              | 0.00        | 16.21                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 16.20              | 0.00        | 16.20                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.36              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.85              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.86              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.43              | 0.00        | 15.43                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 15.38              | 0.00        | 15.38                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.06              | 0.00        | 15.06                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 16.27              | 0.00        | 16.27                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.56              | 0.00        | 16.56                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.93              | 0.00        | 15.93                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 18.88              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 19.02              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.53              | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 13.52              | 0.00        | 13.52                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.12              | 0.00        | 15.12                            | 23.98            | 0.2500         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 14.91              | 0.00        | 14.91                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.18              | 0.00        | 16.18                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 17.28              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 18.69              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.37              | 0.00        | 15.37                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.09              | 0.00        | 15.09                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.16              | 0.00        | 15.16                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.89              | 0.00        | 15.89                            | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 15.81              | 0.00        | 15.81                            | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 15.79              | 0.00        | 15.79                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.65              | 23.98            | 0.2500         | Complies |
| 116     | 5580            | 18.48              | 23.98            | 0.2500         | Complies |
| 140     | 5700            | 18.50              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.03              | 0.00        | 15.03                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 15.10              | 0.00        | 15.10                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 15.20              | 0.00        | 15.20                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 15.93              | 0.00        | 15.93                            | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 16.14              | 0.00        | 16.14                            | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 16.12              | 0.00        | 16.12                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 18.51              | 23.98            | 0.2500         | Complies |
| 110     | 5550            | 18.66              | 23.98            | 0.2500         | Complies |
| 134     | 5670            | 18.69              | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 11.16              | 0.00        | 11.16                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 15.42              | 0.00        | 15.42                            | 23.98            | 0.2500         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 11.75              | 0.00        | 11.75                            | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 16.56              | 0.00        | 16.56                            | 23.98            | 0.2500         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 14.48              | 23.98            | 0.2500         | Complies |
| 122     | 5610            | 19.04              | 23.98            | 0.2500         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.39              | 0.00        | 13.39                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.01              | 0.00        | 15.01                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.40              | 0.00        | 13.40                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 13.51              | 0.00        | 13.51                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.78              | 0.00        | 15.78                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.67              | 0.00        | 13.67                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 16.46              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.42              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.55              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.40              | 0.00        | 15.40                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.82              | 0.00        | 15.82                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.70              | 0.00        | 13.70                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.94              | 0.00        | 15.94                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 16.02              | 0.00        | 16.02                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.04              | 0.00        | 14.04                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.69              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.93              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.88              | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.47              | 0.00        | 14.47                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.76              | 0.00        | 13.76                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.53              | 0.00        | 14.53                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.19              | 0.00        | 14.19                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 17.51              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 16.99              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.38              | 0.00        | 15.38                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.72              | 0.00        | 15.72                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.49              | 0.00        | 13.49                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.93              | 0.00        | 15.93                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.99              | 0.00        | 15.99                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.01              | 0.00        | 14.01                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.67              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.87              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.77              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.42              | 0.00        | 14.42                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.75              | 0.00        | 13.75                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 14.48              | 0.00        | 14.48                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 14.13              | 0.00        | 14.13                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 17.46              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 16.95              | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.65              | 0.00        | 13.65                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 14.26              | 0.00        | 14.26                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 16.98              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 14.46              | 0.00        | 14.46                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.61              | 0.00        | 15.61                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.04              | 0.00        | 13.04                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.08              | 0.00        | 15.08                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.80              | 0.00        | 15.80                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.42              | 0.00        | 13.42                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 17.79              | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 18.72              | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.24              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.32              | 0.00        | 13.32                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 12.02              | 0.00        | 12.02                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 13.99              | 0.00        | 13.99                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 13.65              | 0.00        | 13.65                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 16.68              | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 15.92              | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.16              | 0.00        | 13.16                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 13.50              | 0.00        | 13.50                            | 30.00            | 1.0000         | Complies |


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 16.34              | 30.00            | 1.0000         | Complies |

## APPENDIX G - POWER SPECTRAL DENSITY


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 0.91                             | 0.00        | 0.91                                           | 11.00                | Complies |
| 40      | 5200            | 0.99                             | 0.00        | 0.99                                           | 11.00                | Complies |
| 48      | 5240            | 0.57                             | 0.00        | 0.57                                           | 11.00                | Complies |



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 0.81                             | 0.00        | 0.81                                           | 11.00                | Complies |
| 40      | 5200            | 0.89                             | 0.00        | 0.89                                           | 11.00                | Complies |
| 48      | 5240            | 0.39                             | 0.00        | 0.39                                           | 11.00                | Complies |




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 3.87                             | 11.00                | Complies |
| 40      | 5200            | 3.95                             | 11.00                | Complies |
| 48      | 5240            | 3.49                             | 11.00                | Complies |

Test Mode UNII-1\_TX N(HT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.61                             | 0.00        | 1.61                                           | 11.00                | Complies |
| 40      | 5200            | 1.52                             | 0.00        | 1.52                                           | 11.00                | Complies |
| 48      | 5240            | 0.77                             | 0.00        | 0.77                                           | 11.00                | Complies |



Date: 13-SEP-2022 13:23:15




Date: 13-SEP-2022 13:25:13




Date: 13-SEP-2022 14:27:23

Test Mode UNII-1\_TX N(HT20) Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 1.25                             | 0.00        | 1.25                                           | 11.00                | Complies |
| 40      | 5200            | 1.32                             | 0.00        | 1.32                                           | 11.00                | Complies |
| 48      | 5240            | 0.19                             | 0.00        | 0.19                                           | 11.00                | Complies |



Date: 13-SEP-2022 13:20:49



Date: 13-SEP-2022 13:27:13




Date: 13-SEP-2022 14:28:42

Test Mode UNII-1\_TX N(HT20) Mode\_Total


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 4.44                             | 11.00                | Complies |
| 40      | 5200            | 4.43                             | 11.00                | Complies |
| 48      | 5240            | 3.50                             | 11.00                | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.36                            | 0.00        | -3.36                                          | 11.00                | Complies |
| 46      | 5230            | -3.02                            | 0.00        | -3.02                                          | 11.00                | Complies |



Date: 13.SEP.2022 16:19:55




Date: 13.SEP.2022 16:21:43

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.35                            | 0.00        | -3.35                                          | 11.00                | Complies |
| 46      | 5230            | -2.93                            | 0.00        | -2.93                                          | 11.00                | Complies |



Date: 13.SEP.2022 16:17:45




Date: 13.SEP.2022 16:22:38

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | -0.34                            | 11.00                | Complies |
| 46      | 5230            | 0.04                             | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -4.01                            | 0.00        | -4.01                                          | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -3.94                            | 0.00        | -3.94                                          | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | -0.96                            | 11.00                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 0.04                             | 0.00        | 0.04                                           | 11.00                | Complies |
| 40      | 5200            | -0.46                            | 0.00        | -0.46                                          | 11.00                | Complies |
| 48      | 5240            | -0.53                            | 0.00        | -0.53                                          | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | -0.16                            | 0.00        | -0.16                                          | 11.00                | Complies |
| 40      | 5200            | -0.47                            | 0.00        | -0.47                                          | 11.00                | Complies |
| 48      | 5240            | -0.33                            | 0.00        | -0.33                                          | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 2.95                             | 11.00                | Complies |
| 40      | 5200            | 2.55                             | 11.00                | Complies |
| 48      | 5240            | 2.58                             | 11.00                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.30                            | 0.00        | -3.30                                          | 11.00                | Complies |
| 46      | 5230            | -3.41                            | 0.00        | -3.41                                          | 11.00                | Complies |




Date: 13.SEP.2022 16:50:00




Date: 13.SEP.2022 16:50:30

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -3.43                            | 0.00        | -3.43                                          | 11.00                | Complies |
| 46      | 5230            | -3.18                            | 0.00        | -3.18                                          | 11.00                | Complies |



Date: 13.SEP.2022 16:54:31



Date: 13.SEP.2022 16:55:34


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | -0.35                            | 11.00                | Complies |
| 46      | 5230            | -0.28                            | 11.00                | Complies |




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.81                             | 0.00        | 0.81                                           | 11.00                | Complies |
| 60      | 5300            | 1.97                             | 0.00        | 1.97                                           | 11.00                | Complies |
| 64      | 5320            | 1.94                             | 0.00        | 1.94                                           | 11.00                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.77                             | 0.00        | 0.77                                           | 11.00                | Complies |
| 60      | 5300            | 1.82                             | 0.00        | 1.82                                           | 11.00                | Complies |
| 64      | 5320            | 2.00                             | 0.00        | 2.00                                           | 11.00                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 3.80                             | 11.00                | Complies |
| 60      | 5300            | 4.91                             | 11.00                | Complies |
| 64      | 5320            | 4.98                             | 11.00                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.69                             | 0.00        | 0.69                                           | 11.00                | Complies |
| 60      | 5300            | 1.54                             | 0.00        | 1.54                                           | 11.00                | Complies |
| 64      | 5320            | 0.71                             | 0.00        | 0.71                                           | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.59                             | 0.00        | 0.59                                           | 11.00                | Complies |
| 60      | 5300            | 1.49                             | 0.00        | 1.49                                           | 11.00                | Complies |
| 64      | 5320            | 0.97                             | 0.00        | 0.97                                           | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 3.65                             | 11.00                | Complies |
| 60      | 5300            | 4.53                             | 11.00                | Complies |
| 64      | 5320            | 3.85                             | 11.00                | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -3.16                            | 0.00        | -3.16                                          | 11.00                | Complies |
| 62      | 5310            | -2.74                            | 0.00        | -2.74                                          | 11.00                | Complies |

CH54



Date: 13,SEP,2022 16:25:23

CH62




Date: 13,SEP,2022 16:26:58

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -3.22                            | 0.00        | -3.22                                          | 11.00                | Complies |
| 62      | 5310            | -2.56                            | 0.00        | -2.56                                          | 11.00                | Complies |

CH54



Date: 13,SEP,2022 16:23:29

CH62




Date: 13,SEP,2022 16:27:46

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | -0.18                            | 11.00                | Complies |
| 62      | 5310            | 0.36                             | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -3.15                            | 0.00        | -3.15                                          | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -3.33                            | 0.00        | -3.33                                          | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | -0.23                            | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.27                            | 0.00        | -0.27                                          | 11.00                | Complies |
| 60      | 5300            | 0.02                             | 0.00        | 0.02                                           | 11.00                | Complies |
| 64      | 5320            | 0.49                             | 0.00        | 0.49                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.69                            | 0.00        | -0.69                                          | 11.00                | Complies |
| 60      | 5300            | -0.19                            | 0.00        | -0.19                                          | 11.00                | Complies |
| 64      | 5320            | 0.73                             | 0.00        | 0.73                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 2.54                             | 11.00                | Complies |
| 60      | 5300            | 2.93                             | 11.00                | Complies |
| 64      | 5320            | 3.62                             | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -3.16                            | 0.00        | -3.16                                          | 11.00                | Complies |
| 62      | 5310            | -2.95                            | 0.00        | -2.95                                          | 11.00                | Complies |

CH54



Date: 13,SEP,2022 17:05:41

CH62




Date: 13,SEP,2022 17:11:10

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -3.40                            | 0.00        | -3.40                                          | 11.00                | Complies |
| 62      | 5310            | -2.66                            | 0.00        | -2.66                                          | 11.00                | Complies |

CH54



Date: 13,SEP,2022 17:06:59

CH62




Date: 13,SEP,2022 17:08:58

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | -0.27                            | 11.00                | Complies |
| 62      | 5310            | 0.21                             | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -2.87                            | 0.00        | -2.87                                          | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -3.53                            | 0.00        | -3.53                                          | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | -0.18                            | 11.00                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 1.42                             | 0.00        | 1.42                                           | 11.00                | Complies |
| 116     | 5580            | 0.28                             | 0.00        | 0.28                                           | 11.00                | Complies |
| 140     | 5700            | 1.15                             | 0.00        | 1.15                                           | 11.00                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 2.18                             | 0.00        | 2.18                                           | 11.00                | Complies |
| 116     | 5580            | 1.01                             | 0.00        | 1.01                                           | 11.00                | Complies |
| 140     | 5700            | 1.76                             | 0.00        | 1.76                                           | 11.00                | Complies |






|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 4.83                             | 11.00                | Complies |
| 116     | 5580            | 3.67                             | 11.00                | Complies |
| 140     | 5700            | 4.48                             | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 0.25                             | 0.00        | 0.25                                           | 11.00                | Complies |
| 116     | 5580            | -0.64                            | 0.00        | -0.64                                          | 11.00                | Complies |
| 140     | 5700            | 0.14                             | 0.00        | 0.14                                           | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 1.05                             | 0.00        | 1.05                                           | 11.00                | Complies |
| 116     | 5580            | 0.18                             | 0.00        | 0.18                                           | 11.00                | Complies |
| 140     | 5700            | 1.10                             | 0.00        | 1.10                                           | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 3.68                             | 11.00                | Complies |
| 116     | 5580            | 2.80                             | 11.00                | Complies |
| 140     | 5700            | 3.66                             | 11.00                | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | -2.65                            | 0.00        | -2.65                                          | 11.00                | Complies |
| 110     | 5550            | -3.31                            | 0.00        | -3.31                                          | 11.00                | Complies |
| 134     | 5670            | -3.85                            | 0.00        | -3.85                                          | 11.00                | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | -1.88                            | 0.00        | -1.88                                          | 11.00                | Complies |
| 110     | 5550            | -2.09                            | 0.00        | -2.09                                          | 11.00                | Complies |
| 134     | 5670            | -2.82                            | 0.00        | -2.82                                          | 11.00                | Complies |




|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 0.76                             | 11.00                | Complies |
| 110     | 5550            | 0.35                             | 11.00                | Complies |
| 134     | 5670            | -0.29                            | 11.00                | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -4.67                            | 0.00        | -4.67                                          | 11.00                | Complies |
| 122     | 5610            | -5.41                            | 0.00        | -5.41                                          | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -3.66                            | 0.00        | -3.66                                          | 11.00                | Complies |
| 122     | 5610            | -4.51                            | 0.00        | -4.51                                          | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | -1.13                            | 11.00                | Complies |
| 122     | 5610            | -1.93                            | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 0.20                             | 0.00        | 0.20                                           | 11.00                | Complies |
| 116     | 5580            | -1.45                            | 0.00        | -1.45                                          | 11.00                | Complies |
| 140     | 5700            | -0.64                            | 0.00        | -0.64                                          | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 0.99                             | 0.00        | 0.99                                           | 11.00                | Complies |
| 116     | 5580            | -0.70                            | 0.00        | -0.70                                          | 11.00                | Complies |
| 140     | 5700            | 0.30                             | 0.00        | 0.30                                           | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 100     | 5500            | 3.62                             | 11.00                | Complies |
| 116     | 5580            | 1.95                             | 11.00                | Complies |
| 140     | 5700            | 2.87                             | 11.00                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | -3.26                            | 0.00        | -3.26                                          | 11.00                | Complies |
| 110     | 5550            | -4.01                            | 0.00        | -4.01                                          | 11.00                | Complies |
| 134     | 5670            | -1.83                            | 0.00        | -1.83                                          | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | -2.48                            | 0.00        | -2.48                                          | 11.00                | Complies |
| 110     | 5550            | -2.97                            | 0.00        | -2.97                                          | 11.00                | Complies |
| 134     | 5670            | -0.80                            | 0.00        | -0.80                                          | 11.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 102     | 5510            | 0.16                             | 11.00                | Complies |
| 110     | 5550            | -0.45                            | 11.00                | Complies |
| 134     | 5670            | 1.73                             | 11.00                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -4.87                            | 0.00        | -4.87                                          | 11.00                | Complies |
| 122     | 5610            | -5.11                            | 0.00        | -5.11                                          | 11.00                | Complies |

CH106



Date: 13.SEP.2022 18:30:16

CH122




Date: 13.SEP.2022 18:33:59

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -3.90                            | 0.00        | -3.90                                          | 11.00                | Complies |
| 122     | 5610            | -4.10                            | 0.00        | -4.10                                          | 11.00                | Complies |

CH106



Date: 13.SEP.2022 18:31:31

CH122




Date: 13.SEP.2022 18:32:20

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX AX(HE80) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 106     | 5530            | -1.35                            | 11.00                | Complies |
| 122     | 5610            | -1.57                            | 11.00                | Complies |

Test Mode UNII-3\_TX A Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -0.62                                | 0.00        | -0.62                                              | 30.00                    | Complies |
| 157     | 5785            | -0.85                                | 0.00        | -0.85                                              | 30.00                    | Complies |
| 165     | 5825            | -0.26                                | 0.00        | -0.26                                              | 30.00                    | Complies |



Date: 13-SEP-2022 13:10:06




Date: 13-SEP-2022 13:11:46




Date: 13-SEP-2022 13:15:13

Test Mode UNII-3\_TX A Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -0.18                                | 0.00        | -0.18                                              | 30.00                    | Complies |
| 157     | 5785            | -0.33                                | 0.00        | -0.33                                              | 30.00                    | Complies |
| 165     | 5825            | -0.06                                | 0.00        | -0.06                                              | 30.00                    | Complies |



Date: 13-SEP-2022 13:11:48



Date: 13-SEP-2022 13:12:12



Date: 13-SEP-2022 13:16:52


Test Mode UNII-3\_TX A Mode\_Total

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 2.62                                 | 30.00                    | Complies |
| 157     | 5785            | 2.43                                 | 30.00                    | Complies |
| 165     | 5825            | 2.85                                 | 30.00                    | Complies |

Test Mode UNII-3\_TX N(HT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -2.05                                | 0.00        | -2.05                                              | 30.00                    | Complies |
| 157     | 5785            | -1.20                                | 0.00        | -1.20                                              | 30.00                    | Complies |
| 165     | 5825            | -0.50                                | 0.00        | -0.50                                              | 30.00                    | Complies |

CH149




Date: 13-SEP-2022 15:10:14

CH157



Date: 13-SEP-2022 15:10:16

CH165




Date: 13-SEP-2022 15:10:12

Test Mode UNII-3\_TX N(HT20) Mode\_Ant. 2


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -1.47                                | 0.00        | -1.47                                              | 30.00                    | Complies |
| 157     | 5785            | -1.11                                | 0.00        | -1.11                                              | 30.00                    | Complies |
| 165     | 5825            | -0.83                                | 0.00        | -0.83                                              | 30.00                    | Complies |

CH149




Date: 13-SEP-2022 15:07:47

CH157



Date: 13-SEP-2022 15:11:31

CH165



Date: 13-SEP-2022 15:12:13


Test Mode UNII-3\_TX N(HT20) Mode\_Total

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 1.26                                 | 30.00                    | Complies |
| 157     | 5785            | 1.86                                 | 30.00                    | Complies |
| 165     | 5825            | 2.35                                 | 30.00                    | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -5.29                                | 0.00        | -5.29                                              | 30.00                    | Complies |
| 159     | 5795            | -4.46                                | 0.00        | -4.46                                              | 30.00                    | Complies |

CH151



Date: 13 SEP 2022 16:13:50

CH159




Date: 13 SEP 2022 16:14:32

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -4.29                                | 0.00        | -4.29                                              | 30.00                    | Complies |
| 159     | 5795            | -4.40                                | 0.00        | -4.40                                              | 30.00                    | Complies |

CH151



Date: 13 SEP 2022 16:14:52

CH159




Date: 13 SEP 2022 16:14:25

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | -1.75                                | 30.00                    | Complies |
| 159     | 5795            | -1.42                                | 30.00                    | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -7.12                                | 0.00        | -7.12                                              | 30.00                    | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -6.36                                | 0.00        | -6.36                                              | 30.00                    | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | -3.71                                | 30.00                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -2.98                                | 0.00        | -2.98                                              | 30.00                    | Complies |
| 157     | 5785            | -2.08                                | 0.00        | -2.08                                              | 30.00                    | Complies |
| 165     | 5825            | -1.86                                | 0.00        | -1.86                                              | 30.00                    | Complies |



Date: 13-SEP-2022 16:04:27




Date: 13-SEP-2022 16:09:08




Date: 13-SEP-2022 16:11:53

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -2.30                                | 0.00        | -2.30                                              | 30.00                    | Complies |
| 157     | 5785            | -1.90                                | 0.00        | -1.90                                              | 30.00                    | Complies |
| 165     | 5825            | -1.89                                | 0.00        | -1.89                                              | 30.00                    | Complies |



Date: 13-SEP-2022 16:05:20



Date: 13-SEP-2022 16:06:39



Date: 13-SEP-2022 16:11:19


|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 149     | 5745            | 0.38                                 | 30.00                    | Complies |
| 157     | 5785            | 1.02                                 | 30.00                    | Complies |
| 165     | 5825            | 1.14                                 | 30.00                    | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -4.37                                | 0.00        | -4.37                                              | 30.00                    | Complies |
| 159     | 5795            | -3.39                                | 0.00        | -3.39                                              | 30.00                    | Complies |

CH151



Date: 13 SEP 2022 17:15:15

CH159




Date: 13 SEP 2022 17:15:15

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Ant. 2 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -3.46                                | 0.00        | -3.46                                              | 30.00                    | Complies |
| 159     | 5795            | -3.22                                | 0.00        | -3.22                                              | 30.00                    | Complies |

CH151



Date: 13 SEP 2022 17:14:10

CH159




Date: 13 SEP 2022 17:15:15

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 151     | 5755            | -0.88                                | 30.00                    | Complies |
| 159     | 5795            | -0.29                                | 30.00                    | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -7.21                                | 0.00        | -7.21                                              | 30.00                    | Complies |



|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -10.06                               | 0.00        | -10.06                                             | 30.00                    | Complies |



|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX AX(HE80) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|--------------------------|----------|
| 155     | 5775            | -5.39                                | 30.00                    | Complies |

**End of Test Report**