







Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2





Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT a 5260MHz Ant2




### Power NVNT a 5320MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT a 5500MHz Ant2




### Power NVNT a 5700MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT a 5745MHz Ant2




### Power NVNT a 5825MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n20 5180MHz Ant2




### Power NVNT n20 5240MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n20 5260MHz Ant2




### Power NVNT n20 5320MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n20 5500MHz Ant2




### Power NVNT n20 5700MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n20 5745MHz Ant2




### Power NVNT n20 5825MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n40 5190MHz Ant2




### Power NVNT n40 5230MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n40 5270MHz Ant2




### Power NVNT n40 5310MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n40 5510MHz Ant2




### Power NVNT n40 5670MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT n40 5755MHz Ant2




### Power NVNT n40 5795MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac20 5180MHz Ant2




### Power NVNT ac20 5240MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac20 5260MHz Ant2




### Power NVNT ac20 5320MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac20 5500MHz Ant2




### Power NVNT ac20 5700MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac20 5745MHz Ant2




### Power NVNT ac20 5825MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac40 5190MHz Ant2




### Power NVNT ac40 5230MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2



### Power NVNT ac40 5270MHz Ant2



### Power NVNT ac40 5310MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac40 5755MHz Ant2




### Power NVNT ac40 5795MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### Power NVNT ac80 5210MHz Ant2




### Power NVNT ac80 5290MHz Ant2




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2


### Power NVNT ac80 5530MHz Ant2



### Power NVNT ac80 5610MHz Ant2



Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2



Report No.: WSCT-ANAB-R&amp;E250100005A-Wi-Fi2

## 7.6 POWER SPECTRAL DENSITY

|              |                          |             |                   |
|--------------|--------------------------|-------------|-------------------|
| Product      | : EUT-Sample             | Test Mode   | : See Section 3.4 |
| Test Item    | : Power Spectral Density | Temperature | : 25 °C           |
| Test Voltage | : DC 11.55V              | Humidity    | : 56%RH           |
| Test Result  | : PASS                   |             |                   |

### MAIN Ant1

| Mode | Frequency (MHz) | Total PSD (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------|-------------|---------|
| a    | 5180            | 4.66            | 11          | Pass    |
| a    | 5240            | 5.13            | 11          | Pass    |
| a    | 5260            | 3.92            | 11          | Pass    |
| a    | 5320            | 4.42            | 11          | Pass    |
| a    | 5500            | 2               | 11          | Pass    |
| a    | 5700            | 3.03            | 11          | Pass    |
| a    | 5745            | 0.76            | 30          | Pass    |
| a    | 5825            | 3.15            | 30          | Pass    |
| n20  | 5180            | 3.17            | 11          | Pass    |
| n20  | 5240            | 3.79            | 11          | Pass    |
| n20  | 5260            | 8.23            | 11          | Pass    |
| n20  | 5320            | 1.76            | 11          | Pass    |
| n20  | 5500            | 5.13            | 11          | Pass    |
| n20  | 5700            | 2.41            | 11          | Pass    |
| n20  | 5745            | -0.3            | 30          | Pass    |
| n20  | 5825            | 2.19            | 30          | Pass    |
| n40  | 5190            | 1.53            | 11          | Pass    |
| n40  | 5230            | 0.95            | 11          | Pass    |
| n40  | 5270            | 0.14            | 11          | Pass    |
| n40  | 5310            | 1.31            | 11          | Pass    |
| n40  | 5510            | 2.11            | 11          | Pass    |
| n40  | 5670            | 3               | 11          | Pass    |
| n40  | 5755            | -1.23           | 30          | Pass    |
| n40  | 5795            | -54.26          | 30          | Pass    |
| ac20 | 5180            | 3.79            | 11          | Pass    |
| ac20 | 5240            | 5.77            | 11          | Pass    |
| ac20 | 5260            | 4.72            | 11          | Pass    |
| ac20 | 5320            | 5.12            | 11          | Pass    |
| ac20 | 5500            | 5.75            | 11          | Pass    |
| ac20 | 5700            | 5.68            | 11          | Pass    |
| ac20 | 5745            | 2.26            | 30          | Pass    |
| ac20 | 5825            | 3.94            | 30          | Pass    |
| ac40 | 5190            | 1.13            | 11          | Pass    |
| ac40 | 5230            | 1.53            | 11          | Pass    |
| ac40 | 5270            | 0.09            | 11          | Pass    |
| ac40 | 5310            | 1.69            | 11          | Pass    |
| ac40 | 5510            | 1.97            | 11          | Pass    |
| ac40 | 5670            | 3.04            | 11          | Pass    |
| ac40 | 5755            | -0.94           | 30          | Pass    |
| ac40 | 5795            | 0.34            | 30          | Pass    |
| ac80 | 5210            | -3.65           | 11          | Pass    |
| ac80 | 5290            | -3.87           | 11          | Pass    |
| ac80 | 5530            | -1.33           | 11          | Pass    |
| ac80 | 5610            | -1.19           | 11          | Pass    |
| ac80 | 5775            | -3.29           | 30          | Pass    |

Report No.: WSCT-ANAB-R&amp;E250100005A-Wi-Fi2

## AUX Ant2

| Mode | Frequency (MHz) | Total PSD (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------|-------------|---------|
| a    | 5180            | 5.63            | 11          | Pass    |
| a    | 5240            | 6.91            | 11          | Pass    |
| a    | 5260            | 6.2             | 11          | Pass    |
| a    | 5320            | 7.42            | 11          | Pass    |
| a    | 5500            | 7.08            | 11          | Pass    |
| a    | 5700            | 5.14            | 11          | Pass    |
| a    | 5745            | 1.78            | 30          | Pass    |
| a    | 5825            | 3.67            | 30          | Pass    |
| n20  | 5180            | 4.5             | 11          | Pass    |
| n20  | 5240            | 5.59            | 11          | Pass    |
| n20  | 5260            | 4.36            | 11          | Pass    |
| n20  | 5320            | 5.79            | 11          | Pass    |
| n20  | 5500            | 5.27            | 11          | Pass    |
| n20  | 5700            | 3.55            | 11          | Pass    |
| n20  | 5745            | 1.23            | 30          | Pass    |
| n20  | 5825            | 3.23            | 30          | Pass    |
| n40  | 5190            | 1.73            | 11          | Pass    |
| n40  | 5230            | 7.76            | 11          | Pass    |
| n40  | 5270            | 1.43            | 11          | Pass    |
| n40  | 5310            | 2.72            | 11          | Pass    |
| n40  | 5510            | 2.39            | 11          | Pass    |
| n40  | 5670            | 2.13            | 11          | Pass    |
| n40  | 5755            | -1.06           | 30          | Pass    |
| n40  | 5795            | 0.76            | 30          | Pass    |
| ac20 | 5180            | 3.95            | 11          | Pass    |
| ac20 | 5240            | 5.31            | 11          | Pass    |
| ac20 | 5260            | 4.63            | 11          | Pass    |
| ac20 | 5320            | 5.69            | 11          | Pass    |
| ac20 | 5500            | 5.33            | 11          | Pass    |
| ac20 | 5700            | 4.09            | 11          | Pass    |
| ac20 | 5745            | 1.33            | 30          | Pass    |
| ac20 | 5825            | 3.56            | 30          | Pass    |
| ac40 | 5190            | 2.12            | 11          | Pass    |
| ac40 | 5230            | 2.61            | 11          | Pass    |
| ac40 | 5270            | 1.91            | 11          | Pass    |
| ac40 | 5310            | 2.76            | 11          | Pass    |
| ac40 | 5510            | 1.31            | 11          | Pass    |
| ac40 | 5670            | 2.09            | 11          | Pass    |
| ac40 | 5755            | -0.58           | 30          | Pass    |
| ac40 | 5795            | -0.1            | 30          | Pass    |
| ac80 | 5210            | -1.33           | 11          | Pass    |
| ac80 | 5290            | -1.84           | 11          | Pass    |
| ac80 | 5530            | -1.29           | 11          | Pass    |
| ac80 | 5610            | -1.56           | 11          | Pass    |
| ac80 | 5775            | -3.84           | 30          | Pass    |



Report No.: WSCT-ANAB-R&amp;E250100005A-Wi-Fi2

### MiMO Mode

| Mode | Frequency (MHz) | Total PSD (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------|-------------|---------|
| n20  | 5180            | 6.90            | 10.96       | Pass    |
| n20  | 5240            | 7.79            | 10.96       | Pass    |
| n20  | 5260            | 9.72            | 10.96       | Pass    |
| n20  | 5320            | 7.24            | 10.96       | Pass    |
| n20  | 5500            | 8.21            | 10.96       | Pass    |
| n20  | 5700            | 6.03            | 10.96       | Pass    |
| n20  | 5745            | 3.54            | 29.96       | Pass    |
| n20  | 5825            | 5.75            | 29.96       | Pass    |
| n40  | 5190            | 4.64            | 10.96       | Pass    |
| n40  | 5230            | 8.58            | 10.96       | Pass    |
| n40  | 5270            | 3.84            | 10.96       | Pass    |
| n40  | 5310            | 5.08            | 10.96       | Pass    |
| n40  | 5510            | 5.26            | 10.96       | Pass    |
| n40  | 5670            | 5.60            | 10.96       | Pass    |
| n40  | 5755            | 1.87            | 29.96       | Pass    |
| n40  | 5795            | 0.76            | 29.96       | Pass    |
| ac20 | 5180            | 6.88            | 10.96       | Pass    |
| ac20 | 5240            | 8.56            | 10.96       | Pass    |
| ac20 | 5260            | 7.69            | 10.96       | Pass    |
| ac20 | 5320            | 8.42            | 10.96       | Pass    |
| ac20 | 5500            | 8.56            | 10.96       | Pass    |
| ac20 | 5700            | 7.97            | 10.96       | Pass    |
| ac20 | 5745            | 4.83            | 29.96       | Pass    |
| ac20 | 5825            | 6.76            | 29.96       | Pass    |
| ac40 | 5190            | 4.66            | 10.96       | Pass    |
| ac40 | 5230            | 5.11            | 10.96       | Pass    |
| ac40 | 5270            | 4.10            | 10.96       | Pass    |
| ac40 | 5310            | 5.27            | 10.96       | Pass    |
| ac40 | 5510            | 4.66            | 10.96       | Pass    |
| ac40 | 5670            | 5.60            | 10.96       | Pass    |
| ac40 | 5755            | 2.25            | 29.96       | Pass    |
| ac40 | 5795            | 3.14            | 29.96       | Pass    |
| ac80 | 5210            | 0.67            | 10.96       | Pass    |
| ac80 | 5290            | 0.27            | 10.96       | Pass    |
| ac80 | 5530            | 1.70            | 10.96       | Pass    |
| ac80 | 5610            | 1.64            | 10.96       | Pass    |
| ac80 | 5775            | -0.55           | 29.96       | Pass    |


Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

**MAIN Ant1**




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2



### PSD NVNT a 5260MHz Ant1



### PSD NVNT a 5320MHz Ant1




Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2



Report No.: WSCT-ANAB-R&E250100005A-Wi-Fi2

### PSD NVNT a 5745MHz Ant1



### PSD NVNT a 5825MHz Ant1

