



PCB PART	725-1C	CODE: EKT1	SHEET: RT1C
SIZE	25710363, SGP	REV	Doc No: 204-C01
DATE	04/26/1998	Sheet	1 of 2
Project Code	91-1202-001	Prepared By	Approved By



NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8Watt except where otherwise indicated
 3. $\pm$ Represents PCB common ground.




Acer 明基電腦股份有限公司
Acer Peripherals, Inc.

ACFRJFLA	7257C	(MAIN, C<1>)	SCHEMATIC
SIZE	H4	2571PFS3.SCH	F-HH Doc. No. REV.
			S3 704-C01 0
DATE	04/05/1998	Sheet	3 OF 5
Project Code	91.71202.001		
Prepared By	Reviewed By	Approved By	

F1	SC0	SC1	SC2
>=60.0KHz	1	1	1
45.5-60.0KHz	0	0	0
40.0-45.5KHz	0	0	0
33.0-40.0KHz	1	0	0
<33.0KHz	0	0	0

NOTE: Resistor values are in ohm, <1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8 watt, 5% except where otherwise indicated
 3. // + - Represents PCB common ground.



ACER 明基電腦股份有限公司	
PCENR100	7207C FILED (0051 D000) SCH7MP-10
S17F	257100-2, SCH
H3	143 51
DATE	12/10/1997
Project Code	91.22702.xxx
Prepared By	Reviewed By
Approved By	

NOTES: Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm. 2. All resistors are 1/8 watt, 5% except where otherwise indicated. 3. R represents +0.0 common ground.