

Appendix B: Test Results of 5GHz Wi-Fi

APPENDIX B: TEST RESULTS OF 5GHZ WI-FI.....	1
APPENDIX B.1: TEST RESULTS OF MAXIMUM CONDUCTED OUTPUT POWER.....	2
APPENDIX B.2: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY.....	5
APPENDIX B.3: TEST RESULTS OF 26dB BANDWIDTH.....	157
APPENDIX B.4: TEST RESULTS OF 99% BANDWIDTH.....	193
APPENDIX B.5: TEST RESULTS OF 6dB BANDWIDTH.....	229
APPENDIX B.6: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	237
30MHz - 1GHz (Worst case)	237
Above 1GHz	239
APPENDIX B.7: TEST RESULTS OF CONDUCTED EMISSION	365

Appendix B.1: Test Results of Maximum Conducted output power

U-NII-1: 5150-5250MHz

Test Mode	Test Frequency (MHz)	Measured Conducted Power [dBm]					Limit[dBm]	Verdict
		Ant1	Ant2	Ant3	Ant4	MIMO		
802.11A	5180	17.70	16.95	17.84	16.52	/	30.0	Pass
	5200	17.57	16.67	17.58	16.59	/	30.0	Pass
	5240	17.53	16.13	18.06	17.55	/	30.0	Pass
802.11N20	5180	17.26	15.65	15.53	15.83	22.15	25*	Pass
	5200	18.05	15.77	15.64	15.74	22.45	25*	Pass
	5240	16.90	15.21	15.44	16.24	22.02	25*	Pass
802.11N40	5190	16.26	15.13	16.12	15.37	21.77	25*	Pass
	5230	17.45	17.07	18.07	17.10	23.46	25*	Pass
802.11AC20	5180	16.88	15.10	15.58	15.80	21.91	25*	Pass
	5200	17.04	14.85	15.20	15.20	21.68	25*	Pass
	5240	16.83	15.25	15.37	17.34	23.25	25*	Pass
802.11AC40	5190	16.49	15.04	15.99	15.45	21.80	25*	Pass
	5230	17.54	17.38	18.15	17.60	23.70	25*	Pass
802.11AC80	5210	15.87	14.23	15.69	15.41	21.37	25*	Pass
802.11AX20	5180	16.95	15.22	15.15	15.32	21.75	25*	Pass
	5200	17.57	15.33	15.64	15.99	22.54	25*	Pass
	5240	16.98	15.42	15.88	16.84	22.53	25*	Pass
802.11AX40	5190	16.80	15.27	16.48	15.41	22.06	25*	Pass
	5230	18.25	17.26	18.41	17.36	23.87	25*	Pass
802.11AX80	5210	16.35	14.61	16.08	15.46	21.70	25*	Pass

This device is an indoor access point.

*For WLAN 5GHz 802.11n/802.11ac/802.11ax, and the directional gain is 11dBi for MIMO mode, thus the power limit should be reduced to 25.0dBm.

U-NII-2A and U-NII-2C: 5250-5350MHz and 5470-5825MHz

Test Mode	Test Frequency (MHz)	Measured Conduted Power [dBm]					Limit[dBm]	Verdict
		Ant1	Ant2	Ant3	Ant4	MIMO		
11A	5260	18.58	17.57	18.44	17.11	/	24.0	Pass
	5280	18.55	17.40	18.41	16.65	/	24.0	Pass
	5320	17.75	17.35	18.39	17.16	/	24.0	Pass
	5500	17.46	17.41	17.82	16.62	/	24.0	Pass
	5580	18.03	17.71	17.98	17.44	/	24.0	Pass
	5700	18.68	17.50	17.93	17.19	/	24.0	Pass
	5720	18.76	17.67	17.95	16.80	/	24.0	Pass
11N20	5260	10.11	9.32	9.01	9.76	15.59	19*	Pass
	5280	10.33	10.00	8.65	9.23	15.62	19*	Pass
	5320	10.28	9.09	8.84	9.43	15.47	19*	Pass
	5500	9.85	9.91	8.77	9.59	15.57	19*	Pass
	5580	9.60	9.88	8.71	10.00	15.60	19*	Pass
	5700	10.14	9.13	7.96	8.96	15.14	19*	Pass
	5720	10.16	8.86	8.48	8.93	15.18	19*	Pass
11N40	5270	10.09	9.26	8.51	8.99	15.27	19*	Pass
	5310	10.06	9.21	8.97	10.12	15.64	19*	Pass
	5510	10.11	9.94	9.05	8.82	15.54	19*	Pass
	5550	10.02	9.78	8.70	9.58	15.57	19*	Pass
	5670	9.68	8.70	8.36	9.68	15.16	19*	Pass
	5710	10.25	9.62	8.73	9.41	15.56	19*	Pass
11AC20	5260	10.38	9.70	8.64	9.64	15.65	19*	Pass
	5280	10.11	9.03	8.89	8.62	15.22	19*	Pass
	5320	9.97	9.29	8.60	9.87	15.49	19*	Pass
	5500	10.04	10.05	8.60	9.42	15.59	19*	Pass
	5580	9.65	9.92	8.73	9.94	15.61	19*	Pass
	5700	10.22	8.82	7.94	9.41	15.20	19*	Pass
	5720	10.88	8.71	7.90	8.87	15.26	19*	Pass
11AC40	5270	10.23	9.55	8.52	9.49	15.51	19*	Pass
	5310	10.06	9.21	8.96	9.84	15.56	19*	Pass
	5510	10.06	9.56	8.64	9.35	15.45	19*	Pass
	5550	10.21	9.41	8.76	9.03	15.41	19*	Pass
	5670	10.08	8.27	8.49	9.55	15.18	19*	Pass
	5710	10.09	8.98	7.81	8.84	15.03	19*	Pass
11AC80	5290	10.06	9.24	8.93	9.29	15.42	19*	Pass
	5530	9.96	9.13	8.67	10.06	15.51	19*	Pass
	5610	9.98	9.21	9.06	9.12	15.38	19*	Pass
	5690	9.93	8.83	8.06	9.36	15.12	19*	Pass
11AC160	5250	10.31	9.14	8.62	8.96	15.33	19*	Pass
	5570	9.82	10.00	8.82	9.73	15.64	19*	Pass
11AX20	5260	10.19	9.63	8.66	9.69	15.60	19*	Pass
	5280	10.36	9.60	8.82	9.32	15.58	19*	Pass
	5320	10.12	9.05	8.73	9.56	15.42	19*	Pass
	5500	10.08	10.04	8.68	9.64	15.67	19*	Pass
	5580	9.66	10.09	8.60	10.03	15.65	19*	Pass
	5700	10.13	9.08	7.95	9.22	15.18	19*	Pass
	5720	10.12	8.90	7.98	9.04	15.10	19*	Pass
11AX40	5270	10.43	9.25	8.21	9.52	15.44	19*	Pass
	5310	10.23	9.21	8.89	9.49	15.50	19*	Pass
	5510	10.11	9.36	8.43	9.17	15.33	19*	Pass

	5550	10.30	9.03	8.86	8.99	15.36	19*	Pass
	5670	10.46	9.33	8.55	9.14	15.45	19*	Pass
	5710	10.67	9.41	8.46	9.03	15.49	19*	Pass
11AX80	5290	10.13	9.45	9.13	9.25	15.53	19*	Pass
	5530	9.66	9.52	8.41	9.80	15.40	19*	Pass
	5610	9.40	9.92	8.76	9.59	15.46	19*	Pass
	5690	9.80	8.66	7.97	9.24	14.99	19*	Pass
11AX160	5250	10.22	9.44	9.05	9.34	15.56	19*	Pass
	5570	9.72	9.94	8.64	9.60	15.52	19*	Pass

*For the WLAN 5GHz 802.11n/802.11ac/802.11ax, the directional gain is 11dBi for MIMO mode, thus the power limit should be reduced to 19dBm.

The Duty Cycle Factor is compensated in the tables.

A TPC mechanism is not required for systems with an e.i.r.p. of less than 500 mW(27dBm).

U-NII-3: 5725-5850MHz

Test Mode	Test Frequency (MHz)	Measured Conducted Power [dBm]					Limit[dBm]	Verdict
		Ant1	Ant2	Ant3	Ant4	MIMO		
802.11A	5745	17.41	18.19	17.84	17.32	/	30	Pass
	5785	16.65	17.32	17.42	17.06	/	30	Pass
	5825	15.10	17.33	17.52	15.74	/	30	Pass
802.11N20	5745	17.28	17.76	17.77	16.97	23.48	25*	Pass
	5785	16.56	16.96	17.17	16.73	22.88	25*	Pass
	5825	16.68	16.99	17.26	15.40	22.66	25*	Pass
802.11N40	5755	17.66	17.96	18.14	17.70	23.89	25*	Pass
	5795	17.12	17.34	17.53	16.80	23.23	25*	Pass
802.11AC20	5745	17.37	17.68	17.90	17.25	23.58	25*	Pass
	5785	16.67	17.03	17.17	16.67	22.91	25*	Pass
	5825	16.60	16.90	17.23	15.39	22.60	25*	Pass
802.11AC40	5745	17.64	17.89	18.04	17.72	23.85	25*	Pass
	5785	17.25	17.49	17.70	16.83	23.35	25*	Pass
802.11AC80	5775	17.49	17.90	17.78	17.17	23.61	25*	Pass
802.11AX20	5745	17.92	18.45	18.13	17.71	24.08	25*	Pass
	5785	16.95	17.79	17.60	17.23	23.43	25*	Pass
	5825	16.96	17.59	17.67	15.97	23.12	25*	Pass
802.11AX40	5745	17.87	18.22	18.26	17.70	24.04	25*	Pass
	5785	17.24	17.49	17.69	16.92	23.37	25*	Pass
802.11AX80	5775	17.74	17.84	18.13	17.51	23.83	25*	Pass

*For WLAN 5GHz 802.11n/802.11ac/802.11ax, and the directional gain is 11dBi for MIMO mode, thus the power limit should be reduced to 25.0dBm.

The Duty Cycle Factor is compensated in the tables.

Appendix B.2: Test Results of Conducted Power Spectral Density

U-NII-1, U-NII-2A, U-NII-2C and U-NII-3

Test Mode	Antenna	Channel	Results[dBm/MHz for U-NII-1, UNII-2A and U-NII-2C; dBm/500KHz for U-NII-3]	Limit[dBm/MHz for U-NII-1, UNII-2A and U-NII-2C; dBm/500KHz for U-NII-3]	Verdict
11A-CDD	Ant1	5180	8.51	≤17	PASS
	Ant2	5180	7.93	≤17	PASS
	Ant3	5180	8.38	≤17	PASS
	Ant4	5180	7.51	≤17	PASS
	total	5180	----	----	----
	Ant1	5200	8.07	≤17	PASS
	Ant2	5200	7.53	≤17	PASS
	Ant3	5200	8.12	≤17	PASS
	Ant4	5200	7.21	≤17	PASS
	total	5200	----	----	----
	Ant1	5240	8.03	≤17	PASS
	Ant2	5240	7.32	≤17	PASS
	Ant3	5240	8.03	≤17	PASS
	Ant4	5240	7.98	≤17	PASS
	total	5240	----	----	----
	Ant1	5260	8.02	≤11.00	PASS
	Ant2	5260	7.47	≤11.00	PASS
	Ant3	5260	8.07	≤11.00	PASS
	Ant4	5260	6.85	≤11.00	PASS
	total	5260	----	----	----
	Ant1	5280	8.36	≤11.00	PASS
	Ant2	5280	7.7	≤11.00	PASS
	Ant3	5280	7.94	≤11.00	PASS
	Ant4	5280	6.43	≤11.00	PASS
	total	5280	----	----	----
	Ant1	5320	7.6	≤11.00	PASS
	Ant2	5320	7.53	≤11.00	PASS
	Ant3	5320	8.36	≤11.00	PASS
	Ant4	5320	7.2	≤11.00	PASS
	total	5320	----	----	----
	Ant1	5500	7.6	≤11.00	PASS
	Ant2	5500	8.01	≤11.00	PASS
	Ant3	5500	7.86	≤11.00	PASS
	Ant4	5500	6.83	≤11.00	PASS
	total	5500	----	----	----
	Ant1	5580	8.22	≤11.00	PASS
	Ant2	5580	8.4	≤11.00	PASS
	Ant3	5580	7.83	≤11.00	PASS
	Ant4	5580	7.33	≤11.00	PASS
	total	5580	----	----	----
	Ant1	5700	9.12	≤11.00	PASS
	Ant2	5700	8.87	≤11.00	PASS
	Ant3	5700	8.4	≤11.00	PASS
	Ant4	5700	8.15	≤11.00	PASS
	total	5700	----	----	----
	Ant1	5720 UNII-2C	8.99	≤11.00	PASS
	Ant2	5720 UNII-2C	8.02	≤11.00	PASS
	Ant3	5720 UNII-2C	7.76	≤11.00	PASS
	Ant4	5720 UNII-2C	7.71	≤11.00	PASS
	total	5720 UNII-2C	----	----	----
	Ant1	5720 UNII-3	6.64	≤30.00	PASS
	Ant2	5720 UNII-3	5.49	≤30.00	PASS
	Ant3	5720 UNII-3	5.22	≤30.00	PASS
	Ant4	5720 UNII-3	4.46	≤29.98	PASS
	total	5720 UNII-3	----	----	----

	Ant1	5745	7.49	≤30.00	PASS
	Ant2	5745	8.61	≤30.00	PASS
	Ant3	5745	7.71	≤30.00	PASS
	Ant4	5745	6.26	≤30.00	PASS
	total	5745	----	----	----
	Ant1	5785	5.59	≤30.00	PASS
	Ant2	5785	6.68	≤30.00	PASS
	Ant3	5785	6.29	≤30.00	PASS
	Ant4	5785	6.59	≤30.00	PASS
	total	5785	----	----	----
	Ant1	5825	4.19	≤30.00	PASS
	Ant2	5825	6.84	≤30.00	PASS
	Ant3	5825	6.42	≤30.00	PASS
	Ant4	5825	4.43	≤30.00	PASS
	total	5825	----	----	----
11N20MIMO	Ant1	5180	6.89	≤17	PASS
	Ant2	5180	4.97	≤17	PASS
	Ant3	5180	4.52	≤17	PASS
	Ant4	5180	5.3	≤17	PASS
	total	5180	11.54	≤12.00*	PASS
	Ant1	5200	7.17	≤17	PASS
	Ant2	5200	5.24	≤17	PASS
	Ant3	5200	4.45	≤17	PASS
	Ant4	5200	5.05	≤17	PASS
	total	5200	11.63	≤12.00*	PASS
	Ant1	5240	6.15	≤17	PASS
	Ant2	5240	4.58	≤17	PASS
	Ant3	5240	4.15	≤17	PASS
	Ant4	5240	5.55	≤17	PASS
	total	5240	11.20	≤12.00*	PASS
	Ant1	5260	0.04	≤11.00	PASS
	Ant2	5260	-1.24	≤11.00	PASS
	Ant3	5260	-2.15	≤11.00	PASS
	Ant4	5260	-0.94	≤11.00	PASS
	total	5260	5.02	≤6.00*	PASS
	Ant1	5280	-0.31	≤11.00	PASS
	Ant2	5280	-0.91	≤11.00	PASS
	Ant3	5280	-2.34	≤11.00	PASS
	Ant4	5280	-2.07	≤11.00	PASS
	total	5280	4.69	≤6.00*	PASS
	Ant1	5320	-0.48	≤11.00	PASS
	Ant2	5320	-1.26	≤11.00	PASS
	Ant3	5320	-2.16	≤11.00	PASS
	Ant4	5320	-2.52	≤11.00	PASS
	total	5320	4.46	≤6.00*	PASS
	Ant1	5500	-0.3	≤11.00	PASS
	Ant2	5500	-0.43	≤11.00	PASS
	Ant3	5500	-2.09	≤11.00	PASS
	Ant4	5500	-1.08	≤11.00	PASS
	total	5500	5.10	≤6.00*	PASS
	Ant1	5580	-0.5	≤11.00	PASS
	Ant2	5580	-0.36	≤11.00	PASS
	Ant3	5580	-2.05	≤11.00	PASS
	Ant4	5580	-0.96	≤11.00	PASS
	total	5580	5.10	≤6.00*	PASS
	Ant1	5700	0.11	≤11.00	PASS
	Ant2	5700	-0.75	≤11.00	PASS
	Ant3	5700	-2.03	≤11.00	PASS
	Ant4	5700	-0.73	≤11.00	PASS
	total	5700	5.24	≤6.00*	PASS
	Ant1	5720 UNII-2C	0.06	≤11.00	PASS
	Ant2	5720 UNII-2C	-1.82	≤11.00	PASS
	Ant3	5720 UNII-2C	-2.09	≤11.00	PASS

	Ant4	5720 UNII-2C	-0.86	≤11.00	PASS
	total	5720 UNII-2C	4.93	≤6.00*	PASS
	Ant1	5720 UNII-3	-2.75	≤30.00	PASS
	Ant2	5720 UNII-3	-4.61	≤30.00	PASS
	Ant3	5720 UNII-3	-5.06	≤30.00	PASS
	Ant4	5720 UNII-3	-4.25	≤30.00	PASS
	total	5720 UNII-3	1.94	≤25.00*	PASS
	Ant1	5745	7.46	≤30.00	PASS
	Ant2	5745	8.11	≤30.00	PASS
	Ant3	5745	7.56	≤30.00	PASS
	Ant4	5745	6.27	≤30.00	PASS
	total	5745	13.42	≤25.00*	PASS
	Ant1	5785	5.46	≤30.00	PASS
	Ant2	5785	6.26	≤30.00	PASS
	Ant3	5785	5.82	≤30.00	PASS
	Ant4	5785	6.08	≤30.00	PASS
	total	5785	11.94	≤25.00*	PASS
	Ant1	5825	5.57	≤30.00	PASS
	Ant2	5825	5.93	≤30.00	PASS
	Ant3	5825	6.14	≤30.00	PASS
11N40MIMO	Ant4	5825	4.08	≤30.00	PASS
	total	5825	11.52	≤25.00*	PASS
	Ant1	5190	2.81	≤17	PASS
	Ant2	5190	1.37	≤17	PASS
	Ant3	5190	2.42	≤17	PASS
	Ant4	5190	1.73	≤17	PASS
	total	5190	8.14	≤17.00	PASS
	Ant1	5230	5	≤17	PASS
	Ant2	5230	4.76	≤17	PASS
	Ant3	5230	5.42	≤17	PASS
	Ant4	5230	4.87	≤17	PASS
	total	5230	11.04	≤17.00	PASS
	Ant1	5270	-3.88	≤11.00	PASS
	Ant2	5270	-4.79	≤11.00	PASS
	Ant3	5270	-5.46	≤11.00	PASS
	Ant4	5270	-5.05	≤11.00	PASS
	total	5270	1.27	≤11.00	PASS
	Ant1	5310	-3.59	≤11.00	PASS
	Ant2	5310	-4.97	≤11.00	PASS
	Ant3	5310	-5.42	≤11.00	PASS
	Ant4	5310	-4.26	≤11.00	PASS
	total	5310	1.52	≤11.00	PASS
	Ant1	5510	-2.97	≤11.00	PASS
	Ant2	5510	-3.44	≤11.00	PASS
	Ant3	5510	-4.7	≤11.00	PASS
	Ant4	5510	-3.66	≤11.00	PASS
	total	5510	2.37	≤11.00	PASS
	Ant1	5550	-3.63	≤11.00	PASS
	Ant2	5550	-4.29	≤11.00	PASS
	Ant3	5550	-5.48	≤11.00	PASS
	Ant4	5550	-3.72	≤11.00	PASS
	total	5550	1.80	≤11.00	PASS
	Ant1	5670	-3.19	≤11.00	PASS
	Ant2	5670	-4.53	≤11.00	PASS
	Ant3	5670	-4.95	≤11.00	PASS
	Ant4	5670	-3.82	≤11.00	PASS
	total	5670	1.95	≤11.00	PASS
	Ant1	5710 UNII-2C	-1.5	≤11.00	PASS
	Ant2	5710 UNII-2C	-3.27	≤11.00	PASS
	Ant3	5710 UNII-2C	-4.41	≤11.00	PASS
	Ant4	5710 UNII-2C	-2.2	≤11.00	PASS
	total	5710 UNII-2C	3.31	≤11.00	PASS
	Ant1	5710 UNII-3	-5.9	≤30.00	PASS

	Ant2	5710 UNII-3	-7.78	≤30.00	PASS
	Ant3	5710 UNII-3	-8.94	≤30.00	PASS
	Ant4	5710 UNII-3	-7.27	≤30.00	PASS
	total	5710 UNII-3	-1.31	≤11.00	PASS
	Ant1	5755	4.58	≤30.00	PASS
	Ant2	5755	5	≤30.00	PASS
	Ant3	5755	4.49	≤30.00	PASS
	Ant4	5755	3.59	≤30.00	PASS
	total	5755	10.47	≤30.00	PASS
	Ant1	5795	2.53	≤30.00	PASS
	Ant2	5795	2.89	≤30.00	PASS
	Ant3	5795	2.84	≤30.00	PASS
11AC20MIMO	Ant4	5795	3.27	≤30.00	PASS
	total	5795	8.91	≤30.00	PASS
	Ant1	5180	6.65	≤17	PASS
	Ant2	5180	4.37	≤17	PASS
	Ant3	5180	4.64	≤17	PASS
	Ant4	5180	5.61	≤17	PASS
	total	5180	11.43	≤12.00*	PASS
	Ant1	5200	6.28	≤17	PASS
	Ant2	5200	4.15	≤17	PASS
	Ant3	5200	4.01	≤17	PASS
	Ant4	5200	4.62	≤17	PASS
	total	5200	10.89	≤12.00*	PASS
	Ant1	5240	6.41	≤17	PASS
	Ant2	5240	4.3	≤17	PASS
	Ant3	5240	3.86	≤17	PASS
	Ant4	5240	5.65	≤17	PASS
	total	5240	11.20	≤12.00*	PASS
	Ant1	5260	-0.56	≤11.00	PASS
	Ant2	5260	-1.3	≤11.00	PASS
	Ant3	5260	-2.8	≤11.00	PASS
	Ant4	5260	-1.75	≤11.00	PASS
	total	5260	4.49	≤6.00*	PASS
	Ant1	5280	-0.01	≤11.00	PASS
	Ant2	5280	-1.44	≤11.00	PASS
	Ant3	5280	-2.6	≤11.00	PASS
	Ant4	5280	-1.7	≤11.00	PASS
	total	5280	4.69	≤6.00*	PASS
	Ant1	5320	-44.05	≤11.00	PASS
	Ant2	5320	-1.26	≤11.00	PASS
	Ant3	5320	-2.1	≤11.00	PASS
	Ant4	5320	-1.27	≤11.00	PASS
	total	5320	4.78	≤6.00*	PASS
	Ant1	5500	-0.09	≤11.00	PASS
	Ant2	5500	-0.23	≤11.00	PASS
	Ant3	5500	-2.31	≤11.00	PASS
	Ant4	5500	-0.98	≤11.00	PASS
	total	5500	5.20	≤6.00*	PASS
	Ant1	5580	-0.65	≤11.00	PASS
	Ant2	5580	-0.85	≤11.00	PASS
	Ant3	5580	-2.1	≤11.00	PASS
	Ant4	5580	-1.01	≤11.00	PASS
	total	5580	4.90	≤6.00*	PASS
	Ant1	5700	0.04	≤11.00	PASS
	Ant2	5700	-1.22	≤11.00	PASS
	Ant3	5700	-1.99	≤11.00	PASS
	Ant4	5700	-0.42	≤11.00	PASS
	total	5700	5.19	≤6.00*	PASS
	Ant1	5720 UNII-2C	0.97	≤11.00	PASS
	Ant2	5720 UNII-2C	-1.63	≤11.00	PASS
	Ant3	5720 UNII-2C	-2.57	≤11.00	PASS
	Ant4	5720 UNII-2C	-0.93	≤11.00	PASS

	total	5720 UNII-2C	5.18	≤6.00*	PASS
	Ant1	5720 UNII-3	-2.15	≤30.00	PASS
	Ant2	5720 UNII-3	-4.75	≤30.00	PASS
	Ant3	5720 UNII-3	-5.47	≤30.00	PASS
	Ant4	5720 UNII-3	-3.93	≤30.00	PASS
	total	5720 UNII-3	2.13	≤25.00*	PASS
	Ant1	5745	7.09	≤30.00	PASS
	Ant2	5745	8.08	≤30.00	PASS
	Ant3	5745	7.65	≤30.00	PASS
	Ant4	5745	6.18	≤30.00	PASS
	total	5745	13.33	≤25.00*	PASS
	Ant1	5785	4.92	≤30.00	PASS
	Ant2	5785	6.38	≤30.00	PASS
	Ant3	5785	5.82	≤30.00	PASS
	Ant4	5785	6.16	≤30.00	PASS
	total	5785	11.88	≤25.00*	PASS
	Ant1	5825	5.44	≤30.00	PASS
	Ant2	5825	6.26	≤30.00	PASS
	Ant3	5825	6.18	≤30.00	PASS
	Ant4	5825	3.7	≤30.00	PASS
11AC40MIMO	total	5825	11.53	≤25.00*	PASS
	Ant1	5190	2.41	≤17	PASS
	Ant2	5190	1.22	≤17	PASS
	Ant3	5190	2.24	≤17	PASS
	Ant4	5190	1.81	≤17	PASS
	total	5190	7.96	≤12.00*	PASS
	Ant1	5230	5.16	≤17	PASS
	Ant2	5230	5.25	≤17	PASS
	Ant3	5230	5.6	≤17	PASS
	Ant4	5230	5.1	≤17	PASS
	total	5230	11.30	≤12.00*	PASS
	Ant1	5270	-4.24	≤11.00	PASS
	Ant2	5270	-4.89	≤11.00	PASS
	Ant3	5270	-5.94	≤11.00	PASS
	Ant4	5270	-5.02	≤11.00	PASS
	total	5270	1.04	≤6.00*	PASS
	Ant1	5310	-3.79	≤11.00	PASS
	Ant2	5310	-5.17	≤11.00	PASS
	Ant3	5310	-5.19	≤11.00	PASS
	Ant4	5310	-3.9	≤11.00	PASS
	total	5310	1.56	≤6.00*	PASS
	Ant1	5510	-3.2	≤11.00	PASS
	Ant2	5510	-4.03	≤11.00	PASS
	Ant3	5510	-5.39	≤11.00	PASS
	Ant4	5510	-3.92	≤11.00	PASS
	total	5510	1.96	≤6.00*	PASS
	Ant1	5550	-4.44	≤11.00	PASS
	Ant2	5550	-4.31	≤11.00	PASS
	Ant3	5550	-5.66	≤11.00	PASS
	Ant4	5550	-3.76	≤11.00	PASS
	total	5550	1.53	≤6.00*	PASS
	Ant1	5670	-3.28	≤11.00	PASS
	Ant2	5670	-4.59	≤11.00	PASS
	Ant3	5670	-4.96	≤11.00	PASS
	Ant4	5670	-3.9	≤11.00	PASS
	total	5670	1.89	≤6.00*	PASS
	Ant1	5710 UNII-2C	-2.87	≤11.00	PASS
	Ant2	5710 UNII-2C	-4.64	≤11.00	PASS
	Ant3	5710 UNII-2C	-5.55	≤11.00	PASS
	Ant4	5710 UNII-2C	-3.61	≤11.00	PASS
	total	5710 UNII-2C	1.97	≤6.00*	PASS
	Ant1	5710 UNII-3	-6.97	≤30.00	PASS
	Ant2	5710 UNII-3	-8.43	≤30.00	PASS

	Ant3	5710 UNII-3	-10.06	≤30.00	PASS
	Ant4	5710 UNII-3	-8.9	≤30.00	PASS
	total	5710 UNII-3	-2.43	≤25.00*	PASS
	Ant1	5755	4.41	≤30.00	PASS
	Ant2	5755	4.76	≤30.00	PASS
	Ant3	5755	4.74	≤30.00	PASS
	Ant4	5755	3.86	≤30.00	PASS
	total	5755	10.48	≤25.00*	PASS
	Ant1	5795	3.25	≤30.00	PASS
	Ant2	5795	3.63	≤30.00	PASS
	Ant3	5795	3.33	≤30.00	PASS
	Ant4	5795	3.14	≤30.00	PASS
11AC80MIMO	total	5795	9.36	≤25.00*	PASS
	Ant1	5210	-1.3	≤17	PASS
	Ant2	5210	-3.07	≤17	PASS
	Ant3	5210	-1.4	≤17	PASS
	Ant4	5210	-1.8	≤17	PASS
	total	5210	4.18	≤12.00*	PASS
	Ant1	5290	-7.04	≤11.00	PASS
	Ant2	5290	-7.26	≤11.00	PASS
	Ant3	5290	-8.41	≤11.00	PASS
	Ant4	5290	-8.3	≤11.00	PASS
	total	5290	-1.69	≤6.00*	PASS
	Ant1	5530	-5.72	≤11.00	PASS
	Ant2	5530	-6.72	≤11.00	PASS
	Ant3	5530	-7.77	≤11.00	PASS
	Ant4	5530	-6.55	≤11.00	PASS
	total	5530	-0.61	≤6.00*	PASS
	Ant1	5610	-7.45	≤11.00	PASS
	Ant2	5610	-6.7	≤11.00	PASS
	Ant3	5610	-8.92	≤11.00	PASS
	Ant4	5610	-7.51	≤11.00	PASS
	total	5610	-1.55	≤6.00*	PASS
	Ant1	5690 UNII-2C	-6.22	≤11.00	PASS
	Ant2	5690 UNII-2C	-7.74	≤11.00	PASS
	Ant3	5690 UNII-2C	-8.54	≤11.00	PASS
	Ant4	5690 UNII-2C	-7.33	≤11.00	PASS
	total	5690 UNII-2C	-1.36	≤6.00*	PASS
	Ant1	5690 UNII-3	-11.24	≤30.00	PASS
	Ant2	5690 UNII-3	-13.1	≤30.00	PASS
	Ant3	5690 UNII-3	-14.43	≤30.00	PASS
	Ant4	5690 UNII-3	-12.96	≤30.00	PASS
	total	5690 UNII-3	-6.76	≤25.00*	PASS
	Ant1	5775	0.21	≤30.00	PASS
	Ant2	5775	0.83	≤30.00	PASS
	Ant3	5775	0.23	≤30.00	PASS
	Ant4	5775	0.41	≤30.00	PASS
	total	5775	6.45	≤25.00*	PASS
11AC160MIMO	Ant1	5250	-9.18	≤11.00	PASS
	Ant2	5250	-10.69	≤11.00	PASS
	Ant3	5250	-11.63	≤11.00	PASS
	Ant4	5250	-11.2	≤11.00	PASS
	total	5250	-4.55	≤6.00*	PASS
	Ant1	5570	-9.25	≤11.00	PASS
	Ant2	5570	-8.79	≤11.00	PASS
	Ant3	5570	-10.35	≤11.00	PASS
11AX20MIMO	Ant4	5570	-9.06	≤11.00	PASS
	total	5570	-3.30	≤6.00*	PASS
	Ant1	5180	6.6	≤17	PASS
	Ant2	5180	4.7	≤17	PASS
	Ant3	5180	4.17	≤17	PASS
	Ant4	5180	4.81	≤17	PASS
	total	5180	11.19	≤12.00*	PASS

	Ant1	5200	6.66	≤17	PASS
	Ant2	5200	4.65	≤17	PASS
	Ant3	5200	4.32	≤17	PASS
	Ant4	5200	4.86	≤17	PASS
	total	5200	11.24	≤12.00*	PASS
	Ant1	5240	6.38	≤17	PASS
	Ant2	5240	4.35	≤17	PASS
	Ant3	5240	3.9	≤17	PASS
	Ant4	5240	5.45	≤17	PASS
	total	5240	11.15	≤12.00*	PASS
	Ant1	5260	-0.81	≤11.00	PASS
	Ant2	5260	-1.28	≤11.00	PASS
	Ant3	5260	-2.86	≤11.00	PASS
	Ant4	5260	-1.49	≤11.00	PASS
	total	5260	4.47	≤6.00*	PASS
	Ant1	5280	-0.65	≤11.00	PASS
	Ant2	5280	-1.2	≤11.00	PASS
	Ant3	5280	-2.72	≤11.00	PASS
	Ant4	5280	-1.77	≤11.00	PASS
	total	5280	4.50	≤6.00*	PASS
	Ant1	5320	-0.75	≤11.00	PASS
	Ant2	5320	-1.38	≤11.00	PASS
	Ant3	5320	-2.5	≤11.00	PASS
	Ant4	5320	-1.21	≤11.00	PASS
	total	5320	4.61	≤6.00*	PASS
	Ant1	5500	0.02	≤11.00	PASS
	Ant2	5500	-0.01	≤11.00	PASS
	Ant3	5500	-2.36	≤11.00	PASS
	Ant4	5500	-1.1	≤11.00	PASS
	total	5500	5.26	≤6.00*	PASS
	Ant1	5580	-0.8	≤11.00	PASS
	Ant2	5580	-0.76	≤11.00	PASS
	Ant3	5580	-2.12	≤11.00	PASS
	Ant4	5580	-0.75	≤11.00	PASS
	total	5580	4.95	≤6.00*	PASS
	Ant1	5700	0.08	≤11.00	PASS
	Ant2	5700	-1.04	≤11.00	PASS
	Ant3	5700	-1.93	≤11.00	PASS
	Ant4	5700	-0.56	≤11.00	PASS
	total	5700	5.22	≤6.00*	PASS
	Ant1	5720 UNII-2C	0.62	≤11.00	PASS
	Ant2	5720 UNII-2C	-1.5	≤11.00	PASS
	Ant3	5720 UNII-2C	-2.75	≤11.00	PASS
	Ant4	5720 UNII-2C	-0.68	≤11.00	PASS
	total	5720 UNII-2C	5.12	≤6.00*	PASS
	Ant1	5720 UNII-3	-2.41	≤30.00	PASS
	Ant2	5720 UNII-3	-3.91	≤30.00	PASS
	Ant3	5720 UNII-3	-5.58	≤30.00	PASS
	Ant4	5720 UNII-3	-3.85	≤30.00	PASS
	total	5720 UNII-3	2.23	≤25.00*	PASS
	Ant1	5745	7.5	≤30.00	PASS
	Ant2	5745	8.6	≤30.00	PASS
	Ant3	5745	8.18	≤30.00	PASS
	Ant4	5745	6.75	≤30.00	PASS
	total	5745	13.83	≤25.00*	PASS
	Ant1	5785	5.6	≤30.00	PASS
	Ant2	5785	6.83	≤30.00	PASS
	Ant3	5785	5.79	≤30.00	PASS
	Ant4	5785	6.36	≤30.00	PASS
	total	5785	12.19	≤25.00*	PASS
	Ant1	5825	5.33	≤30.00	PASS
	Ant2	5825	6.65	≤30.00	PASS
	Ant3	5825	5.96	≤30.00	PASS

	Ant4	5825	4.05	≤30.00	PASS
	total	5825	11.62	≤25.00*	PASS
11AX40MIMO	Ant1	5190	3.09	≤17	PASS
	Ant2	5190	1.56	≤17	PASS
	Ant3	5190	2.74	≤17	PASS
	Ant4	5190	1.75	≤17	PASS
	total	5190	8.35	≤12.00*	PASS
	Ant1	5230	4.32	≤17	PASS
	Ant2	5230	3.77	≤17	PASS
	Ant3	5230	4.24	≤17	PASS
	Ant4	5230	3.43	≤17	PASS
	total	5230	9.98	≤12.00*	PASS
	Ant1	5270	-4.1	≤11.00	PASS
	Ant2	5270	-4.44	≤11.00	PASS
	Ant3	5270	-5.63	≤11.00	PASS
	Ant4	5270	-5.26	≤11.00	PASS
	total	5270	1.21	≤6.00*	PASS
	Ant1	5310	-4.28	≤11.00	PASS
	Ant2	5310	-5.39	≤11.00	PASS
	Ant3	5310	-5.89	≤11.00	PASS
	Ant4	5310	-4.75	≤11.00	PASS
	total	5310	0.99	≤6.00*	PASS
	Ant1	5510	-3.22	≤11.00	PASS
	Ant2	5510	-3.68	≤11.00	PASS
	Ant3	5510	-5.16	≤11.00	PASS
	Ant4	5510	-4.08	≤11.00	PASS
	total	5510	2.04	≤6.00*	PASS
	Ant1	5550	-5.21	≤11.00	PASS
	Ant2	5550	-5.01	≤11.00	PASS
	Ant3	5550	-6.85	≤11.00	PASS
	Ant4	5550	-5	≤11.00	PASS
	total	5550	0.57	≤6.00*	PASS
	Ant1	5670	-4.72	≤11.00	PASS
	Ant2	5670	-5.5	≤11.00	PASS
	Ant3	5670	-6.11	≤11.00	PASS
	Ant4	5670	-4.63	≤11.00	PASS
	total	5670	0.82	≤6.00*	PASS
	Ant1	5710 UNII-2C	-2.67	≤11.00	PASS
	Ant2	5710 UNII-2C	-4.11	≤11.00	PASS
	Ant3	5710 UNII-2C	-5.06	≤11.00	PASS
	Ant4	5710 UNII-2C	-3.65	≤11.00	PASS
	total	5710 UNII-2C	2.23	≤6.00*	PASS
	Ant1	5710 UNII-3	-6.75	≤30.00	PASS
	Ant2	5710 UNII-3	-8.4	≤30.00	PASS
	Ant3	5710 UNII-3	-9.3	≤30.00	PASS
	Ant4	5710 UNII-3	-8.36	≤30.00	PASS
	total	5710 UNII-3	-2.08	≤25.00*	PASS
	Ant1	5755	4.35	≤30.00	PASS
	Ant2	5755	4.99	≤30.00	PASS
	Ant3	5755	4.51	≤30.00	PASS
	Ant4	5755	3.28	≤30.00	PASS
	total	5755	10.35	≤25.00*	PASS
	Ant1	5795	2.73	≤30.00	PASS
	Ant2	5795	3.44	≤30.00	PASS
	Ant3	5795	3.42	≤30.00	PASS
	Ant4	5795	3.3	≤30.00	PASS
	total	5795	9.25	≤25.00*	PASS
11AX80MIMO	Ant1	5210	-0.65	≤17	PASS
	Ant2	5210	-2.71	≤17	PASS
	Ant3	5210	-1.42	≤17	PASS
	Ant4	5210	-1.37	≤17	PASS
	total	5210	4.54	≤12.00*	PASS
	Ant1	5290	-7.03	≤11.00	PASS

	Ant2	5290	-7.4	≤11.00	PASS
	Ant3	5290	-8.08	≤11.00	PASS
	Ant4	5290	-8.01	≤11.00	PASS
	total	5290	-1.59	≤6.00*	PASS
	Ant1	5530	-6.03	≤11.00	PASS
	Ant2	5530	-6.81	≤11.00	PASS
	Ant3	5530	-8.21	≤11.00	PASS
	Ant4	5530	-6.2	≤11.00	PASS
	total	5530	-0.71	≤6.00*	PASS
	Ant1	5610	-7.01	≤11.00	PASS
	Ant2	5610	-7.03	≤11.00	PASS
	Ant3	5610	-8.24	≤11.00	PASS
	Ant4	5610	-7.12	≤11.00	PASS
	total	5610	-1.30	≤6.00*	PASS
	Ant1	5690 UNII-2C	-6	≤11.00	PASS
	Ant2	5690 UNII-2C	-7.29	≤11.00	PASS
	Ant3	5690 UNII-2C	-8.44	≤11.00	PASS
	Ant4	5690 UNII-2C	-7.05	≤11.00	PASS
	total	5690 UNII-2C	-1.09	≤6.00*	PASS
	Ant1	5690 UNII-3	-10.87	≤30.00	PASS
	Ant2	5690 UNII-3	-13.21	≤30.00	PASS
	Ant3	5690 UNII-3	-14.27	≤30.00	PASS
	Ant4	5690 UNII-3	-12.68	≤30.00	PASS
	total	5690 UNII-3	-6.56	≤25.00*	PASS
	Ant1	5775	0.38	≤30.00	PASS
	Ant2	5775	0.9	≤30.00	PASS
	Ant3	5775	0.62	≤30.00	PASS
	Ant4	5775	0.72	≤30.00	PASS
	total	5775	6.68	≤25.00*	PASS
11AX160MIMO	Ant1	5250	-9.3	≤11.00	PASS
	Ant2	5250	-10.52	≤11.00	PASS
	Ant3	5250	-11.3	≤11.00	PASS
	Ant4	5250	-10.88	≤11.00	PASS
	total	5250	-4.41	≤6.00*	PASS
	Ant1	5570	-9.73	≤11.00	PASS
	Ant2	5570	-9.8	≤11.00	PASS
	Ant3	5570	-11.1	≤11.00	PASS
	Ant4	5570	-10.01	≤11.00	PASS
	total	5570	-4.11	≤6.00*	PASS

Note:

1. *For WLAN 5GHz 802.11n/802.11ac/802.11ax, and the directional gain is 11dBi for MIMO mode, thus the PSD limits should be reduced by 5dB accordingly.
2. The Results already converted to dBm/500 kHz in the band 5.725–5.85 GHz, with factor $10 \log(500 \text{ kHz/RBW})$, i.e. 2.22dB;
3. The Duty Cycle Factor and RBW Factor is compensated in the graph.

11A-CDD_Ant1_5180



11A-CDD_Ant2_5180



11A-CDD_Ant3_5180




11A-CDD_Ant4_5180



11A-CDD Ant1 5200




11A-CDD Ant2 5200




11A-CDD Ant3 5200



11A-CDD Ant4 5200



11A-CDD Ant1 5240



11A-CDD Ant2 5240



11A-CDD Ant3 5240



11A-CDD Ant4 5240




11A-CDD Ant1 5260




11A-CDD Ant2 5260



11A-CDD Ant3 5260



11A-CDD Ant4 5260



11A-CDD Ant1 5280



11A-CDD Ant2 5280




11A-CDD Ant3 5280



11A-CDD Ant4 5280



11A-CDD Ant1 5320



11A-CDD Ant2 5320



11A-CDD Ant3 5320





11A-CDD Ant4 5320



11A-CDD Ant1 5500








11A-CDD Ant4 5580



11A-CDD Ant1 5700




11A-CDD Ant2 5700



11A-CDD Ant3 5700



11A-CDD Ant4 5700



11A-CDD Ant1 5720 UNII-2C



11A-CDD Ant2 5720 UNII-2C




11A-CDD Ant3 5720 UNII-2C



11A-CDD Ant4 5720 UNII-2C



11A-CDD_Ant1_5720_UNII-3



11A-CDD_Ant2_5720_UNII-3



11A-CDD_Ant3_5720_UNII-3



11A-CDD_Ant4_5720_UNII-3



11A-CDD_Ant1_5745



11A-CDD_Ant2_5745



11A-CDD Ant3 5745



11A-CDD Ant4 5745



11A-CDD Ant1 5785





11A-CDD Ant1 5825



11A-CDD Ant2 5825



11A-CDD Ant3 5825





11N20MIMO Ant3 5180



11N20MIMO Ant4 5180




11N20MIMO Ant1 5200



11N20MIMO Ant2 5200



11N20MIMO Ant3 5200




11N20MIMO Ant4 5200



11N20MIMO Ant1 5240



11N20MIMO Ant2 5240



11N20MIMO Ant3 5240



11N20MIMO Ant4 5240



11N20MIMO Ant1 5260



11N20MIMO Ant2 5260



11N20MIMO Ant3 5260



11N20MIMO Ant4 5260



11N20MIMO Ant1 5280



11N20MIMO Ant2 5280



11N20MIMO Ant3 5280



11N20MIMO Ant4 5280



11N20MIMO Ant1 5320



11N20MIMO Ant2 5320




11N20MIMO Ant3 5320



11N20MIMO Ant4 5320



11N20MIMO Ant1 5500




11N20MIMO Ant2 5500



11N20MIMO Ant3 5500



11N20MIMO Ant4 5500




11N20MIMO Ant1 5580



11N20MIMO Ant2 5580



11N20MIMO Ant3 5580



11N20MIMO Ant4 5580



11N20MIMO Ant1 5700



11N20MIMO Ant2 5700



11N20MIMO Ant3 5700



11N20MIMO Ant4 5700



11N20MIMO Ant1 5720 UNII-2C



11N20MIMO Ant2 5720 UNII-2C






11N20MIMO_Ant2_5720_UNII-3



11N20MIMO_Ant3_5720_UNII-3



11N20MIMO_Ant4_5720_UNII-3



11N20MIMO Ant1 5745



11N20MIMO Ant2 5745



11N20MIMO Ant3 5745



11N20MIMO Ant4 5745



11N20MIMO Ant1 5785



11N20MIMO Ant2 5785



11N20MIMO Ant3 5785



11N20MIMO Ant4 5785



11N20MIMO Ant1 5825



11N20MIMO Ant2 5825



11N20MIMO Ant3 5825




11N20MIMO Ant4 5825



11N40MIMO Ant1 5190



11N40MIMO Ant2 5190




11N40MIMO Ant3 5190



11N40MIMO Ant4 5190



11N40MIMO Ant1 5230



11N40MIMO Ant2 5230