
DECEMBER 27, 2004
Federal Communications Commission
Equipment Approval Services
7435 Oakland Mills Road
Columbia, MD 21046

SUBJECT : HASRPER CO., LTD.
FCC ID: O5XHP-425B
FCC Part 15 Subpart B Certification

Gentlemen:

Transmitted herewith, on behalf of HASPER CO., LTD. is an application for a FCC Part 15 Subpart B Certification of the following PDP MONITOR:

FCC ID : O5XHP-425B
Model : HP-4250B

Attached is the applicant's Cover Letter, External/Internal Photos, Test Set-Up Photos, FCC ID & Label Location, User Manual, Block Diagram and Test Report.

Should you have any questions or comments concerning the above, please contact the undersigned.



KI SOO KIM
EMC MANAGER

cc: Mr. HAN-IL WOO ----- R & D / ASSISTANT MANAGER

• Solution for EMI

We, HARSPER CO., LTD. , announce that all modifications will be incorporated into each unit sold in the U.S.

1. Attach a gasket on Main Board Case
2. Apply a ferrite Core to the Speaker Cable
3. Attach a gasket on EMI Filter
4. Attach a gasket on PDP Panel and Main Frame
5. Attach a gasket on Stand
6. Attach a gasket on Glass filter

(Please refer to next page of the photographs for Solution for EMI)

HARSPER CO., LTD.


2004. 12. 29.




HAN-IL WOO

R & D Team / ASSISTANT MANAGER


1. Attach a gasket on Main Board Case




2. Apply a ferrite Core to the Speaker Cable




3. Attach a gasket on EMI Filter



4. Attach a gasket on PDP Panel and Main Frame



5. Attach a gasket on Stand



6. Attach a gasket on Glass filter

