

Report No.: SEWA2302000016RG01

Rev.:

Page: 1 of 180

#### **TEST REPORT**

**Application No.:** SEWA2302000016RG

Applicant: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Address of Applicant:

Minhang District, Shanghai, China 200233

Manufacturer: Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Address of Manufacturer:

Minhang District, Shanghai, China 200233

**EUT Description:** Wi-Fi 6 Module

FCU760C Model No.: Trade Mark: Quectel

FCC ID: XMR2023FCU760C

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2023/02/15

Date of Test: 2023/02/15 to 2023/03/03

Date of Issue: 2023/03/03

PASS \* Test Result:

Authorized Signature: Panta Sun

> Panta Sun Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn

中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000 sgs.china@sgs.com

t (86-512) 62992980

In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 2 of 180

#### Version

	Revision Record				
Version	Chapter	Date	Modifier	Remark	
01		2023/03/03		Original	

Prepared By	Tiny Song  (Tizzy Song) / Test Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.aps.com/en/Terms-and-Conditions.app. and, for electronic format documents subject to Terms and Conditions Cerms-and-Conditions (Terms-and-Conditions). The Company and the Intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document of the company appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-75) 8307 1443

South of No. 6 Plant, No. 1, Runshamp Road, Southou Industrial Park, Suchou Area, Chine (Jangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的4号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 3 of 180

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)	<u>24.6</u> 3	Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013 Section 6.2	Clause 4.2	PASS
Duty Cycle			Clause 4.3	Reporting only
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013 Section11.9.2.3	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.247(d);15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d);15.205/15.209	ANSI C63.10 2013 Section 11.12	Clause 4.10	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's soir ersponsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in his test report refer only to the sample(s) less each and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshamp Road, Southou Industrial Park, Suchou Area, Chine (Jangsu) Pikt Free Trade Zone 215000 中國 - 苏州 - 中國 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的4号厂房南部 邮编: 215000



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 4 of 180

#### **Contents**

1	Versio	n	2
2	Test S	ummary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment and Mode	8
	3.6	Description of Support Units	8
	3.7	Worst-case configuration and mode	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	10
	4.3	Duty Cycle	14
	4.4	Conducted Output Power	15
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	16
	4.6	Power Spectral Density	17
	4.7	Band-edge for RF Conducted Emissions	18
	4.8	RF Conducted Spurious Emissions	19
	4.9	Radiated Spurious Emissions	20
	4.10	Restricted bands around fundamental frequency	23
5	Measu	rement Uncertainty (95% confidence levels, k=2)	26
6	Equipr	ment List	27
7	Photo	graphs - Setup Photos	29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.pxp and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's soir ersponsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in his test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industria Park, Suzhou Area, Chira (Liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路(号的)·号厂房南部 鄉端: 215000



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 5 of 180

#### 3 General Information

#### 3.1 Details of Client

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233

#### 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Tizzy Song, Ives Cheng

#### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx">http://www.ags.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-ConditionsTerms-en-Document.aspx">http://www.sgs.com/en/Terms-and-ConditionsTerms-en-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereor reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's society is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are refained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone (\$4.750.8337448) or email: CN. Doccheck@excent.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chire (Jangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 6 of 180

#### 3.4 General Description of EUT

EUT Description:	Wi-Fi 6 Mod	ule		
Model No.:	FCU760C	FCU760C		
Trade Mark:	Quectel	Quectel		
Hardware Version:	R1.0	R1.0		
Software Version:	FCU760CAA	)		
CNI	RF Conducted		E1M23AH	05000005
SN:	RSE & AC po	ower line	E1M23AH	05000045
0	802.11b/g/n(	HT20)/ax(HE	20):	2412MHz to 2462MHz
Operation Frequency:	802.11n(HT4	0)/ax(HE40):		2422MHz to 2452MHz
	802.11b:	DSSS (DBF	PSK, DQPSK	K, CCK)
Modulation Type:	802.11g/n:	OFDM (BPS	SK, QPSK, 1	6QAM, 64QAM)
	802.11ax:	OFDM/OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM)		QPSK, 16QAM, 64QAM, 256QAM,
Number of Channels:		802.11b/g/n(HT20)/ax(HE20): 11 802.11n(HT40)/ax(HE40): 7		
Channel Spacing:	5MHz			
	⊠ siso	802.11b/g/n/ax		
		CDD: 802.1	CDD: 802.11b/g/n/ax: Tx & Rx	
Smart System:	☐ MIMO	STBC: 802.11n/ax: Tx & Rx		
		TXBF: 802.11n/ax: Tx & Rx		
	Diversity	/ 802.11b/g : Tx & Rx		
Antenna Type:	⊠External, [	Integrated		
	0.73dBi			
Antenna Gain:		Note: The antenna gain are derived from the gain information report provided by the manufacturer.		
RF Cable:	0.5db			
Remark: As above information is p suitability, reliability or/an			applicant. S	GS is not liable to the accuracy,



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and,">http://www.sgs.com/en/Terms-and-Conditions.aspx and,</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's soie responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone (86-755)83071443.

South of No. 6 Plant, No. 1, Runshamp, Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海世路1号的6号厂房南部 鄉籍: 215000



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 7 of 180

	Operati	ion Frequen	cy of each cha	nnel (802.11	b/g/n HT20/ax	HE20)	
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
1	2412MHz	4	2427MHz	7	2442MHz	10	2457MHz
2	2417MHz	5	2432MHz	8	2447MHz	11	2462MHz
3	2422MHz	6	2437MHz	9	2452MHz		
	Opera	ation Freque	ency of each cl	nannel (802.	11n HT40/ax H	E40)	
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
3	2422MHz	6	2437MHz	9	2452MHz		
4	2427MHz	7	2442MHz		<del>t)                                    </del>		
5	2432MHz	8	2447MHz				

#### Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency for 802.11 b/g/n (HT20) /ax (HE20)	Frequency for 802.11n (HT40) /ax(HE40)
The Lowest channel	2412MHz	2422MHz
The Middle channel	2437MHz	2437MHz
The Highest channel	2462MHz	2452MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspx.anf">http://www.sps.com/en/ferms-and-Conditions.aspx.anf</a>, for electronic Documents at http://www.sps.com/en/ferms-and-Conditions/ferms-a-Documents.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing finspection report & certificate, please centages and such sample(s) are retained for 30 days only.

South of No. 6 Plant. No. 1, Runsheng Road, Southou Industrial Park, Suzhou Area, China (Liangsu) Plat Fine Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞世裔1号的6号厂房南部 邱编: 215000



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 8 of 180

#### 3.5 Test Environment and Mode

nvironment Parameter	101 kPa Selected Values During Tests	
Relative Humidity	44-46 % RH Ambient	
Value	Temperature(°C)	Voltage(V)
NTNV	22~23	3.3

Remark:

NV: Normal Voltage NT: Normal Temperature

#### 3.6 Description of Support Units

Description	Manufacturer	Model No.	
Mother board	Quectel	N/A	

#### 3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	MIMO - Data Rate
802.11b	1 Mbps	1
802.11g	6 Mbps	I
802.11n (HT 20)	MCS0 (6.5 Mbps)	1
802.11n (HT 40)	MCS0 (13.5 Mbps)	1
802.11ax (HE 20)	MCS0 (8 Mbps)	1
802.11ax (HE 40)	MCS0 (16 Mbps)	/



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspx.and">http://www.sps.com/en/ferms-and-Conditions.aspx.and</a>, for electronic bocuments at <a href="http://www.sps.com/en/ferms-and-Conditions/ferms-a-Document.spx">http://www.sps.com/en/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-C

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Pres Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 9 of 180

#### 4 Test results and Measurement Data

#### 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is External Antenna and no consideration of replacement. The best case gain of the antenna is 0.73 dBi.

Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Terms-and-Conditions). The Decoument and the Terms-and Conditions (Terms-and-Conditions) and the Terms-and-Conditions (Terms-and-Conditions). The Terms-and-Conditions (Terms-and-Conditions) at the Terms-and-Conditions (Terms-and-Conditions) at the Terms-and-Condition (Terms-and-Conditions) at the Terms-and-Conditions (Terms-and-Conditions) at the Terms-and-Conditions



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 10 of 180

#### 4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30kHz				
Limit:	Fraguency range (MUT)	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	<mark>5</mark> 6	46		
	5-30	60	50		
	* Decreases with the logar	rithm of the frequency.	×		
Test Procedure:	room.  2) The EUT was connected Impedance Stabilization Not impedance. The power case a second LISN 2, which we plane in the same way as multiple socket outlet strip single LISN provided the result of the tabletop EUT was ground reference plane. As placed on the horizontal generation of the EUT shall be 0.4 meterical ground reference plane. The LISN unit under test and bonder mounted on top of the ground between the closest points the EUT and associated elin order to find the maximum.	d with a vertical ground reference the vertical ground reference was bonded to the howard of the vertical ground reference plane. This does not be a ground reference plane. This does not be the LISN 1 and the EUT quipment was at least 0.8 not the relative potenterface cables must be charter.	ugh a LISN 1 (Line 0Ω/50μH + 5Ω linear EUT were connected to ference g measured. A ble power cables to a xceeded. table 0.8m above the ement, the EUT was erence plane. The rear erence plane. The rizontal ground the boundary of the ne for LISNs istance was 7. All other units of the from the LISN 2. positions of		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and,">http://www.sgs.com/en/Terms-and-Conditions.aspx and,</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's soie responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone (86-755)83071443.


South of No. 6 Plant, No. 1, Runshamp, Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Pikt Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海世路1号的6号厂房南部 鄉籍: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.aspx.and">http://www.sps.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document say that the third for the say of th

South of No. 6 Plant, No. 1, Ranshamp, Road, Sushou Industrial Park, Sushou Area, Chire (Liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉議: 215000



Report No.: SEWA2302000016RG01


Rev.: 01

Page: 12 of 180

#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	ΑV Value [dBμV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2805	10.69	33.48	44.17	60.80	16.63	27.26	37.95	50.80	12.85	PASS
2	7.3590	10.71	22.77	33.48	60.00	26.52	12.40	23.11	50.00	26.89	PASS
3	11.8185	10.58	31.09	41.67	60.00	18.33	22.80	33.38	50.00	16.62	PASS
4	18.6855	10.45	17.80	28.25	60.00	31.75	10.81	21.26	50.00	28.74	PASS
5	23.9505	10.31	26.58	36.89	60.00	23.11	17.17	27.48	50.00	22.52	PASS
6	27.0600	10.30	23.77	34.07	60.00	25.93	15.22	25.52	50.00	24.48	PASS

#### Remark

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBμV] Value[dBμV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.appx">http://www.ags.com/en/Terms-and-Conditions.appx</a> and, for electronic bocuments at <a href="http://www.ags.com/en/Terms-and-Conditions.appx">http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention:\*\*To check the authenticity of testing finapection report & certificate, please contact us at telephone; (65-755),8307 1443

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 w t (86–512) 62992980 se



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 13 of 180



Final	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdic t
1	0.2625	10.73	32.56	43.29	61.35	18.06	23.46	34.19	51.35	17.16	PASS
2	0.6990	10.81	17.35	28.16	56.00	27.84	1.01	11.82	46.00	34.18	PASS
3	3.7680	10.71	18.40	29.11	56.00	26.89	11.46	22.17	46.00	23.83	PASS
4	7.2105	10.52	24.87	35.39	60.00	24.61	16.99	27.51	50.00	22.49	PASS
5	11.8185	10.64	32.01	42.65	60.00	17.35	23.44	34.08	50.00	15.92	PASS
6	24.6660	10.53	25.54	36.07	60.00	23.93	16.81	27.34	50.00	22.66	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dB $\mu$ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- Margin = Limit[dBµV] Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspx.and">http://www.sps.com/en/ferms-and-Conditions.aspx.and</a>, for electronic bocuments at <a href="http://www.sps.com/en/ferms-and-Conditions/ferms-a-Document.spx">http://www.sps.com/en/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-C

South of No. 6 Plant, No. 1, Ranshamp, Road, Sushou Industrial Park, Sushou Area, Chire (Liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉議: 215000



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 14 of 180

#### 4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.pxp and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's soir ersponsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in his test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Pres Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 15 of 180

#### 4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspx.and">http://www.sps.com/en/ferms-and-Conditions.aspx.and</a>, for electronic bocuments at <a href="http://www.sps.com/en/ferms-and-Conditions/ferms-a-Document.spx">http://www.sps.com/en/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-C

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Area, Chire (Jangsu) Pilot Free Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 鄉議: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 16 of 180

#### 4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspy.and">http://www.sps.com/en/ferms-and-Conditions.aspy.and</a>, for electronic Documents as that <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-an

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的4号厂房南部 鄉編: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 17 of 180

#### 4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspx.and">http://www.sps.com/en/ferms-and-Conditions.aspx.and</a>, for electronic bocuments at <a href="http://www.sps.com/en/ferms-and-Conditions/ferms-a-Document.spx">http://www.sps.com/en/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-Conditions/ferms-and-Conditions-and-C

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Pres Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉籍: 215000



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 18 of 180

#### 4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10: 2013 Section 11.11
Test Setup:	PC  Spoctrum Analyzer  Communication  Fir Control Unit  Communication  DC Power  Ground Reference Plane
Instruments Used:	Refer to section 6 for details.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Refer to section 3.7 for details.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass
The detailed test data see: A	ppendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx">http://www.sgs.com/en/Terms-and-Conditions.spx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.spx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.spx</a> Attention is a drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's society is the state of the first and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are referred and such sample(s) are referred for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industria Park, Suzhou Area, Chira (Liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路(号的)·号厂房南部 鄉端: 215000



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 19 of 180

#### 4.8 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10: 2013 Section 11.11
Test Setup:	PC    Spectrum Analyzer   O   O   O   O   O   O   O   O   O
Instruments Used:	Refer to section 6 for details.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Refer to section 3.7 for details.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass
The detailed test data see: A	ppendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printeoverleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.aspx and, for electronic format documents
subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms.and/Conditions/Terms-en-Document.aspx
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document i
advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of
Client's instructions, if any. The Company's society is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduceexcept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fasification of the contents or
appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the
results shown in this test report refer only to the sample(s) tested and such sample(s) are testined for 30 days only.

South of No. 6 Plant, No. 1, Runshamp, Road, Southou Industrial Park, Suchou Area, Chine (Jangsu) Pikt Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的4号厂房南部 鄉籍: 215000



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 20 of 180

#### 4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10 :2013 Section 11.12								
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)								
Test Frequency:	9kHz ~ 25GHz								
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark				
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak				
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average				
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak				
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average				
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak				
	Above 1015	Peak	1MHz	3MHz	Peak				
	Above 1GHz	Peak	1MHz	3MHz	Peak				
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)		5 <del>7.</del> 9.	300				
	0.490MHz-1.705MHz	24000/F(kHz)		. 9	30				
	1.705MHz-30MHz	30	:=	<b>37</b> .0	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	960MHz-1GHz	500	54.0	Quasi-peak	3				
	Above 1GHz	500	54.0	Average	3				
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.								



South of No. 6 Plant. No. 1, Runsheng Road, Southou Industrial Park, Suzhou Area, China (Liangsu) Plat Fine Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞世裔1号的6号厂房南部 邱编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 21 of 180

#### Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.asox">http://www.ags.com/en/Terms-and-Conditions.asox</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en/Document.asox</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not excend the transaction from exercising all their rights and obligations under the transaction document does not excend except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) fested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing finasection report & certificate, please contact us at telephone: (86-755183071443).

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, Chira (Liangsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 w t (86-512) 62992980 se



	Report No.:	SEWA2302000016RG01
--	-------------	--------------------

Rev.: 01 Page: 22 of 180

<u>.</u>	Page: 22 of 180					
	maximum reading.					
	<ul> <li>f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.</li> </ul>					
	g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.					
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.					
	i. Repeat above procedures until all frequencies measured was complete.					
	j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported					
	k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had bee displayed.					
	<ol> <li>At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.</li> </ol>					
Test Configuration:	Measurements below 30MHz					
	• RBW = 10 kHz					
	• VBW = 30 kHz					
	Detector = Peak & Average & Quasi-peak					
	Trace mode = max hold					
	Measurements 30 ~ 1000MHz					
	• RBW = 120 kHz					
	• VBW = 300 kHz					
	Detector = Quasi-peak					
	Trace mode = max hold					
	Peak Measurements Above 1000 MHz					
	• RBW = 1 MHz					
	• VBW ≥ 3 MHz					
	Detector = Peak					
	Sweep time = auto					
	Trace mode = max hold					
	Average Measurements Above 1000MHz					
	• RBW = 1 MHz					
	<ul> <li>VBW = 10 Hz, when duty cycle is no less than 98 percent.</li> <li>VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum</li> </ul>					
	transmission duration over which the transmitter is on and is transmitting at its					
	maximum power control level for the tested mode of operation.					
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates. Charge + Transmitting mode.					
Final Test Mode:	Refer to section 3.7 for details.					
Instruments Used:	Refer to section 6 for details.					
Test Results:	Pass					
The detailed test data see	e: Appendix					
7)						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.appx">http://www.ags.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.appx">http://www.ags.com/en/Terms-en-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755)83071443.

 t (86–512) 62992980 w t (86–512) 62992980 s



Report No.: SEWA2302000016RG01


Rev.: 01

Page: 23 of 180

#### 4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2013 Section	ANSI C63.10: 2013 Section 11.12				
Test Site:	Measurement Distance: 3m	Measurement Distance: 3m (Semi-Anechoic Chamber)				
Limit:	Frequency	Limit (dBuV/m)	Remark			
	30MHz-88MHz	40.0	Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Ab 401  -	54.0	Average Value			
	Above 1GHz	74.0	Peak Value			

#### Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemplification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed accept in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest stern of the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*To check the substantial of the sample(s) tested and such sample(s) are secondard us at testpone (66-755)83071443.

\*\*Attention\*\*To check the substantial interaction reports & certificate, please contact us at testphone (66-755)83071443.

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 鄉編: 215000



Report No.: SEWA2302000016RG01

Rev.: 01 Page: 24 of 180

	Fage. 24 01 100
Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	h. Test the EUT in the lowest channel , the Highest channel
	<ol> <li>The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.</li> </ol>
	j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	VBW = 10 Hz, when duty cycle is no less than 98 percent.
	<ul> <li>VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum</li> </ul>
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates. Charge + Transmitting mode.
Final Test Mode:	Refer to section 3.7 for details.
Instruments Used:	Refer to section 6 for details.
	Industrial Mesti. For present unitabilities in Partie Participation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic Format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Liness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone (66-755) 8307 1443.

South of No. 6 Plant, No. 1, Parasheng Road, Stathou Industrial Park, Stathou Area, Chine (Liangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邱编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 25 of 180

Test Results: Pass
The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/ferms-and-Conditions.aspx.and">http://www.sps.com/en/ferms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions [Ferms-and-Conditions]

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*Concekt the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-75) 8307 1443

South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Avea, Chine (Jiangsu) Plkt Pres Trade Zone 215000 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 鄉編: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 26 of 180

#### 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty	
1	Total RF power, conducted	±0.54dB	
2	RF power density, conducted	±1.03dB	
3	Spurious emissions, conducted	±0.54dB	
4	Radio Frequency	±1.0 %	
5	Duty Cycle	±0.37%	
6	Occupied Bandwidth	±1.0 %	
7	Conduction Emission	± 2.90dB (150kHz to 30MHz)	
8		± 3.13dB (9k -30MHz)	
	Dadista d Fasis sisa	± 4.88dB (30M -1GHz)	
8	Radiated Emission	± 4.75dB (1GHz to 18GHz)	
		± 4.77dB (Above 18GHz)	

#### Remark:

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results – compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit; – non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.pxp and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's soir ersponsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in his test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 鄉編: 215000



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 27 of 180

#### 6 Equipment List

	RF Test Equipment								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)				
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07				
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05				
Signal Analyzer	ROHDE& SCHWARZ	FSV3030	SUWI-01-02-02	2022/05/17	2023/05/16				
Measurement Software	Tonscend	JS1120-3 Test System V3.1.55	SUWI-02-09-09	NCR	NCR				
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27				
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05				
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2022/11/23	2023/11/22				
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2022/11/23	2023/11/22				
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05				

Conduction Test Equipment							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/05/08	2024/05/07		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07		
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR		



South of No. 6 Plant No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Liangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉端: 215000

t (86–512) 62992980 w t (86–512) 62992980 se



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 28 of 180

RSE Test System							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-02	2021/11/25	2024/11/24		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-13	2022/02/07	2024/02/06		
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27		
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-06	2022/11/23	2023/11/22		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9163	SUWI-01-11-04	2021/12/05	2023/12/04		
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-05	2021/12/05	2023/12/04		
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/05/14	2023/05/13		
Amplifier	Tonscend	TAP9K3G32	SUWI-01-14-06	2022/11/23	2023/11/22		
Amplifier	Tonscend	TAP01018050	SUWI-01-14-04	2022/11/23	2023/11/22		
Amplifier	Tonscend	TAP30M7G30	SUWI-01-14-05	2022/11/23	2023/11/22		
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09		
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.appx">http://www.ags.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.appx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755)83071443.

South of No. 6 Plant, No. 1, Runshamp, Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Plot Pree Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区周世路1号的6号厂房南部 鄉境: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.:

Page: 29 of 180

#### 7 **Photographs - Setup Photos**

Refer to Appendix A.2 WLAN Setup Photos.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中國・苏州・中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 30 of 180

# **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions/T

South of No. 6 Plent. No. 1, Runsheng Rivad, Southou Industrial Park, Suzhou Area, Chire (Langsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湾胜路(号的)4号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 31 of 180

#### DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11b	Ant1	2412	9.64	2406.92	2416.56	≥0.5	PASS
		2437	10.12	2431.92	2442.04	≥0.5	PASS
		2462	9.64	2456.92	2466.56	≥0.5	PASS
11g	Ant1	2412	16.44	2403.76	2420.20	≥0.5	PASS
		2437	16.44	2428.76	2445.20	≥0.5	PASS
		2462	16.44	2453.76	2470.20	≥0.5	PASS
11n20SISO	Ant1	2412	17.64	2403.16	2420.80	≥0.5	PASS
		2437	17.68	2428.16	2445.84	≥0.5	PASS
		2462	17.68	2453.16	2470.84	≥0.5	PASS
11n40SISO	Ant1	2422	36.24	2403.76	2440.00	≥0.5	PASS
		2437	36.08	2418.76	2454.84	≥0.5	PASS
		2452	36.16	2433.76	2469.92	≥0.5	PASS
11ax20SIS O	Ant1	2412	19.08	2402.44	2421.52	≥0.5	PASS
		2437	18.96	2427.52	2446.48	≥0.5	PASS
		2462	19.08	2452.48	2471.56	≥0.5	PASS
11ax40SIS O	Ant1	2422	36.96	2403.28	2440.24	≥0.5	PASS
		2437	37.36	2418.12	2455.48	≥0.5	PASS
		2452	37.52	2432.96	2470.48	≥0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sps.com/en/Ferms-and-Conditions.aspx.and">https://www.sps.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-and-Conditions). Ferms-and-Conditions/Fer

South of No. 6 Plant, No. 1, Runshamp, Road, Southou Industrial Park, Suchou Area, Chine (Jangsu) Pikt Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区海胜路1号的4号厂房南部 鄉籍: 215000




Report No.: SEWA2302000016RG01

Rev.: 01

Page: 32 of 180

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx.and">http://www.ags.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.ags.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


South of No. 6 Plant No. 1, Parasheng Road, Suchou Industrial Park, Suchou Area, Chine (Liangsu) Plot Fine Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邱编: 215000





Rev.: 01

33 of 180 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx.and.">http://www.ags.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.ags.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443. e: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中國・苏州・中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWA2302000016RG01

Rev.: 01

Page: 34 of 180





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx.and">http://www.ags.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.ags.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 鄉編: 215000





Rev.: 01

Page: 35 of 180





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx.and">http://www.ags.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.ags.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

South of No. 6 Plant No. 1, Parasheng Road, Starbou Industrial Park, Starbou Avea, Chine Liangsui Plat Free Trade Zone 中國 - 苏州 - 中國(江苏)自由贸易试验区苏州片区苏州工业园区润胜商1号的6号厂房南部 鄉編: 215000





Rev.: 01

36 of 180 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luness otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*Opence the authenticity of testing (inspection report & certificate, please contact us at telephone (86-755)8307 1443. ne: (86-755) 8307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中國・苏州・中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980





Rev.: 01

37 of 180 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx.and.">http://www.ags.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.ags.com/en/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443. ne: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中國・苏州・中國(江苏)自由贸易试验区苏州片区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000