



Test Report No.: FM200618N021

# RF EXPOSURE REPORT

|           |                                                       |
|-----------|-------------------------------------------------------|
| Applicant | Icon Health and Fitness, Inc.                         |
| Address   | 1500 South 1000 West, Logan Utah, United States 84321 |

|                                     |                                                       |
|-------------------------------------|-------------------------------------------------------|
| Manufacturer or Supplier            | Icon Health and Fitness, Inc.                         |
| Address                             | 1500 South 1000 West, Logan Utah, United States 84321 |
| Product                             | Tablet                                                |
| Brand Name                          | N/A                                                   |
| Model                               | MP10-Argon2                                           |
| Additional Model & Model Difference | N/A                                                   |
| Date of tests                       | Jun. 18, 2020 ~ Aug. 31, 2020                         |

- ☒ FCC Part 2 (Section 2.1091)  
☒ KDB 447498 D01  
☒ IEEE C95.1

**CONCLUSION: The submitted sample was found to COMPLY with the test requirement**

|                                                                                     |                                                                                                                  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Tested by Lucas Chen<br>Project Engineer / EMC Department                           | Approved by Glyn He<br>Assistant Manager / EMC Department                                                        |
|  | <br><br>Date: Sep. 25, 2020 |

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

## TABLE OF CONTENTS

|                                                       |   |
|-------------------------------------------------------|---|
| RELEASE CONTROL RECORD .....                          | 3 |
| 1. CERTIFICATION.....                                 | 4 |
| 2. RF EXPOSURE LIMIT .....                            | 5 |
| 3. MPE CALCULATION FORMULA.....                       | 5 |
| 4. CLASSIFICATION .....                               | 5 |
| 5. ANTENNA GAIN .....                                 | 6 |
| 6. CALCULATION RESULT OF MAXIMUM CONDUCTED POWER..... | 6 |



Test Report No.: FM200618N021

## RELEASE CONTROL RECORD

| ISSUE NO.    | REASON FOR CHANGE | DATE ISSUED   |
|--------------|-------------------|---------------|
| FM200618N021 | Original release  | Sep. 25, 2020 |



Test Report No.: FM200618N021

## 1. CERTIFICATION

**PRODUCT:** Tablet

**BRAND NAME:** N/A

**MODEL NO.:** MP10-Argon2

**ADDITIONAL MODEL:** N/A

**FCC ID:** OMC425339

**TEST SAMPLE:** ENGINEERING SAMPLE

**APPLICANT:** ICON HEALTH AND FITNESS INC.

**TESTED DATES:** Jun. 18, 2020 ~ Sep. 04, 2020

**STANDARDS:** FCC Part 2 (Section 2.1091)  
KDB 447498 D01  
IEEE C95.1

## 2. RF EXPOSURE LIMIT

### LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

| FREQUENCY RANGE (MHz)                                 | ELECTRIC FIELD STRENGTH (V/m) | MAGNETIC FIELD STRENGTH (A/m) | POWER DENSITY (mW/cm <sup>2</sup> ) | AVERAGE TIME (minutes) |
|-------------------------------------------------------|-------------------------------|-------------------------------|-------------------------------------|------------------------|
| LIMITS FOR GENERAL POPULATION / UNCONTROLLED EXPOSURE |                               |                               |                                     |                        |
| 300-1500                                              | ...                           | ...                           | F/1500                              | 30                     |
| 1500-100,000                                          | ...                           | ...                           | 1.0                                 | 30                     |

F = Frequency in MHz

## 3. MPE CALCULATION FORMULA

$$P_d = (P_{out} \cdot G) / (4 \cdot \pi \cdot r^2)$$

where

$P_d$  = power density in mW/cm<sup>2</sup>

$P_{out}$  = output power to antenna in mW

$G$  = gain of antenna in linear scale

$\pi$  = 3.1416

$R$  = distance between observation point and center of the radiator in cm

## 4. CLASSIFICATION

The antenna of this product, under normal use condition, is at least 20cm away from the body of the user. So, this device is classified as **Mobile Device**.

## 5. ANTENNA GAIN

The antennas provided to the EUT, please refer to the following table:

| Frequency Band               | Antenna Gain (dBi) | Antenna Type |
|------------------------------|--------------------|--------------|
| Wi-Fi 2.4GHz                 | 2.31               | FPCB Antenna |
| BT 2.4GHz                    | 2.31               | FPCB Antenna |
| Wi-Fi 5GHz<br>(5150-5250MHz) | 2.93               | FPCB Antenna |
| Wi-Fi 5GHz<br>(5250-5350MHz) | 2.96               | FPCB Antenna |
| Wi-Fi 5GHz<br>(5500-5725MHz) | 3.82               | FPCB Antenna |
| Wi-Fi 5GHz<br>(5725-5850MHz) | 4.45               | FPCB Antenna |

## 6. CALCULATION RESULT OF MAXIMUM CONDUCTED POWER

The tuned conducted Average Power (declared by client)

| Mode              | Frequency (MHz) | Target Power (dBm) | Tolerance (dBm) | Lower Tolerance (dBm) | Upper Tolerance (dBm) |
|-------------------|-----------------|--------------------|-----------------|-----------------------|-----------------------|
| BT (GFSK)         | 2402-2480MHz    | 6                  | +1              | 5                     | 7                     |
| BT (8DPSK)        | 2402-2480MHz    | 4                  | +1              | 3                     | 5                     |
| BT-LE (GFSK)      | 2402-2480MHz    | 6                  | +1              | 5                     | 7                     |
| 802.11b           | 2412-2462MHz    | 15                 | +1              | 14                    | 16                    |
| 802.11g           | 2412-2462MHz    | 15                 | +1              | 14                    | 16                    |
| 802.11n HT20      | 2412-2462MHz    | 14                 | +1              | 13                    | 15                    |
| Wi-Fi 5GHz(Band1) | 5150-5250MHz    | 13                 | +2              | 11                    | 15                    |
| Wi-Fi 5GHz(Band2) | 5250-5350MHz    | 13                 | +2              | 11                    | 15                    |
| Wi-Fi 5GHz(Band3) | 5500-5725MHz    | 12                 | +3              | 9                     | 15                    |
| Wi-Fi 5GHz(Band4) | 5725-5850MHz    | 13                 | +2              | 11                    | 15                    |

The measured conducted Average Power

| Mode              | Frequency (MHz) | Averaged Power (dBm) |
|-------------------|-----------------|----------------------|
| BT (GFSK)         | 2441            | 6.19                 |
| BT (8DPSK)        | 2441            | 3.96                 |
| BT-LE (GFSK)      | 2480            | 5.87                 |
| 802.11b           | 2437            | 15.51                |
| 802.11g           | 2462            | 15.25                |
| 802.11n HT20      | 2412            | 14.30                |
| Wi-Fi 5GHz(Band1) | 5230            | 14.38                |
| Wi-Fi 5GHz(Band2) | 5270            | 14.34                |
| Wi-Fi 5GHz(Band3) | 5700            | 13.06                |
| Wi-Fi 5GHz(Band4) | 5785            | 14.78                |

| FREQUENCY BAND (MHz) | MAX POWER (dBm) | ANTENNA GAIN (dBi) | DISTANCE (cm) | POWER DENSITY (mW/cm <sup>2</sup> ) | LIMIT (mW/cm <sup>2</sup> ) |
|----------------------|-----------------|--------------------|---------------|-------------------------------------|-----------------------------|
| BT 2.4GHz            | 7               | 2.31               | 20            | 0.001697                            | 1.0                         |
| Wi-Fi 2.4GHz         | 16              | 2.31               | 20            | 0.013481                            | 1.0                         |
| Wi-Fi 5GHz           | 15              | 4.45               | 20            | 0.017528                            | 1.0                         |

## CONCLUSION:

The WLAN 2.4GHz and 5GHz can not transmit simultaneously, the BT and WLAN can transmit simultaneously, the formula of calculated the MPE is:

$$CPD1 / LPD1 + CPD2 / LPD2 + \dots \text{etc.} < 1$$

**CPD = Calculation power density**

**LPD = Limit of power density**

$$(0.001697/1)+(0.013481/1) = 0.015178 < 1, \text{ which is less than the "1" limit.}$$

--- END ---