

SPECIFICATION

SHEET FOR APPROVAL

(Revision: R: A1)

	CUSTOMER(客户名称)	高盛达	
	CS P/N(客户机种)	WC0D	
	PART NAME(品名)	WIFI Antenna	
	FREQUENCY(频率)	2400-2500MHz 5150-5850 MHz	
	ZTX NO.(物料编号)	2.00000630	
	DATE(日期)	2016-06-29	

CUSTOMER			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

Remark(备注):

Sign(客户确认签字盖章):

ZHONG TIAN XUN TECHNOLOGY CO., LTD				
MANAGER CHECKED	MANAGER CHECKED	ME CHECKED	RF CHECKED	LISTER
		邓琦乐	王亚军	

Manufacturer: ZHONG TIAN XUN TECHNOLOGY CO., LTD

Address: No.34 Shilong Road, Shiyan Town, Bao'an District, Shenzhen
电话: 0755-27588320 传真: 0755-27588045 <http://www.chinaztx.com>

ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:

Rev: R:A1
Page 1

Index

1.			General Description	1
2.			Electrical Specifications	2
	2-1		Set-up	2
		2-1-1	Frequency Band	2
		2-1-2	Impedance	2
		2-1-3	Matching Requirements	2
		2-1-4	VSWR	2
	2-2		Test Data	3
		2-2-1	VSWR	3
		2-2-2	Smith Chart	4
		2-2-3	GAIN Efficiency	4
		2-2-4	The direction of figure	5~6
		2-2-5	Testing equipment	6~7
3.			Mechanical Specification	8
	3-1		Mechanical Configuration	8
		3-1-1	Mechanical Configuration(WIFI 2.4G)	8
		3-1-2	Mechanical Configuration(天线组件)	9

ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:

Rev: R:A1
Page 2

1. General Description

Dbi	Decibel relative isotropic antenna
Tx	Transmit frequency
Rx	Receive frequency
VSWR	Voltage Standing Wave Ratio
GSM	Global Service for Mobile communication
DCS	Digital Communication System
PCS	Personal Communication System
PHS	Personal Handy-phone System
SAR	Specific Absorption Rate
PCB	Printed Circuit Board

2. Electrical Specifications


2-1 Set-up

2-1-1 Frequency Band

Frequency Band	Frequency
WIFI 2.4G	2400-2500MHZ
WIFI 5.8G	5150-5850MHZ

2-1-2 Impedance

Nominal Impedance(including matching circuit) : **50 ohms**



2-1-3 Matching Requirements

The matching circuit on the PCB of the handset is according to Figure 1

Optimum matching circuit is highly dependent on the handset and thus.

Final matching circuit layout and values will be defined when handset is available.

ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:

Rev: R:A1
Page 3

2-1-4 VSWR And GAIN


VSWR			GAIN		
Freq. Band	OPEN	SPEC	Band Freq.	OPEN	SPEC
2400MHz		≤ 2.0	2400MHz		$\geq -1.0\text{dBi}$
2500MHz		≤ 2.0	2500MHz		$\geq -1.0\text{dBi}$
5150MHz		≤ 2.0	5150MHz		$\geq -1.0\text{dBi}$
5850MHz		≤ 2.0	5850MHz		$\geq -1.0\text{dBi}$

※Measuring a 50 Ω test jig is connected to a network analyzer to measure the VSWR.

※※All test value is done in customer approval fixture.

2-2 Test Data

2-2-1 VSWR



Model No:WC0D	File:
ZTX NO:WC0D天线	Note: WIFI2.4G/5G
Sample No:yes	
Test Condition: Free Space	
Confirmation:	Engineer: 王亚军


ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:

Rev: R:A1
Page 4

2-2-2 Smith Chart



2-2-3 GAIN Efficiency

WIFI 增益:

	WIFI				
Frequency (MHz)	2400	2450	2500	5150	5850
Gain Efficiency (dB)	1.42 (44%)	1.72 (48%)	1.65 (45%)	2.34 (61%)	2.57 (66%)

ANTENNA SPECIFICATION


CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:


Rev: R:A1
Page 5

2-2-4 The direction of figure

H



E1




ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:

Rev: R:A1
Page 6


E2



2-2-5 Testing equipment



公司拥有通信行业最领先的法国 Satimo SG24 OTA测试系统1套, ETS OTA 标准测试系统2套, Bluetest 混响暗室1套, MicroPross NFC测试系统1套, 能快速稳定的给客户id提供精确的测试报告, 完全符合CITA标准, 支持 GSM/CDMA/WCDMA/TD/LTE/WIFI/BT/GPS/MIMO等各制式的有源无源测试。




MicroPross NFC系统能满足各运行商测试要求, 对NFC设备进行快速性能测试, 并输出正式认证测试报告

ANTENNA SPECIFICATION

CUS P/N :WC0D
ZTX P/N :WC0D

ApplicationDate:JUN,29,2016
Editor:

Rev: R:A1
Page 7



环境处理

无

ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D

ApplicationDate:JUN,29,2016

Editor:

Rev: R:A1

Page 8

3. Mechanical Specification

3-1 Mechanical Configuration

3-1-1 Mechanical Configuration(WIFI2.4G/5G)

[illegible]

ANTENNA SPECIFICATION

CUS P/N :WC0D

ZTX P/N :WC0D

ApplicationDate:JUN,29,2016


Editor:

Rev: R:A1

Page 9

3-1-2 Mechanical Configuration(天线组件)

版本号	说明	审核	日期	批准	日期



材质说明:

注:带*尺寸为CPK检测尺寸

②	WiFi弹片	SUS304 T=0.30mm	镀镍
③	支撑泡棉	防火EVA 3M 9495	通过UL-94
④	固定泡棉胶	泡棉胶 3M RP45	通过UL-746C
⑤	护套	黑色热缩管	