













Mode	73																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																														
ANT	SDM 7+8																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>74.11</td><td>88.20</td><td>-14.09</td><td>54.47</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>312</td><td>184</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	74.11	88.20	-14.09	54.47	35.80	14.55	30.71	0.00	312	184	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>84.32</td><td>-----</td><td>-----</td><td>64.68</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>312</td><td>184</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	84.32	-----	-----	64.68	35.80	14.55	30.71	0.00	312	184
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.01	74.11	88.20	-14.09	54.47	35.80	14.55	30.71	0.00	312	184	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	84.32	-----	-----	64.68	35.80	14.55	30.71	0.00	312	184	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>63.89</td><td>68.20</td><td>-4.31</td><td>44.25</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>312</td><td>184</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	63.89	68.20	-4.31	44.25	35.80	14.55	30.71	0.00	312	184	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>74.21</td><td>-----</td><td>-----</td><td>54.58</td><td>35.80</td><td>14.54</td><td>30.71</td><td>0.00</td><td>312</td><td>184</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	74.21	-----	-----	54.58	35.80	14.54	30.71	0.00	312	184
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.01	63.89	68.20	-4.31	44.25	35.80	14.55	30.71	0.00	312	184	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	74.21	-----	-----	54.58	35.80	14.54	30.71	0.00	312	184	AVERAGE																																																																																																			



Mode	73																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																														
ANT	SDM 7+8																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>73.18</td><td>88.20</td><td>-15.02</td><td>53.54</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>317</td><td>109</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	73.18	88.20	-15.02	53.54	35.00	14.55	30.71	0.00	317	109	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.57</td><td>-----</td><td>-----</td><td>66.93</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>317</td><td>109</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.57	-----	-----	66.93	35.80	14.55	30.71	0.00	317	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.01	73.18	88.20	-15.02	53.54	35.00	14.55	30.71	0.00	317	109	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	86.57	-----	-----	66.93	35.80	14.55	30.71	0.00	317	109	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>65.09</td><td>68.20</td><td>-3.11</td><td>45.45</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>317</td><td>109</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	65.09	68.20	-3.11	45.45	35.00	14.55	30.71	0.00	317	109	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>75.98</td><td>-----</td><td>-----</td><td>56.34</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>317</td><td>109</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.98	-----	-----	56.34	35.80	14.55	30.71	0.00	317	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.01	65.09	68.20	-3.11	45.45	35.00	14.55	30.71	0.00	317	109	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	75.98	-----	-----	56.34	35.80	14.55	30.71	0.00	317	109	AVERAGE																																																																																																			







		73																																																										
Mode		Harmonic																																																										
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																										
ANT		SDM 7+8																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>45.84</td><td>88.20</td><td>-42.36</td><td>49.97</td><td>39.33</td><td>20.67</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 14230.00	45.84	88.20	-42.36	49.97	39.33	20.67	64.13	0.00	---	---	PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 14230.00	45.84	88.20	-42.36	49.97	39.33	20.67	64.13	0.00	---	---	PEAK																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>46.03</td><td>88.20</td><td>-42.17</td><td>50.16</td><td>39.33</td><td>20.67</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 14230.00	46.03	88.20	-42.17	50.16	39.33	20.67	64.13	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 14230.00	46.03	88.20	-42.17	50.16	39.33	20.67	64.13	0.00	---	---	PEAK																																																	







Mode	74										
	Emission below 1GHz										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz										
ANT	SDM 7+8										
Pol.	Horizontal						Vertical				
Peak Avg	<										







	69																																																																																												
Mode	Band Edge - L																																																																																												
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																												
ANT	7+8																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2381.63</td><td>58.95</td><td>74.00</td><td>-15.05</td><td>43.14</td><td>31.96</td><td>8.74</td><td>30.89</td><td>6.00</td><td>125 133 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2381.63	58.95	74.00	-15.05	43.14	31.96	8.74	30.89	6.00	125 133 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>109.67</td><td>-----</td><td>-----</td><td>93.55</td><td>32.04</td><td>8.88</td><td>30.80</td><td>6.00</td><td>125 133 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	109.67	-----	-----	93.55	32.04	8.88	30.80	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2381.63	58.95	74.00	-15.05	43.14	31.96	8.74	30.89	6.00	125 133 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2437.00	109.67	-----	-----	93.55	32.04	8.88	30.80	6.00	125 133 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.76</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>29.20</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>125 133 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.76	45.06	54.00	-8.94	29.20	31.98	8.77	30.89	6.00	125 133 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>99.32</td><td>-----</td><td>-----</td><td>83.20</td><td>32.04</td><td>8.88</td><td>30.80</td><td>6.00</td><td>125 133 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	99.32	-----	-----	83.20	32.04	8.88	30.80	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2389.76	45.06	54.00	-8.94	29.20	31.98	8.77	30.89	6.00	125 133 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2437.00	99.32	-----	-----	83.20	32.04	8.88	30.80	6.00	125 133 AVERAGE																																																																																			





Mode	69																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																							
ANT	7+8																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>65.28</td><td>74.00</td><td>-8.72</td><td>48.75</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>125</td><td>133</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	65.28	74.00	-8.72	48.75	32.13	9.05	30.65	6.00	125	133	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.87	65.28	74.00	-8.72	48.75	32.13	9.05	30.65	6.00	125	133	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.12</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>32.49</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>125</td><td>133</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.12	49.03	54.00	-4.97	32.49	32.13	9.05	30.64	6.00	125	133	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.12	49.03	54.00	-4.97	32.49	32.13	9.05	30.64	6.00	125	133	AVERAGE																																												







Mode	69																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																
ANT	7+8																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>57.43</td><td>74.00</td><td>-16.57</td><td>41.57</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>100</td><td>7 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	57.43	74.00	-16.57	41.57	31.98	8.77	30.89	6.00	100	7 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>107.88</td><td>-----</td><td>-----</td><td>91.78</td><td>32.04</td><td>8.87</td><td>30.81</td><td>6.00</td><td>100</td><td>7 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	107.88	-----	-----	91.78	32.04	8.87	30.81	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.88	57.43	74.00	-16.57	41.57	31.98	8.77	30.89	6.00	100	7 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2437.00	107.88	-----	-----	91.78	32.04	8.87	30.81	6.00	100	7 PEAK																																																																																						
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>29.14</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>100</td><td>7 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	45.00	54.00	-9.00	29.14	31.98	8.77	30.89	6.00	100	7 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>97.56</td><td>-----</td><td>-----</td><td>81.46</td><td>32.04</td><td>8.87</td><td>30.81</td><td>6.00</td><td>100</td><td>7 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	97.56	-----	-----	81.46	32.04	8.87	30.81	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.88	45.00	54.00	-9.00	29.14	31.98	8.77	30.89	6.00	100	7 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2437.00	97.56	-----	-----	81.46	32.04	8.87	30.81	6.00	100	7 AVERAGE																																																																																						







Mode	69																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																					
ANT	7+8																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>68.86</td><td>74.00</td><td>-13.14</td><td>44.33</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>100</td><td>7 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	68.86	74.00	-13.14	44.33	32.13	9.05	30.65	6.00	100	7 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.68	68.86	74.00	-13.14	44.33	32.13	9.05	30.65	6.00	100	7 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>31.25</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>100</td><td>7 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	47.78	54.00	-6.22	31.25	32.13	9.05	30.65	6.00	100	7 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.56	47.78	54.00	-6.22	31.25	32.13	9.05	30.65	6.00	100	7 AVERAGE																																											







Mode	69																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																																																									
ANT	7+8																																																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3640.00</td><td>60.70</td><td>74.00</td><td>-13.30</td><td>81.99</td><td>33.16</td><td>10.68</td><td>65.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>40.03</td><td>74.00</td><td>-33.97</td><td>59.08</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>57.87</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3640.00	60.70	74.00	-13.30	81.99	33.16	10.68	65.13	0.00	---	---	Peak	2	4874.00	40.03	74.00	-33.97	59.08	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	43.15	74.00	-30.85	57.87	35.00	14.73	65.25	0.00	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3640.00</td><td>59.47</td><td>74.00</td><td>-14.53</td><td>80.76</td><td>33.16</td><td>10.68</td><td>65.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>42.42</td><td>74.00</td><td>-31.58</td><td>61.47</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>42.80</td><td>74.00</td><td>-31.20</td><td>57.52</td><td>35.80</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3640.00	59.47	74.00	-14.53	80.76	33.16	10.68	65.13	0.00	---	---	Peak	2	4874.00	42.42	74.00	-31.58	61.47	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	42.80	74.00	-31.20	57.52	35.80	14.73	65.25	0.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																															
1	3640.00	60.70	74.00	-13.30	81.99	33.16	10.68	65.13	0.00	---	---	Peak																																																																																																																																																														
2	4874.00	40.03	74.00	-33.97	59.08	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																																																														
3	7311.00	43.15	74.00	-30.85	57.87	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																															
1	3640.00	59.47	74.00	-14.53	80.76	33.16	10.68	65.13	0.00	---	---	Peak																																																																																																																																																														
2	4874.00	42.42	74.00	-31.58	61.47	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																																																														
3	7311.00	42.80	74.00	-31.20	57.52	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																																																														




Mode	69																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																											
ANT	SDM 7+8																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>73.07</td><td>88.20</td><td>-15.13</td><td>53.43</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>43</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	73.07	88.20	-15.13	53.43	35.00	14.55	30.71	0.00	100	43	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>102.25</td><td>74.00</td><td>28.25</td><td>92.04</td><td>32.06</td><td>8.92</td><td>30.77</td><td>0.00</td><td>100</td><td>43</td><td>Peak</td></tr><tr><td>2</td><td>3640.00</td><td>114.70</td><td>74.00</td><td>40.70</td><td>100.43</td><td>33.16</td><td>10.67</td><td>29.56</td><td>0.00</td><td>100</td><td>43</td><td>Peak</td></tr><tr><td>3</td><td>7115.00</td><td>86.04</td><td>74.00</td><td>12.04</td><td>66.40</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>43</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	102.25	74.00	28.25	92.04	32.06	8.92	30.77	0.00	100	43	Peak	2	3640.00	114.70	74.00	40.70	100.43	33.16	10.67	29.56	0.00	100	43	Peak	3	7115.00	86.04	74.00	12.04	66.40	35.00	14.55	30.71	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7125.01	73.07	88.20	-15.13	53.43	35.00	14.55	30.71	0.00	100	43	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2437.00	102.25	74.00	28.25	92.04	32.06	8.92	30.77	0.00	100	43	Peak																																																																																																																
2	3640.00	114.70	74.00	40.70	100.43	33.16	10.67	29.56	0.00	100	43	Peak																																																																																																																
3	7115.00	86.04	74.00	12.04	66.40	35.00	14.55	30.71	0.00	100	43	Peak																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>64.10</td><td>68.20</td><td>-4.10</td><td>44.46</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>43</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	64.10	68.20	-4.10	44.46	35.00	14.55	30.71	0.00	100	43	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>93.41</td><td>54.00</td><td>39.41</td><td>83.20</td><td>32.06</td><td>8.92</td><td>30.77</td><td>0.00</td><td>100</td><td>43</td><td>Average</td></tr><tr><td>2</td><td>3640.00</td><td>111.43</td><td>54.00</td><td>57.43</td><td>97.16</td><td>33.16</td><td>10.67</td><td>29.56</td><td>0.00</td><td>100</td><td>43</td><td>Average</td></tr><tr><td>3</td><td>7115.00</td><td>75.35</td><td>54.00</td><td>21.35</td><td>55.72</td><td>35.00</td><td>14.54</td><td>30.71</td><td>0.00</td><td>100</td><td>43</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	93.41	54.00	39.41	83.20	32.06	8.92	30.77	0.00	100	43	Average	2	3640.00	111.43	54.00	57.43	97.16	33.16	10.67	29.56	0.00	100	43	Average	3	7115.00	75.35	54.00	21.35	55.72	35.00	14.54	30.71	0.00	100	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7125.01	64.10	68.20	-4.10	44.46	35.00	14.55	30.71	0.00	100	43	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2437.00	93.41	54.00	39.41	83.20	32.06	8.92	30.77	0.00	100	43	Average																																																																																																																
2	3640.00	111.43	54.00	57.43	97.16	33.16	10.67	29.56	0.00	100	43	Average																																																																																																																
3	7115.00	75.35	54.00	21.35	55.72	35.00	14.54	30.71	0.00	100	43	Average																																																																																																																







Mode	69																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																								
ANT	SDM 7+8																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>70.73</td><td>88.20</td><td>-17.47</td><td>51.09</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	70.73	88.20	-17.47	51.09	35.00	14.55	30.71	0.00	100	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>100.79</td><td>74.00</td><td>26.79</td><td>90.71</td><td>32.03</td><td>8.87</td><td>30.82</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr><tr><td>2 3640.00</td><td>101.01</td><td>74.00</td><td>27.01</td><td>86.74</td><td>33.16</td><td>10.67</td><td>29.56</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr><tr><td>3 7115.00</td><td>83.82</td><td>74.00</td><td>9.82</td><td>64.18</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2437.00	100.79	74.00	26.79	90.71	32.03	8.87	30.82	0.00	100	172	Peak	2 3640.00	101.01	74.00	27.01	86.74	33.16	10.67	29.56	0.00	100	172	Peak	3 7115.00	83.82	74.00	9.82	64.18	35.80	14.55	30.71	0.00	100	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 7125.01	70.73	88.20	-17.47	51.09	35.00	14.55	30.71	0.00	100	172	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2437.00	100.79	74.00	26.79	90.71	32.03	8.87	30.82	0.00	100	172	Peak																																																																																																														
2 3640.00	101.01	74.00	27.01	86.74	33.16	10.67	29.56	0.00	100	172	Peak																																																																																																														
3 7115.00	83.82	74.00	9.82	64.18	35.80	14.55	30.71	0.00	100	172	Peak																																																																																																														
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.01</td><td>63.17</td><td>68.20</td><td>-5.03</td><td>43.53</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	63.17	68.20	-5.03	43.53	35.00	14.55	30.71	0.00	100	172	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>91.38</td><td>54.00</td><td>37.38</td><td>81.04</td><td>32.09</td><td>8.97</td><td>30.72</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr><tr><td>2 3640.00</td><td>98.64</td><td>54.00</td><td>44.64</td><td>84.37</td><td>33.16</td><td>10.67</td><td>29.56</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr><tr><td>3 7115.00</td><td>73.93</td><td>54.00</td><td>19.93</td><td>54.29</td><td>35.80</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2437.00	91.38	54.00	37.38	81.04	32.09	8.97	30.72	0.00	100	172	Average	2 3640.00	98.64	54.00	44.64	84.37	33.16	10.67	29.56	0.00	100	172	Average	3 7115.00	73.93	54.00	19.93	54.29	35.80	14.55	30.71	0.00	100	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 7125.01	63.17	68.20	-5.03	43.53	35.00	14.55	30.71	0.00	100	172	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 2437.00	91.38	54.00	37.38	81.04	32.09	8.97	30.72	0.00	100	172	Average																																																																																																														
2 3640.00	98.64	54.00	44.64	84.37	33.16	10.67	29.56	0.00	100	172	Average																																																																																																														
3 7115.00	73.93	54.00	19.93	54.29	35.80	14.55	30.71	0.00	100	172	Average																																																																																																														





		69																																																										
Mode		Harmonic																																																										
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																										
ANT		SDM 7+8																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>45.60</td><td>88.20</td><td>-42.60</td><td>49.73</td><td>39.33</td><td>20.67</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 14230.00	45.60	88.20	-42.60	49.73	39.33	20.67	64.13	0.00	---	---	PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 14230.00	45.60	88.20	-42.60	49.73	39.33	20.67	64.13	0.00	---	---	PEAK																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>46.51</td><td>88.20</td><td>-41.69</td><td>50.64</td><td>39.33</td><td>20.67</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 14230.00	46.51	88.20	-41.69	50.64	39.33	20.67	64.13	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 14230.00	46.51	88.20	-41.69	50.64	39.33	20.67	64.13	0.00	---	---	PEAK																																																	







Mode	70																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																												
ANT	8																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2386.07</td><td>56.96</td><td>74.00</td><td>-17.04</td><td>41.12</td><td>31.97</td><td>8.76</td><td>30.89</td><td>6.00</td><td>130</td><td>296 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2386.07	56.96	74.00	-17.04	41.12	31.97	8.76	30.89	6.00	130	296 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>88.05</td><td>74.00</td><td>14.05</td><td>72.11</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>130</td><td>296 Peak</td></tr><tr><td>2 2437.00</td><td>105.69</td><td>74.00</td><td>31.69</td><td>89.50</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>130</td><td>296 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	88.05	74.00	14.05	72.11	32.00	8.81	30.87	6.00	130	296 Peak	2 2437.00	105.69	74.00	31.69	89.50	32.06	8.91	30.78	6.00	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2386.07	56.96	74.00	-17.04	41.12	31.97	8.76	30.89	6.00	130	296 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2402.00	88.05	74.00	14.05	72.11	32.00	8.81	30.87	6.00	130	296 Peak																																																																																																			
2 2437.00	105.69	74.00	31.69	89.50	32.06	8.91	30.78	6.00	130	296 Peak																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.88</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>29.10</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>130</td><td>296 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.88	44.96	54.00	-9.04	29.10	31.98	8.77	30.89	6.00	130	296 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>86.17</td><td>54.00</td><td>32.17</td><td>70.23</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>130</td><td>296 Average</td></tr><tr><td>2 2437.00</td><td>95.03</td><td>54.00</td><td>41.03</td><td>78.84</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>130</td><td>296 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	86.17	54.00	32.17	70.23	32.00	8.81	30.87	6.00	130	296 Average	2 2437.00	95.03	54.00	41.03	78.84	32.06	8.91	30.78	6.00	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2389.88	44.96	54.00	-9.04	29.10	31.98	8.77	30.89	6.00	130	296 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2402.00	86.17	54.00	32.17	70.23	32.00	8.81	30.87	6.00	130	296 Average																																																																																																			
2 2437.00	95.03	54.00	41.03	78.84	32.06	8.91	30.78	6.00	130	296 Average																																																																																																			





Mode	70																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																							
ANT	8																																																							
Pol.	Horizontal						Fundamental																																																	
Peak							Blank																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.94</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>44.23</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>130</td><td>296</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.94	60.77	74.00	-13.23	44.23	32.13	9.05	30.64	6.00	130	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2484.94	60.77	74.00	-13.23	44.23	32.13	9.05	30.64	6.00	130	296	PEAK																																												
Avg							Blank																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>30.24</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>130</td><td>296</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	46.77	54.00	-7.23	30.24	32.13	9.05	30.65	6.00	130	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2483.56	46.77	54.00	-7.23	30.24	32.13	9.05	30.65	6.00	130	296	AVERAGE																																												





Mode	70																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																												
ANT	8																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.76</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>41.37</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>106</td><td>14 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	57.23	74.00	-16.77	41.37	31.98	8.77	30.89	6.00	106	14 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>88.92</td><td>74.00</td><td>6.92</td><td>64.98</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>106</td><td>14 Peak</td></tr><tr><td>2</td><td>2437.00</td><td>106.93</td><td>74.00</td><td>32.93</td><td>90.74</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>106</td><td>14 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	88.92	74.00	6.92	64.98	32.00	8.81	30.87	6.00	106	14 Peak	2	2437.00	106.93	74.00	32.93	90.74	32.06	8.91	30.78	6.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.76	57.23	74.00	-16.77	41.37	31.98	8.77	30.89	6.00	106	14 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2402.00	88.92	74.00	6.92	64.98	32.00	8.81	30.87	6.00	106	14 Peak																																																																																																		
2	2437.00	106.93	74.00	32.93	90.74	32.06	8.91	30.78	6.00	106	14 Peak																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>29.49</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>106</td><td>14 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	45.35	54.00	-8.65	29.49	31.98	8.77	30.89	6.00	106	14 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>78.43</td><td>54.00</td><td>24.43</td><td>62.49</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>106</td><td>14 Average</td></tr><tr><td>2</td><td>2437.00</td><td>95.21</td><td>54.00</td><td>41.21</td><td>79.02</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>106</td><td>14 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	78.43	54.00	24.43	62.49	32.00	8.81	30.87	6.00	106	14 Average	2	2437.00	95.21	54.00	41.21	79.02	32.06	8.91	30.78	6.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.88	45.35	54.00	-8.65	29.49	31.98	8.77	30.89	6.00	106	14 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2402.00	78.43	54.00	24.43	62.49	32.00	8.81	30.87	6.00	106	14 Average																																																																																																		
2	2437.00	95.21	54.00	41.21	79.02	32.06	8.91	30.78	6.00	106	14 Average																																																																																																		







Mode	70																																															
	Band Edge - R																																															
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																															
ANT	8																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>60.52</td><td>74.00</td><td>-13.48</td><td>43.99</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>106</td><td>14 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	60.52	74.00	-13.48	43.99
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	2483.62	60.52	74.00	-13.48	43.99	32.13	9.05	30.65	6.00	106	14 PEAK																																					
Avg							Blank																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>30.69</td><td>32.13</td><td>9.05</td><td>30.65</td><td>6.00</td><td>106</td><td>14 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	47.22	54.00	-6.78	30.69
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	2483.56	47.22	54.00	-6.78	30.69	32.13	9.05	30.65	6.00	106	14 AVERAGE																																					







Mode	70																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_802.11ax HE40_CH06_2437MHz																																																																																																																																																																				
ANT	8																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3640.00</td><td>61.07</td><td>74.00</td><td>-12.93</td><td>82.31</td><td>33.18</td><td>10.72</td><td>65.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>59.29</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>43.62</td><td>74.00</td><td>-30.38</td><td>58.34</td><td>35.00</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table> <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>3640.00</td><td>59.05</td><td>74.00</td><td>-14.95</td><td>80.29</td><td>33.18</td><td>10.72</td><td>65.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>41.43</td><td>74.00</td><td>-32.57</td><td>60.48</td><td>34.10</td><td>12.29</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>57.27</td><td>35.80</td><td>14.73</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3640.00	61.07	74.00	-12.93	82.31	33.18	10.72	65.14	0.00	---	---	Peak	2	4874.00	40.24	74.00	-33.76	59.29	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	43.62	74.00	-30.38	58.34	35.00	14.73	65.25	0.00	---	---	Peak			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	3640.00	59.05	74.00	-14.95	80.29	33.18	10.72	65.14	0.00	---	---	Peak	2	4874.00	41.43	74.00	-32.57	60.48	34.10	12.29	65.44	0.00	---	---	Peak	3	7311.00	42.55	74.00	-31.45	57.27	35.80	14.73	65.25	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	3640.00	61.07	74.00	-12.93	82.31	33.18	10.72	65.14	0.00	---	---	Peak																																																																																																																																																									
2	4874.00	40.24	74.00	-33.76	59.29	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																																																									
3	7311.00	43.62	74.00	-30.38	58.34	35.00	14.73	65.25	0.00	---	---	Peak																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	3640.00	59.05	74.00	-14.95	80.29	33.18	10.72	65.14	0.00	---	---	Peak																																																																																																																																																									
2	4874.00	41.43	74.00	-32.57	60.48	34.10	12.29	65.44	0.00	---	---	Peak																																																																																																																																																									
3	7311.00	42.55	74.00	-31.45	57.27	35.80	14.73	65.25	0.00	---	---	Peak																																																																																																																																																									





Mode	70																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2379.42</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>40.80</td><td>31.95</td><td>8.74</td><td>30.90</td><td>6.00</td><td>383</td><td>263</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	2379.42	56.59	74.00	-17.41	40.80	31.95	8.74	30.90	6.00	383	263	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>96.36</td><td>74.00</td><td>22.36</td><td>80.42</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>383</td><td>263</td><td>Peak</td></tr><tr><td>2</td><td>2437.00</td><td>96.56</td><td>74.00</td><td>22.56</td><td>80.37</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>383</td><td>263</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	2402.00	96.36	74.00	22.36	80.42	32.00	8.81	30.87	6.00	383	263	Peak	2	2437.00	96.56	74.00	22.56	80.37	32.06	8.91	30.78	6.00	383	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2379.42	56.59	74.00	-17.41	40.80	31.95	8.74	30.90	6.00	383	263	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2402.00	96.36	74.00	22.36	80.42	32.00	8.81	30.87	6.00	383	263	Peak																																																																																																																		
2	2437.00	96.56	74.00	22.56	80.37	32.06	8.91	30.78	6.00	383	263	Peak																																																																																																																		
Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>46.46</td><td>54.00</td><td>-7.54</td><td>30.60</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>383</td><td>263</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	2389.82	46.46	54.00	-7.54	30.60	31.98	8.77	30.89	6.00	383	263	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>95.45</td><td>54.00</td><td>41.45</td><td>79.51</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>383</td><td>263</td><td>Average</td></tr><tr><td>2</td><td>2437.00</td><td>86.31</td><td>54.00</td><td>32.31</td><td>70.12</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>383</td><td>263</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	2402.00	95.45	54.00	41.45	79.51	32.00	8.81	30.87	6.00	383	263	Average	2	2437.00	86.31	54.00	32.31	70.12	32.06	8.91	30.78	6.00	383	263
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2389.82	46.46	54.00	-7.54	30.60	31.98	8.77	30.89	6.00	383	263	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2402.00	95.45	54.00	41.45	79.51	32.00	8.81	30.87	6.00	383	263	Average																																																																																																																		
2	2437.00	86.31	54.00	32.31	70.12	32.06	8.91	30.78	6.00	383	263	Average																																																																																																																		







Mode	70																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																															
ANT	7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.33</td><td>56.98</td><td>74.00</td><td>-17.02</td><td>41.18</td><td>31.96</td><td>8.74</td><td>30.90</td><td>6.00</td><td>309</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.33	56.98	74.00	-17.02	41.18	31.96	8.74	30.90	6.00	309	234	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>92.73</td><td>74.00</td><td>18.73</td><td>76.79</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>309</td><td>234</td><td>Peak</td></tr><tr><td>2</td><td>2437.00</td><td>91.16</td><td>74.00</td><td>17.16</td><td>74.97</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>309</td><td>234</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	92.73	74.00	18.73	76.79	32.00	8.81	30.87	6.00	309	234	Peak	2	2437.00	91.16	74.00	17.16	74.97	32.06	8.91	30.78	6.00	309	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2388.33	56.98	74.00	-17.02	41.18	31.96	8.74	30.90	6.00	309	234	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	92.73	74.00	18.73	76.79	32.00	8.81	30.87	6.00	309	234	Peak																																																																																																				
2	2437.00	91.16	74.00	17.16	74.97	32.06	8.91	30.78	6.00	309	234	Peak																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.96</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>30.59</td><td>31.97</td><td>8.76</td><td>30.89</td><td>6.00</td><td>309</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	46.43	54.00	-7.57	30.59	31.97	8.76	30.89	6.00	309	234	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>91.93</td><td>54.00</td><td>37.93</td><td>75.99</td><td>32.00</td><td>8.81</td><td>30.87</td><td>6.00</td><td>309</td><td>234</td><td>Average</td></tr><tr><td>2</td><td>2437.00</td><td>81.62</td><td>54.00</td><td>27.62</td><td>65.43</td><td>32.06</td><td>8.91</td><td>30.78</td><td>6.00</td><td>309</td><td>234</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	91.93	54.00	37.93	75.99	32.00	8.81	30.87	6.00	309	234	Average	2	2437.00	81.62	54.00	27.62	65.43	32.06	8.91	30.78	6.00	309	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2386.96	46.43	54.00	-7.57	30.59	31.97	8.76	30.89	6.00	309	234	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2402.00	91.93	54.00	37.93	75.99	32.00	8.81	30.87	6.00	309	234	Average																																																																																																				
2	2437.00	81.62	54.00	27.62	65.43	32.06	8.91	30.78	6.00	309	234	Average																																																																																																				







Mode	70																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3640.00</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>79.96</td><td>33.16</td><td>10.68</td><td>65.13</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>60.60</td><td>34.10</td><td>12.55</td><td>65.43</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	58.67	74.00	-15.33	79.96	33.16	10.68	65.13	0.00	---	Peak	2	4804.00	41.82	74.00	-32.18	60.60	34.10	12.55	65.43	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3640.00</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>77.78</td><td>33.16</td><td>10.68</td><td>65.13</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>59.15</td><td>34.10</td><td>12.55</td><td>65.43</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3640.00	56.49	74.00	-17.51	77.78	33.16	10.68	65.13	0.00	---	Peak	2	4804.00	40.37	74.00	-33.63	59.15	34.10	12.55	65.43	0.00	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	3640.00	58.67	74.00	-15.33	79.96	33.16	10.68	65.13	0.00	---	Peak																																																																																																															
2	4804.00	41.82	74.00	-32.18	60.60	34.10	12.55	65.43	0.00	---	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	3640.00	56.49	74.00	-17.51	77.78	33.16	10.68	65.13	0.00	---	Peak																																																																																																															
2	4804.00	40.37	74.00	-33.63	59.15	34.10	12.55	65.43	0.00	---	Peak																																																																																																															





Mode	70																																																																																																																																																																																			
	Band Edge - L																																																																																																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																																																																																			
ANT	SDM 7+8																																																																																																																																																																																			
Pol.	Horizontal					Fundamental																																																																																																																																																																														
Peak																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>72.91</td><td>88.20</td><td>-15.29</td><td>53.27</td><td>35.00</td><td>14.55</td><td>30.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>41</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.01	72.91	88.20	-15.29	53.27	35.00	14.55	30.71									0.00									100									41									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>90.56</td><td>74.00</td><td>16.56</td><td>80.62</td><td>32.00</td><td>8.81</td><td>30.87</td></tr><tr><td>2</td><td>2437.00</td><td>95.15</td><td>74.00</td><td>21.15</td><td>85.00</td><td>32.05</td><td>8.89</td><td>30.79</td></tr><tr><td>3</td><td>3640.00</td><td>114.86</td><td>74.00</td><td>40.86</td><td>100.59</td><td>33.16</td><td>10.67</td><td>29.56</td></tr><tr><td>4</td><td>7115.00</td><td>86.48</td><td>74.00</td><td>12.48</td><td>66.85</td><td>35.80</td><td>14.54</td><td>30.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>41</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	90.56	74.00	16.56	80.62	32.00	8.81	30.87	2	2437.00	95.15	74.00	21.15	85.00	32.05	8.89	30.79	3	3640.00	114.86	74.00	40.86	100.59	33.16	10.67	29.56	4	7115.00	86.48	74.00	12.48	66.85	35.80	14.54	30.71									0.00									100									41								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																												
1	7125.01	72.91	88.20	-15.29	53.27	35.00	14.55	30.71																																																																																																																																																																												
								0.00																																																																																																																																																																												
								100																																																																																																																																																																												
								41																																																																																																																																																																												
								PEAK																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																												
1	2402.00	90.56	74.00	16.56	80.62	32.00	8.81	30.87																																																																																																																																																																												
2	2437.00	95.15	74.00	21.15	85.00	32.05	8.89	30.79																																																																																																																																																																												
3	3640.00	114.86	74.00	40.86	100.59	33.16	10.67	29.56																																																																																																																																																																												
4	7115.00	86.48	74.00	12.48	66.85	35.80	14.54	30.71																																																																																																																																																																												
								0.00																																																																																																																																																																												
								100																																																																																																																																																																												
								41																																																																																																																																																																												
								Peak																																																																																																																																																																												
Avg																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>64.93</td><td>68.20</td><td>-3.27</td><td>45.29</td><td>35.00</td><td>14.55</td><td>30.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>41</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.01	64.93	68.20	-3.27	45.29	35.00	14.55	30.71									0.00									100									41									AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>89.09</td><td>54.00</td><td>35.09</td><td>79.14</td><td>32.01</td><td>8.81</td><td>30.87</td></tr><tr><td>2</td><td>2437.00</td><td>85.20</td><td>54.00</td><td>31.20</td><td>75.05</td><td>32.05</td><td>8.89</td><td>30.79</td></tr><tr><td>3</td><td>3640.00</td><td>111.73</td><td>54.00</td><td>57.73</td><td>97.46</td><td>33.16</td><td>10.67</td><td>29.56</td></tr><tr><td>4</td><td>7115.00</td><td>76.35</td><td>54.00</td><td>22.35</td><td>56.72</td><td>35.80</td><td>14.54</td><td>30.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>41</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	89.09	54.00	35.09	79.14	32.01	8.81	30.87	2	2437.00	85.20	54.00	31.20	75.05	32.05	8.89	30.79	3	3640.00	111.73	54.00	57.73	97.46	33.16	10.67	29.56	4	7115.00	76.35	54.00	22.35	56.72	35.80	14.54	30.71									0.00									100									41								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																												
1	7125.01	64.93	68.20	-3.27	45.29	35.00	14.55	30.71																																																																																																																																																																												
								0.00																																																																																																																																																																												
								100																																																																																																																																																																												
								41																																																																																																																																																																												
								AVERAGE																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																												
1	2402.00	89.09	54.00	35.09	79.14	32.01	8.81	30.87																																																																																																																																																																												
2	2437.00	85.20	54.00	31.20	75.05	32.05	8.89	30.79																																																																																																																																																																												
3	3640.00	111.73	54.00	57.73	97.46	33.16	10.67	29.56																																																																																																																																																																												
4	7115.00	76.35	54.00	22.35	56.72	35.80	14.54	30.71																																																																																																																																																																												
								0.00																																																																																																																																																																												
								100																																																																																																																																																																												
								41																																																																																																																																																																												
								Average																																																																																																																																																																												



		70																																																																																																																																						
Mode		Band Edge - L																																																																																																																																						
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																																						
ANT		SDM 7+8																																																																																																																																						
Pol.		Vertical					Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>73.38</td><td>88.20</td><td>-14.82</td><td>53.74</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	73.38	88.20	-14.82	53.74	35.00	14.55	30.71	0.00	100	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>82.59</td><td>74.00</td><td>8.59</td><td>72.64</td><td>32.01</td><td>8.81</td><td>30.87</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr><tr><td>2</td><td>2437.00</td><td>99.81</td><td>74.00</td><td>25.81</td><td>89.73</td><td>32.03</td><td>8.87</td><td>30.82</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr><tr><td>3</td><td>3640.00</td><td>101.36</td><td>74.00</td><td>27.36</td><td>87.09</td><td>33.16</td><td>10.67</td><td>29.56</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr><tr><td>4</td><td>7115.00</td><td>84.15</td><td>74.00</td><td>10.15</td><td>64.52</td><td>35.80</td><td>14.54</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	82.59	74.00	8.59	72.64	32.01	8.81	30.87	0.00	100	172	Peak	2	2437.00	99.81	74.00	25.81	89.73	32.03	8.87	30.82	0.00	100	172	Peak	3	3640.00	101.36	74.00	27.36	87.09	33.16	10.67	29.56	0.00	100	172	Peak	4	7115.00	84.15	74.00	10.15	64.52	35.80	14.54	30.71	0.00	100	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	7125.01	73.38	88.20	-14.82	53.74	35.00	14.55	30.71	0.00	100	172	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	2402.00	82.59	74.00	8.59	72.64	32.01	8.81	30.87	0.00	100	172	Peak																																																																																																																												
2	2437.00	99.81	74.00	25.81	89.73	32.03	8.87	30.82	0.00	100	172	Peak																																																																																																																												
3	3640.00	101.36	74.00	27.36	87.09	33.16	10.67	29.56	0.00	100	172	Peak																																																																																																																												
4	7115.00	84.15	74.00	10.15	64.52	35.80	14.54	30.71	0.00	100	172	Peak																																																																																																																												
Avg																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.01</td><td>62.85</td><td>68.20</td><td>-5.35</td><td>43.21</td><td>35.00</td><td>14.55</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.01	62.85	68.20	-5.35	43.21	35.00	14.55	30.71	0.00	100	172	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>81.02</td><td>54.00</td><td>27.02</td><td>71.08</td><td>32.00</td><td>8.81</td><td>30.87</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr><tr><td>2</td><td>2437.00</td><td>90.16</td><td>54.00</td><td>36.16</td><td>80.08</td><td>32.03</td><td>8.87</td><td>30.82</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr><tr><td>3</td><td>3640.00</td><td>99.32</td><td>54.00</td><td>45.32</td><td>85.05</td><td>33.16</td><td>10.67</td><td>29.56</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr><tr><td>4</td><td>7115.00</td><td>74.00</td><td>54.00</td><td>20.00</td><td>54.37</td><td>35.80</td><td>14.54</td><td>30.71</td><td>0.00</td><td>100</td><td>172</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	81.02	54.00	27.02	71.08	32.00	8.81	30.87	0.00	100	172	Average	2	2437.00	90.16	54.00	36.16	80.08	32.03	8.87	30.82	0.00	100	172	Average	3	3640.00	99.32	54.00	45.32	85.05	33.16	10.67	29.56	0.00	100	172	Average	4	7115.00	74.00	54.00	20.00	54.37	35.80	14.54	30.71	0.00	100	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	7125.01	62.85	68.20	-5.35	43.21	35.00	14.55	30.71	0.00	100	172	AVERAGE																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	2402.00	81.02	54.00	27.02	71.08	32.00	8.81	30.87	0.00	100	172	Average																																																																																																																												
2	2437.00	90.16	54.00	36.16	80.08	32.03	8.87	30.82	0.00	100	172	Average																																																																																																																												
3	3640.00	99.32	54.00	45.32	85.05	33.16	10.67	29.56	0.00	100	172	Average																																																																																																																												
4	7115.00	74.00	54.00	20.00	54.37	35.80	14.54	30.71	0.00	100	172	Average																																																																																																																												




Mode	70																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																			
ANT	SDM 7+8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.66</td><td>88.20</td><td>-42.54</td><td>49.79</td><td>39.33</td><td>20.67</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.66	88.20	-42.54	49.79	39.33	20.67	64.13	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>50.35</td><td>39.33</td><td>20.67</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.22	88.20	-41.98	50.35	39.33	20.67	64.13	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	14230.00	45.66	88.20	-42.54	49.79	39.33	20.67	64.13	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	14230.00	46.22	88.20	-41.98	50.35	39.33	20.67	64.13	0.00	---	---	PEAK																																																																																								

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
7+8	802.11a	99.32	-	-	10Hz
7+8	802.11ax HE20	100	-	-	10Hz
7+8	802.11ax HE20 RU106	100	-	-	10Hz
7+8	802.11ax HE40	100	-	-	10Hz
7+8	802.11ax HE40 RU242	100	-	-	10Hz
7+8	802.11ax HE80	99.35	-	-	10Hz
7+8	802.11ax HE80 RU484	98.98	-	-	10Hz
7+8	802.11ax HE160	99.34	-	-	10Hz
7+8	802.11ax HE160 RU996	98.95	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE20 RU106






802.11ax HE40




802.11ax HE40 RU242






802.11ax HE80




802.11ax HE80 RU484





802.11ax HE160



802.11ax HE160 RU996

